

Xia Luo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2702002/publications.pdf>

Version: 2024-02-01

25
papers

767
citations

471509

17
h-index

552781

26
g-index

30
all docs

30
docs citations

30
times ranked

860
citing authors

#	ARTICLE	IF	CITATIONS
1	Rhubarb Peony Decoction ameliorates ulcerative colitis in mice by regulating gut microbiota to restoring Th17/Treg balance. <i>Journal of Ethnopharmacology</i> , 2019, 231, 39-49.	4.1	113
2	Baicalin prevents LPS-induced activation of TLR4/NF- κ B p65 pathway and inflammation in mice via inhibiting the expression of CD14. <i>Acta Pharmacologica Sinica</i> , 2021, 42, 88-96.	6.1	70
3	Wogonoside alleviates colitis by improving intestinal epithelial barrier function via the MLCK/pMLC2 pathway. <i>Phytomedicine</i> , 2020, 68, 153179.	5.3	62
4	Baicalein ameliorates ulcerative colitis by improving intestinal epithelial barrier via AhR/IL-22 pathway in ILC3s. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 1495-1507.	6.1	56
5	Antitumor activity of <i>Lycium barbarum</i> polysaccharides with different molecular weights: an <i>in vitro</i> and <i>in vivo</i> study. <i>Food and Nutrition Research</i> , 2017, 61, 1399770.	2.6	42
6	Emodin ameliorates ulcerative colitis by the flagellin-TLR5 dependent pathway in mice. <i>International Immunopharmacology</i> , 2018, 59, 269-275.	3.8	34
7	Oroxindin inhibits macrophage NLRP3 inflammasome activation in DSS-induced ulcerative colitis in mice via suppressing TXNIP-dependent NF- κ B pathway. <i>Acta Pharmacologica Sinica</i> , 2020, 41, 771-781.	6.1	32
8	Polysaccharide from Radix Codonopsis has beneficial effects on the maintenance of T-cell balance in mice. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108682.	5.6	31
9	Baicalein Restores the Balance of Th17/Treg Cells via Aryl Hydrocarbon Receptor to Attenuate Colitis. <i>Mediators of Inflammation</i> , 2020, 2020, 1-19.	3.0	31
10	Against NF- κ B/thymic stromal lymphopoietin signaling pathway, catechin alleviates the inflammation in allergic rhinitis. <i>International Immunopharmacology</i> , 2018, 61, 241-248.	3.8	30
11	Immunosuppressive activity of pogostone on T cells: Blocking proliferation via S phase arrest. <i>International Immunopharmacology</i> , 2015, 26, 328-337.	3.8	29
12	Fraction From <i>Lycium barbarum</i> Polysaccharides Reduces Immunotoxicity and Enhances Antitumor Activity of Doxorubicin in Mice. <i>Integrative Cancer Therapies</i> , 2018, 17, 860-866.	2.0	29
13	Polysaccharides from Chinese Herbal <i>Lycium barbarum</i> Induced Systemic and Local Immune Responses in H22 Tumor-Bearing Mice. <i>Journal of Immunology Research</i> , 2018, 2018, 1-12.	2.2	28
14	Effects of ceftriaxone induced intestinal dysbacteriosis on lymphocytes in different tissues in mice. <i>Immunobiology</i> , 2016, 221, 994-1000.	1.9	26
15	Ethyl pyruvate ameliorates experimental colitis in mice by inhibiting the HMGB1-Th17 and Th1/Tc1 responses. <i>International Immunopharmacology</i> , 2015, 29, 454-461.	3.8	24
16	Paeoniflorin ameliorates experimental colitis by inhibiting gram-positive bacteria-dependent MDP-NOD2 pathway. <i>International Immunopharmacology</i> , 2021, 90, 107224.	3.8	21
17	Effects of <i>Lycium barbarum</i> polysaccharides with different molecular weights on function of RAW264.7 macrophages. <i>Food and Agricultural Immunology</i> , 2018, 29, 808-820.	1.4	18
18	Modification effects of SanWei GanJiang Powder on liver and intestinal damage through reversing bile acid homeostasis. <i>Biomedicine and Pharmacotherapy</i> , 2019, 116, 109044.	5.6	17

#	ARTICLE	IF	CITATIONS
19	Synergistic effect of combined treatment with baicalin and emodin on DSS-induced colitis in mouse. <i>Phytotherapy Research</i> , 2021, 35, 5708-5719.	5.8	14
20	Identification of genes underlying the enhancement of immunity by a formula of lentinan, pachymaran and tremelia polysaccharides in immunosuppressive mice. <i>Scientific Reports</i> , 2018, 8, 10082.	3.3	13
21	Effects of ceftriaxone-induced intestinal dysbacteriosis on regulatory T cells validated by anaphylactic mice. <i>International Immunopharmacology</i> , 2018, 60, 221-227.	3.8	10
22	Evaluation of the influence of mirabilite on the absorption and pharmacokinetics of the ingredients in Dahuangmudan decoction by a validated UPLC/QTOF-MS/MS method. <i>Biomedical Chromatography</i> , 2019, 33, e4423.	1.7	10
23	Effect of Huangqin decoction on regulating intestinal flora in colitis mice characterized as inhibition of the NOD2-dependent pathway. <i>Pharmaceutical Biology</i> , 2022, 60, 108-118.	2.9	9
24	Hepatic dysfunction induced by intestinal dysbacteriosis mainly manifests as immunologic abnormality in mice. <i>Pathogens and Disease</i> , 2020, 78, .	2.0	8
25	SanWeiGanJiang San relieves liver injury via Nrf2/Bach1. <i>Journal of Ethnopharmacology</i> , 2020, 251, 112445.	4.1	7