

Manuel GÃ³mez Del Moral

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2702443/publications.pdf>

Version: 2024-02-01

31
papers

714
citations

623734

14
h-index

552781

26
g-index

31
all docs

31
docs citations

31
times ranked

1369
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of porcine CD163 on monocytes/macrophages correlates with permissiveness to African swine fever infection. <i>Archives of Virology</i> , 2003, 148, 2307-2323.	2.1	134
2	Alcoholic liver disease: Utility of animal models. <i>World Journal of Gastroenterology</i> , 2018, 24, 5063-5075.	3.3	101
3	Dissecting the molecular pathophysiology of drug-induced liver injury. <i>World Journal of Gastroenterology</i> , 2018, 24, 1373-1385.	3.3	83
4	Intestinal epithelial cell endoplasmic reticulum stress promotes MULT1 up-regulation and NKG2D-mediated inflammation. <i>Journal of Experimental Medicine</i> , 2017, 214, 2985-2997.	8.5	52
5	The Role of Lipids in Development of Allergic Responses. <i>Immune Network</i> , 2017, 17, 133.	3.6	36
6	Monoclonal antibody recognizes the β chain of a porcine α 22 integrin involved in adhesion and complement mediated phagocytosis. <i>Journal of Immunological Methods</i> , 1996, 195, 125-134.	1.4	28
7	Olea europaea pollen lipids activate invariant natural killer T cells by upregulating CD1d expression on dendritic cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1393-1399.e5.	2.9	26
8	Mesoporous Silicon Microparticles Enhance MHC Class I Cross-Antigen Presentation by Human Dendritic Cells. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-9.	3.3	23
9	Monoclonal antibodies to a high molecular weight isoform of porcine CD45: biochemical and tissue distribution analyses. <i>Veterinary Immunology and Immunopathology</i> , 1997, 56, 151-162.	1.2	21
10	Human MR1 expression on the cell surface is acid sensitive, proteasome independent and increases after culturing at 26 °C. <i>Biochemical and Biophysical Research Communications</i> , 2011, 411, 632-636.	2.1	19
11	Intestinal Epithelial Cell-Derived Extracellular Vesicles Modulate Hepatic Injury via the Gut-Liver Axis During Acute Alcohol Injury. <i>Frontiers in Pharmacology</i> , 2020, 11, 603771.	3.5	17
12	Genetic and pharmacological inhibition of XBP1 protects against APAP hepatotoxicity through the activation of autophagy. <i>Cell Death and Disease</i> , 2022, 13, 143.	6.3	16
13	Ultrastructural changes in the adult rat thymus after estradiol benzoate treatment. <i>Tissue and Cell</i> , 1994, 26, 169-179.	2.2	15
14	Molecular and functional characterization of porcine LFA-1 using monoclonal antibodies to CD11a and CD18. <i>Xenotransplantation</i> , 2000, 7, 258-266.	2.8	15
15	Expression of Human CD1d Molecules Protects Target Cells from NK Cell-Mediated Cytolysis. <i>Journal of Immunology</i> , 2004, 172, 7297-7305.	0.8	15
16	Molecular characterization of porcine Siglec-10 and analysis of its expression in blood and tissues. <i>Developmental and Comparative Immunology</i> , 2015, 48, 116-123.	2.3	15
17	A Shortcut from Metabolic-Associated Fatty Liver Disease (MAFLD) to Hepatocellular Carcinoma (HCC): c-MYC a Promising Target for Preventative Strategies and Individualized Therapy. <i>Cancers</i> , 2022, 14, 192.	3.7	15
18	Human Invariant Natural Killer T Cells Respond to Antigen-Presenting Cells Exposed to Lipids from Olea europaea Pollen. <i>International Archives of Allergy and Immunology</i> , 2017, 173, 12-22.	2.1	13

#	ARTICLE	IF	CITATIONS
19	Structural characterization of two CD1A allelic variants. <i>Human Immunology</i> , 2001, 62, 1137-1141.	2.4	12
20	Molecular and functional characterization of porcine Siglec-3/CD33 and analysis of its expression in blood and tissues. <i>Developmental and Comparative Immunology</i> , 2015, 51, 238-250.	2.3	12
21	Monocyte-Derived Dendritic Cells Differentiated in the Presence of Lenalidomide Display a Semi-Mature Phenotype, Enhanced Phagocytic Capacity, and Th1 Polarization Capability. <i>Frontiers in Immunology</i> , 2018, 9, 1328.	4.8	12
22	An Experimental DUAL Model of Advanced Liver Damage. <i>Hepatology Communications</i> , 2021, 5, 1051-1068.	4.3	11
23	Molecular characterization and expression of porcine Siglec-5. <i>Developmental and Comparative Immunology</i> , 2014, 44, 206-216.	2.3	7
24	The MHC-related protein 1 (MR1) is expressed by a subpopulation of CD38+, IgA+ cells in the human intestinal mucosa. <i>Histology and Histopathology</i> , 2009, 24, 1439-49.	0.7	7
25	Monoclonal antibodies 2F6/8 and 2A10/8 recognize a porcine antigen (SWC7) expressed on B cells and activated T cells. <i>Journal of Immunological Methods</i> , 1999, 222, 1-11.	1.4	5
26	Expression of adhesion molecules and RANTES in kidney transplant from nonheart-beating donors. <i>Transplant International</i> , 2005, 18, 333-340.	1.6	4
27	FRI-103-A sublethal dose of acetaminophen suffices to induce the unfolded protein response in hepatocytes through an IRE1alpha-JNK1-XBP1s-dependent mechanism. <i>Journal of Hepatology</i> , 2019, 70, e432-e433.	3.7	0
28	THU-285-Loss of X-Box Protein-1 in intestinal epithelial cells promotes the development of alcoholic liver disease in the liver. <i>Journal of Hepatology</i> , 2019, 70, e287-e288.	3.7	0
29	THU-072-N-ras protects against experimental liver fibrosis by maintaining hepatocyte homeostasis. <i>Journal of Hepatology</i> , 2019, 70, e191.	3.7	0
30	Deletion of XBP1 in liver parenchymal cells ameliorates acetaminophen (APAP)-induced hepatotoxicity via activation of IRE1alpha-JNK1-ATG5-dependent autophagy. <i>Journal of Hepatology</i> , 2020, 73, S228-S229.	3.7	0
31	Characterization of a novel activation antigen on porcine lymphocytes recognized by monoclonal antibody 5A6/8. <i>Veterinary Research</i> , 2004, 35, 339-348.	3.0	0