

Alla Synytska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2702883/publications.pdf>

Version: 2024-02-01

77
papers

3,102
citations

117453

34
h-index

161609

54
g-index

82
all docs

82
docs citations

82
times ranked

4079
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Fibrous Scaffolds for Muscle Tissue Engineering Based on Touchâ€Spun Poly(Esterâ€Urethane) Elastomer. <i>Macromolecular Bioscience</i> , 2022, 22, e21100427. | 2.1 | 4 |
| 2 | Shape-Morphing Fibrous Hydrogel/Elastomer Bilayers Fabricated by a Combination of 3D Printing and Melt Electrowriting for Muscle Tissue Regeneration. <i>ACS Applied Bio Materials</i> , 2021, 4, 1720-1730. | 2.3 | 24 |
| 3 | 4D Biofabrication Using a Combination of 3D Printing and Melt-Electrowriting of Shape-Morphing Polymers. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 12767-12776. | 4.0 | 62 |
| 4 | Enhancing the interfacial bonding between PE fibers and cementitious matrices through polydopamine surface modification. <i>Composites Part B: Engineering</i> , 2021, 217, 108817. | 5.9 | 33 |
| 5 | Tailoring the crack-bridging behavior of strain-hardening cement-based composites (SHCC) by chemical surface modification of poly(vinyl alcohol) (PVA) fibers. <i>Cement and Concrete Composites</i> , 2020, 114, 103722. | 4.6 | 42 |
| 6 | 4D Biofabrication of fibrous artificial nerve graft for neuron regeneration. <i>Biofabrication</i> , 2020, 12, 035027. | 3.7 | 38 |
| 7 | Janus particles: from concepts to environmentally friendly materials and sustainable applications. <i>Colloid and Polymer Science</i> , 2020, 298, 841-865. | 1.0 | 56 |
| 8 | Influence of roughness and capillary size on the zeta potential values obtained by streaming potential measurements. <i>Surface and Interface Analysis</i> , 2020, 52, 991-995. | 0.8 | 12 |
| 9 | Surface modification of poly(vinyl alcohol) fibers to control the fiber-matrix interaction in composites. <i>Colloid and Polymer Science</i> , 2019, 297, 1079-1093. | 1.0 | 24 |
| 10 | Reconfigurable assembly of charged polymer-modified Janus and non-Janus particles: from half-raspberries to colloidal clusters and chains. <i>Nanoscale Advances</i> , 2019, 1, 3715-3726. | 2.2 | 8 |
| 11 | Hybrid Janus Particles: Challenges and Opportunities for the Design of Active Functional Interfaces and Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 9643-9671. | 4.0 | 107 |
| 12 | From Molecular Electrostatic Interactions and Hydrogel Architecture to Macroscopic Underwater Adherence. <i>Macromolecules</i> , 2019, 52, 3852-3862. | 2.2 | 13 |
| 13 | Effect of Architecture of Thermoresponsive Copolymer Brushes on Switching of Their Adsorption Properties. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1900030. | 1.1 | 2 |
| 14 | Thermo-Responsive Polymer Brushes with Side Graft Chains: Relationship Between Molecular Architecture and Underwater Adherence. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6295. | 1.8 | 4 |
| 15 | Supercooled Water Drops Do Not Freeze During Impact on Hybrid Janus Particle-Based Surfaces. <i>Chemistry of Materials</i> , 2019, 31, 112-123. | 3.2 | 14 |
| 16 | Hairy Particles with Immobilized Enzymes: Impact of Particle Topology on the Catalytic Activity. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 1645-1654. | 4.0 | 19 |
| 17 | Detachment of Rough Colloids from Liquidâ€Liquid Interfaces. <i>Langmuir</i> , 2018, 34, 4861-4873. | 1.6 | 25 |
| 18 | Enabling the synthesis of homogeneous or Janus hairy nanoparticles through surface photoactivation. <i>Nanoscale</i> , 2018, 10, 14492-14498. | 2.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Controlled and tunable design of polymer interface for immobilization of enzymes: does curvature matter?. <i>Soft Matter</i> , 2017, 13, 1074-1084. | 1.2 | 20 |
| 20 | Universal emulsion stabilization from the arrested adsorption of rough particles at liquid-liquid interfaces. <i>Nature Communications</i> , 2017, 8, 15701. | 5.8 | 120 |
| 21 | Janus Particles as Novel Building Blocks for Active Functional Surfaces and Interfaces. , 2017, , 451-520. | | 2 |
| 22 | Postsynthetic Inner-Surface Functionalization of the Highly Stable Zirconium-Based Metal-Organic Framework DUT-67. <i>Inorganic Chemistry</i> , 2016, 55, 7206-7213. | 1.9 | 68 |
| 23 | Hybrid Hairy Janus Particles for Anti-Icing and De-Icing Surfaces: Synergism of Properties and Effects. <i>Chemistry of Materials</i> , 2016, 28, 6995-7005. | 3.2 | 44 |
| 24 | Janus and patchy nanoparticles: general discussion. <i>Faraday Discussions</i> , 2016, 191, 117-139. | 1.6 | 3 |
| 25 | Hybrid Hairy Janus Particles as Building Blocks for Antibiofouling Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 32591-32603. | 4.0 | 31 |
| 26 | Programmed assembly of oppositely charged homogeneously decorated and Janus particles. <i>Faraday Discussions</i> , 2016, 191, 89-104. | 1.6 | 10 |
| 27 | Methods for a permanent binding of functionalized micro-particle on polyester fabric for the improvement of the barrier effect. <i>Journal of Industrial Textiles</i> , 2016, 46, 643-663. | 1.1 | 2 |
| 28 | Anti-Icing Superhydrophobic Surfaces Based on Core-Shell Fossil Particles. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500124. | 1.9 | 42 |
| 29 | Experimental studies of contact angle hysteresis phenomena on polymer surfaces – Toward the understanding and control of wettability for different applications. <i>Advances in Colloid and Interface Science</i> , 2015, 222, 350-376. | 7.0 | 107 |
| 30 | Hybrid Hairy Janus Particles Decorated with Metallic Nanoparticles for Catalytic Applications. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 21218-21225. | 4.0 | 102 |
| 31 | New insight into icing and de-icing properties of hydrophobic and hydrophilic structured surfaces based on core-shell particles. <i>Soft Matter</i> , 2015, 11, 9126-9134. | 1.2 | 27 |
| 32 | Polymer-Inorganic Coatings Containing Nanosized Sorbents Selective to Radionuclides. 2. Latex/Tin Oxide Composites for Cobalt Fixation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22387-22392. | 4.0 | 6 |
| 33 | Synthesis and Contact Angle Measurements of Janus Particles. <i>ChemPlusChem</i> , 2014, 79, 656-661. | 1.3 | 15 |
| 34 | Adaptive PEG-PDMS Brushes: Effect of Architecture on Adhesiveness in Air and under Water. <i>Macromolecules</i> , 2014, 47, 8377-8385. | 2.2 | 11 |
| 35 | Platelet Janus Particles with Hairy Polymer Shells for Multifunctional Materials. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 13106-13114. | 4.0 | 59 |
| 36 | Preparation of scratch resistant superhydrophobic hybrid coatings by sol-gel process. <i>Progress in Organic Coatings</i> , 2014, 77, 1635-1641. | 1.9 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Multipurpose Ultra and Superhydrophobic Surfaces Based on Oligodimethylsiloxane-Modified Nanosilica. ACS Applied Materials & Interfaces, 2014, 6, 18998-19010. | 4.0 | 36 |
| 38 | Self-Assembly Behavior of Hairy Colloidal Particles with Different Architectures: Mixed versus Janus. Langmuir, 2014, 30, 12765-12774. | 1.6 | 18 |
| 39 | Polymer-Inorganic Coatings Containing Nanosized Sorbents Selective to Radionuclides. 1. Latex/Cobalt Hexacyanoferrate(II) Composites for Cesium Fixation. ACS Applied Materials & Interfaces, 2014, 6, 16769-16776. | 4.0 | 14 |
| 40 | Stimuli-Responsive Janus Particles. Particle and Particle Systems Characterization, 2013, 30, 922-930. | 1.2 | 23 |
| 41 | Intelligent Materials with Adaptive Adhesion Properties Based on Comb-like Polymer Brushes. Langmuir, 2012, 28, 16444-16454. | 1.6 | 33 |
| 42 | Tuning the Adhesion of Silica Microparticles to a Poly(2-vinyl pyridine) Brush: An AFM Force Measurement Study. Langmuir, 2012, 28, 15555-15565. | 1.6 | 27 |
| 43 | Surfaces with Self-repairable Ultrahydrophobicity Based on Self-organizing Freely Floating Colloidal Particles. Langmuir, 2012, 28, 3679-3682. | 1.6 | 49 |
| 44 | Switchable adhesion by chemical functionality and topography. Journal of Materials Chemistry, 2012, 22, 19390. | 6.7 | 59 |
| 45 | Self-healing superhydrophobic materials. Physical Chemistry Chemical Physics, 2012, 14, 10497. | 1.3 | 111 |
| 46 | Water-Repellent Textile via Decorating Fibers with Amphiphilic Janus Particles. ACS Applied Materials & Interfaces, 2011, 3, 1216-1220. | 4.0 | 112 |
| 47 | A comparative study on switchable adhesion between thermoresponsive polymer brushes on flat and rough surfaces. Soft Matter, 2011, 7, 5691. | 1.2 | 52 |
| 48 | Engineering of Ultra-Hydrophobic Functional Coatings Using Controlled Aggregation of Bicomponent Core/Shell Janus Particles. Advanced Functional Materials, 2011, 21, 2338-2344. | 7.8 | 56 |
| 49 | Ultrahydrophobe Oberflächen durch gezieltes Grenzflächendesign. Chemie-Ingenieur-Technik, 2010, 82, 297-308. | 0.4 | 3 |
| 50 | Microparticle-Supported Conjugated Polyelectrolyte Brushes Prepared by Surface-Initiated Kumada Catalyst Transfer Polycondensation for Sensor Applications. Macromolecular Rapid Communications, 2010, 31, 2146-2150. | 2.0 | 20 |
| 51 | Anionic surfactants for defect suppression in 193-nm lithography—Study of the adsorption process by ellipsometry and streaming potential measurements. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 371, 8-13. | 2.3 | 3 |
| 52 | Ordered surface structures from PNIPAM-based loosely packed microgel particles. Soft Matter, 2010, 6, 5980. | 1.2 | 49 |
| 53 | Interaction Forces between Microsized Silica Particles and Weak Polyelectrolyte Brushes at Varying pH and Salt Concentration. Langmuir, 2010, 26, 6400-6410. | 1.6 | 56 |
| 54 | Protein-Resistant Polymer Coatings Based on Surface-Adsorbed Poly(aminoethyl) Methacrylate (PAAEM). Journal of Applied Polymer Science, 2010, 115, 1000-1008. | 2.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Chemically guided topography in alkylsilane- and oligosiloxane-modified silica nanoparticle coatings: from very hydrophobic surfaces to "pearl" bouncing droplets. <i>Soft Matter</i> , 2010, 6, 4768. | 1.2 | 28 |
| 56 | Biocompatible polymeric materials with switchable adhesion properties. <i>Soft Matter</i> , 2010, 6, 5907. | 1.2 | 64 |
| 57 | Covalent immobilization of chitosan on surfaces with anchoring layers of poly(glycidyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 55 | 0.3 | 1 |
| 58 | Forces between Blank Surfaces As Measured by the Colloidal Probe Technique and by Optical Tweezers " A Comparison. <i>Langmuir</i> , 2009, 25, 12894-12898. | 1.6 | 18 |
| 59 | Forces of Interaction between Poly(2-vinylpyridine) Brushes As Measured by Optical Tweezers. <i>Macromolecules</i> , 2009, 42, 9096-9102. | 2.2 | 46 |
| 60 | Wetting on Fractal Superhydrophobic Surfaces from "Core"Shell" Particles: A Comparison of Theory and Experiment. <i>Langmuir</i> , 2009, 25, 3132-3136. | 1.6 | 41 |
| 61 | Temperature"Induced Size"Control of Bioactive Surface Patterns. <i>Advanced Functional Materials</i> , 2008, 18, 1501-1508. | 7.8 | 44 |
| 62 | Facile preparation of superhydrophobic coatings by sol"gel processes. <i>Journal of Colloid and Interface Science</i> , 2008, 325, 149-156. | 5.0 | 126 |
| 63 | Optical tweezers to measure the interaction between poly(acrylic acid) brushes. <i>Polymer</i> , 2008, 49, 4802-4807. | 1.8 | 44 |
| 64 | Stimuli-Responsive Bicomponent Polymer Janus Particles by "Grafting from" "Grafting to" Approaches. <i>Macromolecules</i> , 2008, 41, 9669-9676. | 2.2 | 192 |
| 65 | Studies of Surface Segregation and Surface Properties of <i>N</i>-Pentylperfluorooctaneamide End-Capped Semicrystalline Poly(butylene isophthalate) Films. <i>Macromolecules</i> , 2008, 41, 8557-8565. | 2.2 | 23 |
| 66 | Wetting on Regularly Structured Surfaces from "Core"Shell" Particles: Theoretical Predictions and Experimental Findings. <i>Langmuir</i> , 2008, 24, 11895-11901. | 1.6 | 36 |
| 67 | Perfluoroalkyl End-Functionalized Oligoesters: "Correlation between Wettability and End-Group Segregation. <i>Macromolecules</i> , 2007, 40, 297-305. | 2.2 | 60 |
| 68 | Adhesion and Viability of Two Enterococcal Strains on Covalently Grafted Chitosan and Chitosan/"-Carrageenan Multilayers. <i>Biomacromolecules</i> , 2007, 8, 2960-2968. | 2.6 | 80 |
| 69 | Simple and Fast Method for the Fabrication of Switchable Bicomponent Micropatterned Polymer Surfaces. <i>Langmuir</i> , 2007, 23, 5205-5209. | 1.6 | 41 |
| 70 | Mechanochemical modification of silica with poly(1-vinyl-2-pyrrolidone) by grinding in a stirred media mill. <i>Journal of Applied Polymer Science</i> , 2007, 104, 3708-3714. | 1.3 | 24 |
| 71 | The adsorption of cationic surfactants on photoresist surfaces and its effect on the pattern collapse in high aspect ratio patterning. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 311, 83-92. | 2.3 | 10 |
| 72 | Electrokinetic investigation of surfactant adsorption. <i>Journal of Colloid and Interface Science</i> , 2007, 309, 225-230. | 5.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Design of surface properties of PET films: Effect of fluorinated block copolymers. Journal of Colloid and Interface Science, 2007, 315, 210-222. | 5.0 | 29 |
| 74 | Fast and Spatially Resolved Environmental Probing Using Stimuli-Responsive Polymer Layers and Fluorescent Nanocrystals. Advanced Materials, 2006, 18, 1453-1457. | 11.1 | 99 |
| 75 | MONITORING THE SURFACE TENSION OF REACTIVE EPOXY-AMINE SYSTEMS UNDER DIFFERENT ENVIRONMENTAL CONDITIONS. Journal of Adhesion, 2004, 80, 667-683. | 1.8 | 16 |
| 76 | Regular Patterned Surfaces from Core-Shell Particles. Preparation and Characterization. , 0, , 72-81. | | 19 |
| 77 | Surface Modification of Polymeric Fibers to Control the Interactions with Cement-Based Matrices in Fiber-Reinforced Composites. Key Engineering Materials, 0, 809, 225-230. | 0.4 | 5 |