
Rickard Ljung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2708117/publications.pdf Version: 2024-02-01



RICKARD LILING

#	Article	IF	CITATIONS
1	Registers of the Swedish total population and their use in medical research. European Journal of Epidemiology, 2016, 31, 125-136.	5.7	998
2	The Swedish cause of death register. European Journal of Epidemiology, 2017, 32, 765-773.	5.7	810
3	Insulin glargine use and short-term incidence of malignancies—a population-based follow-up study in Sweden. Diabetologia, 2009, 52, 1745-1754.	6.3	386
4	Undetectable High-Sensitivity Cardiac Troponin T LevelÂin the EmergencyÂDepartmentÂand RiskÂofÂMyocardial Infarction. Journal of the American College of Cardiology, 2014, 63, 2569-2578.	2.8	246
5	Shifts to and from Daylight Saving Time and Incidence of Myocardial Infarction. New England Journal of Medicine, 2008, 359, 1966-1968.	27.0	146
6	Validating inflammatory bowel disease (IBD) in the Swedish National Patient Register and the Swedish Quality Register for IBD (SWIBREG). Scandinavian Journal of Gastroenterology, 2017, 52, 216-221.	1.5	129
7	Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. Diabetologia, 2016, 59, 980-988.	6.3	119
8	SARS-CoV-2 Vaccination and Myocarditis in a Nordic Cohort Study of 23 Million Residents. JAMA Cardiology, 2022, 7, 600.	6.1	115
9	Chocolate consumption and mortality following a first acute myocardial infarction: the Stockholm Heart Epidemiology Program. Journal of Internal Medicine, 2009, 266, 248-257.	6.0	109
10	Stable High-Sensitivity Cardiac TroponinÂTÂLevels and Outcomes inÂPatients WithÂChest Pain. Journal of the American College of Cardiology, 2017, 70, 2226-2236.	2.8	94
11	Association of SARS-CoV-2 Vaccination During Pregnancy With Pregnancy Outcomes. JAMA - Journal of the American Medical Association, 2022, 327, 1469.	7.4	89
12	Daylight saving time shifts and incidence of acute myocardial infarction – Swedish Register of Information and Knowledge About Swedish Heart Intensive Care Admissions (RIKS-HIA). Sleep Medicine, 2012, 13, 237-242.	1.6	74
13	Association of Oral Glucocorticoid Use With an Increased Risk of Acute Pancreatitis. JAMA Internal Medicine, 2013, 173, 444.	5.1	74
14	Widowhood and the risk of psychiatric care, psychotropic medication and all-cause mortality: A cohort study of 658,022 elderly people in Sweden. Aging and Mental Health, 2011, 15, 259-266.	2.8	71
15	Marital status, education, and income in relation to the risk of esophageal and gastric cancer by histological type and site. Cancer, 2016, 122, 207-212.	4.1	63
16	Quality of medical care and excess mortality in psychiatric patients—a nationwide register-based study in Sweden. BMJ Open, 2012, 2, e000778.	1.9	60
17	Multi-Exposure and Clustering of Adverse Childhood Experiences, Socioeconomic Differences and Psychotropic Medication in Young Adults. PLoS ONE, 2013, 8, e53551.	2.5	60
18	Suicide or undetermined intent? A register-based study of signs of misclassification. Population Health Metrics, 2014, 12, 11.	2.7	60

#	Article	IF	CITATIONS
19	Coffee consumption and mortality after acute myocardial infarction: The Stockholm Heart Epidemiology Program. American Heart Journal, 2009, 157, 495-501.	2.7	55
20	School grades, parental education and suicidea national register-based cohort study. Journal of Epidemiology and Community Health, 2011, 65, 993-998.	3.7	52
21	Validation of Obesity Surgery Data in the Swedish National Patient Registry and Scandinavian Obesity Registry (SOReg). Obesity Surgery, 2016, 26, 1750-1756.	2.1	51
22	Alcohol and long-term prognosis after a first acute myocardial infarction: the SHEEP study. European Heart Journal, 2007, 29, 45-53.	2.2	50
23	Reliability of Acute Pancreatitis Diagnosis Coding in a National Patient Register: A Validation Study in Sweden. Pancreatology, 2011, 11, 525-532.	1.1	47
24	Juvenile delinquency, social background and suicidea Swedish national cohort study of 992 881 young adults. International Journal of Epidemiology, 2011, 40, 1585-1592.	1.9	47
25	Weekend Versus Weekday Admission and Stroke Outcome in Sweden From 1968 to 2005. Stroke, 2007, 38, e94; author reply e95.	2.0	45
26	Education and drug use in Sweden—a nationwide registerâ€based study. Pharmacoepidemiology and Drug Safety, 2008, 17, 1020-1028.	1.9	45
27	Burden of type 2 diabetes attributed to lower educational levels in Sweden. Population Health Metrics, 2011, 9, 60.	2.7	43
28	Inequalities in avoidable hospitalisation by area income and the role of individual characteristics: a population-based register study in Stockholm County, Sweden. BMJ Quality and Safety, 2014, 23, 206-214.	3.7	41
29	Psychiatric Morbidity and Survival After Surgery for Esophageal Cancer: A Population-Based Cohort Study. Journal of Clinical Oncology, 2015, 33, 448-454.	1.6	41
30	Insulin glargine use and short-term incidence of malignancies — a three-year population-based observation. Acta Oncológica, 2011, 50, 685-693.	1.8	37
31	Colon and rectal cancer risk after bariatric surgery in a multicountry Nordic cohort study. International Journal of Cancer, 2020, 147, 728-735.	5.1	34
32	Accumulation of adverse socioeconomic position over the entire life course and the risk of myocardial infarction among men and women: results from the Stockholm Heart Epidemiology Program (SHEEP). Journal of Epidemiology and Community Health, 2006, 60, 1080-1084.	3.7	33
33	Socioeconomic position and the risk of brain tumour: a Swedish national population-based cohort study. Journal of Epidemiology and Community Health, 2016, 70, 1222-1228.	3.7	32
34	Socioeconomic differences in the burden of disease in Sweden. Bulletin of the World Health Organization, 2005, 83, 92-9.	3.3	32
35	Crossâ€sectional and prospective associations of meeting 24â€h movement guidelines with overweight and obesity in preschool children. Pediatric Obesity, 2018, 13, 442-449.	2.8	30
36	Life expectancy after the first suicide attempt. Acta Psychiatrica Scandinavica, 2018, 137, 287-295.	4.5	30

#	Article	IF	CITATIONS
37	Cancer Risk After Bariatric Surgery in a Cohort Study from the Five Nordic Countries. Obesity Surgery, 2020, 30, 3761-3767.	2.1	30
38	High arterial ligation and risk of anastomotic leakage in anterior resection for rectal cancer in patients with increased cardiovascular risk. Colorectal Disease, 2015, 17, 1018-1027.	1.4	28
39	An Association between Initiation of Selective Serotonin Reuptake Inhibitors and Suicide - A Nationwide Register-Based Case-Crossover Study. PLoS ONE, 2013, 8, e73973.	2.5	27
40	Investigations, findings, and follow-up in patients with chest pain and elevated high-sensitivity cardiac troponin T levels but no myocardial infarction. International Journal of Cardiology, 2017, 232, 111-116.	1.7	26
41	Pediatric use of prescribed melatonin in Sweden 2006–2017: a register based study. European Child and Adolescent Psychiatry, 2021, 30, 1339-1350.	4.7	26
42	Systematic underreporting of the population-based incidence of pancreatic and biliary tract cancers. Acta Oncológica, 2014, 53, 822-829.	1.8	25
43	Cardiovascular Disease and Risk of Acute Pancreatitis in a Population-Based Study. Pancreas, 2013, 42, 1011-1015.	1.1	22
44	Socioeconomic position and incidence of colorectal cancer in the Swedish population. Cancer Epidemiology, 2016, 40, 188-195.	1.9	22
45	Ongoing university studies and the risk of suicide: a register-based nationwide cohort study of 5 million young and middle-aged individuals in Sweden, 1993–2011. BMJ Open, 2017, 7, e014264.	1.9	22
46	The Swedish dental health register - validation study of remaining and intact teeth. BMC Oral Health, 2019, 19, 116.	2.3	21
47	Insulin glargine use and short-term incidence of breast cancer — a four-year population-based observation. Acta Oncológica, 2012, 51, 400-402.	1.8	20
48	High Concomitant Use of Interacting Drugs and Low Use of Gastroprotective Drugs among NSAID Users in an Unselected Elderly Population. Drugs and Aging, 2011, 28, 469-476.	2.7	19
49	Survival and resource utilization in patients with chest pain evaluated with cardiac troponin T compared with high-sensitivity cardiac troponin T. International Journal of Cardiology, 2017, 245, 43-48.	1.7	19
50	Maternal smoking during pregnancy and the risk of childhood brain tumors: Results from a Swedish cohort study. Cancer Epidemiology, 2016, 40, 67-72.	1.9	18
51	Trends in admissions for chest pain after the introduction of high-sensitivity cardiac troponin T. International Journal of Cardiology, 2017, 240, 1-7.	1.7	18
52	Socio-Demographic and Geographical Factors in Esophageal and Gastric Cancer Mortality in Sweden. PLoS ONE, 2013, 8, e62067.	2.5	17
53	Marital status and survival after oesophageal cancer surgery: a population-based nationwide cohort study in Sweden. BMJ Open, 2014, 4, e005418-e005418.	1.9	17
54	Pharmacoepidemiology of obsessive–compulsive disorder: A Swedish nationwide cohort study. European Neuropsychopharmacology, 2016, 26, 693-704.	0.7	15

#	Article	IF	CITATIONS
55	A population-based case–control study on statin exposure and risk of acute diverticular disease. Scandinavian Journal of Gastroenterology, 2016, 51, 203-210.	1.5	15
56	Severity of depression, anxious distress and the risk of type 2 diabetes – a population-based cohort study in Sweden. BMC Public Health, 2019, 19, 1174.	2.9	15
57	Estimating incidence and prevalence from population registers: example from myocardial infarction. Scandinavian Journal of Public Health, 2017, 45, 5-13.	2.3	14
58	Death of a child and the risk of atrial fibrillation: a nationwide cohort study in Sweden. European Heart Journal, 2021, 42, 1489-1495.	2.2	14
59	Oral disease and risk of oesophageal and gastric cancer in a nationwide nested case-control study in Sweden. European Journal of Cancer, 2011, 47, 2128-2132.	2.8	13
60	Selective Serotonin Reuptake Inhibitors and the Risk of Acute Pancreatitis. Journal of Clinical Psychopharmacology, 2012, 32, 336-340.	1.4	13
61	Polypharmacy and risk of acute pancreatitis. Pharmacoepidemiology and Drug Safety, 2016, 25, 1337-1341.	1.9	13
62	Death of an offspring and parental risk of ischemic heart diseases: A population-based cohort study. PLoS Medicine, 2021, 18, e1003790.	8.4	13
63	Insulin-like growth factor binding protein-1 is a long-term predictor of heart failure in survivors of a first acute myocardial infarction and population controls. International Journal of Cardiology, 2010, 138, 50-55.	1.7	12
64	Angiotensin II receptor blockers and risk of acute pancreatitis - a population based case–control study in Sweden. BMC Gastroenterology, 2017, 17, 36.	2.0	12
65	Maternal diabetes and incidence of childhood cancer – a nationwide cohort study and exploratory genetic analysis. Clinical Epidemiology, 2017, Volume 9, 633-642.	3.0	12
66	Relation of Chronic Myocardial Injury and Non-ST-Segment Elevation Myocardial Infarction to Mortality. American Journal of Cardiology, 2018, 122, 1989-1995.	1.6	12
67	Systematic assessment of prescribed medications and short-term risk of myocardial infarction – a pharmacopeia-wide association study from Norway and Sweden. Scientific Reports, 2019, 9, 8257.	3.3	12
68	Increased risk of acute pancreatitis among tetracycline users in a Swedish population-based case–control study. Gut, 2012, 61, 873-876.	12.1	11
69	Suicidal behavior among delinquent former child welfare clients. European Child and Adolescent Psychiatry, 2013, 22, 349-355.	4.7	11
70	Risk of new psychiatric episodes in the year following divorce in midlife: Cause or selection? A nationwide register-based study of 703,960 individuals. International Journal of Social Psychiatry, 2013, 59, 801-804.	3.1	11
71	Adult children's socioeconomic resources and mothers' survival after a breast cancer diagnosis: a Swedish population-based cohort study. BMJ Open, 2017, 7, e014968.	1.9	11
72	Inequalities in Income and Education Are Associated With Survival Differences After Out-of-Hospital Cardiac Arrest: Nationwide Observational Study. Circulation, 2021, 144, 1915-1925.	1.6	11

#	Article	IF	CITATIONS
73	COVID-19 vaccination in pregnant women in Sweden and Norway. Vaccine, 2022, 40, 4686-4692.	3.8	11
74	Use of desmopressin and concomitant use of potentially interacting drugs in elderly patients in Sweden. European Journal of Clinical Pharmacology, 2008, 64, 439-444.	1.9	10
75	Suicide attempt and future risk of cancer: a nationwide cohort study in Sweden. Cancer Causes and Control, 2015, 26, 501-509.	1.8	10
76	Risk of revisits to the emergency department in admitted versus discharged patients with chest pain but without myocardial infarction in relation to high-sensitivity cardiac troponin T levels. International Journal of Cardiology, 2016, 203, 341-346.	1.7	10
77	Thyroxin substitution and open-angle glaucoma: a nationwide register-based study on filled prescriptions. British Journal of Ophthalmology, 2011, 95, 592-594.	3.9	9
78	Twelve tips for conducting a postgraduate course on study design and study protocol writing for the medical profession. Medical Teacher, 2012, 34, 25-29.	1.8	9
79	Education level and survival after oesophageal cancer surgery: a prospective population-based cohort study. BMJ Open, 2013, 3, e003754.	1.9	9
80	Short and Long Term Mortality after Coronary Artery Bypass Grafting (CABG) Is Influenced by Socioeconomic Position but Not by Migration Status in Sweden, 1995–2007. PLoS ONE, 2013, 8, e63877.	2.5	9
81	Central nervous system tumor registration in the Swedish Cancer Register and Inpatient Register between 1990 and 2014. Clinical Epidemiology, 2019, Volume 11, 81-92.	3.0	9
82	The profile of the COvid-19 VACcination register SAFEty study in Sweden (CoVacSafe-SE). Upsala Journal of Medical Sciences, 2021, 126, .	0.9	9
83	SOCIOECONOMIC POSITION, CLUSTERING OF RISK FACTORS, AND THE RISK OF MYOCARDIAL INFARCTION. American Journal of Public Health, 2007, 97, 1927-1928.	2.7	8
84	A register-based 13-year to 43-year follow-up of 70 patients with obsessive–compulsive disorder treated with capsulotomy. BMJ Open, 2017, 7, e013133.	1.9	8
85	Death of a child and the risk of heart failure: a populationâ€based cohort study from Denmark and Sweden. European Journal of Heart Failure, 2021, , .	7.1	8
86	Antidopaminergic drugs and acute pancreatitis: a population-based study. BMJ Open, 2012, 2, e000914.	1.9	7
87	Use of non-steroidal anti-inflammatory drugs and proton pump inhibitors in correlation with incidence, recurrence and death of peptic ulcer bleeding: an ecological study. BMJ Open, 2013, 3, e002056.	1.9	7
88	Downward trend in the risk of second myocardial infarction in Sweden, 1987–2007: breakdown by socioeconomic position, gender, and country of birth. European Journal of Preventive Cardiology, 2014, 21, 549-558.	1.8	7
89	Bereavement in the year before a first myocardial infarction: Impact on prognosis. European Journal of Preventive Cardiology, 2020, , 204748732091695.	1.8	7
90	Association Between Menstrual Cycle Length and Coronavirus Disease 2019 (COVID-19) Vaccination: A U.S. Cohort. Obstetrics and Gynecology, 2022, 139, 940-941.	2.4	7

#	Article	IF	CITATIONS
91	Prognostic role of the glucometabolic status assessed in a metabolically stable phase after a first acute myocardial infarction: the SHEEP study. Journal of Internal Medicine, 2009, 265, 465-475.	6.0	6
92	Anticoagulant medication at time of needle biopsy for breast cancer in relation to risk of lymph node metastasis. International Journal of Cancer, 2014, 135, 238-241.	5.1	6
93	Birth Size Characteristics and Risk of Brain Tumors in Early Adulthood: Results from a Swedish Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 678-685.	2.5	6
94	Data Resource Profile: The Nordic Obesity Surgery Cohort (NordOSCo). International Journal of Epidemiology, 2017, 46, 1367-1367g.	1.9	6
95	Oral metronidazole use and risk of acute pancreatitis: a population-based case-control study. Clinical Epidemiology, 2018, Volume 10, 1573-1581.	3.0	6
96	The population-based incidence and mortality of biliary tract cancer in Sweden. Cancer Epidemiology, 2018, 56, 14-20.	1.9	6
97	Differences by region of birth in SARS-CoV-2 vaccine coverage and positive SARS-CoV-2 test among 400 000 healthcare workers and the general population in Sweden. Vaccine, 2022, 40, 2904-2909.	3.8	6
98	Prognosis of concomitant users of clopidogrel and proton-pump inhibitors in a high-risk population for upper gastrointestinal bleeding. BMC Pharmacology & amp; Toxicology, 2014, 15, 22.	2.4	5
99	Increased risk of mental health problems after cancer during adolescence: A registerâ€based cohort study. International Journal of Cancer, 2020, 147, 3349-3360.	5.1	5
100	Recommended drug use after acute myocardial infarction by migration status and education level. European Journal of Clinical Pharmacology, 2015, 71, 499-505.	1.9	4
101	Risk of appendicitis after SARS-CoV-2 infection and SARS-CoV-2 vaccination. British Journal of Surgery, 2022, 109, 775-776.	0.3	4
102	Psychotropic medication use in parents of survivors of adolescent cancer: A registerâ€based cohort study. Cancer Medicine, 2022, 11, 4341-4353.	2.8	4
103	MEDICATION ABORTION AS A QUALITY INDICATOR FOR REGIONAL COMPARISONS IN SWEDEN. American Journal of Public Health, 2009, 99, 197-198.	2.7	3
104	Oral Disease and Risk of Pancreatic Cancer. Epidemiology, 2011, 22, 749-750.	2.7	3
105	Methodological choices affect cancer incidence rates: a cohort study. Population Health Metrics, 2017, 15, 2.	2.7	3
106	Nationwide population-based Nordic screening mammography registers: the only key to final evaluation?. Acta Radiologica, 2011, 52, 247-247.	1.1	2
107	Type 2 diabetes, high blood pressure and acute pancreatitis. Hepatobiliary and Pancreatic Diseases International, 2016, 15, 443-445.	1.3	2
108	Exogenous estrogen and the risk of biliary tract cancer – a population-based study in a cohort of Swedish men treated for prostate cancer. Acta Oncológica, 2016, 55, 846-850.	1.8	2

#	Article	IF	CITATIONS
109	Associations between statin use and suicidality, depression, anxiety, and seizures. Lancet Psychiatry,the, 2021, 8, e2.	7.4	2
110	Death of a Child and the Risk of Stroke. Neurology, 2022, 98, .	1.1	2
111	Comparison of years of life lost to 1,565 suicides versus 10,650 COVID-19 deaths in 2020 in Sweden: four times more years of life lost per suicide than per COVID-19 death. Upsala Journal of Medical Sciences, 0, 127, .	0.9	2
112	Misclassification of occupation-based socioeconomic position and gender comparisons of socioeconomic risk. Scandinavian Journal of Public Health, 2007, 35, 17-22.	2.3	1
113	Cesarean section rate in uncomplicated pregnancy as an indicator of healthcare quality. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 1608-1610.	2.8	1
114	Inequality in quality? Regional and educational differences in treatment with fluoroquinolone in urinary tract infection of 236 376 Swedish patients. BMJ Quality and Safety, 2011, 20, 9-14.	3.7	1
115	Birth month and risk of skin tumors—Follow up of six million Caucasians born from 1950 to 2014 in Sweden. Cancer Medicine, 2020, 9, 6062-6068.	2.8	1
116	Decrease in tramadol use started in 2011 in Sweden. Irish Journal of Medical Science, 2021, 190, 1643-1644.	1.5	1
117	Assessing short-term risk of ischemic stroke in relation to all prescribed medications. Scientific Reports, 2021, 11, 21673.	3.3	1
118	Incident malignant melanoma in Sweden– the importance of accounting for skin complexion in the population. Epidemiology, 2022, Publish Ahead of Print, .	2.7	1
119	FC08-02 - Severity of mental disorder and the risk of all-cause, avoidable, ischemic heart disease, violent and suicide mortality. European Psychiatry, 2011, 26, 1853-1853.	0.2	0
120	FC08-03 - Increased risk of amputation of lower limbs and mortality in patients with diabetes and comorbid mental illness. European Psychiatry, 2011, 26, 1854-1854.	0.2	0
121	P1-141 Myocardial re-infarction: country of birth, gender, socio-economic position (SEP), and age to be considered. Journal of Epidemiology and Community Health, 2011, 65, A106-A106.	3.7	0
122	Patient, Physician, and Researcher. My Life's Journey with Recurrent Spontaneous Pneumothorax. Annals of the American Thoracic Society, 2014, 11, 442-443.	3.2	0
123	It is worth 10 million working hours a year to have your toilet paper folded?. Journal of Occupational Medicine and Toxicology, 2016, 11, 38.	2.2	0
124	Risk of colorectal cancer subsite in a prostate cancer cohort Journal of Clinical Oncology, 2012, 30, 404-404.	1.6	0
125	Death of a child and the risk of heart failure: a population-based cohort study from Denmark and Sweden. European Heart Journal, 2021, 42, .	2.2	0