

Rickard Ljung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2708117/publications.pdf>

Version: 2024-02-01

125
papers

5,313
citations

136740

32
h-index

91712

69
g-index

130
all docs

130
docs citations

130
times ranked

6684
citing authors

#	ARTICLE	IF	CITATIONS
1	Death of a Child and the Risk of Stroke. <i>Neurology</i> , 2022, 98, .	1.5	2
2	Incident malignant melanoma in Sweden—the importance of accounting for skin complexion in the population. <i>Epidemiology</i> , 2022, Publish Ahead of Print, .	1.2	1
3	Association of SARS-CoV-2 Vaccination During Pregnancy With Pregnancy Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1469.	3.8	89
4	Risk of appendicitis after SARS-CoV-2 infection and SARS-CoV-2 vaccination. <i>British Journal of Surgery</i> , 2022, 109, 775-776.	0.1	4
5	Differences by region of birth in SARS-CoV-2 vaccine coverage and positive SARS-CoV-2 test among 400 000 healthcare workers and the general population in Sweden. <i>Vaccine</i> , 2022, 40, 2904-2909.	1.7	6
6	SARS-CoV-2 Vaccination and Myocarditis in a Nordic Cohort Study of 23 Million Residents. <i>JAMA Cardiology</i> , 2022, 7, 600.	3.0	115
7	Psychotropic medication use in parents of survivors of adolescent cancer: A register-based cohort study. <i>Cancer Medicine</i> , 2022, 11, 4341-4353.	1.3	4
8	Association Between Menstrual Cycle Length and Coronavirus Disease 2019 (COVID-19) Vaccination: A U.S. Cohort. <i>Obstetrics and Gynecology</i> , 2022, 139, 940-941.	1.2	7
9	COVID-19 vaccination in pregnant women in Sweden and Norway. <i>Vaccine</i> , 2022, 40, 4686-4692.	1.7	11
10	Pediatric use of prescribed melatonin in Sweden 2006–2017: a register based study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1339-1350.	2.8	26
11	Decrease in tramadol use started in 2011 in Sweden. <i>Irish Journal of Medical Science</i> , 2021, 190, 1643-1644.	0.8	1
12	Death of a child and the risk of atrial fibrillation: a nationwide cohort study in Sweden. <i>European Heart Journal</i> , 2021, 42, 1489-1495.	1.0	14
13	Associations between statin use and suicidality, depression, anxiety, and seizures. <i>Lancet Psychiatry</i> , 2021, 8, e2.	3.7	2
14	Death of an offspring and parental risk of ischemic heart diseases: A population-based cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003790.	3.9	13
15	Death of a child and the risk of heart failure: a population-based cohort study from Denmark and Sweden. <i>European Journal of Heart Failure</i> , 2021, , .	2.9	8
16	Assessing short-term risk of ischemic stroke in relation to all prescribed medications. <i>Scientific Reports</i> , 2021, 11, 21673.	1.6	1
17	Death of a child and the risk of heart failure: a population-based cohort study from Denmark and Sweden. <i>European Heart Journal</i> , 2021, 42, .	1.0	0
18	Inequalities in Income and Education Are Associated With Survival Differences After Out-of-Hospital Cardiac Arrest: Nationwide Observational Study. <i>Circulation</i> , 2021, 144, 1915-1925.	1.6	11

#	ARTICLE	IF	CITATIONS
19	The profile of the COvid-19 VACcination register SAFETy study in Sweden (CoVacSafe-SE). Upsala Journal of Medical Sciences, 2021, 126, .	0.4	9
20	Colon and rectal cancer risk after bariatric surgery in a multicountry Nordic cohort study. International Journal of Cancer, 2020, 147, 728-735.	2.3	34
21	Birth month and risk of skin tumorsâ€”Follow up of six million Caucasians born from 1950 to 2014 in Sweden. Cancer Medicine, 2020, 9, 6062-6068.	1.3	1
22	Cancer Risk After Bariatric Surgery in a Cohort Study from the Five Nordic Countries. Obesity Surgery, 2020, 30, 3761-3767.	1.1	30
23	Increased risk of mental health problems after cancer during adolescence: A registerâ€based cohort study. International Journal of Cancer, 2020, 147, 3349-3360.	2.3	5
24	Bereavement in the year before a first myocardial infarction: Impact on prognosis. European Journal of Preventive Cardiology, 2020, , 204748732091695.	0.8	7
25	The Swedish dental health register - validation study of remaining and intact teeth. BMC Oral Health, 2019, 19, 116.	0.8	21
26	Severity of depression, anxious distress and the risk of type 2 diabetes â€” a population-based cohort study in Sweden. BMC Public Health, 2019, 19, 1174.	1.2	15
27	Systematic assessment of prescribed medications and short-term risk of myocardial infarction â€” a pharmacoepia-wide association study from Norway and Sweden. Scientific Reports, 2019, 9, 8257.	1.6	12
28	Central nervous system tumor registration in the Swedish Cancer Register and Inpatient Register between 1990 and 2014. Clinical Epidemiology, 2019, Volume 11, 81-92.	1.5	9
29	Crossâ€sectional and prospective associations of meeting 24â€h movement guidelines with overweight and obesity in preschool children. Pediatric Obesity, 2018, 13, 442-449.	1.4	30
30	Life expectancy after the first suicide attempt. Acta Psychiatrica Scandinavica, 2018, 137, 287-295.	2.2	30
31	Oral metronidazole use and risk of acute pancreatitis: a population-based case-control study. Clinical Epidemiology, 2018, Volume 10, 1573-1581.	1.5	6
32	Relation of Chronic Myocardial Injury and Non-ST-Segment Elevation Myocardial Infarction to Mortality. American Journal of Cardiology, 2018, 122, 1989-1995.	0.7	12
33	The population-based incidence and mortality of biliary tract cancer in Sweden. Cancer Epidemiology, 2018, 56, 14-20.	0.8	6
34	Investigations, findings, and follow-up in patients with chest pain and elevated high-sensitivity cardiac troponin T levels but no myocardial infarction. International Journal of Cardiology, 2017, 232, 111-116.	0.8	26
35	Trends in admissions for chest pain after the introduction of high-sensitivity cardiac troponin T. International Journal of Cardiology, 2017, 240, 1-7.	0.8	18
36	Angiotensin II receptor blockers and risk of acute pancreatitis - a population based caseâ€control study in Sweden. BMC Gastroenterology, 2017, 17, 36.	0.8	12

#	ARTICLE	IF	CITATIONS
37	Adult children's socioeconomic resources and mothers' survival after a breast cancer diagnosis: a Swedish population-based cohort study. <i>BMJ Open</i> , 2017, 7, e014968.	0.8	11
38	Ongoing university studies and the risk of suicide: a register-based nationwide cohort study of 5 million young and middle-aged individuals in Sweden, 1993–2011. <i>BMJ Open</i> , 2017, 7, e014264.	0.8	22
39	Data Resource Profile: The Nordic Obesity Surgery Cohort (NordOSCo). <i>International Journal of Epidemiology</i> , 2017, 46, 1367-1367g.	0.9	6
40	The Swedish cause of death register. <i>European Journal of Epidemiology</i> , 2017, 32, 765-773.	2.5	810
41	Stable High-Sensitivity Cardiac Troponin Levels and Outcomes in Patients With Chest Pain. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2226-2236.	1.2	94
42	Survival and resource utilization in patients with chest pain evaluated with cardiac troponin T compared with high-sensitivity cardiac troponin T. <i>International Journal of Cardiology</i> , 2017, 245, 43-48.	0.8	19
43	A register-based 13-year to 43-year follow-up of 70 patients with obsessive-compulsive disorder treated with capsulotomy. <i>BMJ Open</i> , 2017, 7, e013133.	0.8	8
44	Methodological choices affect cancer incidence rates: a cohort study. <i>Population Health Metrics</i> , 2017, 15, 2.	1.3	3
45	Validating inflammatory bowel disease (IBD) in the Swedish National Patient Register and the Swedish Quality Register for IBD (SWIBREG). <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 216-221.	0.6	129
46	Estimating incidence and prevalence from population registers: example from myocardial infarction. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 5-13.	1.2	14
47	Maternal diabetes and incidence of childhood cancer – a nationwide cohort study and exploratory genetic analysis. <i>Clinical Epidemiology</i> , 2017, Volume 9, 633-642.	1.5	12
48	Socioeconomic position and the risk of brain tumour: a Swedish national population-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 1222-1228.	2.0	32
49	It is worth 10 million working hours a year to have your toilet paper folded?. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 38.	0.9	0
50	Socioeconomic position and incidence of colorectal cancer in the Swedish population. <i>Cancer Epidemiology</i> , 2016, 40, 188-195.	0.8	22
51	Birth Size Characteristics and Risk of Brain Tumors in Early Adulthood: Results from a Swedish Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 678-685.	1.1	6
52	Polypharmacy and risk of acute pancreatitis. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1337-1341.	0.9	13
53	Type 2 diabetes, high blood pressure and acute pancreatitis. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2016, 15, 443-445.	0.6	2
54	Marital status, education, and income in relation to the risk of esophageal and gastric cancer by histological type and site. <i>Cancer</i> , 2016, 122, 207-212.	2.0	63

#	ARTICLE	IF	CITATIONS
55	Validation of Obesity Surgery Data in the Swedish National Patient Registry and Scandinavian Obesity Registry (SOReg). <i>Obesity Surgery</i> , 2016, 26, 1750-1756.	1.1	51
56	Exogenous estrogen and the risk of biliary tract cancer – a population-based study in a cohort of Swedish men treated for prostate cancer. <i>Acta Oncologica</i> , 2016, 55, 846-850.	0.8	2
57	Registers of the Swedish total population and their use in medical research. <i>European Journal of Epidemiology</i> , 2016, 31, 125-136.	2.5	998
58	Pharmacoepidemiology of obsessive-compulsive disorder: A Swedish nationwide cohort study. <i>European Neuropsychopharmacology</i> , 2016, 26, 693-704.	0.3	15
59	Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. <i>Diabetologia</i> , 2016, 59, 980-988.	2.9	119
60	Maternal smoking during pregnancy and the risk of childhood brain tumors: Results from a Swedish cohort study. <i>Cancer Epidemiology</i> , 2016, 40, 67-72.	0.8	18
61	Risk of revisits to the emergency department in admitted versus discharged patients with chest pain but without myocardial infarction in relation to high-sensitivity cardiac troponin T levels. <i>International Journal of Cardiology</i> , 2016, 203, 341-346.	0.8	10
62	A population-based case-control study on statin exposure and risk of acute diverticular disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 203-210.	0.6	15
63	High arterial ligation and risk of anastomotic leakage in anterior resection for rectal cancer in patients with increased cardiovascular risk. <i>Colorectal Disease</i> , 2015, 17, 1018-1027.	0.7	28
64	Recommended drug use after acute myocardial infarction by migration status and education level. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 499-505.	0.8	4
65	Suicide attempt and future risk of cancer: a nationwide cohort study in Sweden. <i>Cancer Causes and Control</i> , 2015, 26, 501-509.	0.8	10
66	Psychiatric Morbidity and Survival After Surgery for Esophageal Cancer: A Population-Based Cohort Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 448-454.	0.8	41
67	Inequalities in avoidable hospitalisation by area income and the role of individual characteristics: a population-based register study in Stockholm County, Sweden. <i>BMJ Quality and Safety</i> , 2014, 23, 206-214.	1.8	41
68	Downward trend in the risk of second myocardial infarction in Sweden, 1987–2007: breakdown by socioeconomic position, gender, and country of birth. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 549-558.	0.8	7
69	Systematic underreporting of the population-based incidence of pancreatic and biliary tract cancers. <i>Acta Oncologica</i> , 2014, 53, 822-829.	0.8	25
70	Marital status and survival after oesophageal cancer surgery: a population-based nationwide cohort study in Sweden. <i>BMJ Open</i> , 2014, 4, e005418-e005418.	0.8	17
71	Patient, Physician, and Researcher. My Life's Journey with Recurrent Spontaneous Pneumothorax. <i>Annals of the American Thoracic Society</i> , 2014, 11, 442-443.	1.5	0
72	Anticoagulant medication at time of needle biopsy for breast cancer in relation to risk of lymph node metastasis. <i>International Journal of Cancer</i> , 2014, 135, 238-241.	2.3	6

#	ARTICLE	IF	CITATIONS
73	Prognosis of concomitant users of clopidogrel and proton-pump inhibitors in a high-risk population for upper gastrointestinal bleeding. <i>BMC Pharmacology & Toxicology</i> , 2014, 15, 22.	1.0	5
74	Suicide or undetermined intent? A register-based study of signs of misclassification. <i>Population Health Metrics</i> , 2014, 12, 11.	1.3	60
75	Undetectable High-Sensitivity Cardiac Troponin T Level in the Emergency Department and Risk of Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2569-2578.	1.2	246
76	Suicidal behavior among delinquent former child welfare clients. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 349-355.	2.8	11
77	Association of Oral Glucocorticoid Use With an Increased Risk of Acute Pancreatitis. <i>JAMA Internal Medicine</i> , 2013, 173, 444.	2.6	74
78	Use of non-steroidal anti-inflammatory drugs and proton pump inhibitors in correlation with incidence, recurrence and death of peptic ulcer bleeding: an ecological study. <i>BMJ Open</i> , 2013, 3, e002056.	0.8	7
79	Education level and survival after oesophageal cancer surgery: a prospective population-based cohort study. <i>BMJ Open</i> , 2013, 3, e003754.	0.8	9
80	Cardiovascular Disease and Risk of Acute Pancreatitis in a Population-Based Study. <i>Pancreas</i> , 2013, 42, 1011-1015.	0.5	22
81	Risk of new psychiatric episodes in the year following divorce in midlife: Cause or selection? A nationwide register-based study of 703,960 individuals. <i>International Journal of Social Psychiatry</i> , 2013, 59, 801-804.	1.6	11
82	Socio-Demographic and Geographical Factors in Esophageal and Gastric Cancer Mortality in Sweden. <i>PLoS ONE</i> , 2013, 8, e62067.	1.1	17
83	Short and Long Term Mortality after Coronary Artery Bypass Grafting (CABG) Is Influenced by Socioeconomic Position but Not by Migration Status in Sweden, 1995-2007. <i>PLoS ONE</i> , 2013, 8, e63877.	1.1	9
84	An Association between Initiation of Selective Serotonin Reuptake Inhibitors and Suicide - A Nationwide Register-Based Case-Crossover Study. <i>PLoS ONE</i> , 2013, 8, e73973.	1.1	27
85	Multi-Exposure and Clustering of Adverse Childhood Experiences, Socioeconomic Differences and Psychotropic Medication in Young Adults. <i>PLoS ONE</i> , 2013, 8, e53551.	1.1	60
86	Insulin glargine use and short-term incidence of breast cancer - a four-year population-based observation. <i>Acta Oncologica</i> , 2012, 51, 400-402.	0.8	20
87	Selective Serotonin Reuptake Inhibitors and the Risk of Acute Pancreatitis. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 336-340.	0.7	13
88	Increased risk of acute pancreatitis among tetracycline users in a Swedish population-based case-control study. <i>Gut</i> , 2012, 61, 873-876.	6.1	11
89	Quality of medical care and excess mortality in psychiatric patients - a nationwide register-based study in Sweden. <i>BMJ Open</i> , 2012, 2, e000778.	0.8	60
90	Antidopaminergic drugs and acute pancreatitis: a population-based study. <i>BMJ Open</i> , 2012, 2, e000914.	0.8	7

#	ARTICLE	IF	CITATIONS
91	Twelve tips for conducting a postgraduate course on study design and study protocol writing for the medical profession. <i>Medical Teacher</i> , 2012, 34, 25-29.	1.0	9
92	Daylight saving time shifts and incidence of acute myocardial infarction – Swedish Register of Information and Knowledge About Swedish Heart Intensive Care Admissions (RIKS-HIA). <i>Sleep Medicine</i> , 2012, 13, 237-242.	0.8	74
93	Risk of colorectal cancer subsite in a prostate cancer cohort.. <i>Journal of Clinical Oncology</i> , 2012, 30, 404-404.	0.8	0
94	FC08-02 - Severity of mental disorder and the risk of all-cause, avoidable, ischemic heart disease, violent and suicide mortality. <i>European Psychiatry</i> , 2011, 26, 1853-1853.	0.1	0
95	FC08-03 - Increased risk of amputation of lower limbs and mortality in patients with diabetes and comorbid mental illness. <i>European Psychiatry</i> , 2011, 26, 1854-1854.	0.1	0
96	High Concomitant Use of Interacting Drugs and Low Use of Gastroprotective Drugs among NSAID Users in an Unselected Elderly Population. <i>Drugs and Aging</i> , 2011, 28, 469-476.	1.3	19
97	Reliability of Acute Pancreatitis Diagnosis Coding in a National Patient Register: A Validation Study in Sweden. <i>Pancreatology</i> , 2011, 11, 525-532.	0.5	47
98	Oral disease and risk of oesophageal and gastric cancer in a nationwide nested case-control study in Sweden. <i>European Journal of Cancer</i> , 2011, 47, 2128-2132.	1.3	13
99	Insulin glargine use and short-term incidence of malignancies – a three-year population-based observation. <i>Acta Oncologica</i> , 2011, 50, 685-693.	0.8	37
100	P1-141 Myocardial re-infarction: country of birth, gender, socio-economic position (SEP), and age to be considered. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A106-A106.	2.0	0
101	Oral Disease and Risk of Pancreatic Cancer. <i>Epidemiology</i> , 2011, 22, 749-750.	1.2	3
102	Burden of type 2 diabetes attributed to lower educational levels in Sweden. <i>Population Health Metrics</i> , 2011, 9, 60.	1.3	43
103	Thyroxin substitution and open-angle glaucoma: a nationwide register-based study on filled prescriptions. <i>British Journal of Ophthalmology</i> , 2011, 95, 592-594.	2.1	9
104	Nationwide population-based Nordic screening mammography registers: the only key to final evaluation?. <i>Acta Radiologica</i> , 2011, 52, 247-247.	0.5	2
105	School grades, parental education and suicide—a national register-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 993-998.	2.0	52
106	Juvenile delinquency, social background and suicide—a Swedish national cohort study of 992 881 young adults. <i>International Journal of Epidemiology</i> , 2011, 40, 1585-1592.	0.9	47
107	Inequality in quality? Regional and educational differences in treatment with fluoroquinolone in urinary tract infection of 236 376 Swedish patients. <i>BMJ Quality and Safety</i> , 2011, 20, 9-14.	1.8	1
108	Widowhood and the risk of psychiatric care, psychotropic medication and all-cause mortality: A cohort study of 658,022 elderly people in Sweden. <i>Aging and Mental Health</i> , 2011, 15, 259-266.	1.5	71

#	ARTICLE	IF	CITATIONS
109	Cesarean section rate in uncomplicated pregnancy as an indicator of healthcare quality. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1608-1610.	1.3	1
110	Insulin-like growth factor binding protein-1 is a long-term predictor of heart failure in survivors of a first acute myocardial infarction and population controls. <i>International Journal of Cardiology</i> , 2010, 138, 50-55.	0.8	12
111	Insulin glargine use and short-term incidence of malignancies—a population-based follow-up study in Sweden. <i>Diabetologia</i> , 2009, 52, 1745-1754.	2.9	386
112	Prognostic role of the glucometabolic status assessed in a metabolically stable phase after a first acute myocardial infarction: the SHEEP study. <i>Journal of Internal Medicine</i> , 2009, 265, 465-475.	2.7	6
113	Chocolate consumption and mortality following a first acute myocardial infarction: the Stockholm Heart Epidemiology Program. <i>Journal of Internal Medicine</i> , 2009, 266, 248-257.	2.7	109
114	Coffee consumption and mortality after acute myocardial infarction: The Stockholm Heart Epidemiology Program. <i>American Heart Journal</i> , 2009, 157, 495-501.	1.2	55
115	MEDICATION ABORTION AS A QUALITY INDICATOR FOR REGIONAL COMPARISONS IN SWEDEN. <i>American Journal of Public Health</i> , 2009, 99, 197-198.	1.5	3
116	Use of desmopressin and concomitant use of potentially interacting drugs in elderly patients in Sweden. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 439-444.	0.8	10
117	Education and drug use in Sweden—a nationwide register-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 1020-1028.	0.9	45
118	Shifts to and from Daylight Saving Time and Incidence of Myocardial Infarction. <i>New England Journal of Medicine</i> , 2008, 359, 1966-1968.	13.9	146
119	Alcohol and long-term prognosis after a first acute myocardial infarction: the SHEEP study. <i>European Heart Journal</i> , 2007, 29, 45-53.	1.0	50
120	Weekend Versus Weekday Admission and Stroke Outcome in Sweden From 1968 to 2005. <i>Stroke</i> , 2007, 38, e94; author reply e95.	1.0	45
121	Misclassification of occupation-based socioeconomic position and gender comparisons of socioeconomic risk. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 17-22.	1.2	1
122	SOCIOECONOMIC POSITION, CLUSTERING OF RISK FACTORS, AND THE RISK OF MYOCARDIAL INFARCTION. <i>American Journal of Public Health</i> , 2007, 97, 1927-1928.	1.5	8
123	Accumulation of adverse socioeconomic position over the entire life course and the risk of myocardial infarction among men and women: results from the Stockholm Heart Epidemiology Program (SHEEP). <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 1080-1084.	2.0	33
124	Socioeconomic differences in the burden of disease in Sweden. <i>Bulletin of the World Health Organization</i> , 2005, 83, 92-9.	1.5	32
125	Comparison of years of life lost to 1,565 suicides versus 10,650 COVID-19 deaths in 2020 in Sweden: four times more years of life lost per suicide than per COVID-19 death. <i>Upsala Journal of Medical Sciences</i> , 0, 127, .	0.4	2