

# Fatih Ozogul

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2708398/publications.pdf>

Version: 2024-02-01

194  
papers

7,592  
citations

57631

44  
h-index

71532

76  
g-index

196  
all docs

196  
docs citations

196  
times ranked

7003  
citing authors

#	ARTICLE	IF	CITATIONS
1	Industrial applications of crustacean by-products (chitin, chitosan, and chitooligosaccharides): A review. <i>Trends in Food Science and Technology</i> , 2016, 48, 40-50.	7.8	780
2	The effects of modified atmosphere packaging and vacuum packaging on chemical, sensory and microbiological changes of sardines ( <i>Sardina pilchardus</i> ). <i>Food Chemistry</i> , 2004, 85, 49-57.	4.2	291
3	Marine Bioactive Compounds and Their Health Benefits: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2015, 14, 446-465.	5.9	286
4	Technological Factors Affecting Biogenic Amine Content in Foods: A Review. <i>Frontiers in Microbiology</i> , 2016, 7, 1218.	1.5	238
5	Evaluation of effects of nanoemulsion based on herb essential oils (rosemary, laurel, thyme and sage) on sensory, chemical and microbiological quality of rainbow trout ( <i>Oncorhynchus mykiss</i> ) fillets during ice storage. <i>LWT - Food Science and Technology</i> , 2017, 75, 677-684.	2.5	182
6	Fatty acid profiles and fat contents of commercially important seawater and freshwater fish species of Turkey: A comparative study. <i>Food Chemistry</i> , 2007, 103, 217-223.	4.2	166
7	Freshness assessment of European eel ( <i>Anguilla anguilla</i> ) by sensory, chemical and microbiological methods. <i>Food Chemistry</i> , 2005, 92, 745-751.	4.2	164
8	Fatty acid profiles of commercially important fish species from the Mediterranean, Aegean and Black Seas. <i>Food Chemistry</i> , 2007, 100, 1634-1638.	4.2	152
9	Sensory, microbiological and chemical assessment of the freshness of red mullet ( <i>Mullus barbatus</i> ) and goldband goatfish ( <i>Upeneus moluccensis</i> ) during storage in ice. <i>Food Chemistry</i> , 2009, 114, 505-510.	4.2	148
10	The importance of lactic acid bacteria for the prevention of bacterial growth and their biogenic amines formation: A review. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 1660-1670.	5.4	137
11	Formation of lactic, acetic, succinic, propionic, formic and butyric acid by lactic acid bacteria. <i>LWT - Food Science and Technology</i> , 2016, 73, 536-542.	2.5	124
12	Production of biogenic amines by <i>Morganella morganii</i> , <i>Klebsiella pneumoniae</i> and <i>Hafnia alvei</i> using a rapid HPLC method. <i>European Food Research and Technology</i> , 2004, 219, 465-469.	1.6	110
13	Biogenic amine content and biogenic amine quality indices of sardines ( <i>Sardina pilchardus</i> ) stored in modified atmosphere packaging and vacuum packaging. <i>Food Chemistry</i> , 2006, 99, 574-578.	4.2	106
14	Biogenic amines formation in Atlantic herring ( <i>Clupea harengus</i> ) stored under modified atmosphere packaging using a rapid HPLC method. <i>International Journal of Food Science and Technology</i> , 2002, 37, 515-522.	1.3	101
15	Effect of the icing with thyme, oregano and clove extracts on quality parameters of gutted and beheaded anchovy ( <i>Engraulis encrasicolus</i> ) during chilled storage. <i>Food Chemistry</i> , 2014, 145, 681-686.	4.2	100
16	Fat content and fatty acid compositions of 34 marine water fish species from the Mediterranean Sea. <i>International Journal of Food Sciences and Nutrition</i> , 2009, 60, 464-475.	1.3	93
17	Biological activity of plant-based carvacrol and thymol and their impact on human health and food quality. <i>Trends in Food Science and Technology</i> , 2021, 116, 733-748.	7.8	93
18	A rapid HPLC determination of ATP-related compounds and its application to herring stored under modified atmosphere. <i>International Journal of Food Science and Technology</i> , 2000, 35, 549-554.	1.3	89

#	ARTICLE	IF	CITATIONS
19	Chemical, microbiological and sensory evaluation of Atlantic herring ( <i>Clupea harengus</i> ) stored in ice, modified atmosphere and vacuum pack. <i>Food Chemistry</i> , 2000, 71, 267-273.	4.2	86
20	Biochemical, sensory and microbiological attributes of wild turbot ( <i>Scophthalmus maximus</i> ), from the Black Sea, during chilled storage. <i>Food Chemistry</i> , 2006, 99, 752-758.	4.2	80
21	Effect of the Icing with Rosemary Extract on the Oxidative Stability and Biogenic Amine Formation in Sardine ( <i>Sardinella aurita</i> ) During Chilled Storage. <i>Food and Bioprocess Technology</i> , 2012, 5, 2777-2786.	2.6	80
22	The impact of chitosan on seafood quality and human health: A review. <i>Trends in Food Science and Technology</i> , 2020, 97, 404-416.	7.8	73
23	The Function of Lactic Acid Bacteria on Biogenic Amines Production by Food-Borne Pathogens in Arginine Decarboxylase Broth. <i>Food Science and Technology Research</i> , 2012, 18, 795-804.	0.3	72
24	Significance of Antioxidants for Seafood Safety and Human Health. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 475-491.	2.4	72
25	Recent Advances in Marine-Based Nutraceuticals and Their Health Benefits. <i>Marine Drugs</i> , 2020, 18, 627.	2.2	72
26	Recent developments in valorisation of bioactive ingredients in discard/seafood processing by-products. <i>Trends in Food Science and Technology</i> , 2021, 116, 559-582.	7.8	71
27	Effects of specific lactic acid bacteria species on biogenic amine production by foodborne pathogen. <i>International Journal of Food Science and Technology</i> , 2011, 46, 478-484.	1.3	70
28	The capability of rosemary extract in preventing oxidation of fish lipid. <i>International Journal of Food Science and Technology</i> , 2010, 45, 1717-1723.	1.3	69
29	Biogenic amines formation in <i>Streptococcus thermophilus</i> isolated from home-made natural yogurt. <i>Food Chemistry</i> , 2013, 138, 655-662.	4.2	68
30	Seasonal effects in the nutritional quality of the body structural tissue of cephalopods. <i>Food Chemistry</i> , 2008, 108, 847-852.	4.2	66
31	Antioxidant and antimicrobial preservatives: Properties, mechanism of action and applications in food – a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 2985-3001.	5.4	62
32	Comparative study of nanoemulsions based on commercial oils (sunflower, canola, corn, olive,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22 farmed sea bass. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 33, 422-430.	2.7	60
33	Recent developments of natural antimicrobials and antioxidants on fish and fishery food products. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 4182-4210.	5.9	60
34	Effects of rosemary and sage tea extract on biogenic amines formation of sardine (<i>Sardina) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142	1.3	59
35	The ability of biogenic amines and ammonia production by single bacterial cultures. <i>European Food Research and Technology</i> , 2007, 225, 385-394.	1.6	58
36	The fourth industrial revolution in the food industry – Part I: Industry 4.0 technologies. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 6547-6563.	5.4	57

#	ARTICLE	IF	CITATIONS
37	Organic acids production from lactic acid bacteria: A preservation approach. Food Bioscience, 2022, 46, 101615.	2.0	57
38	Physiochemical and functional properties of gelatin obtained from tuna, frog and chicken skins. Food Chemistry, 2019, 287, 273-279.	4.2	56
39	The occurrence of polycyclic aromatic hydrocarbons in fish and meat products of Croatia and dietary exposure. Journal of Food Composition and Analysis, 2019, 75, 49-60.	1.9	52
40	Quality assessment of wild European eel ( ) stored in ice. Food Chemistry, 2006, 95, 458-465.	4.2	49
41	Nucleotide degradation and biogenic amine formation of wild white grouper ( <i>Epinephelus aeneus</i> ) stored in ice and at chill temperature (4 °C). Food Chemistry, 2008, 108, 933-941.	4.2	49
42	Recent developments in industrial applications of nanoemulsions. Advances in Colloid and Interface Science, 2022, 304, 102685.	7.0	48
43	The antimicrobial effect of grapefruit peel essential oil and its nanoemulsion on fish spoilage bacteria and food-borne pathogens. LWT - Food Science and Technology, 2021, 136, 110362.	2.5	47
44	An Updated Review of Tetrodotoxin and Its Peculiarities. Marine Drugs, 2022, 20, 47.	2.2	47
45	Changes in Biogenic Amines in Herring Stored under Modified Atmosphere and Vacuum Pack. Journal of Food Science, 2002, 67, 2497-2501.	1.5	45
46	Effects of slaughtering methods on sensory, chemical and microbiological quality of rainbow trout ( <i>Onchorynchus mykiss</i> ) stored in ice and MAP. European Food Research and Technology, 2004, 219, 211.	1.6	44
47	Cold plasma for the preservation of aquatic food products: An overview. Comprehensive Reviews in Food Science and Food Safety, 2021, 20, 4407-4425.	5.9	43
48	Antimicrobial effect of laurel essential oil nanoemulsion on food-borne pathogens and fish spoilage bacteria. Food Chemistry, 2022, 368, 130831.	4.2	43
49	Kaempferol: A flavonoid with wider biological activities and its applications. Critical Reviews in Food Science and Nutrition, 2023, 63, 9580-9604.	5.4	43
50	Synergistic and antagonistic effect of lactic acid bacteria on tyramine production by food-borne pathogenic bacteria in tyrosine decarboxylase broth. Food Chemistry, 2011, 127, 1163-1168.	4.2	42
51	Impact of lactic acid bacteria and their metabolites on the techno-functional properties and health benefits of fermented dairy products. Critical Reviews in Food Science and Nutrition, 2023, 63, 4819-4841.	5.4	42
52	Antimicrobial Impacts of Essential Oils on Food Borne-Pathogens. Recent Patents on Food, Nutrition & Agriculture, 2015, 7, 53-61.	0.5	41
53	The Impacts of <i>Lactiplantibacillus plantarum</i> on the Functional Properties of Fermented Foods: A Review of Current Knowledge. Microorganisms, 2022, 10, 826.	1.6	40
54	Effects of rosemary and sage tea extracts on the sensory, chemical and microbiological changes of vacuum-packed and refrigerated sardine ( <i>Sardina pilchardus</i> ) fillets. International Journal of Food Science and Technology, 2010, 45, 2366-2372.	1.3	39

#	ARTICLE	IF	CITATIONS
55	Tocopherol content in fifteen grape varieties obtained using a rapid HPLC method. <i>Journal of Food Composition and Analysis</i> , 2011, 24, 481-486.	1.9	39
56	Stimulation of Cadaverine Production by Foodborne Pathogens in the Presence of <i>Lactobacillus</i> , <i>Lactococcus</i> , and <i>Streptococcus</i> spp.. <i>Journal of Food Science</i> , 2012, 77, M650-8.	1.5	39
57	Fish spoilage bacterial growth and their biogenic amine accumulation: Inhibitory effects of olive by-products. <i>International Journal of Food Properties</i> , 2017, 20, 1029-1043.	1.3	39
58	Control of biogenic amine production and bacterial growth in fish and seafood products using phytochemicals as biopreservatives: A review. <i>Food Bioscience</i> , 2021, 39, 100807.	2.0	39
59	Recent advances in industrial applications of seaweeds. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 4979-5008.	5.4	38
60	Biogenic amine production and nucleotide ratios in gutted wild sea bass ( <i>Dicentrarchus labrax</i> ) stored in ice, wrapped in aluminium foil and wrapped in cling film at 4 Å°C. <i>Food Chemistry</i> , 2006, 98, 76-84.	4.2	36
61	Tetrodotoxin levels in pufferfish ( <i>Lagocephalus sceleratus</i> ) caught in the Northeastern Mediterranean Sea. <i>Food Chemistry</i> , 2016, 210, 332-337.	4.2	36
62	Tetrodotoxin levels of three pufferfish species ( <i>Lagocephalus</i> sp.) caught in the North-Eastern Mediterranean sea. <i>Chemosphere</i> , 2019, 219, 95-99.	4.2	36
63	The function of nanoemulsion on preservation of rainbow trout fillet. <i>Journal of Food Science and Technology</i> , 2020, 57, 895-904.	1.4	36
64	Recent developments in applications of lactic acid bacteria against mycotoxin production and fungal contamination. <i>Food Bioscience</i> , 2021, 44, 101444.	2.0	34
65	Dairy Lactic Acid Bacteria and Their Potential Function in Dietetics: The Foodâ€™Gut-Health Axis. <i>Foods</i> , 2021, 10, 3099.	1.9	33
66	Fatty acid profile and mineral content of the wild snail ( <i>Helix pomatia</i> ) from the region of the south of the Turkey. <i>European Food Research and Technology</i> , 2005, 221, 547-549.	1.6	32
67	The influence of the cell free solution of lactic acid bacteria on tyramine production by food borne-pathogens in tyrosine decarboxylase broth. <i>Food Chemistry</i> , 2015, 173, 45-53.	4.2	32
68	Formation of biogenic amines by Gram-negative rods isolated from fresh, spoiled, VP-packed and MAP-packed herring ( <i>Clupea harengus</i> ). <i>European Food Research and Technology</i> , 2005, 221, 575-581.	1.6	31
69	PROXIMATE ANALYSIS. FATTY ACID PROFILES AND MINERAL CONTENTS OF MEATS: A COMPARATIVE STUDY. <i>Journal of Muscle Foods</i> , 2010, 21, 210-223.	0.5	31
70	Use of Spectroscopic Techniques to Monitor Changes in Food Quality during Application of Natural Preservatives: A Review. <i>Antioxidants</i> , 2020, 9, 882.	2.2	31
71	Chapter 1. Biogenic Amines Formation, Toxicity, Regulations in Food. <i>Food Chemistry, Function and Analysis</i> , 2019, , 1-17.	0.1	31
72	The function of lactic acid bacteria and brine solutions on biogenic amine formation by foodborne pathogens in trout fillets. <i>Food Chemistry</i> , 2011, 129, 1211-1216.	4.2	30

#	ARTICLE	IF	CITATIONS
73	The Role of Selected Lactic Acid Bacteria on Organic Acid Accumulation during Wet and Spray-Dried Fish-Based Silages. Contributions to the Winning Combination of Microbial Food Safety and Environmental Sustainability. <i>Microorganisms</i> , 2020, 8, 172.	1.6	30
74	Chemical composition and antifungal activity of <i>Anacyclus valentinus</i> essential oil from Algeria. <i>Food Bioscience</i> , 2018, 25, 28-31.	2.0	29
75	Maximizing the Antioxidant Capacity of <i>Padina pavonica</i> by Choosing the Right Drying and Extraction Methods. <i>Processes</i> , 2021, 9, 587.	1.3	29
76	Microbiological and chemical safety concerns regarding frozen fillets obtained from <i>Pangasius sutchi</i> and Nile tilapia exported to European countries. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 1373-1379.	1.7	28
77	Determination of the quality parameters of pike perch <i>Sander lucioperca</i> caught by gillnet, longline and harpoon in Turkey. <i>Fisheries Science</i> , 2007, 73, 412-420.	0.7	26
78	Effect of Natural Extracts ( <i>Mentha spicata</i> L. and <i>Artemisia campestris</i> ) on Biogenic Amine Formation of Sardine Vacuum-Packed and Refrigerated ( <i>Sardinia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T250 537 Td	0.0	26
79	First report on TTX levels of the yellow spotted pufferfish ( <i>Torquigener flavimaculosus</i> ) in the Mediterranean Sea. <i>Toxicon</i> , 2018, 148, 101-106.	0.8	26
80	Quality assessment of gutted wild sea bass ( <i>Dicentrarchus Labrax</i> ) stored in ice, cling film and aluminium foil. <i>European Food Research and Technology</i> , 2005, 220, 292-298.	1.6	25
81	Sensory, chemical and microbiological quality parameters in sea bream ( <i>Sparus aurata</i> ) stored in ice or wrapped in cling film or in aluminium foil at 2±1°C. <i>International Journal of Food Science and Technology</i> , 2007, 42, 903-909.	1.3	25
82	Seasonal fat and fatty acids variations of seven marine fish species from the Mediterranean Sea. <i>European Journal of Lipid Science and Technology</i> , 2011, 113, 1491-1498.	1.0	25
83	In Vitro Determination of the Antifungal Activity of <i>Artemisia campestris</i> Essential Oil from Algeria. <i>International Journal of Food Properties</i> , 2016, 19, 1749-1756.	1.3	25
84	Chitosan role for shelf-life extension of seafood. <i>Environmental Chemistry Letters</i> , 2020, 18, 61-74.	8.3	25
85	A rapid HPLC-determination of ATP-related compounds and its application to herring stored under modified atmosphere. <i>International Journal of Food Science and Technology</i> , 2000, 35, 549-554.	1.3	25
86	Recent developments in dairy kefir-derived lactic acid bacteria and their health benefits. <i>Food Bioscience</i> , 2022, 46, 101592.	2.0	25
87	Development of starch-based films reinforced with cellulosic nanocrystals and essential oil to extend the shelf life of red grapes. <i>Food Bioscience</i> , 2022, 47, 101621.	2.0	25
88	Comparison of fatty acid and proximate compositions of the body and claw of male and female blue crabs ( <i>Callinectes sapidus</i> ) from different regions of the Mediterranean coast. <i>International Journal of Food Sciences and Nutrition</i> , 2008, 59, 573-580.	1.3	24
89	Effects of aluminium foil and cling film on biogenic amines and nucleotide degradation products in gutted sea bream stored at 2±1 °C. <i>European Food Research and Technology</i> , 2005, 221, 582-591.	1.6	23
90	Exploiting of Secondary Raw Materials from Fish Processing Industry as a Source of Bioactive Peptide-Rich Protein Hydrolysates. <i>Marine Drugs</i> , 2021, 19, 480.	2.2	23

#	ARTICLE	IF	CITATIONS
91	The impact of nano/micro-plastics toxicity on seafood quality and human health: facts and gaps. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 6445-6463.	5.4	23
92	Recent developments of lactic acid bacteria and their metabolites on foodborne pathogens and spoilage bacteria: Facts and gaps. <i>Food Bioscience</i> , 2022, 47, 101741.	2.0	23
93	Effects of laurel and myrtle extracts on the sensory, chemical and microbiological properties of vacuumâ€packed and refrigerated European eel ( <i>Anguilla anguilla</i> ) fillets. <i>International Journal of Food Science and Technology</i> , 2014, 49, 847-853.	1.3	22
94	Quality Properties, Fatty Acids, and Biogenic Amines Profile of Fresh Tilapia Stored in Ice. <i>Journal of Food Science</i> , 2013, 78, S1063-8.	1.5	21
95	Inhibitory effects of safflower and bitter melon extracts on biogenic amine formation by fish spoilage bacteria and food borne pathogens. <i>Food Bioscience</i> , 2019, 32, 100478.	2.0	21
96	Recent developments in nonâ€thermal processing for seafood and seafood products: cold plasma, pulsed electric field and high hydrostatic pressure. <i>International Journal of Food Science and Technology</i> , 2022, 57, 774-790.	1.3	21
97	Inhibition effects of carvacrol on biogenic amines formation by common food-borne pathogens in histidine decarboxylase broth. <i>LWT - Food Science and Technology</i> , 2015, 64, 50-55.	2.5	20
98	Combined effects of plant and cell-free extracts of lactic acid bacteria on biogenic amines and bacterial load of fermented sardine stored at 3â€±1â€°C. <i>Food Bioscience</i> , 2018, 24, 127-136.	2.0	20
99	Effect of nisin on the shelf life of sea bass ( <i>Dicentrarchus labrax</i> L.) fillets stored at chilled temperature (4â€±2â€°C). <i>Aquaculture International</i> , 2020, 28, 851-863.	1.1	20
100	The antimicrobial properties and biogenic amine production of lactic acid bacteria isolated from various fermented food products. <i>Journal of Food Processing and Preservation</i> , 2021, 45, .	0.9	20
101	Recent developments in cold plasmaâ€based enzyme activity (browning, cell wall degradation, and) Tj ETQq1 1 0.784314 rgBT /Overlock 1958-1978.	5.9	20
102	The effects of gamma-irradiation on the nucleotide degradation compounds in sea bass ( <i>Dicentrarchus labrax</i> ) stored in ice. <i>Food Chemistry</i> , 2010, 122, 789-794.	4.2	19
103	Effect of <i>Mentha spicata</i> L. and <i>Artemisia campestris</i> Extracts on the Shelf Life and Quality of Vacuum-Packed Refrigerated Sardine ( <i>Sardina pilchardus</i> ) Fillets. <i>Journal of Food Protection</i> , 2013, 76, 1719-1725.	0.8	19
104	Freshness and quality attributes of cold stored Atlantic bonito ( <i>Sarda sarda</i> ) gravad. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1318-1326.	1.3	19
105	The combined impact of nanoemulsion based on commercial oils and vacuum packing on the fatty acid profiles of sea bass fillets. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e13222.	0.9	19
106	Recent advances in bio-preservatives impacts of lactic acid bacteria and their metabolites on aquatic food products. <i>Food Bioscience</i> , 2021, 44, 101440.	2.0	19
107	The impact of applying natural clinoptilolite (zeolite) on the chemical, sensory and microbiological changes of vacuum packed sardine fillets. <i>International Journal of Food Science and Technology</i> , 2012, 47, 1977-1985.	1.3	18
108	The effects of sex and season on the metal levels and proximate composition of red mullet ( <i>Mullus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T (HERA), 2018, 24, 731-742.	1.7	18

#	ARTICLE	IF	CITATIONS
109	Mediterranean Spontaneously Fermented Sausages: Spotlight on Microbiological and Quality Features to Exploit Their Bacterial Biodiversity. <i>Foods</i> , 2021, 10, 2691.	1.9	18
110	The effects of partial replacement of fish meal by vegetable protein sources in the diet of rainbow trout ( <i>Onchorynchus mykiss</i> ) on post mortem spoilage of fillets. <i>Food Chemistry</i> , 2006, 96, 549-561.	4.2	17
111	The effects of the combination of freezing and the use of natural antioxidant technology on the quality of frozen sardine fillets ( <i>Sardinella aurita</i> ). <i>International Journal of Food Science and Technology</i> , 2011, 46, 236-242.	1.3	17
112	Effect of lavender and lemon balm extracts on fatty acid profile, chemical quality parameters and sensory quality of vacuum packaged anchovy ( <i>Engraulis encrasicolus</i> ) fillets under refrigerated condition. <i>LWT - Food Science and Technology</i> , 2017, 84, 529-535.	2.5	16
113	Application of oil-in-water nanoemulsions based on grape and cinnamon essential oils for shelf-life extension of chilled flathead mullet fillets. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 105-112.	1.7	16
114	The function of probiotics on the treatment of ventilator-associated pneumonia (VAP): facts and gaps. <i>Journal of Medical Microbiology</i> , 2017, 66, 1275-1285.	0.7	16
115	Bread Sourdough Lactic Acid Bacteria—Technological, Antimicrobial, Toxin-Degrading, Immune System-, and Faecal Microbiota-Modelling Biological Agents for the Preparation of Food, Nutraceuticals and Feed. <i>Foods</i> , 2022, 11, 452.	1.9	16
116	Antimicrobial Impacts of Microbial Metabolites on the Preservation of Fish and Fishery Products: A Review with Current Knowledge. <i>Microorganisms</i> , 2022, 10, 773.	1.6	16
117	The effects of ice storage on inosine monophosphate, inosine, hypoxanthine, and biogenic amine formation in European catfish ( <i>Silurus glanis</i> ) fillets. <i>International Journal of Food Science and Technology</i> , 2009, 44, 1966-1972.	1.3	15
118	The Influences of Natural Zeolite (cliptinolite) on Ammonia and Biogenic Amine Formation by Foodborne Pathogen. <i>Journal of Food Science</i> , 2012, 77, M452-7.	1.5	15
119	Biogenic Amine Formation and Microbiological Quality of Anchovy ( <i>Engraulis encrasicolus</i> ) Treated with Lavender and Lemon Balm Ethanol Extracts. <i>Journal of Food Science</i> , 2017, 82, 1278-1284.	1.5	15
120	Challenges Associated with Byproducts Valorization—Comparison Study of Safety Parameters of Ultrasonicated and Fermented Plant-Based Byproducts. <i>Foods</i> , 2020, 9, 614.	1.9	15
121	In Vitro Study of the Antifungal Activity of Essential Oils Obtained from <i>Mentha spicata</i> , <i>Thymus vulgaris</i> , and <i>Laurus nobilis</i> . <i>Recent Patents on Food, Nutrition &amp; Agriculture</i> , 2016, 8, 99-106.	0.5	15
122	The Effect of Whey Protein Isolate Coating Enriched with Thyme Essential Oils on Trout Quality at Refrigerated Storage (4 ± 2°C). <i>Journal of Aquatic Food Product Technology</i> , 2016, 25, 585-596.	0.6	14
123	Hydrolysis and oxidation of European eel oil during frozen storage for 48 weeks. <i>European Food Research and Technology</i> , 2006, 224, 33-37.	1.6	13
124	Effects of combining of smoking and marinating on the shelf life of anchovy stored at 4°C. <i>Food Science and Biotechnology</i> , 2010, 19, 69-75.	1.2	13
125	The Effects of Gamma Irradiation on the Biogenic Amine Formation in Sea Bream ( <i>Sparus aurata</i> ) Stored in Ice. <i>Food and Bioprocess Technology</i> , 2013, 6, 1343-1349.	2.6	13
126	Impact of Cell-free Supernatant of Lactic Acid Bacteria on Putrescine and Other Polyamine Formation by Foodborne Pathogens in Ornithine Decarboxylase Broth. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 5828-5835.	2.4	13



#	ARTICLE	IF	CITATIONS
127	Assessment of Color and Sensory Evaluation of Frozen Fillets from Pangasius Catfish and Nile Tilapia Imported to European Countries. <i>International Journal of Food Properties</i> , 2016, 19, 1439-1446.	1.3	13
128	Effect of Natural Zeolite (Clinoptilolite) on in vitro Biogenic Amine Production by Gram Positive and Gram Negative Pathogens. <i>Frontiers in Microbiology</i> , 2018, 9, 2585.	1.5	13
129	Sustainable sources for antioxidant and antimicrobial compounds used in meat and seafood products. <i>Advances in Food and Nutrition Research</i> , 2021, 97, 55-118.	1.5	13
130	TOCOPHEROL CONTENT OF COMMERCIAL FISH SPECIES AS AFFECTED BY MICROWAVE COOKING. <i>Journal of Food Biochemistry</i> , 2013, 37, 381-387.	1.2	12
131	Comparative Quality Loss in Wild and Cultured Rainbow Trout ( <i>Oncorhynchus mykiss</i> ) during Chilling Storage. <i>Food Science and Technology Research</i> , 2013, 19, 445-454.	0.3	12
132	The influences of fish infusion broth on the biogenic amines formation by lactic acid bacteria. <i>Brazilian Journal of Microbiology</i> , 2013, 44, 407-415.	0.8	12
133	Comparative seasonal sterol profiles in edible parts of Mediterranean fish and shellfish species. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 476-483.	1.3	11
134	Comparison of fatty acid, mineral and proximate composition of body and legs of edible frog ( <i>Rana</i> )	1.3	10
135	Simple Extraction and Rapid HPLC Method for Tocopherol Analysis in Marine and Fresh-water Fish Species. <i>Food Science and Technology Research</i> , 2011, 17, 595-598.	0.3	10
136	Sterol Content of Fish, Crustacea and Mollusc: Effects of Cooking Methods. <i>International Journal of Food Properties</i> , 2015, 18, 2026-2041.	1.3	10
137	The impact of natural clinoptilolite on ammonia, cadaverine and other polyamine formation by food-borne pathogen in lysine decarboxylase broth. <i>LWT - Food Science and Technology</i> , 2016, 65, 703-710.	2.5	10
138	Impact of icing with potato, sweet potato, sugar beet, and red beet peel extract on the sensory, chemical, and microbiological changes of rainbow trout ( <i>Oncorhynchus mykiss</i> ) fillets stored at (3 ± 1) °C.	1.3	10
139	Combined impacts of oregano extract and vacuum packaging on the quality changes of frigate tuna muscles stored at 3 ± 1 °C. <i>Veterinary World</i> , 2019, 12, 155-164.	0.7	10
140	Recent developments in the use of cold plasma, high hydrostatic pressure, and pulsed electric fields on microorganisms and viruses in seafood. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 9716-9730.	5.4	10
141	The Impact of Carvacrol on Ammonia and Biogenic Amine Production by Common Foodborne Pathogens. <i>Journal of Food Science</i> , 2015, 80, M2899-903.	1.5	9
142	Fatty acid composition and antioxidant capacity of cypselas in <i>Centaurea s.l. taxa</i> (Asteraceae,)	1.2	9
143	The biogenic amine and mineral contents of different milling fractions of bread and durum wheat ( <i>Triticum L.</i> ) cultivars. <i>Food Bioscience</i> , 2020, 37, 100676.	2.0	9
144	Properties, preparation methods, and application of sour starches in the food. <i>Trends in Food Science and Technology</i> , 2022, 121, 44-58.	7.8	9

#	ARTICLE	IF	CITATIONS
145	Quality Changes of Marinated Tench ( <i>Tinca tinca</i> ) during Refrigerated Storage. <i>Food Science and Technology International</i> , 2009, 15, 513-521.	1.1	8
146	Lactic Acid Bacteria: <i>Lactobacillus</i> spp.: <i>Lactobacillus acidophilus</i> . , 2016, , .		8
147	Function of cell-free supernatants of <i>Leuconostoc</i> , <i>Lactococcus</i> , <i>Streptococcus</i> , <i>Pediococcus</i> strains on histamine formation by foodborne pathogens in histidine decarboxylase broth. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e13208.	0.9	8
148	Crustacean By-products. , 2019, , 33-38.		8
149	Nucleotide degradation, biogenic amine level and microbial contamination as quality indicators of cold-stored rainbow trout ( <i>Oncorhynchus mykiss</i> ) gravad. <i>Food Chemistry</i> , 2021, 346, 128904.	4.2	8
150	The impact of different levels of nisin as a biopreservative agent on the chemical, sensory and microbiological quality of vacuum-packed sea bass ( <i>Dicentrarchus labrax</i> ) fillets stored at 4 ± 2 °C. <i>Grasas Y Aceites</i> , 2021, 72, e401.	0.3	8
151	The impact of strawflower and mistletoe extract on quality properties of rainbow trout fillets. <i>International Journal of Food Science and Technology</i> , 2013, 48, 2228-2238.	1.3	8
152	Fatty acids of oil and antioxidant capacity of phenolics from fruits of 11 Cardueae (Carduoideae.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4</i>	0.4	8
153	Bio-refinery of plant drinks press cake permeate using ultrafiltration and lactobacillus fermentation into antimicrobials and its effect on the growth of wheatgrass in vivo. <i>Food Bioscience</i> , 2022, 46, 101427.	2.0	8
154	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2011, 11, .	0.4	7
155	The Function of Emulsions on the Biogenic Amine Formation and their Indices of Sea Bass Fillets ( <i>Dicentrarchus Labrax</i> ) Stored in Vacuum Packaging. <i>Journal of Food Science</i> , 2018, 83, 318-325.	1.5	7
156	The effects of nisin on the growth of foodborne pathogens and biogenic amine formation: in vivo and in vitro studies. <i>Food Bioscience</i> , 2021, 43, 101266.	2.0	7
157	The impact of aromatic plant-derived bioactive compounds on seafood quality and safety. <i>Advances in Food and Nutrition Research</i> , 2022, , 275-339.	1.5	7
158	A review of Sapodilla ( <i>Manilkara zapota</i> ) in human nutrition, health, and industrial applications. <i>Trends in Food Science and Technology</i> , 2022, 127, 319-334.	7.8	7
159	Bacteriological and biochemical assessment of marinating cephalopods, crustaceans and gastropoda during 24 weeks of storage. <i>International Journal of Food Sciences and Nutrition</i> , 2008, 59, 465-476.	1.3	6
160	Fatty acid composition of achenes of <i>Cirsium</i> taxa (Asteraceae, Carduoideae) from Turkey. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2016, 71, 45-54.	0.6	6
161	The impact of gravading process on the quality of carp fillets ( <i>Cyprinus carpio</i> ): sensory, microbiological, protein profiles and textural changes. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2017, 12, 147-155.	0.5	6
162	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2018, 18, .	0.4	6

#	ARTICLE	IF	CITATIONS
163	The combined impact of cold smoking and natural antioxidants on quality and shelf life of dolphinfish ( <i>Coryphaena hippurus</i> ) fillets. <i>Food Science and Nutrition</i> , 2019, 7, 1239-1250.	1.5	6
164	Importance of electrospun chitosan-based nanoscale materials for seafood products safety. , 2020, , 195-223.		6
165	The new toxin of Mediterranean:Tetrodotoxin. <i>Su ÖzerÃ¼nleri Dergisi</i> , 2015, 32, 15-24.	0.1	6
166	Nucleotide degradation in sardine ( <i>Sardina pilchardus</i> ) stored in different storage condition at 4Â°C. <i>Journal of Fisheries Sciences</i> , 2007, 1, 13-19.	0.2	6
167	Changes in the Microbial Community and Biogenic Amine Content in Rapeseed Meal during Fermentation with an Antimicrobial Combination of Lactic Acid Bacteria Strains. <i>Fermentation</i> , 2022, 8, 136.	1.4	6
168	Lactic acid bacteria as pro-technological, bioprotective and health-promoting cultures in the dairy food industry. <i>Food Bioscience</i> , 2022, 47, 101617.	2.0	6
169	The Impact of COVID-19 Pandemic on Seafood Safety and Human Health. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	6
170	Nucleotide degradation products of gamma-irradiated sea bream ( <i>Sparus aurata</i> ) stored in ice. <i>International Journal of Food Science and Technology</i> , 2010, 45, 2290-2296.	1.3	5
171	Nutritional Composition of Frozen Fillets from Pangasius Catfish ( <i>Pangasius hypophthalmus</i> ) and Nile Tilapia ( <i>Oreochromis niloticus</i> ) Imported to European Countries. <i>Annals of Animal Science</i> , 2016, 16, 931-950.	0.6	5
172	The Effects of Fermentation Process with Acid and Lactic Acid Bacteria Strains on the Biogenic Amine Formation of Wet and Spray-Dried Fish Silages of Discards. <i>Journal of Aquatic Food Product Technology</i> , 2019, 28, 314-328.	0.6	5
173	Seafood infusion broths as novel sources to produce organic acids using selected lactic acid bacteria strains. <i>Food Bioscience</i> , 2021, 43, 101227.	2.0	5
174	Effects of different plant (Marjoram and Olive leaf) extracts on quality characteristics of red and ordinary muscles of vacuum-packaged tuna-like fillets. <i>Applied Food Research</i> , 2022, 2, 100034.	1.4	5
175	Retrospecting the concept and industrial significance of LAB bacteriocins. <i>Food Bioscience</i> , 2022, 46, 101607.	2.0	5
176	Chitosan for Seafood Processing and Preservation. <i>Sustainable Agriculture Reviews</i> , 2019, , 45-79.	0.6	4
177	Lactic Acid Bacteria: <i>Lactobacillus</i> spp.: <i>Lactobacillus acidophilus</i> . , 2020, , .		4
178	Influence of olive oil-based nanoemulsion on the fatty acid profiles of rainbow trout fillets. <i>Aquaculture International</i> , 2020, 28, 1997-2014.	1.1	4
179	Suppression effects of aqueous and ethanolic extracts of propolis on biogenic amine production by <i>Morganella psychrotolerans</i> . <i>LWT - Food Science and Technology</i> , 2020, 131, 109771.	2.5	4
180	Nano-technological approaches for plant and marine-based polysaccharides for nano-encapsulations and their applications in food industry. <i>Advances in Food and Nutrition Research</i> , 2021, 97, 187-236.	1.5	4

#	ARTICLE	IF	CITATIONS
181	Biopreservation of Wild Edible Mushrooms ( <i>Boletus edulis</i> , <i>Cantharellus</i> , and <i>Rozites caperata</i> ) with Lactic Acid Bacteria Possessing Antimicrobial Properties. <i>Foods</i> , 2022, 11, 1800.	1.9	4
182	Nanotechnology-based preservation approaches for aquatic food products: A review with the current knowledge. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 3255-3278.	5.4	4
183	Farklı Konsantrasyonlarda Kullanılan Nisin ve Vakum Paketlenerek Depolanan Levrek ( <i>Dicentrarchus labrax</i> , Linnaeus, 1758) Filetolarının Renk Değişimleri Üzerine Etkileri. <i>Turkish Journal of Agriculture: Food Science and Technology</i> , 2019, 7, 1657.	0.1	3
184	Impact of sumac, cumin, black pepper and red pepper extracts in the development of foodborne pathogens and formation of biogenic amines. <i>European Food Research and Technology</i> , 2022, 248, 1803-1813.	1.6	3
185	Contribution of polysaccharides from crustacean in fermented food products. <i>Advances in Food and Nutrition Research</i> , 2022, , 47-92.	1.5	3
186	L-Carnitine Contents in Seafoods Commonly Eaten in Middle Eastern Countries. <i>Journal of Food Biochemistry</i> , 2013, 37, 702-707.	1.2	2
187	Marine-Based Toxins and Their Health Risk. , 2018, , 109-144.		2
188	Elemental composition of pufferfish species from Northeastern Mediterranean Sea. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 334.	1.3	2
189	Advances in Packaging. , 2019, , 45-69.		2
190	Nucleotide degradation in sardine ( <i>Sardina pilchardus</i> ) stored in different storage condition at 4°C. <i>Journal of Fisheries Sciences</i> , 2007, 1, 13-19.	0.2	2
191	Proximate composition and fatty acid profiles of common pufferfish species in the Mediterranean Sea. <i>International Journal of Food Science and Technology</i> , 2021, 56, 874-884.	1.3	1
192	The effects of nisin used at different concentrations on fatty acids profile of sea bass ( <i>Dicentrarchus</i> ) Tj ETQq0 0 0 ggBT /Overlock 10 Tf		1
193	Farklı konsantrasyonlarda kullanılan nisin ve 4°C de depolanan levrek ( <i>Dicentrarchus labrax</i> ) filetolarının yağ asitleri üzerine etkileri. <i>Acta Aquatica Turcica</i> , 0, , 22-38.	0.2	1
194	The Effects of Different Plant Activators on Protein, Lipid and Fatty Acids in Snack-Seed Pumpkin. <i>International Letters of Natural Sciences</i> , 0, 72, 1-6.	1.0	1