

Hung-Chun Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2711195/publications.pdf>

Version: 2024-02-01

46
papers

685
citations

516710

16
h-index

610901

24
g-index

48
all docs

48
docs citations

48
times ranked

1085
citing authors

#	ARTICLE	IF	CITATIONS
1	Women with endometriosis have higher comorbidities: Analysis of domestic data in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 577-582.	1.4	50
2	The influence of probiotics on genital high-risk human papilloma virus clearance and quality of cervical smear: a randomized placebo-controlled trial. <i>BMC Women's Health</i> , 2019, 19, 103.	2.0	45
3	Uterine sarcoma Part II—Uterine endometrial stromal sarcoma: The TAG systematic review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 472-479.	1.3	40
4	Female Gender and Acne Disease Are Jointly and Independently Associated with the Risk of Major Depression and Suicide: A National Population-Based Study. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	38
5	Uterine sarcoma Part I—Uterine leiomyosarcoma: The Topic Advisory Group systematic review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 463-471.	1.3	32
6	Androgen Receptor Accelerates Premature Senescence of Human Dermal Papilla Cells in Association with DNA Damage. <i>PLoS ONE</i> , 2013, 8, e79434.	2.5	31
7	Pretreatment carcinoembryonic antigen level is a risk factor for para-aortic lymph node recurrence in addition to squamous cell carcinoma antigen following definitive concurrent chemoradiotherapy for squamous cell carcinoma of the uterine cervix. <i>Radiation Oncology</i> , 2012, 7, 13.	2.7	30
8	Impact of management on the prognosis of pure uterine papillary serous cancer — A Taiwanese Gynecologic Oncology Group (TGOG) study. <i>Gynecologic Oncology</i> , 2014, 133, 221-228.	1.4	30
9	TMPRSS6 rs855791 Polymorphism Influences the Susceptibility to Iron Deficiency Anemia in Women at Reproductive Age. <i>International Journal of Medical Sciences</i> , 2014, 11, 614-619.	2.5	26
10	Evaluation of sexual dysfunction in gynecologic cancer survivors using DSM-5 diagnostic criteria. <i>BMC Women's Health</i> , 2022, 22, 1.	2.0	26
11	Low P16INK4A Expression Associated with High Expression of Cancer Stem Cell Markers Predicts Poor Prognosis in Cervical Cancer after Radiotherapy. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2541.	4.1	25
12	High Immunohistochemical Expression of TGF- β 2 Predicts a Poor Prognosis in Cervical Cancer Patients who Harbor Enriched Endoglin Microvessel Density. <i>International Journal of Gynecological Pathology</i> , 2012, 31, 482-489.	1.4	23
13	Increased expression of SKP2 is an independent predictor of locoregional recurrence in cervical cancer <i>via</i> promoting DNA-damage response after irradiation. <i>Oncotarget</i> , 2016, 7, 44047-44061.	1.8	21
14	Androgen receptor inclusions acquire GRP78/BiP to ameliorate androgen-induced protein misfolding stress in embryonic stem cells. <i>Cell Death and Disease</i> , 2013, 4, e607-e607.	6.3	18
15	Prognostic factors and treatment outcomes for patients with surgically staged uterine clear cell carcinoma focusing on the early stage: A Taiwanese Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2014, 134, 516-522.	1.4	18
16	Human Umbilical Cord Mesenchymal Stem Cells Extricate Bupivacaine-Impaired Skeletal Muscle Function via Mitigating Neutrophil-Mediated Acute Inflammation and Protecting against Fibrosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4312.	4.1	17
17	Prognostic Value of Pretreatment Carcinoembryonic Antigen After Definitive Radiotherapy With or Without Concurrent Chemotherapy for Squamous Cell Carcinoma of the Uterine Cervix. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 1105-1113.	0.8	16
18	Outcomes of Patients With Surgically and Pathologically Staged IIIA-IVB Pure Endometrioid-type Endometrial Cancer. <i>Medicine (United States)</i> , 2016, 95, e3330.	1.0	16

#	ARTICLE	IF	CITATIONS
19	Uterine sarcoma part III—Targeted therapy: The Taiwan Association of Gynecology (TAG) systematic review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 625-634.	1.3	16
20	Prognostic significance of elevated pretreatment serum levels of CEA and CA-125 in epithelial ovarian cancer. <i>Cancer Biomarkers</i> , 2020, 28, 285-292.	1.7	16
21	Difficulty in diagnosis and different prognoses between colorectal cancer with ovarian metastasis and advanced ovarian cancer: An empirical study of different surgical adoptions. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 62-67.	1.3	15
22	Outcome of ovarian preservation during surgical treatment for endometrial cancer: A Taiwanese Gynecologic Oncology Group study. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 532-536.	1.3	14
23	Exosomal let-7e, miR-21-5p, miR-145, miR-146a and miR-155 in Predicting Antidepressants Response in Patients with Major Depressive Disorder. <i>Biomedicines</i> , 2021, 9, 1428.	3.2	14
24	Polypropylene mesh as an alternative option for uterine preservation in pelvic reconstruction in patients with uterine prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 97-101.	1.3	13
25	The Changes in Doppler Indices of Fetal Ductus Venosus and Umbilical Artery After Amnioinfusion for Women With Preterm Premature Rupture of Membranes Before 26 Weeks' Gestation. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2009, 48, 268-272.	1.3	9
26	Prophylactic Transcatheter Arterial Embolization Helps Intraoperative Hemorrhagic Control for REMOVING Invasive Placenta. <i>Journal of Clinical Medicine</i> , 2018, 7, 460.	2.4	9
27	Treatment outcomes of patients with stage II pure endometrioid-type endometrial cancer: a Taiwanese Gynecologic Oncology Group (TGOG-2006) retrospective cohort study. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e76.	2.2	8
28	Comparison of clinical outcomes and spectral Doppler indices of uterine and ovarian stromal arteries in women undergoing myomectomy with or without hypogastric arterial ligation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 831-836.	1.7	7
29	Pretreatment Factors Associated with Recurrence for Patients with Cervical Cancer International Federation of Gynecology and Obstetrics Stage IB1 Disease. <i>Gynecologic and Obstetric Investigation</i> , 2016, 81, 339-345.	1.6	6
30	Asymptomatic pyuria in pregnant women during the first trimester is associated with an increased risk of adverse obstetrical outcomes. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 192-195.	1.3	6
31	Clinicopathologic Features and Treatment Outcomes in Patients with Stage I, High-Risk Histology or High-Grade Endometrial Cancer after Primary Staging Surgery: A Taiwanese Gynecologic Oncology Group Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 254.	2.4	6
32	Specific hysteroscopic findings can efficiently distinguish the differences between malignant and benign endometrial polyps. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 85-90.	1.3	6
33	Postpartum Hemoperitoneum Due to Avulsion of Pelvic Uterine Adhesion Band. <i>Southern Medical Journal</i> , 2006, 99, 1300-1301.	0.7	6
34	Decreased Expression of Estrogen Receptors Is Associated with Tumorigenesis in Papillary Thyroid Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1015.	4.1	5
35	Second-Trimester Placental Volume and Vascular Indices in the Prediction of Small-for-Gestational-Age Neonates. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 123-128.	1.4	4
36	The use of weekly topotecan in the treatment of heavily pretreated recurrent epithelial ovarian and primary peritoneal cancer: The Kaohsiung Chang Gung experience. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 43-47.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Prognostic role of excision repair cross complementing-1 and topoisomerase-1 expression in epithelial ovarian cancer. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 213-219.	1.3	4
38	Planned conservative management of placenta increta and percreta with prophylactic transcatheter arterial embolization and leaving placenta in situ for women who desire fertility preservation. Placenta, 2020, 97, 51-57.	1.5	4
39	Impact of the Time Interval Between Primary Debulking Surgery and Start of Adjuvant Chemotherapy in Advanced Epithelial Ovarian Cancer. Cancer Management and Research, 2021, Volume 13, 5413-5422.	1.9	3
40	Highly Expressed Progesterone Receptor B Isoform Increases Platinum Sensitivity and Survival of Ovarian High-Grade Serous Carcinoma. Cancers, 2021, 13, 5578.	3.7	3
41	Quantitative Measurement of Progesterone Receptor Immunohistochemical Expression to Predict Lymph Node Metastasis in Endometrial Cancer. Diagnostics, 2022, 12, 790.	2.6	3
42	CA125 normalization within 60 days as an independent prognostic factor for patients with advanced epithelial ovarian cancer. Cancer Biomarkers, 2021, , 1-9.	1.7	2
43	A comparison of laparoscopic and open surgery for early stage endometrial cancer with analysis of prognostic factors: a propensity score matching study. European Journal of Gynaecological Oncology (discontinued), 2021, 42, 703.	0.2	0
44	Factors associated with the inconsistent diagnosis between frozen section and permanent pathologic examination in borderline ovarian tumors. Journal of Obstetrics and Gynaecology Research, 2021, 47, 2729-2736.	1.3	0
45	Non-squamous histology but not adjuvant therapy affects survival in stage IB–IIA cervical cancer patients with intermediate risk following radical hysterectomy. European Journal of Gynaecological Oncology (discontinued), 2021, 42, 1205.	0.2	0
46	Effects of Icodextrin Solution (Adept®) on Ovarian Cancer Cell Proliferation in an In Vitro Model. Medicina (Lithuania), 2022, 58, 386.	2.0	0