
Hung-Chun Fu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2711195/publications.pdf Version: 2024-02-01



HUNC-CHUN FU

#	Article	IF	CITATIONS
1	Decreased Expression of Estrogen Receptors Is Associated with Tumorigenesis in Papillary Thyroid Carcinoma. International Journal of Molecular Sciences, 2022, 23, 1015.	4.1	5
2	Evaluation of sexual dysfunction in gynecologic cancer survivors using DSM-5 diagnostic criteria. BMC Women's Health, 2022, 22, 1.	2.0	26
3	Effects of Icodextrin Solution (Adept®) on Ovarian Cancer Cell Proliferation in an In Vitro Model. Medicina (Lithuania), 2022, 58, 386.	2.0	0
4	Quantitative Measurement of Progesterone Receptor Immunohistochemical Expression to Predict Lymph Node Metastasis in Endometrial Cancer. Diagnostics, 2022, 12, 790.	2.6	3
5	A comparison of laparoscopic and open surgery for early stage endometrial cancer with analysis of prognostic factors: a propensity score matching study. European Journal of Gynaecological Oncology (discontinued), 2021, 42, 703.	0.2	0
6	Factors associated with the inconsistent diagnosis between frozen section and permanent pathologic examination in borderline ovarian tumors. Journal of Obstetrics and Gynaecology Research, 2021, 47, 2729-2736.	1.3	0
7	Impact of the Time Interval Between Primary Debulking Surgery and Start of Adjuvant Chemotherapy in Advanced Epithelial Ovarian Cancer. Cancer Management and Research, 2021, Volume 13, 5413-5422.	1.9	3
8	CA125 normalization within 60 days as an independent prognostic factor for patients with advanced epithelial ovarian cancer. Cancer Biomarkers, 2021, , 1-9.	1.7	2
9	Exosomal let-7e, miR-21-5p, miR-145, miR-146a and miR-155 in Predicting Antidepressants Response in Patients with Major Depressive Disorder. Biomedicines, 2021, 9, 1428.	3.2	14
10	Highly Expressed Progesterone Receptor B Isoform Increases Platinum Sensitivity and Survival of Ovarian High-Grade Serous Carcinoma. Cancers, 2021, 13, 5578.	3.7	3
11	Non-squamous histology but not adjuvant therapy affects survival in stage IB–IIA cervical cancer patients with intermediate risk following radical hysterectomy. European Journal of Gynaecological Oncology (discontinued), 2021, 42, 1205.	0.2	0
12	Prognostic significance of elevated pretreatment serum levels of CEA and CA-125 in epithelial ovarian cancer. Cancer Biomarkers, 2020, 28, 285-292.	1.7	16
13	Planned conservative management of placenta increta and percreta with prophylactic transcatheter arterial embolization and leaving placenta in situ for women who desire fertility preservation. Placenta, 2020, 97, 51-57.	1.5	4
14	Specific hysteroscopic findings can efficiently distinguish the differences between malignant and benign endometrial polyps. Taiwanese Journal of Obstetrics and Gynecology, 2020, 59, 85-90.	1.3	6
15	The influence of probiotics on genital high-risk human papilloma virus clearance and quality of cervical smear: a randomized placebo-controlled trial. BMC Women's Health, 2019, 19, 103.	2.0	45
16	Human Umbilical Cord Mesenchymal Stem Cells Extricate Bupivacaine-Impaired Skeletal Muscle Function via Mitigating Neutrophil-Mediated Acute Inflammation and Protecting against Fibrosis. International Journal of Molecular Sciences, 2019, 20, 4312.	4.1	17
17	Prophylactic Transcatheter Arterial Embolization Helps Intraoperative Hemorrhagic Control for REMOVING Invasive Placenta. Journal of Clinical Medicine, 2018, 7, 460.	2.4	9
18	Clinicopathologic Features and Treatment Outcomes in Patients with Stage I, High-Risk Histology or High-Grade Endometrial Cancer after Primary Staging Surgery: A Taiwanese Gynecologic Oncology Group Study. Journal of Clinical Medicine, 2018, 7, 254.	2.4	6

Нимс-Сним Fu

#	Article	IF	CITATIONS
19	Low P16INK4A Expression Associated with High Expression of Cancer Stem Cell Markers Predicts Poor Prognosis in Cervical Cancer after Radiotherapy. International Journal of Molecular Sciences, 2018, 19, 2541.	4.1	25
20	Treatment outcomes of patients with stage II pure endometrioid-type endometrial cancer: a Taiwanese Gynecologic Oncology Group (TGOG-2006) retrospective cohort study. Journal of Gynecologic Oncology, 2018, 29, e76.	2.2	8
21	Asymptomatic pyuria in pregnant women during the first trimester is associated with an increased risk of adverse obstetrical outcomes. Taiwanese Journal of Obstetrics and Gynecology, 2017, 56, 192-195.	1.3	6
22	Difficulty in diagnosis and different prognoses between colorectal cancer with ovarian metastasis and advanced ovarian cancer: An empirical study of different surgical adoptions. Taiwanese Journal of Obstetrics and Gynecology, 2017, 56, 62-67.	1.3	15
23	Increased expression of SKP2 is an independent predictor of locoregional recurrence in cervical cancer <i>via</i> promoting DNA-damage response after irradiation. Oncotarget, 2016, 7, 44047-44061.	1.8	21
24	Outcomes of Patients With Surgically and Pathologically Staged IIIA-IVB Pure Endometrioid-type Endometrial Cancer. Medicine (United States), 2016, 95, e3330.	1.0	16
25	Uterine sarcoma Part l—Uterine leiomyosarcoma: The Topic Advisory Group systematic review. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 463-471.	1.3	32
26	Uterine sarcoma Part Il—Uterine endometrial stromal sarcoma: The TAG systematic review. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 472-479.	1.3	40
27	Women with endometriosis have higher comorbidities: Analysis of domestic data in Taiwan. Journal of the Chinese Medical Association, 2016, 79, 577-582.	1.4	50
28	Uterine sarcoma part III—Targeted therapy: The Taiwan Association of Gynecology (TAG) systematic review. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 625-634.	1.3	16
29	Pretreatment Factors Associated with Recurrence for Patients with Cervical Cancer International Federation of Gynecology and Obstetrics Stage IB1 Disease. Gynecologic and Obstetric Investigation, 2016, 81, 339-345.	1.6	6
30	Prognostic role of excision repair cross complementing-1 and topoisomerase-1 expression in epithelial ovarian cancer. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 213-219.	1.3	4
31	Second-Trimester Placental Volume and Vascular Indices in the Prediction of Small-for-Gestational-Age Neonates. Fetal Diagnosis and Therapy, 2015, 37, 123-128.	1.4	4
32	The use of weekly topotecan in the treatment of heavily pretreated recurrent epithelial ovarian and primary peritoneal cancer: The Kaohsiung Chang Gung experience. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 43-47.	1.3	4
33	Outcome of ovarian preservation during surgical treatment for endometrial cancer: A Taiwanese Gynecologic Oncology Group study. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 532-536.	1.3	14
34	TMPRSS6 rs855791 Polymorphism Influences the Susceptibility to Iron Deficiency Anemia in Women at Reproductive Age. International Journal of Medical Sciences, 2014, 11, 614-619.	2.5	26
35	Female Gender and Acne Disease Are Jointly and Independently Associated with the Risk of Major Depression and Suicide: A National Population-Based Study. BioMed Research International, 2014, 2014, 1-7.	1.9	38
36	Impact of management on the prognosis of pure uterine papillary serous cancer — A Taiwanese Gynecologic Oncology Group (TGOG) study. Gynecologic Oncology, 2014, 133, 221-228.	1.4	30

Нимс-Сним Fu

#	Article	IF	CITATIONS
37	Prognostic factors and treatment outcomes for patients with surgically staged uterine clear cell carcinoma focusing on the early stage: A Taiwanese Gynecologic Oncology Group study. Gynecologic Oncology, 2014, 134, 516-522.	1.4	18
38	Androgen receptor inclusions acquire GRP78/BiP to ameliorate androgen-induced protein misfolding stress in embryonic stem cells. Cell Death and Disease, 2013, 4, e607-e607.	6.3	18
39	Androgen Receptor Accelerates Premature Senescence of Human Dermal Papilla Cells in Association with DNA Damage. PLoS ONE, 2013, 8, e79434.	2.5	31
40	High Immunohistochemical Expression of TGF-β1 Predicts a Poor Prognosis in Cervical Cancer Patients who Harbor Enriched Endoglin Microvessel Density. International Journal of Gynecological Pathology, 2012, 31, 482-489.	1.4	23
41	Polypropylene mesh as an alternative option for uterine preservation in pelvic reconstruction in patients with uterine prolapse. Journal of Obstetrics and Cynaecology Research, 2012, 38, 97-101.	1.3	13
42	Pretreatment carcinoembryonic antigen level is a risk factor for para-aortic lymph node recurrence in addition to squamous cell carcinoma antigen following definitive concurrent chemoradiotherapy for squamous cell carcinoma of the uterine cervix. Radiation Oncology, 2012, 7, 13.	2.7	30
43	Prognostic Value of Pretreatment Carcinoembryonic Antigen After Definitive Radiotherapy With or Without Concurrent Chemotherapy for Squamous Cell Carcinoma of the Uterine Cervix. International Journal of Radiation Oncology Biology Physics, 2011, 81, 1105-1113.	0.8	16
44	The Changes in Doppler Indices of Fetal Ductus Venosus and Umbilical Artery After Amnioinfusion for Women With Preterm Premature Rupture of Membranes Before 26 Weeks' Gestation. Taiwanese Journal of Obstetrics and Gynecology, 2009, 48, 268-272.	1.3	9
45	Comparison of clinical outcomes and spectral Doppler indices of uterine and ovarian stromal arteries in women undergoing myomectomy with or without hypogastric arterial ligation. Ultrasound in Obstetrics and Gynecology, 2006, 28, 831-836.	1.7	7
46	Postpartum Hemoperitoneum Due to Avulsion of Pelvic Uterine Adhesion Band. Southern Medical Journal, 2006, 99, 1300-1301.	0.7	6