

# Nimal Rajapakse

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2711916/publications.pdf>

Version: 2024-02-01

141  
papers

5,020  
citations

71004

43  
h-index

129628

63  
g-index

143  
all docs

143  
docs citations

143  
times ranked

2744  
citing authors

#	ARTICLE	IF	CITATIONS
1	Vertical Vibration of Multiple Flexible Strip Foundations on Multilayered Transversely Isotropic Poroelastic Soils. <i>International Journal of Geomechanics</i> , 2021, 21, .	1.3	9
2	Atomistic Modelling of Size-Dependent Mechanical Properties and Fracture of Pristine and Defective Cove-Edged Graphene Nanoribbons. <i>Nanomaterials</i> , 2020, 10, 1422.	1.9	11
3	Indentation of a nanolayer on a substrate by a rigid cylinder in adhesive contact. <i>Acta Mechanica</i> , 2020, 231, 3235-3246.	1.1	9
4	Atomistic simulation of tensile strength properties of graphene with complex vacancy and topological defects. <i>Acta Mechanica</i> , 2020, 231, 3387-3404.	1.1	8
5	Practical stress solutions for single-edge V-notched tension specimen. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 102, 193-209.	2.1	4
6	First principles study of hydrogen in lead zirconate titanate. <i>Smart Materials and Structures</i> , 2019, 28, 034002.	1.8	5
7	Atomic-scale finite element modelling of mechanical behaviour of graphene nanoribbons. <i>International Journal of Mechanics and Materials in Design</i> , 2019, 15, 145-157.	1.7	10
8	An improved theoretical process-zone model for delayed hydride cracking initiation at a blunt V-notch. <i>Engineering Fracture Mechanics</i> , 2018, 192, 262-275.	2.0	8
9	Variational Formulation of Interaction between Elastic Plate and Elastic Medium under the Influence of Surface Energy. <i>MATEC Web of Conferences</i> , 2018, 206, 01012.	0.1	0
10	Mechanistic Models for Nanobeams with Surface Stress Effects. <i>Journal of Engineering Mechanics - ASCE</i> , 2018, 144, .	1.6	4
11	Static and dynamic analyses of nanoscale rectangular plates incorporating surface energy. <i>Acta Mechanica</i> , 2017, 228, 2849-2863.	1.1	14
12	In-situ simulation of membrane fatigue in polymer electrolyte fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 11838-11844.	3.8	32
13	Three-dimensional static analysis of Levy-type functionally graded plate with in-plane stiffness variation. <i>Composite Structures</i> , 2017, 168, 780-791.	3.1	22
14	Ex situ measurement and modelling of crack propagation in fuel cell membranes under mechanical fatigue loading. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 19257-19271.	3.8	30
15	Penny-shaped crack in elastic medium with surface energy effects. <i>Acta Mechanica</i> , 2017, 228, 617-630.	1.1	25
16	Fatigue properties of catalyst coated membranes for fuel cells: Ex-situ measurements supported by numerical simulations. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 8992-9003.	3.8	53
17	Influence of hydrogen functionalization on the fracture strength of graphene and the interfacial properties of graphene-polymer nanocomposite. <i>Carbon</i> , 2015, 93, 830-842.	5.4	34
18	Simulation of ionomer membrane fatigue under mechanical and hygrothermal loading conditions. <i>Journal of Power Sources</i> , 2015, 279, 55-63.	4.0	66

#	ARTICLE	IF	CITATIONS
19	Performance of piezoelectric actuators in a hydrogen environment: Experimental study and finite element modelling. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 3370-3380.	3.8	5
20	Decay in Mechanical Properties of Catalyst Coated Membranes Subjected to Combined Chemical and Mechanical Membrane Degradation. <i>Fuel Cells</i> , 2015, 15, 204-213.	1.5	66
21	Mechanical degradation of fuel cell membranes under fatigue fracture tests. <i>Journal of Power Sources</i> , 2015, 274, 1208-1216.	4.0	84
22	Numerical modelling of piezoelectric actuators exposed to hydrogen. <i>Acta Mechanica</i> , 2014, 225, 2943-2957.	1.1	5
23	Effects of free edges and vacancy defects on the mechanical properties of graphene. , 2014, , .		5
24	On the constitutive relations for catalyst coated membrane applied to in-situ fuel cell modeling. <i>Journal of Power Sources</i> , 2014, 252, 176-188.	4.0	57
25	Three-dimensional extended Kantorovich solution for Levy-type rectangular laminated plates with edge effects. <i>Composite Structures</i> , 2014, 107, 167-176.	3.1	30
26	Atomistic and continuum modelling of temperature-dependent fracture of graphene. <i>International Journal of Fracture</i> , 2014, 187, 199-212.	1.1	106
27	Molecular Dynamics Simulations and Continuum Modeling of Temperature and Strain Rate Dependent Fracture Strength of Graphene With Vacancy Defects. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014, 81, .	1.1	72
28	Effect of electric boundary conditions on crack propagation in ferroelectric ceramics. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2014, 30, 153-160.	1.5	6
29	Finite-Element Modeling of Circular Nanoplates. <i>Journal of Nanomechanics &amp; Micromechanics</i> , 2013, 3, 59-66.	1.4	11
30	A Size-Dependent Continuum Model for Nanoscale Circular Plates. <i>IEEE Nanotechnology Magazine</i> , 2013, 12, 13-20.	1.1	19
31	Influence of temperature and free edges on the mechanical properties of graphene. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2013, 21, 065017.	0.8	76
32	Mechanical properties of catalyst coated membranes for fuel cells. <i>Journal of Power Sources</i> , 2013, 234, 38-47.	4.0	58
33	A Model for Large Deflections of Nanobeams and Experimental Comparison. <i>IEEE Nanotechnology Magazine</i> , 2012, 11, 247-254.	1.1	22
34	Nonlocal Continuum Modeling and Molecular Dynamics Simulation of Torsional Vibration of Carbon Nanotubes. <i>IEEE Nanotechnology Magazine</i> , 2012, 11, 34-43.	1.1	48
35	Finite Element Modeling of Beams With Surface Energy Effects. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2011, 78, .	1.1	50
36	Dislocations and internal loading in a semi-infinite elastic medium with surface stresses. <i>Engineering Fracture Mechanics</i> , 2010, 77, 3592-3603.	2.0	30

#	ARTICLE	IF	CITATIONS
37	Continuum Models Incorporating Surface Energy for Static and Dynamic Response of Nanoscale Beams. IEEE Nanotechnology Magazine, 2010, 9, 422-431.	1.1	56
38	Torsional buckling of carbon nanotubes based on nonlocal elasticity shell models. Computational Materials Science, 2010, 48, 736-742.	1.4	84
39	Thermo-electro-mechanical Performance of Piezoelectric Stack Actuators for Fuel Injector Applications. Journal of Intelligent Material Systems and Structures, 2009, 20, 387-399.	1.4	61
40	Analytical solutions for a surface-loaded isotropic elastic layer with surface energy effects. International Journal of Engineering Science, 2009, 47, 1433-1444.	2.7	99
41	A temperature-dependent two-step domain-switching model for ferroelectric materials. Acta Materialia, 2009, 57, 6135-6145.	3.8	22
42	Self-heat generation in piezoelectric stack actuators used in fuel injectors. Smart Materials and Structures, 2009, 18, 045008.	1.8	94
43	Modelling of the cyclic behaviour of shape memory alloys during localized unstable mechanical response. Smart Materials and Structures, 2009, 18, 074005.	1.8	2
44	Influence of Bolted-Joint Slippage on the Response of Transmission Towers Subjected to Frost-Heave. Advances in Structural Engineering, 2009, 12, 1-17.	1.2	42
45	A coupled analytical model for hydrostatic response of 1-3 piezocomposites. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 1847-1858.	1.7	3
46	Field intensity factors of a penny-shaped crack in a magneto-electroelastic layer. Journal of Alloys and Compounds, 2008, 449, 161-171.	2.8	18
47	Modeling of Shape Memory Alloys Based on Microplane Theory. Journal of Intelligent Material Systems and Structures, 2008, 19, 541-550.	1.4	25
48	Quasi-static thermo-electro-mechanical behaviour of piezoelectric stack actuators. Smart Materials and Structures, 2008, 17, 015049.	1.8	43
49	Finite element simulation of strain rate effects on localized unstable pseudoelastic response of shape memory alloys. Journal of Mechanics of Materials and Structures, 2008, 3, 1811-1829.	0.4	3
50	Microplane modelling of shape memory alloys. Physica Scripta, 2007, T129, 329-334.	1.2	22
51	Analytical saturated domain orientation textures and electromechanical properties of ferroelectric ceramics due to electric/mechanical poling. Journal of Applied Physics, 2007, 101, 054110.	1.1	47
52	Coupled finite element modeling of piezothermoelastic materials. , 2007, 6526, 116.		2
53	Time-Dependent Response of an Axially Loaded Elastic Bar in a Multilayered Poroelastic Medium. Journal of Engineering Mechanics - ASCE, 2007, 133, 578-587.	1.6	20
54	Dynamic thermo-electro-mechanical performance of piezoelectric stack actuators. , 2007, , .		1

#	ARTICLE	IF	CITATIONS
55	Finite element modelling of nanoscale inhomogeneities in an elastic matrix. <i>Computational Materials Science</i> , 2007, 41, 44-53.	1.4	65
56	Modeling of the cyclic thermomechanical response of SMA wires at different strain rates. <i>Smart Materials and Structures</i> , 2007, 16, 2091-2101.	1.8	33
57	Analytical Solution for Size-Dependent Elastic Field of a Nanoscale Circular Inhomogeneity. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2007, 74, 568-574.	1.1	144
58	Multi-dimensional constitutive modeling of SMA during unstable pseudoelastic behavior. <i>International Journal of Solids and Structures</i> , 2007, 44, 6473-6490.	1.3	24
59	Elastic field of an isotropic matrix with a nanoscale elliptical inhomogeneity. <i>International Journal of Solids and Structures</i> , 2007, 44, 7988-8005.	1.3	165
60	A constrained domain-switching model for polycrystalline ferroelectric ceramics. Part I: Model formulation and application to tetragonal materials. <i>Acta Materialia</i> , 2007, 55, 6472-6480.	3.8	47
61	A constrained domain-switching model for polycrystalline ferroelectric ceramics. Part II: Combined switching and application to rhombohedral materials. <i>Acta Materialia</i> , 2007, 55, 6481-6488.	3.8	26
62	Modeling and identification of tool holderâ€“spindle interface dynamics. <i>International Journal of Machine Tools and Manufacture</i> , 2007, 47, 1333-1341.	6.2	109
63	One-dimensional thermomechanical model for dynamic pseudoelastic response of shape memory alloys. <i>Smart Materials and Structures</i> , 2006, 15, 996-1008.	1.8	22
64	Multi-dimensional thermomechanical model for pseudoelastic response of SMA. , 2006, , .		0
65	Vertical vibration of an embedded rigid foundation in a poroelastic soil. <i>Soil Dynamics and Earthquake Engineering</i> , 2006, 26, 626-636.	1.9	38
66	Fracture parameters of a penny-shaped crack at the interface of a piezoelectric bi-material system. <i>International Journal of Fracture</i> , 2006, 141, 37-48.	1.1	18
67	Electroelastic field of a piezoelectric annular finite cylinder. <i>International Journal of Solids and Structures</i> , 2005, 42, 3487-3508.	1.3	21
68	Fracture analysis of magneto-electroelastic solids by using path independent integrals. <i>International Journal of Fracture</i> , 2005, 131, 311-335.	1.1	79
69	Electric Charge Loading of a Piezoelectric Solid Cylinder. , 2005, , 164-174.		2
70	Angular distribution of energy release rates and fracture of piezoelectric solids. <i>Smart Materials and Structures</i> , 2004, 13, 519-527.	1.8	5
71	Joint slip in steel electric transmission towers. <i>Engineering Structures</i> , 2003, 25, 779-788.	2.6	72
72	Eshelby tensor for piezoelectric inclusion and application to modeling of domain switching and evolution. <i>Acta Materialia</i> , 2003, 51, 4121-4134.	3.8	21

#	ARTICLE	IF	CITATIONS
73	Simulation of pseudoelastic behaviour of SMA under cyclic loading. Computational Materials Science, 2003, 28, 663-674.	1.4	34
74	Discussion of "BEM Analysis of Two-Dimensional Elastodynamic Problems of Anisotropic Solids" by S. Ahmad, F. Leyte, and R. K. N. D. Rajapakse. Journal of Engineering Mechanics - ASCE, 2003, 129, 132-133.	1.6	0
75	Dynamic response of a frame with SMA bracing. , 2003, , .		8
76	<title>Modeling of electrode-ceramic interaction in a multilayered ferroelectric actuator</title>. , 2002, , .		0
77	Suctions, stresses and strengths in unsaturated sand"bentonite. Engineering Geology, 2002, 64, 147-156.	2.9	41
78	BEM Analysis of Two-Dimensional Elastodynamic Problems of Anisotropic Solids. Journal of Engineering Mechanics - ASCE, 2001, 127, 149-156.	1.6	17
79	Closed cracks in piezoelectric media subjected to electric field. , 2001, 4333, 231.		1
80	Toughening of conducting cracks due to domain switching. Acta Materialia, 2001, 49, 877-885.	3.8	43
81	Boundary element modeling of cracks in piezoelectric solids. Engineering Analysis With Boundary Elements, 2001, 25, 771-781.	2.0	33
82	On a plane crack in piezoelectric solids. International Journal of Solids and Structures, 2001, 38, 7643-7658.	1.3	97
83	Domain switching induced fracture toughness variation in ferroelectrics. Smart Materials and Structures, 2001, 10, 203-211.	1.8	33
84	On singularities in composite piezoelectric wedges and junctions. International Journal of Solids and Structures, 2000, 37, 3253-3275.	1.3	70
85	A theoretical study of branched cracks in piezoelectrics. Acta Materialia, 2000, 48, 1865-1882.	3.8	39
86	Seasonal variation in material properties of a flexible pavement. Canadian Journal of Civil Engineering, 2000, 27, 44-54.	0.7	25
87	Be analysis of dynamics of rigid foundations embedded in transversely isotropic soils. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 2000, 23, 275-288.	0.6	16
88	Dynamic Axial Load Transfer from Elastic Bar to Poroelastic Medium. Journal of Engineering Mechanics - ASCE, 1999, 125, 1048-1055.	1.6	102
89	Closed-Form Solutions for Edge Dislocations in Piezoelectric Solids. Mechanics of Advanced Materials and Structures, 1999, 6, 97-115.	0.4	2
90	Analytical solution for an arbitrarily oriented void/crack and fracture of piezoceramics. Acta Materialia, 1999, 47, 1735-1747.	3.8	57

#	ARTICLE	IF	CITATIONS
91	Coupled fields in a deformable unsaturated medium. International Journal of Solids and Structures, 1999, 36, 4841-4868.	1.3	13
92	Vertical vibrations of a rigid disk embedded in a poroelastic medium. International Journal for Numerical and Analytical Methods in Geomechanics, 1999, 23, 2075-2095.	1.7	58
93	Dynamic response of a pile in a multi-layered soil to transient torsional and axial loading. Geotechnique, 1999, 49, 91-109.	2.2	132
94	Vertical vibrations of a rigid disk embedded in a poroelastic medium. International Journal for Numerical and Analytical Methods in Geomechanics, 1999, 23, 2075-2095.	1.7	1
95	A coupled thermoporoelastic model with thermo-osmosis and thermal-filtration. International Journal of Solids and Structures, 1998, 35, 4659-4683.	1.3	97
96	Coupled consolidation of a porous medium with a cylindrical or a spherical cavity. International Journal for Numerical and Analytical Methods in Geomechanics, 1998, 22, 449-475.	1.7	40
97	Coupled Heat-Moisture-Air Transfer in Deformable Unsaturated Media. Journal of Engineering Mechanics - ASCE, 1998, 124, 1090-1099.	1.6	29
98	<title>Stress and electric field concentrations in piezoelectrics with defects</title>. , 1998, , .		0
99	<title>Stress analysis of piezoceramics with defects</title>. , 1998, 3321, 644.		0
100	Stress analysis of piezoceramic cylinders. Smart Materials and Structures, 1997, 6, 169-177.	1.8	24
101	Dynamics of a rigid strip bonded to a multilayered poroelastic medium. Solid Mechanics and Its Applications, 1996, , 353-369.	0.1	8
102	An indirect boundary integral equation method for poroelasticity. International Journal for Numerical and Analytical Methods in Geomechanics, 1995, 19, 587-614.	1.7	26
103	Dynamic response of a multi-layered poroelastic medium. Earthquake Engineering and Structural Dynamics, 1995, 24, 703-722.	2.5	100
104	Exact stiffness method for quasi-statics of a multi-layered poroelastic medium. International Journal of Solids and Structures, 1995, 32, 1535-1553.	1.3	75
105	Transient response of an orthotropic elastic medium with a cavity. Wave Motion, 1995, 21, 231-252.	1.0	21
106	ON COUPLED HEAT&#x2014;MOISTURE TRANSFER IN DEFORMABLE POROUS MEDIA. Quarterly Journal of Mechanics and Applied Mathematics, 1994, 47, 53-68.	0.5	15
107	Dynamic Green's Functions of Homogeneous Poroelastic Half&#x2014;Plane. Journal of Engineering Mechanics - ASCE, 1994, 120, 2381-2404.	1.6	96
108	An Exact Stiffness Method for Elastodynamics of a Layered Orthotropic Half-Plane. Journal of Applied Mechanics, Transactions ASME, 1994, 61, 339-348.	1.1	31

#	ARTICLE	IF	CITATIONS
109	Transient response of a circular cavity in a poroelastic medium. International Journal for Numerical and Analytical Methods in Geomechanics, 1993, 17, 357-383.	1.7	74
110	Computational analysis of creep in ice and frozen soil based on Fish's unified model. Canadian Journal of Civil Engineering, 1993, 20, 120-132.	0.7	6
111	Green's Functions for Transversely Isotropic Elastic Half Space. Journal of Engineering Mechanics - ASCE, 1993, 119, 1724-1746.	1.6	115
112	Creep response of laterally loaded piles in ice and permafrost. Geotechnique, 1993, 43, 223-240.	2.2	2
113	Fundamental Solutions for a Poroelastic Half-Space With Compressible Constituents. Journal of Applied Mechanics, Transactions ASME, 1993, 60, 847-856.	1.1	47
114	Stress Analysis of Borehole in Poroelastic Medium. Journal of Engineering Mechanics - ASCE, 1993, 119, 1205-1227.	1.6	43
115	Finite element modelling of pressuremeter tests and footings on frozen soils. International Journal for Numerical and Analytical Methods in Geomechanics, 1992, 16, 351-375.	1.7	2
116	Elastodynamic Green's Functions of Orthotropic Half Plane. Journal of Engineering Mechanics - ASCE, 1991, 117, 588-604.	1.6	70
117	Response of circular footings and anchor plates in non-homogeneous elastic soils. International Journal for Numerical and Analytical Methods in Geomechanics, 1991, 15, 457-470.	1.7	27
118	Dynamic interaction between flexible strip foundations. Earthquake Engineering and Structural Dynamics, 1991, 20, 441-454.	2.5	24
119	Dynamics of rigid strip foundations embedded in orthotropic elastic soils. Earthquake Engineering and Structural Dynamics, 1991, 20, 927-947.	2.5	36
120	Response of an axially loaded elastic pile in a Gibson soil. Geotechnique, 1990, 40, 237-249.	2.2	31
121	Rigid Inclusion in Nonhomogeneous Incompressible Elastic Half-Space. Journal of Engineering Mechanics - ASCE, 1990, 116, 399-410.	1.6	6
122	A VERTICAL LOAD IN THE INTERIOR OF A NON-HOMOGENEOUS INCOMPRESSIBLE ELASTIC HALF-SPACE. Quarterly Journal of Mechanics and Applied Mathematics, 1990, 43, 1-14.	0.5	13
123	Numerical Modeling of Structure-Frozen Soil/Ice Interaction. Journal of Cold Regions Engineering - ASCE, 1990, 4, 133-151.	0.5	4
124	Axial stiffness of anchoring rods embedded in elastic media. Canadian Journal of Civil Engineering, 1990, 17, 321-328.	0.7	5
125	Dynamic Response of Elastic Plates on Viscoelastic Half Space. Journal of Engineering Mechanics - ASCE, 1989, 115, 1867-1881.	1.6	24
126	Impedance curves for an elastic pile. Soil Dynamics and Earthquake Engineering, 1989, 8, 145-152.	1.9	59



#	ARTICLE	IF	CITATIONS
127	Torsion of foundations embedded in a non-homogeneous soil with a weathered crust. <i>Geotechnique</i> , 1989, 39, 485-496.	2.2	14
128	The interaction between a circular elastic plate and a transversely isotropic elastic half-space. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 1988, 12, 419-436.	1.7	12
129	Impedances of embedded rigid strip foundations. <i>Earthquake Engineering and Structural Dynamics</i> , 1988, 16, 255-273.	2.5	14
130	A note on the elastodynamic load transfer problem. <i>International Journal of Solids and Structures</i> , 1988, 24, 963-972.	1.3	21
131	A torsion load transfer problem for a class of non-homogeneous elastic solids. <i>International Journal of Solids and Structures</i> , 1988, 24, 139-151.	1.3	15
132	Variational Scheme for Analysis of Torsion of Embedded Nonuniform Elastic Bars. <i>Journal of Engineering Mechanics - ASCE</i> , 1987, 113, 1534-1550.	1.6	8
133	On the longitudinal harmonic motion of an elastic bar embedded in an elastic half-space. <i>International Journal of Solids and Structures</i> , 1987, 23, 267-285.	1.3	81
134	Torsional vibrations of elastic foundations embedded in an elastic half-space. <i>Earthquake Engineering and Structural Dynamics</i> , 1987, 15, 279-297.	2.5	24
135	On the lateral harmonic motion of an elastic bar embedded in an elastic half-space. <i>International Journal of Solids and Structures</i> , 1987, 23, 287-303.	1.3	45
136	On the performance of Mindlin plate elements in modelling plate-elastic medium interaction: A comparative study. <i>International Journal for Numerical Methods in Engineering</i> , 1986, 23, 1229-1244.	1.5	30
137	An efficient elastodynamic infinite element. <i>International Journal of Solids and Structures</i> , 1986, 22, 643-657.	1.3	27
138	On the load transfer from a rigid cylindrical inclusion into an elastic half space. <i>International Journal of Solids and Structures</i> , 1985, 21, 1213-1229.	1.3	59
139	Torsional stiffness of non-uniform and hollow rigid piers embedded in isotropic elastic media. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 1985, 9, 525-539.	1.7	8
140	Elastostatic Infinite Elements for Layered Half Spaces. <i>Journal of Engineering Mechanics - ASCE</i> , 1985, 111, 1144-1158.	1.6	28
141	Torsion of a long cylindrical elastic bar partially embedded in a layered elastic half space. <i>International Journal of Solids and Structures</i> , 1984, 20, 1-11.	1.3	31