

å»°å½ æœ±

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2712082/publications.pdf>

Version: 2024-02-01

90
papers

4,321
citations

87888

38
h-index

118850

62
g-index

90
all docs

90
docs citations

90
times ranked

4169
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevated CO2 levels alleviated toxicity of ZnO nanoparticles to rice and soil bacteria. <i>Science of the Total Environment</i> , 2022, 804, 149822.	8.0	6
2	Elevated CO2 does not necessarily enhance greenhouse gas emissions from rice paddies. <i>Science of the Total Environment</i> , 2022, 810, 152363.	8.0	17
3	Elevated atmospheric CO2 reduces CH4 and N2O emissions under two contrasting rice cultivars from a subtropical paddy field in China. <i>Pedosphere</i> , 2022, 32, 707-717.	4.0	8
4	Field experiments and model simulation based evaluation of rice yield response to projected climate change in Southeastern China. <i>Science of the Total Environment</i> , 2021, 761, 143206.	8.0	23
5	Elevated CO2 concentration modifies the effects of organic fertilizer substitution on rice yield and soil ARGs. <i>Science of the Total Environment</i> , 2021, 754, 141898.	8.0	12
6	Elevated atmospheric CO ₂ reduces yield-scaled N ₂ O fluxes from subtropical rice systems: Six site-years field experiments. <i>Global Change Biology</i> , 2021, 27, 327-339.	9.5	19
7	How do elevated atmosphere CO2 and temperature alter the physiochemical properties of starch granules and rice taste?. <i>Science of the Total Environment</i> , 2021, 766, 142592.	8.0	15
8	Leaf characteristics of rice cultivars with a stronger yield response to projected increases in CO ₂ concentration. <i>Physiologia Plantarum</i> , 2021, 171, 416-423.	5.2	6
9	Responses of rice qualitative characteristics to elevated carbon dioxide and higher temperature: implications for global nutrition. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 3854-3861.	3.5	12
10	Polystyrene microplastics alleviate the effects of sulfamethazine on soil microbial communities at different CO2 concentrations. <i>Journal of Hazardous Materials</i> , 2021, 413, 125286.	12.4	30
11	Alterations in Source-Sink Relations Affect Rice Yield Response to Elevated CO2: A Free-Air CO2 Enrichment Study. <i>Frontiers in Plant Science</i> , 2021, 12, 700159.	3.6	11
12	Impact of Elevated CO2 and Reducing the Source-Sink Ratio by Partial Defoliation on Rice Grain Quality – A 3-Year Free-Air CO2 Enrichment Study. <i>Frontiers in Plant Science</i> , 2021, 12, 788104.	3.6	4
13	The potential role of sucrose transport gene expression in the photosynthetic and yield response of rice cultivars to future CO ₂ concentration. <i>Physiologia Plantarum</i> , 2020, 168, 218-226.	5.2	18
14	Response of rice yield and yield components to elevated [CO2]: A synthesis of updated data from FACE experiments. <i>European Journal of Agronomy</i> , 2020, 112, 125961.	4.1	50
15	Plant-mediated effects of elevated CO ₂ and rice cultivars on soil carbon dynamics in a paddy soil. <i>New Phytologist</i> , 2020, 225, 2368-2379.	7.3	16
16	Large losses of ammonium-nitrogen from a rice ecosystem under elevated CO ₂ . <i>Science Advances</i> , 2020, 6, .	10.3	26
17	Changes in microelement availability in a paddy field exposed to long-term atmospheric CO2 enrichment. <i>Journal of Soils and Sediments</i> , 2020, 20, 2439-2445.	3.0	4
18	Distinct fungal successional trajectories following wildfire between soil horizons in a cold-temperate forest. <i>New Phytologist</i> , 2020, 227, 572-587.	7.3	41

#	ARTICLE	IF	CITATIONS
19	A fast chemical oxidation method for predicting the long-term mineralization of biochar in soils. <i>Science of the Total Environment</i> , 2020, 718, 137390.	8.0	16
20	Effects of free-air CO ₂ enrichment (FACE) and nitrogen (N) supply on N uptake and utilization of indica and japonica cultivars (<i>Oryza sativa</i> L.). <i>Ecological Processes</i> , 2020, 9, .	3.9	11
21	Elevated CO ₂ -induced changes in cytokinin and nitrogen metabolism are associated with different responses in the panicle architecture of two contrasting rice genotypes. <i>Plant Growth Regulation</i> , 2019, 89, 119-129.	3.4	11
22	Impacts of Mo application on biological nitrogen fixation and diazotrophic communities in a flooded rice-soil system. <i>Science of the Total Environment</i> , 2019, 649, 686-694.	8.0	49
23	Effects of elevated ground-level ozone on paddy soil bacterial community and assembly mechanisms across four years. <i>Science of the Total Environment</i> , 2019, 654, 505-513.	8.0	25
24	Influence of rice cultivars on soil bacterial microbiome under elevated carbon dioxide. <i>Journal of Soils and Sediments</i> , 2019, 19, 2485-2495.	3.0	8
25	Comparison of crop yield sensitivity to ozone between open-top chamber and free-air experiments. <i>Global Change Biology</i> , 2018, 24, 2231-2238.	9.5	41
26	Do all leaf photosynthesis parameters of rice acclimate to elevated CO ₂ , elevated temperature, and their combination, in FACE environments?. <i>Global Change Biology</i> , 2018, 24, 1685-1707.	9.5	68
27	Ozone exposure- and flux-based response relationships with photosynthesis of winter wheat under fully open air condition. <i>Science of the Total Environment</i> , 2018, 619-620, 1538-1544.	8.0	18
28	Elevated CO ₂ accelerates polycyclic aromatic hydrocarbon accumulation in a paddy soil grown with rice. <i>PLoS ONE</i> , 2018, 13, e0196439.	2.5	4
29	Carbon dioxide (CO ₂) levels this century will alter the protein, micronutrients, and vitamin content of rice grains with potential health consequences for the poorest rice-dependent countries. <i>Science Advances</i> , 2018, 4, eaaq1012.	10.3	267
30	Divergent Responses of the Diazotrophic Microbiome to Elevated CO ₂ in Two Rice Cultivars. <i>Frontiers in Microbiology</i> , 2018, 9, 1139.	3.5	19
31	Elevated CO ₂ cannot compensate for japonica grain yield losses under increasing air temperature because of the decrease in spikelet density. <i>European Journal of Agronomy</i> , 2018, 99, 21-29.	4.1	45
32	Different responses of transgenic Bt rice and conventional rice to elevated ozone concentration. <i>Environmental Science and Pollution Research</i> , 2017, 24, 8352-8362.	5.3	6
33	Elevated CO ₂ levels modify TiO ₂ nanoparticle effects on rice and soil microbial communities. <i>Science of the Total Environment</i> , 2017, 578, 408-416.	8.0	58
34	Causes of variation among rice models in yield response to CO ₂ examined with Free-Air CO ₂ Enrichment and growth chamber experiments. <i>Scientific Reports</i> , 2017, 7, 14858.	3.3	41
35	The impact of elevated CO ₂ and temperature on grain quality of rice grown under open-air field conditions. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3658-3667.	3.5	49
36	Elevated atmospheric [CO ₂] stimulates sugar accumulation and cellulose degradation rates of rice straw. <i>GCB Bioenergy</i> , 2016, 8, 579-587.	5.6	29

#	ARTICLE	IF	CITATIONS
37	Differential effects of ozone on photosynthesis of winter wheat among cultivars depend on antioxidative enzymes rather than stomatal conductance. <i>Science of the Total Environment</i> , 2016, 572, 404-411.	8.0	82
38	Carbon footprint of rice production under biochar amendment – a case study in a Chinese rice cropping system. <i>GCB Bioenergy</i> , 2016, 8, 148-159.	5.6	54
39	Divergent responses of methanogenic archaeal communities in two rice cultivars to elevated ground-level O ₃ . <i>Environmental Pollution</i> , 2016, 213, 127-134.	7.5	25
40	An indica rice genotype showed a similar yield enhancement to that of hybrid rice under free air carbon dioxide enrichment. <i>Scientific Reports</i> , 2015, 5, 12719.	3.3	43
41	Diurnal variation of apoplastic ascorbate in winter wheat leaves in relation to ozone detoxification. <i>Environmental Pollution</i> , 2015, 207, 413-419.	7.5	19
42	Response of leaf endophytic bacterial community to elevated CO ₂ at different growth stages of rice plant. <i>Frontiers in Microbiology</i> , 2015, 6, 855.	3.5	26
43	The contrasting responses of soil microorganisms in two rice cultivars to elevated ground-level ozone. <i>Environmental Pollution</i> , 2015, 197, 195-202.	7.5	43
44	Seed vigor of contrasting rice cultivars in response to elevated carbon dioxide. <i>Field Crops Research</i> , 2015, 178, 63-68.	5.1	26
45	Response of soil, leaf endosphere and phyllosphere bacterial communities to elevated CO ₂ and soil temperature in a rice paddy. <i>Plant and Soil</i> , 2015, 392, 27-44.	3.7	58
46	Elevated ozone increases nitrifying and denitrifying enzyme activities in the rhizosphere of wheat after 5 years of fumigation. <i>Plant and Soil</i> , 2015, 392, 279-288.	3.7	18
47	Physiological and Biochemical Changes Imposed by CeO ₂ Nanoparticles on Wheat: A Life Cycle Field Study. <i>Environmental Science & Technology</i> , 2015, 49, 11884-11893.	10.0	164
48	Biochemical and molecular characteristics of leaf photosynthesis and relative seed yield of two contrasting rice cultivars in response to elevated [CO ₂]. <i>Journal of Experimental Botany</i> , 2014, 65, 6049-6056.	4.8	56
49	Apoplastic antioxidant enzyme responses to chronic free-air ozone exposure in two different ozone-sensitive wheat cultivars. <i>Plant Physiology and Biochemistry</i> , 2014, 82, 183-193.	5.8	26
50	Soil microbial residue dynamics after 3-year elevated O ₃ exposure are plant species-specific. <i>Plant and Soil</i> , 2014, 376, 139-149.	3.7	18
51	Ozone pollution influences soil carbon and nitrogen sequestration and aggregate composition in paddy soils. <i>Plant and Soil</i> , 2014, 380, 305-313.	3.7	15
52	Impact of biochar application on nitrogen nutrition of rice, greenhouse-gas emissions and soil organic carbon dynamics in two paddy soils of China. <i>Plant and Soil</i> , 2013, 370, 527-540.	3.7	187
53	Greenhouse gas fluxes and NO release from a Chinese subtropical rice-winter wheat rotation system under nitrogen fertilizer management. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 623-638.	3.0	40
54	Identification of Formate-Metabolizing Bacteria in Paddy Soil by DNA-Based Stable Isotope Probing. <i>Soil Science Society of America Journal</i> , 2012, 76, 121-129.	2.2	6

#	ARTICLE	IF	CITATIONS
55	Influences of free-air CO ₂ enrichment (FACE), nitrogen fertilizer and crop residue incorporation on CH ₄ emissions from irrigated rice fields. <i>Nutrient Cycling in Agroecosystems</i> , 2012, 93, 373-385.	2.2	17
56	Annual emissions of nitrous oxide and nitric oxide from rice-wheat rotation and vegetable fields: a case study in the Tai-Lake region, China. <i>Plant and Soil</i> , 2012, 360, 37-53.	3.7	44
57	Investigations on spikelet formation in hybrid rice as affected by elevated tropospheric ozone concentration in China. <i>Agriculture, Ecosystems and Environment</i> , 2012, 150, 63-71.	5.3	33
58	Elevated CO ₂ Levels Affects the Concentrations of Copper and Cadmium in Crops Grown in Soil Contaminated with Heavy Metals under Fully Open-Air Field Conditions. <i>Environmental Science & Technology</i> , 2011, 45, 6997-7003.	10.0	94
59	Characteristics of multiple-year nitrous oxide emissions from conventional vegetable fields in southeastern China. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	50
60	Improvements of the ozone dose response functions for predicting the yield loss of wheat due to elevated ozone. <i>J Agricultural Meteorology</i> , 2011, 67, 21-32.	1.5	11
61	Differential responses in two varieties of winter wheat to elevated ozone concentration under fully open-air field conditions. <i>Global Change Biology</i> , 2011, 17, 580-591.	9.5	159
62	Effects of elevated ozone concentration on yield of four Chinese cultivars of winter wheat under fully open-air field conditions. <i>Global Change Biology</i> , 2011, 17, 2697-2706.	9.5	116
63	Elevated CO ₂ effects on nutrient competition between a C ₃ crop (<i>Oryza sativa</i> L.) and a C ₄ weed (<i>Echinochloa crusgalli</i> L.). <i>Nutrient Cycling in Agroecosystems</i> , 2011, 89, 93-104.	2.2	26
64	A phototrophy-driven microbial food web in a rice soil. <i>Journal of Soils and Sediments</i> , 2011, 11, 301-311.	3.0	15
65	Long-term Field Fertilization Significantly Alters Community Structure of Ammonia-oxidizing Bacteria rather than Archaea in a Paddy Soil. <i>Soil Science Society of America Journal</i> , 2011, 75, 1431-1439.	2.2	121
66	Modeling methane emissions from paddy rice fields under elevated atmospheric carbon dioxide conditions. <i>Advances in Atmospheric Sciences</i> , 2010, 27, 100-114.	4.3	13
67	CO ₂ mitigation potential in farmland of China by altering current organic matter amendment pattern. <i>Science China Earth Sciences</i> , 2010, 53, 1351-1357.	5.2	38
68	Effects of organic matter incorporation on nitrous oxide emissions from rice-wheat rotation ecosystems in China. <i>Plant and Soil</i> , 2010, 327, 315-330.	3.7	100
69	Nitric oxide emissions from rice-wheat rotation fields in eastern China: effect of fertilization, soil water content, and crop residue. <i>Plant and Soil</i> , 2010, 336, 87-98.	3.7	21
70	Effects of tillage during the nonwaterlogged period on nitrous oxide and nitric oxide emissions in typical Chinese rice-wheat rotation ecosystems. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	13
71	Elevated CO ₂ accelerates flag leaf senescence in wheat due to ear photosynthesis which causes greater ear nitrogen sink capacity and ear carbon sink limitation. <i>Functional Plant Biology</i> , 2009, 36, 291.	2.1	52
72	Free-air CO ₂ enrichment (FACE) enhances the biodiversity of purple phototrophic bacteria in flooded paddy soil. <i>Plant and Soil</i> , 2009, 324, 317-328.	3.7	19

#	ARTICLE	IF	CITATIONS
73	Yield formation of CO ₂ -enriched inter-subspecific hybrid rice cultivar Liangyoupeijiu under fully open-air field condition in a warm sub-tropical climate. <i>Agriculture, Ecosystems and Environment</i> , 2009, 129, 193-200.	5.3	64
74	Impact of elevated ozone concentration on yield of four Chinese rice cultivars under fully open-air field conditions. <i>Agriculture, Ecosystems and Environment</i> , 2009, 131, 178-184.	5.3	117
75	Seasonal changes in the effects of free-air CO ₂ enrichment (FACE) on growth, morphology and physiology of rice root at three levels of nitrogen fertilization. <i>Global Change Biology</i> , 2008, 14, 1844-1853.	9.5	107
76	Quantifying net ecosystem carbon dioxide exchange of a short-plant cropland with intermittent chamber measurements. <i>Global Biogeochemical Cycles</i> , 2008, 22, .	4.9	49
77	Yield formation of CO ₂ -enriched hybrid rice cultivar Shanyou 63 under fully open-air field conditions. <i>Field Crops Research</i> , 2008, 108, 93-100.	5.1	81
78	Effect of Nitrogen Supply on Carbon Dioxide-Induced Changes in Competition between Rice and Barnyardgrass (<i>Echinochloa crus-galli</i>). <i>Weed Science</i> , 2008, 56, 66-71.	1.5	24
79	Seasonal changes in the effects of free-air CO ₂ enrichment (FACE) on nitrogen (N) uptake and utilization of rice at three levels of N fertilization. <i>Field Crops Research</i> , 2007, 100, 189-199.	5.1	44
80	The impact of free-air CO ₂ enrichment (FACE) and nitrogen supply on grain quality of rice. <i>Field Crops Research</i> , 2007, 102, 128-140.	5.1	145
81	Soil organic carbon stocks in China and changes from 1980s to 2000s. <i>Global Change Biology</i> , 2007, 13, 1989-2007.	9.5	324
82	Responses of rice and winter wheat to free-air CO ₂ enrichment (China FACE) at rice/wheat rotation system. <i>Plant and Soil</i> , 2007, 294, 137-146.	3.7	47
83	Effect of elevated atmospheric CO ₂ concentration on soil and root respiration in winter wheat by using a respiration partitioning chamber. <i>Plant and Soil</i> , 2007, 299, 237-249.	3.7	34
84	Responses of rice growth to copper stress under free-air CO ₂ enrichment (FACE). <i>Science Bulletin</i> , 2007, 52, 2636-2641.	1.7	13
85	Seasonal changes in the effects of free-air CO ₂ enrichment (FACE) on dry matter production and distribution of rice (<i>Oryza sativa</i> L.). <i>Field Crops Research</i> , 2006, 98, 12-19.	5.1	87
86	The impact of free-air CO ₂ enrichment (FACE) and N supply on yield formation of rice crops with large panicle. <i>Field Crops Research</i> , 2006, 98, 141-150.	5.1	91
87	Nitrogen-regulated effects of free-air CO ₂ enrichment on methane emissions from paddy rice fields. <i>Global Change Biology</i> , 2006, 12, 1717-1732.	9.5	77
88	Influence of the environmental behavior and ecological effect of cropland heavy metal contaminants by CO ₂ enrichment in atmosphere. <i>Diqiu Huaxue</i> , 2006, 25, 212-212.	0.5	11
89	Ag, Ta, Ru, and Ir enrichment in surface soil: Evidence for land pollution of heavy metal from atmospheric deposition. <i>Global Biogeochemical Cycles</i> , 2004, 18, n/a-n/a.	4.9	18
90	Effects of elevated CO ₂ and N fertilization on CH ₄ emissions from paddy rice fields. <i>Global Biogeochemical Cycles</i> , 2004, 18, n/a-n/a.	4.9	57