

Belinda Pinguan-Murphy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/271211/belinda-pinguan-murphy-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,302
citations

36
h-index

61
g-index

137
ext. papers

4,862
ext. citations

5.1
avg, IF

5.57
L-index

#	Paper	IF	Citations
128	Advances in paper-based point-of-care diagnostics. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 585-97	11.8	696
127	An integrated paper-based sample-to-answer biosensor for nucleic acid testing at the point of care. <i>Lab on A Chip</i> , 2016 , 16, 611-21	7.2	195
126	Review of titania nanotubes: Fabrication and cellular response. <i>Ceramics International</i> , 2012 , 38, 4421-4435	4.5	178
125	. <i>Proceedings of the IEEE</i> , 2015 , 103, 236-247	14.3	134
124	Impact of low oxygen tension on stemness, proliferation and differentiation potential of human adipose-derived stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 448, 218-24	3.4	103
123	Paper-based sample-to-answer molecular diagnostic platform for point-of-care diagnostics. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 427-39	11.8	101
122	Review of zirconia-based bioceramic: Surface modification and cellular response. <i>Ceramics International</i> , 2016 , 42, 12543-12555	5.1	97
121	Paper-based cell culture platform and its emerging biomedical applications. <i>Materials Today</i> , 2017 , 20, 32-44	21.8	87
120	Polydimethylsiloxane-Paper Hybrid Lateral Flow Assay for Highly Sensitive Point-of-Care Nucleic Acid Testing. <i>Analytical Chemistry</i> , 2016 , 88, 6254-64	7.8	78
119	Cyclic compression of chondrocytes modulates a purinergic calcium signalling pathway in a strain rate- and frequency-dependent manner. <i>Journal of Cellular Physiology</i> , 2006 , 209, 389-97	7	75
118	Recent Advances in Pen-Based Writing Electronics and their Emerging Applications. <i>Advanced Functional Materials</i> , 2016 , 26, 165-180	15.6	72
117	An integrated lateral flow assay for effective DNA amplification and detection at the point of care. <i>Analyst, The</i> , 2016 , 141, 2930-9	5	70
116	Improved friction and wear performance of micro dimpled ceramic-on-ceramic interface for hip joint arthroplasty. <i>Ceramics International</i> , 2015 , 41, 681-690	5.1	69
115	Phenotypic and functional characterization of long-term cryopreserved human adipose-derived stem cells. <i>Scientific Reports</i> , 2015 , 5, 9596	4.9	66
114	Improved sensitivity of lateral flow assay using paper-based sample concentration technique. <i>Talanta</i> , 2016 , 152, 269-76	6.2	66
113	Sensitive biomolecule detection in lateral flow assay with a portable temperature-humidity control device. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 98-107	11.8	63
112	Advances and challenges of fully integrated paper-based point-of-care nucleic acid testing. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 93, 37-50	14.6	61

111	Advances in paper-based sample pretreatment for point-of-care testing. <i>Critical Reviews in Biotechnology</i> , 2017 , 37, 411-428	9.4	58
110	Bioactive glass reinforced elastomer composites for skeletal regeneration: A review. <i>Materials Science and Engineering C</i> , 2015 , 53, 175-88	8.3	58
109	Direct writing electrodes using a ball pen for paper-based point-of-care testing. <i>Analyst, The</i> , 2015 , 140, 5526-35	5	58
108	Lateral Flow Assay Based on Paper-Hydrogel Hybrid Material for Sensitive Point-of-Care Detection of Dengue Virus. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1600920	10.1	56
107	Synthesis of upconversion NaYF ₄ :Yb ³⁺ ,Er ³⁺ particles with enhanced luminescent intensity through control of morphology and phase. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 3671-3676	7.1	54
106	Fabrication and characterization of micro-dimple array on Al ₂ O ₃ surfaces by using a micro-tooling. <i>Ceramics International</i> , 2014 , 40, 2381-2388	5.1	50
105	Engineering physical microenvironment for stem cell based regenerative medicine. <i>Drug Discovery Today</i> , 2014 , 19, 763-73	8.8	48
104	Chinese-Noodle-Inspired Muscle Myofiber Fabrication. <i>Advanced Functional Materials</i> , 2015 , 25, 5999-6008	9.6	48
103	Cryopreservation of Human Mesenchymal Stem Cells for Clinical Applications: Current Methods and Challenges. <i>Biopreservation and Biobanking</i> , 2015 , 13, 231-9	2.1	47
102	In situ normoxia enhances survival and proliferation rate of human adipose tissue-derived stromal cells without increasing the risk of tumourigenesis. <i>PLoS ONE</i> , 2015 , 10, e0115034	3.7	47
101	Endothelial cell responses in terms of adhesion, proliferation, and morphology to stiffness of polydimethylsiloxane elastomer substrates. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 2203-13	5.4	46
100	Tribological role of synovial fluid compositions on artificial joints – a systematic review of the last 10 years. <i>Lubrication Science</i> , 2014 , 26, 387-410	1.3	46
99	Mechanoregulation of cardiac myofibroblast differentiation: implications for cardiac fibrosis and therapy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H532-42	5.2	45
98	In Vitro Study of Surface Modified Poly(ethylene glycol)-Impregnated Sintered Bovine Bone Scaffolds on Human Fibroblast Cells. <i>Scientific Reports</i> , 2015 , 5, 9806	4.9	44
97	Activation of chondrocytes calcium signalling by dynamic compression is independent of number of cycles. <i>Archives of Biochemistry and Biophysics</i> , 2005 , 444, 45-51	4.1	44
96	Progress of key strategies in development of electrospun scaffolds: bone tissue. <i>Science and Technology of Advanced Materials</i> , 2012 , 13, 043002	7.1	43
95	Paracrine Effects of Adipose-Derived Stem Cells on Matrix Stiffness-Induced Cardiac Myofibroblast Differentiation via Angiotensin II Type 1 Receptor and Smad7. <i>Scientific Reports</i> , 2016 , 6, 33067	4.9	40
94	Electrospin-coating of nitrocellulose membrane enhances sensitivity in nucleic acid-based lateral flow assay. <i>Analytica Chimica Acta</i> , 2018 , 1009, 81-88	6.6	39

93	Multiple test zones for improved detection performance in lateral flow assays. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 484-488	8.5	37
92	Advances in fabrication of TiO ₂ nanofiber/nanowire arrays toward the cellular response in biomedical implantations: a review. <i>Journal of Materials Science</i> , 2013 , 48, 8337-8353	4.3	36
91	Hypoxia enhances the viability, growth and chondrogenic potential of cryopreserved human adipose-derived stem cells. <i>Cryobiology</i> , 2017 , 75, 91-99	2.7	35
90	Hydrogel-based methods for engineering cellular microenvironment with spatiotemporal gradients. <i>Critical Reviews in Biotechnology</i> , 2016 , 36, 553-65	9.4	35
89	Morphological Change of Heat Treated Bovine Bone: A Comparative Study. <i>Materials</i> , 2012 , 6, 65-75	3.5	35
88	Electrospun Polycaprolactone Nanofibers as a Reaction Membrane for Lateral Flow Assay. <i>Polymers</i> , 2018 , 10,	4.5	35
87	The proliferation and tenogenic differentiation potential of bone marrow-derived mesenchymal stromal cell are influenced by specific uniaxial cyclic tensile loading conditions. <i>Biomechanics and Modeling in Mechanobiology</i> , 2015 , 14, 649-63	3.8	32
86	Role of C-type natriuretic peptide signalling in maintaining cartilage and bone function. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 1800-7	6.2	32
85	Tribological investigation of diamond-like carbon coated micro-dimpled surface under bovine serum and osteoarthritis oriented synovial fluid. <i>Science and Technology of Advanced Materials</i> , 2015 , 16, 035002	7.1	32
84	Mechanical behaviour of in-situ chondrocytes subjected to different loading rates: a finite element study. <i>Biomechanics and Modeling in Mechanobiology</i> , 2012 , 11, 983-93	3.8	31
83	Human amnion as a novel cell delivery vehicle for chondrogenic mesenchymal stem cells. <i>Cell and Tissue Banking</i> , 2011 , 12, 59-70	2.2	25
82	Tribological performance of the biological components of synovial fluid in artificial joint implants. <i>Science and Technology of Advanced Materials</i> , 2015 , 16, 045002	7.1	24
81	Extracellular matrix integrity affects the mechanical behaviour of in-situ chondrocytes under compression. <i>Journal of Biomechanics</i> , 2014 , 47, 1004-13	2.9	24
80	Design and development of potential tissue engineering scaffolds from structurally different longitudinal parts of a bovine-femur. <i>Scientific Reports</i> , 2014 , 4, 5843	4.9	23
79	Enhanced in vitro angiogenic behaviour of human umbilical vein endothelial cells on thermally oxidized TiO ₂ nanofibrous surfaces. <i>Scientific Reports</i> , 2016 , 6, 21828	4.9	23
78	Paper-based point-of-care testing for diagnosis of dengue infections. <i>Critical Reviews in Biotechnology</i> , 2017 , 37, 100-111	9.4	21
77	Fabrication and characterization of poly(octanediol citrate)/gallium-containing bioglass microcomposite scaffolds. <i>Journal of Materials Science</i> , 2015 , 50, 2189-2201	4.3	21
76	Essential Oils-Loaded Electrospun Biopolymers: A Future Perspective for Active Food Packaging. <i>Advances in Polymer Technology</i> , 2020 , 2020, 1-21	1.9	21

75	Fabrication and characterization of elastomeric scaffolds comprised of a citric acid-based polyester/hydroxyapatite microcomposite. <i>Materials & Design</i> , 2013 , 50, 446-450		21
74	Uniaxial Cyclic Tensile Stretching at 8% Strain Exclusively Promotes Tenogenic Differentiation of Human Bone Marrow-Derived Mesenchymal Stromal Cells. <i>Stem Cells International</i> , 2019 , 2019, 9723025 ⁵		20
73	Crystallization behavior of tantalum and chlorine co-substituted hydroxyapatite nanopowders. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 33, 316-325	6.3	19
72	Design and validation of a bi-axial loading bioreactor for mechanical stimulation of engineered cartilage. <i>Medical Engineering and Physics</i> , 2011 , 33, 782-8	2.4	19
71	Antibacterial properties of poly (octanediol citrate)/gallium-containing bioglass composite scaffolds. <i>Journal of Materials Science: Materials in Medicine</i> , 2016 , 27, 18	4.5	18
70	Contrast enhancement of ultrasound imaging of the knee joint cartilage for early detection of knee osteoarthritis. <i>Biomedical Signal Processing and Control</i> , 2014 , 13, 157-167	4.9	18
69	Chondrogenic potential of physically treated bovine cartilage matrix derived porous scaffolds on human dermal fibroblast cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 245-56	5.4	18
68	Osteogenic potential of in situ TiO ₂ nanowire surfaces formed by thermal oxidation of titanium alloy substrate. <i>Applied Surface Science</i> , 2014 , 320, 161-170	6.7	17
67	High-Throughput Non-Contact Vitrification of Cell-Laden Droplets Based on Cell Printing. <i>Scientific Reports</i> , 2015 , 5, 17928	4.9	17
66	Assessment of tumourigenic potential in long-term cryopreserved human adipose-derived stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 2217-2226	4.4	16
65	Osteoblast and stem cell response to nanoscale topographies: a review. <i>Science and Technology of Advanced Materials</i> , 2016 , 17, 698-714	7.1	15
64	Engineering of microscale three-dimensional pancreatic islet models in vitro and their biomedical applications. <i>Critical Reviews in Biotechnology</i> , 2016 , 36, 619-29	9.4	15
63	Effects of serum reduction and VEGF supplementation on angiogenic potential of human adipose stromal cells in vitro. <i>Cell Proliferation</i> , 2013 , 46, 300-11	7.9	15
62	A Novel Glass Polyalkenoate Cement for Fixation and Stabilisation of the Ribcage, Post Sternotomy Surgery: An ex-Vivo Study. <i>Journal of Functional Biomaterials</i> , 2013 , 4, 329-57	4.8	15
61	Engineering cell microenvironment using novel functional hydrogels. <i>European Polymer Journal</i> , 2015 , 72, 590-601	5.2	13
60	The properties of chondrocyte membrane reservoirs and their role in impact-induced cell death. <i>Biophysical Journal</i> , 2013 , 105, 1590-600	2.9	13
59	Electrospun Biopolyesters as Drug Screening Platforms for Corneal Keratocytes. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2015 , 64, 785-791	3	13
58	Proliferation and stemness preservation of human adipose-derived stem cells by surface-modified in situ TiO ₂ nanofibrous surfaces. <i>International Journal of Nanomedicine</i> , 2014 , 9, 5389-401	7.3	13

57	A comparison study of different physical treatments on cartilage matrix derived porous scaffolds for tissue engineering applications. <i>Science and Technology of Advanced Materials</i> , 2014 , 15, 065001	7.1	13
56	Structural and morphological study of mechanochemically synthesized crystalline nanoneedles of Zr-doped carbonated chlorapatite. <i>Materials Letters</i> , 2015 , 149, 100-104	3.3	12
55	Differential osteogenic potential of human adipose-derived stem cells co-cultured with human osteoblasts on polymeric microfiber scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 377-87	5.4	12
54	Processing and characterization of elastomeric polycaprolactone triol citrate coatings for biomedical applications. <i>Progress in Organic Coatings</i> , 2014 , 77, 821-829	4.8	12
53	Polyoctanediol citrate/ZnO composite films: Preparation, characterization and release kinetics of nanoparticles from polymer matrix. <i>Materials Letters</i> , 2014 , 126, 165-168	3.3	12
52	Dual photon excitation microscopy and image threshold segmentation in live cell imaging during compression testing. <i>Journal of Biomechanics</i> , 2013 , 46, 2024-31	2.9	12
51	Lubricating ability of albumin and globulin on artificial joint implants: a tribological perspective. <i>International Journal of Surface Science and Engineering</i> , 2016 , 10, 193	1	11
50	The effects of hypoxia and serum-free conditions on the stemness properties of human adipose-derived stem cells. <i>Cytotechnology</i> , 2016 , 68, 1859-72	2.2	11
49	Archimedes revisited: computer assisted micro-volumetric modification of the liquid displacement method for porosity measurement of highly porous light materials. <i>Analytical Methods</i> , 2014 , 6, 4396-4401	3.2	11
48	Gradual mechanochemical reaction to produce carbonate doped fluorapatite/titania composite nanopowder. <i>Ceramics International</i> , 2014 , 40, 15623-15631	5.1	11
47	Fate of tenogenic differentiation potential of human bone marrow stromal cells by uniaxial stretching affected by stretch-activated calcium channel agonist gadolinium. <i>PLoS ONE</i> , 2017 , 12, e0178117	3.7	11
46	Paper-based capacitive sensors for identification and quantification of chemicals at the point of care. <i>Talanta</i> , 2017 , 165, 419-428	6.2	10
45	Osteogenic differentiation of mesenchymal stem cells on a poly (octanediol citrate)/bioglass composite scaffold in vitro. <i>Materials and Design</i> , 2016 , 109, 434-442	8.1	10
44	Development of biocompatible hydroxyapatite/poly(ethylene glycol) core/shell nanoparticles as an improved drug carrier: structural and electrical characterizations. <i>RSC Advances</i> , 2016 , 6, 102853-102868	3.7	10
43	In vitro chondrocyte interactions with TiO ₂ nanofibers grown on Ti6Al4V substrate by oxidation. <i>Ceramics International</i> , 2014 , 40, 8301-8304	5.1	10
42	Controlled release of C-type natriuretic peptide by microencapsulation dampens proinflammatory effects induced by IL-1 β in cartilage explants. <i>Biomacromolecules</i> , 2015 , 16, 524-31	6.9	10
41	New method for the isolation of endothelial cells from large vessels. <i>Cytotherapy</i> , 2014 , 16, 1145-52	4.8	10
40	Investigation to predict patellar tendon reflex using motion analysis technique. <i>Medical Engineering and Physics</i> , 2011 , 33, 407-10	2.4	10

39	Hydrothermal synthesis and characterisation of bioactive glass-ceramic nanorods. <i>Journal of Non-Crystalline Solids</i> , 2016 , 443, 118-124	3.9	10
38	Immobilisation of hydroxyapatite-collagen on polydopamine grafted stainless steel 316L: Coating adhesion and in vitro cells evaluation. <i>Journal of Biomaterials Applications</i> , 2018 , 32, 987-995	2.9	10
37	Fabrication of three-dimensional islet models by the geometry-controlled hanging-drop method. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2019 , 35, 329-337	2	9
36	Development of poly (1, 8-octanediol citrate)/chitosan blend films for tissue engineering applications. <i>Carbohydrate Polymers</i> , 2017 , 175, 618-627	10.3	9
35	Polymethacrylate Coated Electrospun PHB Fibers as a Functionalized Platform for Bio-Diagnostics: Confirmation Analysis on the Presence of Immobilized IgG Antibodies against Dengue Virus. <i>Sensors</i> , 2017 , 17,	3.8	9
34	Chondroprotective effect of zinc oxide nanoparticles in conjunction with hypoxia on bovine cartilage-matrix synthesis. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3554-63	5.4	9
33	Effect of ion concentration on mechanosynthesis of carbonated chlorapatite nanopowders. <i>Materials Letters</i> , 2015 , 146, 16-19	3.3	9
32	The metabolic dynamics of cartilage explants over a long-term culture period. <i>Clinics</i> , 2011 , 66, 1431-6	2.3	9
31	Upregulation of matrix synthesis in chondrocyte-seeded agarose following sustained bi-axial cyclic loading. <i>Clinics</i> , 2012 , 67, 939-44	2.3	9
30	Design and development of an in situ synthesized layered double hydroxide structure of Fe-induced hydroxyapatite for drug carriers. <i>RSC Advances</i> , 2016 , 6, 25549-25561	3.7	9
29	In vitro comparative study of white and dark polycaprolactone trifumarate in situ cross-linkable scaffolds seeded with rat bone marrow stromal cells. <i>Clinics</i> , 2012 , 67, 629-38	2.3	8
28	Electrosprayed PMMA microcapsules containing green soybean oil-based acrylated epoxy and a thiol: a novel resin for smart self-healing coatings. <i>Smart Materials and Structures</i> , 2020 , 29, 085037	3.4	7
27	Human fetal osteoblast cell response to self-assembled nanostructures on YSZ-(110) single crystal substrates. <i>Materials and Design</i> , 2016 , 94, 274-279	8.1	7
26	Carpal Bone Segmentation Using Fully Convolutional Neural Network. <i>Current Medical Imaging</i> , 2019 , 15, 983-989	1.2	7
25	Modulation of osteoblast behavior on nanopatterned yttria-stabilized zirconia surfaces. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 68, 26-31	4.1	6
24	Effect of high-energy ball milling on the formation and microstructural features of carbonated chlorapatite nanopowders. <i>Ceramics International</i> , 2015 , 41, 4750-4758	5.1	6
23	Fabrication of dielectrophoretic microfluidic chips using a facile screen-printing technique for microparticle trapping. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 105015	2	6
22	Low oxygen tension increased fibronectin fragment induced catabolic activities--response prevented with biomechanical signals. <i>Arthritis Research and Therapy</i> , 2013 , 15, R163	5.7	6

21	Evaluation of copper concentration in subclinical cases of white muscle disease and its relationship with cardiac troponin I. <i>PLoS ONE</i> , 2013 , 8, e56163	3.7	6
20	Oxygen tension modulates the effects of TNF α in compressed chondrocytes. <i>Inflammation Research</i> , 2017 , 66, 49-58	7.2	5
19	Engineering artificial machines from designable DNA materials for biomedical applications. <i>Tissue Engineering - Part B: Reviews</i> , 2015 , 21, 288-97	7.9	5
18	Polyvinyl alcohol as a viable membrane in artificial tissue design and development. <i>Clinics</i> , 2011 , 66, 1489-94	3.4	5
17	Mechanochemical preparation and structural characterization of Ta-doped chlorapatite nanopowders. <i>Progress in Natural Science: Materials International</i> , 2016 , 26, 546-554	3.6	5
16	Electrospin-Coating of Paper: A Natural Extracellular Matrix Inspired Design of Scaffold. <i>Polymers</i> , 2019 , 11,	4.5	4
15	Train Convolutional Neural Networks Without Well-Segmented Ground Truth Images for Cartilage Localization: Data from the Osteoarthritis Initiatives. <i>Advanced Science Letters</i> , 2018 , 24, 1771-1774	0.1	3
14	A LEGO inspired fiber probe analytical platform for early diagnosis of Dengue fever. <i>Materials Science and Engineering C</i> , 2020 , 109, 110629	8.3	3
13	Mechanical Strain-Mediated Tenogenic Differentiation of Mesenchymal Stromal Cells Is Regulated through Epithelial Sodium Channels. <i>Stem Cells International</i> , 2020 , 2020, 5385960	5	3
12	Comparative Study of Encoder-decoder-based Convolutional Neural Networks in Cartilage Delineation from Knee Magnetic Resonance Images. <i>Current Medical Imaging</i> , 2021 , 17, 981-987	1.2	3
11	Viral Detection: Lateral Flow Assay Based on Paper-Hydrogel Hybrid Material for Sensitive Point-of-Care Detection of Dengue Virus (Adv. Healthcare Mater. 1/2017). <i>Advanced Healthcare Materials</i> , 2017 , 6,	10.1	2
10	Hydrogel Fibers: Chinese-Noodle-Inspired Muscle Myofiber Fabrication (Adv. Funct. Mater. 37/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 6020-6020	15.6	2
9	Tenocyte anabolic and catabolic response to elevation in intracellular tension. <i>Journal of Biorheology</i> , 2014 , 28, 16-20	0.3	2
8	Mechanical compression controls the biosynthesis of human osteoarthritic chondrocytes in vitro. <i>Clinical Biomechanics</i> , 2020 , 79, 105178	2.2	2
7	Polycaprolactone-Based Scaffolds Facilitates Osteogenic Differentiation of Human Adipose-Derived Stem Cells in a Co-Culture System. <i>Polymers</i> , 2021 , 13,	4.5	2
6	Improved Ultrasound Imaging for Knee Osteoarthritis Detection. <i>Lecture Notes in Bioengineering</i> , 2015 , 1-40	0.8	1
5	Structural and bone marrow stem cell biocompatibility studies of hydrogel synthesized via chemo-enzymatic route. <i>Journal of Biomaterials Applications</i> , 2019 , 33, 854-865	2.9	1
4	Directing Axonal Growth: A Review on the Fabrication of Fibrous Scaffolds That Promotes the Orientation of Axons.. <i>Gels</i> , 2021 , 8,	4.2	1

- 3 Holistic contrast enhancement of carpals ossification sites for skeletal age assessment system. *Journal of Engineering*, **2017**, 2017, 479-494 0.7
- 2 Evaluation of Surface Properties and In Vitro Characterization of Surface Modified In Situ TiO₂ Nanofibers. *Key Engineering Materials*, **2015**, 656-657, 63-67 0.4
- 1 Surface Properties and Cell Response of Bioactive Thermally Grown TiO₂ Nanofibers. *Applied Mechanics and Materials*, **2014**, 575, 219-222 0.3