

Arun Pal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2713308/publications.pdf>

Version: 2024-02-01

24
papers

1,163
citations

361296

20
h-index

677027

22
g-index

24
all docs

24
docs citations

24
times ranked

1063
citing authors

#	ARTICLE	IF	CITATIONS
1	Polycarboxylate-templated Coordination Polymers: Role of Templates for Superprotonic Conductivities of up to 10^1 S cm ⁻¹ . <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6662-6666.		153
2	Metal-Organic Frameworks and Other Crystalline Materials for Ultrahigh Superprotonic Conductivities of 10^2 S cm ⁻¹ or Higher. <i>Chemistry - A European Journal</i> , 2019, 25, 6259-6269.		117
3	Metallo Hydrogen-Bonded Organic Frameworks (MHOs) as New Class of Crystalline Materials for Protonic Conduction. <i>Chemistry - A European Journal</i> , 2019, 25, 1691-1695.	1.7	92
4	A Water-Stable Twofold Interpenetrating Microporous MOF for Selective CO ₂ Adsorption and Separation. <i>Inorganic Chemistry</i> , 2017, 56, 13991-13997.	1.9	88
5	Polycarboxylate-templated Coordination Polymers: Role of Templates for Superprotonic Conductivities of up to 10^1 S cm ⁻¹ . <i>Angewandte Chemie</i> , 2018, 130, 6772-6776.	1.6	88
6	Two azo-functionalized luminescent 3D Cd(<i>ii</i>) MOFs for highly selective detection of Fe ³⁺ and Al ³⁺ . <i>New Journal of Chemistry</i> , 2018, 42, 12865-12871.	1.4	69
7	A new set of Cd(<i>ii</i>)-coordination polymers with mixed ligands of dicarboxylate and pyridyl substituted diaminotriazine: selective sorption towards CO ₂ and cationic dyes. <i>Dalton Transactions</i> , 2017, 46, 9901-9911.	1.6	55
8	A microporous MOF with a polar pore surface exhibiting excellent selective adsorption of CO ₂ from CO ₂ /N ₂ and CO ₂ /CH ₄ gas mixtures with high CO ₂ loading. <i>Dalton Transactions</i> , 2017, 46, 15280-15286.	1.6	46
9	Three-Dimensional Co(II)-Metal-Organic Frameworks with Varying Porosities and Open Metal Sites toward Multipurpose Heterogeneous Catalysis under Mild Conditions. <i>Crystal Growth and Design</i> , 2019, 19, 5343-5353.	1.4	41
10	Porous Anionic Co(II) Metal-Organic Framework, with a High Density of Amino Groups, as a Superior Luminescent Sensor for Turn-on Al(III) Detection. <i>Chemistry - A European Journal</i> , 2021, 27, 11804-11810.	1.7	41
11	Copper-catalyzed Regioselective Cascade Alkylation and Cyclocondensation of Quinoline <i>N</i> -Oxides with Diazo Esters: Direct Access to Conjugated π -Systems. <i>Chemistry - A European Journal</i> , 2016, 22, 13826-13830.	1.7	39
12	A Moisture-Stable 3D Microporous Co ^{II} -Metal-Organic Framework with Potential for Highly Selective CO ₂ Separation under Ambient Conditions. <i>Chemistry - A European Journal</i> , 2018, 24, 5982-5986.	1.7	37
13	A 2D Mg(II)-MOF with High Density of Coordinated Waters as Sole Intrinsic Proton Sources for Ultrahigh Superprotonic Conduction. , 2020, 2, 1343-1350.		37
14	Two Closely Related Zn(II)-MOFs for Their Large Difference in CO ₂ Uptake Capacities and Selective CO ₂ Sorption. <i>Inorganic Chemistry</i> , 2020, 59, 7056-7066.	1.9	35
15	Three Co(II) Metal-Organic Frameworks with Diverse Architectures for Selective Gas Sorption and Magnetic Studies. <i>Inorganic Chemistry</i> , 2019, 58, 6246-6256.	1.9	34
16	Structural variation of transition metal coordination polymers based on bent carboxylate and flexible spacer ligand: polymorphism, gas adsorption and SC-SC transmetallation. <i>CrystEngComm</i> , 2016, 18, 4323-4335.	1.3	30
17	Immobilization of a Polar Sulfone Moiety onto the Pore Surface of a Humid-Stable MOF for Highly Efficient CO ₂ Separation under Dry and Wet Environments through Direct CO ₂ -Sulfone Interactions. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41177-41184.	4.0	30
18	A Trifunctional Luminescent 3D Microporous MOF with Potential for CO ₂ Separation, Selective Sensing of a Metal Ion, and Recognition of a Small Organic Molecule. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 2785-2792.	1.0	28

#	ARTICLE	IF	CITATIONS
19	A "Thermodynamically Stable" 2D Nickel Metal-Organic Framework over a Wide pH Range with Scalable Preparation for Efficient C ₂ s over C ₁ Hydrocarbon Separations. Chemistry - A European Journal, 2020, 26, 12624-12631.	1.7	28
20	A Phosphate-Based Silver Bipyridine 1D Coordination Polymer with Crystallized Phosphoric Acid as Superprotonic Conductor. Chemistry - A European Journal, 2020, 26, 4607-4612.	1.7	24
21	A Microporous Co-MOF for Highly Selective CO ₂ Sorption in High Loadings Involving Aryl C-H...O Interactions: Combined Simulation and Breakthrough Studies. Inorganic Chemistry, 2019, 58, 11553-11560.		23
22	A 3D Microporous MOF with <i>mab</i> Topology for Selective CO ₂ Adsorption and Separation. ChemistrySelect, 2018, 3, 917-921.	0.7	15
23	Two 2D microporous MOFs based on bent carboxylates and a linear spacer for selective CO ₂ adsorption. CrystEngComm, 2019, 21, 535-543.	1.3	13
24	Frontispiece: Metal-Organic Frameworks and Other Crystalline Materials for Ultrahigh Superprotonic Conductivities of 10 ² ...%cm ¹ or Higher. Chemistry - A European Journal, 2019, 25, .		0