

# Chan Hyeong Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2714131/chan-hyeong-kim-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

1,377  
citations

17  
h-index

32  
g-index

158  
ext. papers

1,716  
ext. citations

1.8  
avg, IF

4.38  
L-index

#	Paper	IF	Citations
142	Prompt gamma measurements for locating the dose falloff region in the proton therapy. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 183517	3.4	280
141	Development of array-type prompt gamma measurement system for in vivo range verification in proton therapy. <i>Medical Physics</i> , <b>2012</b> , 39, 2100-7	4.4	79
140	HDRK-Man: a whole-body voxel model based on high-resolution color slice images of a Korean adult male cadaver. <i>Physics in Medicine and Biology</i> , <b>2008</b> , 53, 4093-106	3.8	66
139	Tetrahedral-mesh-based computational human phantom for fast Monte Carlo dose calculations. <i>Physics in Medicine and Biology</i> , <b>2014</b> , 59, 3173-85	3.8	57
138	A polygon-surface reference Korean male phantom (PSRK-Man) and its direct implementation in Geant4 Monte Carlo simulation. <i>Physics in Medicine and Biology</i> , <b>2011</b> , 56, 3137-61	3.8	52
137	Validation Test of Geant4 Simulation of Electron Backscattering. <i>IEEE Transactions on Nuclear Science</i> , <b>2015</b> , 62, 451-479	1.7	38
136	Conversion of ICRP male reference phantom to polygon-surface phantom. <i>Physics in Medicine and Biology</i> , <b>2013</b> , 58, 6985-7007	3.8	35
135	Advances in Computational Human Phantoms and Their Applications in Biomedical Engineering - A Topical Review. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , <b>2019</b> , 3, 1-23	4.2	31
134	Incorporation of detailed eye model into polygon-mesh versions of ICRP-110 reference phantoms. <i>Physics in Medicine and Biology</i> , <b>2015</b> , 60, 8695-707	3.8	24
133	Development of double-scattering-type Compton camera with double-sided silicon strip detectors and NaI(Tl) scintillation detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2010</b> , 615, 333-339	1.2	24
132	Monte Carlo Simulation Study on Dose Enhancement by Gold Nanoparticles in Brachytherapy. <i>Journal of the Korean Physical Society</i> , <b>2010</b> , 56, 1754-1758	0.6	24
131	Validation of Cross Sections for Monte Carlo Simulation of the Photoelectric Effect. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 1117-1146	1.7	23
130	Investigation of Geant4 Simulation of Electron Backscattering. <i>IEEE Transactions on Nuclear Science</i> , <b>2015</b> , 62, 1805-1812	1.7	22
129	HDRK-Woman: whole-body voxel model based on high-resolution color slice images of Korean adult female cadaver. <i>Physics in Medicine and Biology</i> , <b>2014</b> , 59, 3969-84	3.8	21
128	Fully three-dimensional OSEM-based image reconstruction for Compton imaging using optimized ordering schemes. <i>Physics in Medicine and Biology</i> , <b>2010</b> , 55, 5007-27	3.8	19
127	Development of skeletal system for mesh-type ICRP reference adult phantoms. <i>Physics in Medicine and Biology</i> , <b>2016</b> , 61, 7054-7073	3.8	19
126	Inclusion of thin target and source regions in alimentary and respiratory tract systems of mesh-type ICRP adult reference phantoms. <i>Physics in Medicine and Biology</i> , <b>2017</b> , 62, 2132-2152	3.8	17

125	Resolution recovery reconstruction for a Compton camera. <i>Physics in Medicine and Biology</i> , <b>2013</b> , 58, 2823-40	3.8	17
124	. <i>IEEE Transactions on Nuclear Science</i> , <b>2011</b> , 58, 3246-3268	1.7	16
123	Gamma electron vertex imaging and application to beam range verification in proton therapy. <i>Medical Physics</i> , <b>2012</b> , 39, 1001-5	4.4	16
122	Implementation of tetrahedral-mesh geometry in Monte Carlo radiation transport code PHITS. <i>Physics in Medicine and Biology</i> , <b>2017</b> , 62, 4798-4810	3.8	14
121	New small-intestine modeling method for surface-based computational human phantoms. <i>Journal of Radiological Protection</i> , <b>2016</b> , 36, 230-45	1.2	14
120	Monte Carlo study of MOSFET dosimeter characteristics: dose dependence on photon energy, direction and dosimeter composition. <i>Radiation Protection Dosimetry</i> , <b>2005</b> , 113, 40-6	0.9	14
119	Monte Carlo study of a double-scattering Compton camera with GEANT4. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 580, 314-317	1.2	13
118	Simulation Studies on the Correlation of Distal Dose Falloff of a 70-MeV Proton Beam with a Prompt Gamma Distribution. <i>Journal of the Korean Physical Society</i> , <b>2007</b> , 50, 1510	0.6	12
117	DagSolid: a new Geant4 solid class for fast simulation in polygon-mesh geometry. <i>Physics in Medicine and Biology</i> , <b>2013</b> , 58, 4595-609	3.8	11
116	. <i>IEEE Transactions on Nuclear Science</i> , <b>2011</b> , 58, 3219-3245	1.7	11
115	Optimal geometrical configuration of a double-scattering compton camera for maximum imaging resolution and sensitivity. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2008</b> , 591, 80-83	1.2	11
114	Development of an Array-Type Prompt Gamma Detection System for the Online Measurement of the Range of the Proton Beam in a Patient: a Monte Carlo Feasibility Study. <i>Journal of the Korean Physical Society</i> , <b>2008</b> , 52, 888-891	0.6	11
113	Prototype system for proton beam range measurement based on gamma electron vertex imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 857, 82-97	1.2	10
112	New approach based on tetrahedral-mesh geometry for accurate 4D Monte Carlo patient-dose calculation. <i>Physics in Medicine and Biology</i> , <b>2015</b> , 60, 1601-12	3.8	10
111	. <i>IEEE Transactions on Nuclear Science</i> , <b>2010</b> , 57, 1420-1425	1.7	10
110	CIS: A GUI-Based Software System for Monte Carlo Simulation of Compton Camera. <i>Nuclear Technology</i> , <b>2009</b> , 168, 55-60	1.4	10
109	PARaDIM: A PHITS-Based Monte Carlo Tool for Internal Dosimetry with Tetrahedral Mesh Computational Phantoms. <i>Journal of Nuclear Medicine</i> , <b>2019</b> , 60, 1802-1811	8.9	9
108	Experimental performance of double-scattering Compton camera with anthropomorphic phantom. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, C01024-C01024	1	9

107	Dose coefficients of mesh-type ICRP reference computational phantoms for idealized external exposures of photons and electrons. <i>Nuclear Engineering and Technology</i> , <b>2019</b> , 51, 843-852	2.6	8
106	. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 2849-2865	1.7	8
105	An effective dose assessment technique with NORM added consumer products using skin-point source on computational human phantom. <i>Applied Radiation and Isotopes</i> , <b>2016</b> , 118, 56-61	1.7	8
104	Development of Compton imaging system for nuclear material monitoring at pyroprocessing test-bed facility. <i>Journal of Nuclear Science and Technology</i> , <b>2016</b> , 53, 2040-2048	1	8
103	Feasibility of reducing differences in estimated doses in nuclear medicine between a patient-specific and a reference phantom. <i>Physica Medica</i> , <b>2017</b> , 39, 100-112	2.7	7
102	Mesh-type reference Korean phantoms (MRKPs) for adult male and female for use in radiation protection dosimetry. <i>Physics in Medicine and Biology</i> , <b>2019</b> , 64, 085020	3.8	7
101	Development of an effective dose coefficient database using a computational human phantom and Monte Carlo simulations to evaluate exposure dose for the usage of NORM-added consumer products. <i>Applied Radiation and Isotopes</i> , <b>2017</b> , 129, 42-48	1.7	7
100	Design optimization of a 2D prompt-gamma measurement system for proton dose verification. <i>Journal of the Korean Physical Society</i> , <b>2012</b> , 61, 239-242	0.6	7
99	Development of Reference Korean Organ and Effective Dose Calculation Online System. <i>Journal of Radiation Protection and Research</i> , <b>2014</b> , 39, 30-37	0.7	7
98	Posture-dependent dose coefficients of mesh-type ICRP reference computational phantoms for photon external exposures. <i>Physics in Medicine and Biology</i> , <b>2019</b> , 64, 075018	3.8	6
97	Construction of new skin models and calculation of skin dose coefficients for electron exposures. <i>Journal of the Korean Physical Society</i> , <b>2016</b> , 69, 512-517	0.6	6
96	Development of advanced industrial SPECT system with 12-gonal diverging-collimator. <i>Applied Radiation and Isotopes</i> , <b>2014</b> , 89, 159-66	1.7	6
95	Optimization of detection geometry for industrial SPECT by Monte Carlo simulations. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, C04006-C04006	1	6
94	Double-layer method to improve image quality of industria SPECT. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, C12032-C12032	1	6
93	Two-Dimensional Prompt Gamma Measurement Simulation for In Vivo Dose Verification in Proton Therapy: A Monte Carlo Study. <i>Nuclear Technology</i> , <b>2011</b> , 175, 11-15	1.4	6
92	Determination of Optimal Energy Window for Measurement of Prompt Gammas from Proton Beam by Monte Carlo Simulations. <i>Journal of Nuclear Science and Technology</i> , <b>2008</b> , 45, 28-31	1	6
91	Development of Signal Processing Modules for Double-sided Silicon Strip Detector of Gamma Vertex Imaging for Proton Beam Dose Verification. <i>Journal of Radiation Protection and Research</i> , <b>2014</b> , 39, 81-88	0.7	6
90	TET2MCNP: A Conversion Program to Implement Tetrahedral-mesh Models in MCNP. <i>Journal of Radiation Protection and Research</i> , <b>2016</b> , 41, 389-394	0.7	6

89	Computation Speeds and Memory Requirements of Mesh-Type ICRP Reference Computational Phantoms in Geant4, MCNP6, and PHITS. <i>Health Physics</i> , <b>2019</b> , 116, 664-676	2.3	6
88	Percentile-specific computational phantoms constructed from ICRP mesh-type reference computational phantoms (MRCPs). <i>Physics in Medicine and Biology</i> , <b>2019</b> , 64, 045005	3.8	6
87	A study on dose conversion from a material to human body using mesh phantom for retrospective dosimetry. <i>Radiation Measurements</i> , <b>2019</b> , 126, 106126	1.5	5
86	Position-sensitive NaI(TL) detector module for large-area Compton camera. <i>Journal of the Korean Physical Society</i> , <b>2018</b> , 72, 26-32	0.6	5
85	. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 2918-2924	1.7	5
84	Evaluation of Dosimetric Characteristics of Reproducibility, Linearity and Dose Dependence of Optically Stimulated Luminescence Dosimeters in Co-60 Gamma-rays. <i>Progress in Medical Physics</i> , <b>2014</b> , 25, 31		5
83	Study on the validation of the computer fluid dynamics modeling for a continuously flowing water vessel with the industrial SPECT using a radiotracer. <i>Applied Radiation and Isotopes</i> , <b>2012</b> , 70, 2471-7	1.7	5
82	Experimental Test of Double-Layer Method for Industrial SPECT. <i>Nuclear Technology</i> , <b>2011</b> , 175, 113-117	1.4	5
81	Development of new two-dosimeter algorithm for effective dose in ICRP Publication 103. <i>Health Physics</i> , <b>2011</b> , 100, 462-7	2.3	5
80	Feasibility study on hybrid medical imaging device based on Compton imaging and magnetic resonance imaging. <i>Applied Radiation and Isotopes</i> , <b>2009</b> , 67, 1412-5	1.7	5
79	Calculation of effective doses for broad parallel photon beams. <i>Health Physics</i> , <b>1999</b> , 76, 156-61	2.3	5
78	Determination of Distal Dose Edge in Human Phantom by Measuring Prompt Gamma Distribution: A Monte Carlo Study. <i>Journal of the Korean Physical Society</i> , <b>2010</b> , 56, 2059-2062	0.6	5
77	DEVELOPMENT AND EVALUATION OF A PHANTOM FOR MULTI-PURPOSE DOSIMETRY IN INTENSITY-MODULATED RADIATION THERAPY. <i>Nuclear Engineering and Technology</i> , <b>2011</b> , 43, 399-404	2.6	5
76	Dose coefficients of percentile-specific computational phantoms for photon external exposures. <i>Radiation and Environmental Biophysics</i> , <b>2020</b> , 59, 151-160	2	5
75	Calculation of local skin doses with ICRP adult mesh-type reference computational phantoms. <i>Journal of the Korean Physical Society</i> , <b>2018</b> , 72, 177-182	0.6	4
74	Korean anatomical reference data for adults for use in radiological protection. <i>Journal of the Korean Physical Society</i> , <b>2018</b> , 72, 183-191	0.6	4
73	Two-dimensional measurement of the prompt-gamma distribution for proton dose distribution monitoring. <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 63, 1385-1389	0.6	4
72	Construction of a High-quality Voxel Model VKH-Man Using Serially Sectioned Images From Visible Korean Human Project in Korea. <i>Journal of Nuclear Science and Technology</i> , <b>2008</b> , 45, 179-182	1	4

71	Performance evaluation of a table-top Compton camera for various detector parameters. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2008</b> , 591, 88-91	1.2	4
70	Dose coefficients of mesh-type ICRP reference computational phantoms for external exposures of neutrons, protons, and helium ions. <i>Nuclear Engineering and Technology</i> , <b>2020</b> , 52, 1545-1556	2.6	4
69	Counting Efficiencies Determined by Monte Carlo Methods for In Vivo Measurement of <sup>131</sup> I Activity in Thyroid. <i>Health Physics</i> , <b>2019</b> , 117, 388-395	2.3	4
68	Body-size-dependent phantom library constructed from ICRP mesh-type reference computational phantoms. <i>Physics in Medicine and Biology</i> , <b>2020</b> , 65, 125014	3.8	3
67	Development of hybrid shielding system for large-area Compton camera: A Monte Carlo study. <i>Nuclear Engineering and Technology</i> , <b>2020</b> , 52, 2361-2369	2.6	3
66	Development of a minipig physical phantom from CT data. <i>Journal of Radiation Research</i> , <b>2017</b> , 58, 755-760	1.4	3
65	Implications of using a 50- $\mu$ m-thick skin target layer in skin dose coefficient calculation for photons, protons, and helium ions. <i>Nuclear Engineering and Technology</i> , <b>2017</b> , 49, 1495-1504	2.6	3
64	Development of a SPECT System for Industrial Process Flow Measurement Using Diverging Collimators. <i>Nuclear Technology</i> , <b>2015</b> , 192, 133-141	1.4	3
63	Preliminary Study for Determination of Distal Dose Edge by Measuring 90-deg Prompt Gammas with an Array-Type Prompt Gamma Detection System. <i>Nuclear Technology</i> , <b>2009</b> , 168, 89-92	1.4	3
62	AID: A Novel Method for Improving the Imaging Resolution of a Table-Top Compton Camera. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 2527-2530	1.7	3
61	PRDC--a software package for personnel radiation dose calculation. <i>Radiation Protection Dosimetry</i> , <b>2006</b> , 118, 243-50	0.9	3
60	Performance Estimation of Large-scale High-sensitive Compton Camera for Pyroprocessing Facility Monitoring. <i>Journal of Radiation Protection and Research</i> , <b>2015</b> , 40, 1-9	0.7	3
59	Development of Detailed Korean Adult Eye Model for Lens Dose Calculation. <i>Journal of Radiation Protection and Research</i> , <b>2020</b> , 45, 45-52	0.7	3
58	Secondary Cancer Risks in Out-of-field Organs for 3-D Conformal Radiation Therapy. <i>Progress in Nuclear Science and Technology</i> , <b>2011</b> , 1, 521-524	0.3	3
57	Large-Area Compton Camera for High-Speed and 3-D Imaging. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 2817-2822	1.7	3
56	Daily Based Quality Assurance of Volumetric Modulated Arc Therapy for the Full Session of Treatment. <i>Journal of the Korean Physical Society</i> , <b>2018</b> , 73, 990-1000	0.6	3
55	Validation of Shell Ionization Cross Sections for Monte Carlo Electron Transport. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 2279-2302	1.7	3
54	Temporal resolution required for accurate evaluation of the interplay effect in spot scanning proton therapy. <i>Journal of the Korean Physical Society</i> , <b>2017</b> , 70, 720-725	0.6	2

53	Multi-slit prompt-gamma camera for locating of distal dose falloff in proton therapy. <i>Nuclear Engineering and Technology</i> , <b>2019</b> , 51, 1406-1416	2.6	2
52	INVESTIGATION OF THE INFLUENCE OF THYROID LOCATION ON IODINE-131I VALUES. <i>Radiation Protection Dosimetry</i> , <b>2020</b> , 189, 163-171	0.9	2
51	Multi-threading performance of Geant4, MCNP6, and PHITS Monte Carlo codes for tetrahedral-mesh geometry. <i>Physics in Medicine and Biology</i> , <b>2018</b> , 63, 09NT02	3.8	2
50	New calculation method for 3D dose distribution in tetrahedral-mesh phantoms in Geant4. <i>Physica Medica</i> , <b>2019</b> , 66, 97-103	2.7	2
49	Performance evaluation of advanced industrial SPECT system with diverging collimator. <i>Applied Radiation and Isotopes</i> , <b>2014</b> , 94, 125-130	1.7	2
48	Determination of the beam quality correction factor ( $k_{Q,Q_0}$ ) for the microLion chamber in a clinical photon beam. <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 62, 152-158	0.6	2
47	Electrophysiological characteristics of R47W and A298T mutations in CLC-1 of myotonia congenita patients and evaluation of clinical features. <i>Korean Journal of Physiology and Pharmacology</i> , <b>2017</b> , 21, 439-447	1.8	2
46	Monte Carlo simulations on performance of double-scattering Compton camera. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, C01009-C01009	1	2
45	Optimization of a table-top Compton camera system by Monte Carlo simulation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 580, 169-172	1.2	2
44	Plan-Class Specific Reference Quality Assurance for Volumetric Modulated Arc Therapy. <i>Journal of Radiation Protection and Research</i> , <b>2019</b> , 44, 32-42	0.7	2
43	Development of a novel program for conversion from tetrahedral-mesh-based phantoms to DICOM dataset for radiation treatment planning: TET2DICOM. <i>Journal of Applied Clinical Medical Physics</i> , <b>2021</b> ,	2.3	2
42	Dosimetric considerations of Tc-MDP uptake within the epiphyseal plates of the long bones of pediatric patients. <i>Physics in Medicine and Biology</i> , <b>2020</b> , 65, 235025	3.8	2
41	POLY2TET: a computer program for conversion of computational human phantoms from polygonal mesh to tetrahedral mesh. <i>Journal of Radiological Protection</i> , <b>2020</b> , 40, 962-979	1.2	2
40	Patient Size-Dependent Dosimetry Methodology Applied to F-FDG Using New ICRP Mesh Phantoms. <i>Journal of Nuclear Medicine</i> , <b>2021</b> ,	8.9	2
39	Development of skeletal systems for ICRP pediatric mesh-type reference computational phantoms. <i>Journal of Radiological Protection</i> , <b>2021</b> ,	1.2	2
38	Experimental quantification of Geant4 PhysicsList recommendations: methods and results. <i>Journal of Physics: Conference Series</i> , <b>2015</b> , 664, 072037	0.3	1
37	Development of Two-dimensional Prompt-gamma Measurement System for Verification of Proton Dose Distribution. <i>Progress in Medical Physics</i> , <b>2015</b> , 26, 42		1
36	Physics data management tools for Monte Carlo transport: Computational evolutions and benchmarks <b>2010</b> ,		1

35	Compton-edge-based energy calibration of double-sided silicon strip detectors in Compton camera. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2011</b> , 633, S108-S110	1.2	1
34	Development of a Reference Korean Voxel Model by Adjusting the Size of the Organs and Tissues. <i>Journal of Nuclear Science and Technology</i> , <b>2008</b> , 45, 321-324	1	1
33	Preliminary Study of Performance Evaluation of a Dual-mode Compton Camera by Using Geant4. <i>Journal of Radiation Protection and Research</i> , <b>2012</b> , 37, 191-196	0.7	1
32	Improvement of Statistics in Proton Beam Range Measurement by Merging Prompt Gamma Distributions: A Preliminary Study. <i>Journal of Radiation Protection and Research</i> , <b>2019</b> , 44, 1-7	0.7	1
31	Direct Monte Carlo Dose Calculation Using Polygon-surface Computational Human Model. <i>Progress in Nuclear Science and Technology</i> , <b>2011</b> , 1, 130-133	0.3	1
30	Recent Advances in Computational Human Phantom for Monte Carlo Dose Calculation. <i>Progress in Nuclear Science and Technology</i> , <b>2012</b> , 3, 7-10	0.3	1
29	Photons Revisited <b>2014</b> ,		1
28	Dose conversion coefficients for neutron external exposures with five postures: walking, sitting, bending, kneeling, and squatting. <i>Radiation and Environmental Biophysics</i> , <b>2021</b> , 60, 317-328	2	1
27	Development of Dual-mode Signal Processing Module for Multi-slit Prompt-gamma Camera. <i>Progress in Medical Physics</i> , <b>2016</b> , 27, 37		1
26	Comparison of knife-edge and multi-slit camera for proton beam range verification by Monte Carlo simulation. <i>Nuclear Engineering and Technology</i> , <b>2019</b> , 51, 533-538	2.6	1
25	Gamma electron vertex imaging for in-vivo beam-range measurement in proton therapy: Experimental results. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 114101	3.4	1
24	Virtual calibration of whole-body counters to consider the size dependency of counting efficiency using Monte Carlo simulations. <i>Nuclear Engineering and Technology</i> , <b>2021</b> , 53, 4122-4129	2.6	1
23	Development of a Compton camera for safeguards applications in a pyroprocessing facility. <i>Journal of the Korean Physical Society</i> , <b>2014</b> , 65, 1360-1366	0.6	0
22	Design and performance prediction of large-area hybrid gamma imaging system (LAHGIS) for localization of low-level radioactive material. <i>Nuclear Engineering and Technology</i> , <b>2021</b> , 53, 1259-1265	2.6	0
21	Determination of ion recombination correction factors for a liquid ionization chamber in megavoltage photon beams. <i>Journal of the Korean Physical Society</i> , <b>2015</b> , 66, 1439-1447	0.6	
20	Correction of Prompt Gamma Distribution for Improving Accuracy of Beam Range Determination in Inhomogeneous Phantom. <i>Progress in Medical Physics</i> , <b>2017</b> , 28, 207	0.5	
19	. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 1424-1431	1.7	
18	Application of econometric and ecology analysis methods in physics software. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 898, 072018	0.3	

- 17 Testable physics by design. *Journal of Physics: Conference Series*, **2015**, 664, 062047 0.3
- 16 Study of Variation of Internal Target Volume between 4DCT and Slow-CT in Respiratory Patterns Using Respiratory Motion Phantom. *Progress in Medical Physics*, **2014**, 25, 53
- 15 Determining Ion Collection Efficiency in a Liquid Ionization Chamber in Co-60 Beam. *Progress in Medical Physics*, **2014**, 25, 46
- 14 Explicit modeling of timing characteristics in Compton camera simulation with Geant4. *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, **2011**, 633, S274-S275 1.2
- 13 Quenching Effect, Signal to Noise, Contrast to Noise Ratios on Scintillator Screens for Proton Beam Dosimetry System. *Japanese Journal of Applied Physics*, **2012**, 51, 046401 1.4
- 12 Development of Deformable Computational Model for Korean Adult Male Based on Polygon and NURBS Surfaces. *Nuclear Technology*, **2009**, 168, 227-230 1.4
- 11 Development of Female ATOM-MIRD Hybrid Voxel Model for Monte Carlo Dose Calculations. *Nuclear Technology*, **2009**, 168, 209-212 1.4
- 10 Monte Carlo Calculations of Neutron Dose Conversion Coefficients for Reference Korean Male. *Nuclear Technology*, **2009**, 168, 345-348 1.4
- 9 ATOM-MIRD Hybrid Voxel Model for Monte Carlo Calculations of Organ Doses: A Complement to a Physical Phantom. *Journal of Nuclear Science and Technology*, **2008**, 45, 306-308 1
- 8 A Study on Optimization of Photoneutron Shielding in a Medical Accelerator Room by Using Monte Carlo Simulation. *Journal of Nuclear Science and Technology*, **2008**, 45, 50-53 1
- 7 Energy Correction Factors for Silicon Semiconductor Dosimeter in Adult-male Phantom for Accurate Measurement of Organ Doses. *Journal of Nuclear Science and Technology*, **2008**, 45, 256-259 1
- 6 Dose Coefficients for Use in Rapid Dose Estimation in Industrial Radiography Accidents **2019**, 295-304
- 5 Segmental Analysis Trial of Volumetric Modulated Arc Therapy for Quality Assurance of Linear Accelerator. *Progress in Medical Physics*, **2019**, 30, 128 0.5
- 4 Development of Voxel Phantom Representing Reference Korean Female for Use in Radiation Protection Dosimetry. *Progress in Nuclear Science and Technology*, **2012**, 3, 86-89 0.3
- 3 SU-E-T-36: Determination of the Beam Quality Correction Factor for the Liquid Ionization Chamber in a Clinical Photon Beam. *Medical Physics*, **2013**, 40, 211-211 4.4
- 2 Iodine-131 S values for use in organ dose estimation of Korean patients in radioiodine therapy. *Nuclear Engineering and Technology*, **2021**, 54, 689-689 2.6
- 1 Validation of e+e- Pair Production Total Cross Sections for Monte Carlo Particle Transport. *IEEE Transactions on Nuclear Science*, **2022**, 1-1 1.7