

Tim J Green

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2714310/tim-j-green-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193
papers

4,402
citations

37
h-index

59
g-index

205
ext. papers

5,121
ext. citations

4.5
avg, IF

5.7
L-index

#	Paper	IF	Citations
193	A controlled trial of homocysteine lowering and cognitive performance. <i>New England Journal of Medicine</i> , 2006 , 354, 2764-72	59.2	313
192	Glycemic index and glycemic load: measurement issues and their effect on diet-disease relationships. <i>European Journal of Clinical Nutrition</i> , 2007 , 61 Suppl 1, S122-31	5.2	227
191	Season and ethnicity are determinants of serum 25-hydroxyvitamin D concentrations in New Zealand children aged 5-14 y. <i>Journal of Nutrition</i> , 2005 , 135, 2602-8	4.1	171
190	Maternal vitamin D status in pregnancy and adverse pregnancy outcomes in a group at high risk for pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1593-8	3.7	118
189	The clinical and cost-effectiveness of total versus partial knee replacement in patients with medial compartment osteoarthritis (TOPKAT): 5-year outcomes of a randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 746-756	4.0	114
188	Serum 25-hydroxyvitamin D concentrations of New Zealanders aged 15 years and older. <i>Osteoporosis International</i> , 2006 , 17, 1382-9	5.3	107
187	Despite mandatory fortification of staple foods, vitamin D intakes of Canadian children and adults are inadequate. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 121, 301-3	5.1	102
186	Serum n-3 long-chain PUFA differ by sex and age in a population-based survey of New Zealand adolescents and adults. <i>British Journal of Nutrition</i> , 2008 , 99, 168-74	3.6	99
185	Dietary Choline Intake: Current State of Knowledge Across the Life Cycle. <i>Nutrients</i> , 2018 , 10,	6.7	91
184	Positron emission tomography in the investigation of pediatric inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2005 , 11, 733-8	4.5	87
183	Comparing Three Approaches to Salt Intake Assessment Among Lactating Women in Rural Cambodia. <i>Current Developments in Nutrition</i> , 2021 , 5, 633-633	0.4	78
182	Benefits of Maternal Thiamine Supplementation for Enhancing Cambodian Infants' Social Responsiveness at 24 Weeks. <i>Current Developments in Nutrition</i> , 2021 , 5, 891-891	0.4	78
181	Neurocognitive Benefits of Maternal Thiamine Supplementation for Breastfed Cambodian Infants. <i>Current Developments in Nutrition</i> , 2021 , 5, 931-931	0.4	78
180	Maternal Thiamine Supplementation Promotes Infants' Language Processing at 24 Weeks. <i>Current Developments in Nutrition</i> , 2021 , 5, 892-892	0.4	78
179	Only a small proportion of anemia in northeast Thai schoolchildren is associated with iron deficiency. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 380-387	7	73
178	Comparison of the effect of low-dose supplementation with L-5-methyltetrahydrofolate or folic acid on plasma homocysteine: a randomized placebo-controlled study. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 658-62	7	72
177	Methyl nutrients, DNA methylation, and cardiovascular disease. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 172-82	5.9	69

176	Reasons for wanting to lose weight: different strokes for different folks. <i>Eating Behaviors</i> , 2007 , 8, 132-5		60
175	Vitamin D status and its association with parathyroid hormone concentrations in women of child-bearing age living in Jakarta and Kuala Lumpur. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 373-8	5.2	57
174	Variability in the trans fatty acid content of foods within a food category: implications for estimation of dietary trans fatty acid intakes. <i>Journal of the American College of Nutrition</i> , 1999 , 18, 255-60	3.5	57
173	Household food insecurity and dietary diversity as correlates of maternal and child undernutrition in rural Cambodia. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 242-6	5.2	53
172	Very high rates of vitamin D insufficiency in women of child-bearing age living in Beijing and Hong Kong. <i>British Journal of Nutrition</i> , 2008 , 99, 1330-4	3.6	51
171	Plasma and erythrocyte fatty acids reflect intakes of saturated and n-6 PUFA within a similar time frame. <i>Journal of Nutrition</i> , 2014 , 144, 33-41	4.1	50
170	A three-day weighed food record and a semiquantitative food-frequency questionnaire are valid measures for assessing the folate and vitamin B-12 intakes of women aged 16 to 19 years. <i>Journal of Nutrition</i> , 1998 , 128, 1665-71	4.1	48
169	Association between quantitative measures of skin color and plasma 25-hydroxyvitamin D. <i>Osteoporosis International</i> , 2008 , 19, 1639-42	5.3	47
168	Genetic hemoglobin disorders rather than iron deficiency are a major predictor of hemoglobin concentration in women of reproductive age in rural prey Veng, Cambodia. <i>Journal of Nutrition</i> , 2015 , 145, 134-42	4.1	46
167	Ethnic-specific differences in vitamin D status is associated with adiposity. <i>PLoS ONE</i> , 2012 , 7, e43159	3.7	45
166	Lowering homocysteine with B vitamins has no effect on biomarkers of bone turnover in older persons: a 2-y randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 460-4	7	45
165	Vitamin D intakes in North America and Asia-Pacific countries are not sufficient to prevent vitamin D insufficiency. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 103, 626-30	5.1	44
164	Increases in blood folate indices are similar in women of childbearing age supplemented with [6S]-5-methyltetrahydrofolate and folic acid. <i>Journal of Nutrition</i> , 2002 , 132, 3353-5	4.1	44
163	Maternal vitamin D supplementation at 50 µg/d protects against low serum 25-hydroxyvitamin D in infants at 8 wk of age: a randomized controlled trial of 3 doses of vitamin D beginning in gestation and continued in lactation. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 402-10	7	43
162	The effect of increasing consumption of pulses and wholegrains in obese people: a randomized controlled trial. <i>Journal of the American College of Nutrition</i> , 2010 , 29, 365-72	3.5	43
161	Serum Zinc Is a Major Predictor of Anemia and Mediates the Effect of Selenium on Hemoglobin in School-Aged Children in a Nationally Representative Survey in New Zealand. <i>Journal of Nutrition</i> , 2016 , 146, 1670-6	4.1	39
160	Suboptimal vitamin D levels in pregnant women despite supplement use. <i>Canadian Journal of Public Health</i> , 2011 , 102, 308-12	3.2	39
159	Maternal folate status and lactation. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 1997 , 2, 279-89	2.4	38

158	Effects of once-a-week or daily folic acid supplementation on red blood cell folate concentrations in women. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 548-54	5.2	38
157	Selenium and zinc status are suboptimal in a sample of older New Zealand women in a community-based study. <i>Journal of Nutrition</i> , 2001 , 131, 2677-84	4.1	38
156	Waterpipe cafes in Baltimore, Maryland: Carbon monoxide, particulate matter, and nicotine exposure. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015 , 25, 405-10	6.7	37
155	Poor thiamin and riboflavin status is common among women of childbearing age in rural and urban Cambodia. <i>Journal of Nutrition</i> , 2015 , 145, 628-33	4.1	36
154	Association between dietary fiber intake and the folate status of a group of female adolescents. <i>American Journal of Clinical Nutrition</i> , 1997 , 66, 1414-21	7	35
153	Another approach to estimating the reliability of glycaemic index. <i>British Journal of Nutrition</i> , 2008 , 100, 364-72	3.6	34
152	Regression equations for predicting scores of persons over 65 on the rey auditory verbal learning test, the mini-mental state examination, the trail making test and semantic fluency measures. <i>British Journal of Clinical Psychology</i> , 2006 , 45, 393-402	3.6	33
151	Homocysteine-lowering vitamins do not lower plasma S-adenosylhomocysteine in older people with elevated homocysteine concentrations. <i>British Journal of Nutrition</i> , 2010 , 103, 1629-34	3.6	31
150	Oral contraceptives did not affect biochemical folate indexes and homocysteine concentrations in adolescent females. <i>Journal of the American Dietetic Association</i> , 1998 , 98, 49-55		31
149	High prevalence of thiamine (vitamin B1) deficiency in early childhood among a nationally representative sample of Cambodian women of childbearing age and their children. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005814	4.8	30
148	Patients' diets and preferences in a pediatric population with inflammatory bowel disease. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 1998 , 12, 544-9		28
147	25-Hydroxyvitamin D concentrations in children with Crohn's disease supplemented with either 2000 or 400 IU daily for 6 months: a randomized controlled study. <i>Journal of Pediatrics</i> , 2014 , 164, 860-5	3.6	27
146	Serum vitamin B12 concentrations and atrophic gastritis in older New Zealanders. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 205-10	5.2	26
145	Perinatal Consumption of Thiamine-Fortified Fish Sauce in Rural Cambodia: A Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2016 , 170, e162065	8.3	25
144	The glycemic load estimated from the glycemic index does not differ greatly from that measured using a standard curve in healthy volunteers. <i>Journal of Nutrition</i> , 2006 , 136, 1377-81	4.1	25
143	Serum fatty acids as biomarkers of fat intake predict serum cholesterol concentrations in a population-based survey of New Zealand adolescents and adults. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 887-94	7	25
142	Anemia and Micronutrient Status of Women of Childbearing Age and Children 6-59 Months in the Democratic Republic of the Congo. <i>Nutrients</i> , 2016 , 8, 98	6.7	25
141	Serum phospholipid n 3 long-chain polyunsaturated fatty acids and physical and mental health in a population-based survey of New Zealand adolescents and adults. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1278-85	7	23

140	Lowering homocysteine with B vitamins has no effect on blood pressure in older adults. <i>Journal of Nutrition</i> , 2007 , 137, 1183-7	4.1	23
139	Weekly high-dose folic Acid supplementation is effective in lowering serum homocysteine concentrations in women. <i>Annals of Nutrition and Metabolism</i> , 2003 , 47, 55-9	4.5	23
138	Multiple micronutrient deficiencies persist during early childhood in Mongolia. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2008 , 17, 429-40	1	23
137	Effect of enhanced homestead food production and aquaculture on dietary intakes of women and children in rural Cambodia: A cluster randomized controlled trial. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12581	3.4	22
136	Reliable Change Index scores for persons over the age of 65 tested on alternate forms of the Rey AVLT. <i>Archives of Clinical Neuropsychology</i> , 2007 , 22, 513-8	2.7	21
135	Only a small proportion of anemia in northeast Thai schoolchildren is associated with iron deficiency. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 380-7	7	21
134	Evaluation of two methods to measure hemoglobin concentration among women with genetic hemoglobin disorders in Cambodia: a method-comparison study. <i>Clinica Chimica Acta</i> , 2015 , 441, 148-55	6.2	19
133	Thermal oxidation studies on reduced folate, L-5-methyltetrahydrofolic acid (L-5-MTHF) and strategies for stabilization using food matrices. <i>Journal of Food Science</i> , 2012 , 77, C236-43	3.4	19
132	Studies on the retention of microencapsulated l-5-methyltetrahydrofolic acid in baked bread using skim milk powder. <i>Food Chemistry</i> , 2012 , 133, 249-55	8.5	18
131	Microencapsulation of L-5-methyltetrahydrofolic acid with ascorbate improves stability in baked bread products. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 247-54	5.7	18
130	Nutrition knowledge and attitudes of New Zealand registered midwives. <i>Nutrition and Dietetics</i> , 2007 , 64, 290-294	2.5	18
129	Selenium supplements do not increase plasma total homocysteine concentrations in men and women. <i>Journal of Nutrition</i> , 2003 , 133, 418-20	4.1	18
128	The serum fatty acids myristic acid and linoleic acid are better predictors of serum cholesterol concentrations when measured as molecular percentages rather than as absolute concentrations. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 398-405	7	17
127	Vitamin D insufficiency in New Zealanders during the winter is associated with higher parathyroid hormone concentrations: implications for bone health?. <i>New Zealand Medical Journal</i> , 2008 , 121, 75-84	0.8	17
126	Stability of microencapsulated L-5-methyltetrahydrofolate in fortified noodles. <i>Food Chemistry</i> , 2015 , 171, 206-11	8.5	16
125	Prenatal supplementation with Corn Soya Blend Plus reduces the risk of maternal anemia in late gestation and lowers the rate of preterm birth but does not significantly improve maternal weight gain and birth anthropometric measurements in rural Cambodian women: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 550-61	7	16
124	Maternal folic acid supplementation with vitamin B deficiency during pregnancy and lactation affects the metabolic health of adult female offspring but is dependent on offspring diet. <i>FASEB Journal</i> , 2018 , 32, 5039-5050	0.9	16
123	Correlations between Maternal, Breast Milk, and Infant Vitamin B12 Concentrations among Mother-Infant Dyads in Vancouver, Canada and Prey Veng, Cambodia: An Exploratory Analysis. <i>Nutrients</i> , 2017 , 9,	6.7	16

122	Very high vitamin D supplementation rates among infants aged 2 months in Vancouver and Richmond, British Columbia, Canada. <i>BMC Public Health</i> , 2011 , 11, 905	4.1	16
121	A comparison of the effects of A1 and A2 beta-casein protein variants on blood cholesterol concentrations in New Zealand adults. <i>Atherosclerosis</i> , 2006 , 188, 175-8	3.1	16
120	Correlates of household food insecurity and low dietary diversity in rural Cambodia. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015 , 24, 720-30	1	16
119	Household Consumption of Thiamin-Fortified Fish Sauce Increases Erythrocyte Thiamin Concentrations among Rural Cambodian Women and Their Children Younger Than 5 Years of Age: A Randomized Controlled Efficacy Trial. <i>Journal of Pediatrics</i> , 2017 , 181, 242-247.e2	3.6	15
118	The effect of inflammation on serum zinc concentrations and the prevalence estimates of population-level zinc status among Congolese children aged 6-59 months. <i>European Journal of Clinical Nutrition</i> , 2017 ,	5.2	15
117	Differences in erythrocyte folate concentrations in older adults reached steady-state within one year in a two-year, controlled, 1 mg/d folate supplementation trial. <i>Journal of Nutrition</i> , 2012 , 142, 1633-7 ¹	4.1	15
116	Citrus pectin and oligofructose improve folate status and lower serum total homocysteine in rats. <i>International Journal for Vitamin and Nutrition Research</i> , 2003 , 73, 403-9	1.7	15
115	Hematological parameters and prevalence of anemia in white and British Indian vegetarians and nonvegetarians in the UK Biobank. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 461-472	7	14
114	Effect of enhanced homestead food production on anaemia among Cambodian women and children: A cluster randomized controlled trial. <i>Maternal and Child Nutrition</i> , 2019 , 15 Suppl 3, e12757	3.4	13
113	South Asian Ethnicity Is Related to the Highest Risk of Vitamin B12 Deficiency in Pregnant Canadian Women. <i>Nutrients</i> , 2017 , 9,	6.7	13
112	Using the Social Relations Approach to capture complexity in women's empowerment: using gender analysis in the Fish on Farms project in Cambodia. <i>Gender and Development</i> , 2014 , 22, 351-368	1.7	13
111	Lowering plasma homocysteine concentrations of older men and women with folate, vitamin B-12, and vitamin B-6 does not affect the proportion of (n-3) long chain polyunsaturated fatty acids in plasma phosphatidylcholine. <i>Journal of Nutrition</i> , 2008 , 138, 551-5	4.1	13
110	Comparison of Human Milk Fatty Acid Composition of Women From Cambodia and Australia. <i>Journal of Human Lactation</i> , 2018 , 34, 585-591	2.6	13
109	Dietary and blood folate status of Malaysian women of childbearing age. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2006 , 15, 341-9	1	13
108	A method comparison study between two hemoglobinometer models (Hemocue Hb 301 and Hb 201+) to measure hemoglobin concentrations and estimate anemia prevalence among women in Preah Vihear, Cambodia. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 95-100	2.5	12
107	Vitamin D status of pregnant and non-pregnant women of reproductive age living in Hanoi City and the Hai Duong province of Vietnam. <i>Maternal and Child Nutrition</i> , 2012 , 8, 533-9	3.4	12
106	Comparable Performance Characteristics of Plasma Thiamine and Erythrocyte Thiamine Diphosphate in Response to Thiamine Fortification in Rural Cambodian Women. <i>Nutrients</i> , 2017 , 9,	6.7	12
105	Folic Acid Supplementation of Female Mice, with or without Vitamin B-12, before and during Pregnancy and Lactation Programs Adiposity and Vascular Health in Adult Male Offspring. <i>Journal of Nutrition</i> , 2015 , 146, 688-696	4.1	12

104	The Homozygous Hemoglobin EE Genotype and Chronic Inflammation Are Associated with High Serum Ferritin and Soluble Transferrin Receptor Concentrations among Women in Rural Cambodia. <i>Journal of Nutrition</i> , 2015 , 145, 2765-73	4.1	12
103	The role of maternal diet and iron-folic acid supplements in influencing birth weight: evidence from India's National Family Health Survey. <i>Journal of Tropical Pediatrics</i> , 2014 , 60, 454-60	1.2	12
102	Diet and cardiometabolic side effects in children treated with second-generation antipsychotics. <i>Clinical Nutrition ESPEN</i> , 2018 , 23, 205-211	1.3	12
101	The effect of oral iron with or without multiple micronutrients on hemoglobin concentration and hemoglobin response among nonpregnant Cambodian women of reproductive age: a 2 x 2 factorial, double-blind, randomized controlled supplementation trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 233-244	7	11
100	Serum fatty acid reference ranges: percentiles from a New Zealand national nutrition survey. <i>Nutrients</i> , 2011 , 3, 152-63	6.7	11
99	Enhancing the natural folate level in wine using bioengineering and stabilization strategies. <i>Food Chemistry</i> , 2016 , 194, 26-31	8.5	10
98	Elevated levels of iron in groundwater in Prey Veng province in Cambodia: a possible factor contributing to high iron stores in women. <i>Journal of Water and Health</i> , 2015 , 13, 575-86	2.2	10
97	Adiposity and the relationship between vitamin D and blood pressure. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 1795-802	12.7	10
96	Wheat rolls fortified with microencapsulated L-5-methyltetrahydrofolic acid or equimolar folic acid increase blood folate concentrations to a similar extent in healthy men and women. <i>Journal of Nutrition</i> , 2013 , 143, 867-71	4.1	10
95	Effect of folic acid supplementation on plasma zinc concentrations of young women. <i>Nutrition</i> , 2003 , 19, 522-3	4.8	10
94	Concentrations of Water-Soluble Forms of Choline in Human Milk from Lactating Women in Canada and Cambodia. <i>Nutrients</i> , 2018 , 10,	6.7	10
93	Folic acid fortified milk increases blood folate and lowers homocysteine concentration in women of childbearing age. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2005 , 14, 173-8	1	10
92	Milk fortified with the current adequate intake for vitamin D (5 microg) increases serum 25-hydroxyvitamin D compared to control milk but is not sufficient to prevent a seasonal decline in young women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2010 , 19, 195-9	1	10
91	Variation in haemoglobin measurement across different HemoCue devices and device operators in rural Cambodia. <i>Journal of Clinical Pathology</i> , 2017 , 70, 615-618	3.9	9
90	Suboptimal Biochemical Riboflavin Status Is Associated with Lower Hemoglobin and Higher Rates of Anemia in a Sample of Canadian and Malaysian Women of Reproductive Age. <i>Journal of Nutrition</i> , 2019 , 149, 1952-1959	4.1	9
89	Randomized controlled trial assessing the efficacy of a reusable fish-shaped iron ingot to increase hemoglobin concentration in anemic, rural Cambodian women. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 667-674	7	9
88	The majority of older British Columbians take vitamin D-containing supplements. <i>Canadian Journal of Public Health</i> , 2010 , 101, 246-50	3.2	9
87	Hepatic acyl-coenzyme a:cholesterol acyltransferase-2 expression is decreased in mice with hyperhomocysteinemia. <i>Journal of Nutrition</i> , 2010 , 140, 231-7	4.1	9

86	Changes in markers of inflammation, antioxidant capacity and oxidative stress in smokers following consumption of milk, and milk supplemented with fruit and vegetable extracts and vitamin C. <i>International Journal of Food Sciences and Nutrition</i> , 2012 , 63, 90-102	3.7	9
85	Red cell folate and predicted neural tube defect rate in three Asian cities. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2007 , 16, 269-73	1	9
84	Macro- and Micronutrients in Milk from Healthy Cambodian Mothers: Status and Interrelations. <i>Journal of Nutrition</i> , 2020 , 150, 1461-1469	4.1	8
83	Improved Sanitation Facilities are Associated with Higher Body Mass Index and Higher Hemoglobin Concentration Among Rural Cambodian Women in the First Trimester of Pregnancy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016 , 95, 1211-1215	3.2	8
82	Serum Soluble Transferrin Receptor Concentrations Are Elevated in Congolese Children with Glucose-6-Phosphate Dehydrogenase Variants, but Not Sickle Cell Variants or β -Thalassemia. <i>Journal of Nutrition</i> , 2017 , 147, 1785-1794	4.1	8
81	Folate and vitamin B12 status of women of reproductive age living in Hanoi City and Hai Duong Province of Vietnam. <i>Public Health Nutrition</i> , 2009 , 12, 941-6	3.3	8
80	Low erucic acid canola oil does not induce heart triglyceride accumulation in neonatal pigs fed formula. <i>Lipids</i> , 2000 , 35, 607-12	1.6	8
79	Potassium bicarbonate reduces high protein-induced hypercalciuria in adult men. <i>Nutrition Research</i> , 1994 , 14, 991-1002	4	8
78	Malaria is a cause of iron deficiency in African children. <i>Nature Medicine</i> , 2021 , 27, 653-658	50.5	8
77	Thiamine fortification strategies in low- and middle-income settings: a review. <i>Annals of the New York Academy of Sciences</i> , 2021 , 1498, 29-45	6.5	8
76	Estimated folic acid intakes from simulated fortification of the New Zealand food supply. <i>New Zealand Medical Journal</i> , 2003 , 116, U294	0.8	8
75	Comparison of four immunoassays to measure serum ferritin concentrations and iron deficiency prevalence among non-pregnant Cambodian women and Congolese children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 65-72	5.9	7
74	Anthropometric measures are simple and accurate paediatric weight-prediction proxies in resource-poor settings with a high HIV prevalence. <i>Archives of Disease in Childhood</i> , 2017 , 102, 10-16	2.2	7
73	Vitamin D supplementation is associated with higher serum 25OHD in Asian and White infants living in Vancouver, Canada. <i>Maternal and Child Nutrition</i> , 2015 , 11, 253-9	3.4	7
72	Are the nutrient and textural properties of Australian commercial infant and toddler foods consistent with infant feeding advice?. <i>British Journal of Nutrition</i> , 2020 , 124, 754-760	3.6	6
71	Effectiveness and safety of a high-dose weekly vitamin D (20,000 IU) protocol in older adults living in residential care. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1546-50	5.6	6
70	Intracellular binding proteins for retinol and retinoic acid in early and term human placentas. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1986 , 93, 833-8	3.7	6
69	Perspective: Weekly Iron and Folic Acid Supplementation (WIFAS): A Critical Review and Rationale for Inclusion in the Essential Medicines List to Accelerate Anemia and Neural Tube Defects Reduction. <i>Advances in Nutrition</i> , 2021 , 12, 334-342	10	6

68	Mean hemoglobin concentrations in fasting venous and non-fasting capillary blood of Cambodian women using a hemoglobinometer and an automated hematology analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, e247-e250	5.9	5
67	Docosahexaenoic acid supplementation of preterm infants and parent-reported symptoms of allergic disease at 7 years corrected age: follow-up of a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1600-1610	7	5
66	Effect of once weekly folic acid supplementation on erythrocyte folate concentrations in women to determine potential to prevent neural tube defects: a randomised controlled dose-finding trial in Malaysia. <i>BMJ Open</i> , 2020 , 10, e034598	3	5
65	Measuring thiamine status in dried blood spots. <i>Clinica Chimica Acta</i> , 2020 , 509, 52-59	6.2	5
64	Assessing the effectiveness of harvest tags in the management of a small-scale, iconic marine recreational fishery in Western Australia. <i>ICES Journal of Marine Science</i> , 2016 , 73, 2666-2676	2.7	5
63	Effect of GutsyGum(tm), A Novel Gum, on Subjective Ratings of Gastro Esophageal Reflux Following A Refluxogenic Meal. <i>Journal of Dietary Supplements</i> , 2015 , 12, 138-45	2.3	5
62	The Folate Status of Women and Health. <i>Nutrition Today</i> , 1994 , 29, 20-29	1.6	5
61	Weekly iron-folic acid supplements containing 2.8 mg folic acid are associated with a lower risk of neural tube defects than the current practice of 0.4 mg: a randomised controlled trial in Malaysia. <i>BMJ Global Health</i> , 2020 , 5,	6.6	5
60	Low-dose thiamine supplementation of lactating Cambodian mothers improves human milk thiamine concentrations: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 90-100	7	5
59	Thiamine dose response in human milk with supplementation among lactating women in Cambodia: study protocol for a double-blind, four-parallel arm randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e029255	3.255	5
58	Adequate vitamin B and riboflavin status from menus alone in residential care facilities in the Lower Mainland, British Columbia. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019 , 44, 414-419	3	5
57	Mandatory fortification of flour? Science, not miracles, should inform the decision. <i>New Zealand Medical Journal</i> , 2003 , 116, U303	0.8	5
56	l-5-Methyltetrahydrofolate Supplementation Increases Blood Folate Concentrations to a Greater Extent than Folic Acid Supplementation in Malaysian Women. <i>Journal of Nutrition</i> , 2018 , 148, 885-890	4.1	4
55	Reliable change indices for the ruff 2 and 7 selective attention test in older adults. <i>Applied Neuropsychology</i> , 2010 , 17, 239-45		4
54	Economic evaluation of an enhanced homestead food production intervention for undernutrition in women and children in rural Cambodia. <i>Global Food Security</i> , 2020 , 24, 100335	8.3	4
53	Median Urinary Iodine Concentrations Are Indicative of Adequate Iodine Status among Women of Reproductive Age in Prey Veng, Cambodia. <i>Nutrients</i> , 2016 , 8, 139	6.7	4
52	Factors affecting the acceptability and consumption of Corn Soya Blend Plus as a prenatal dietary supplement among pregnant women in rural Cambodia. <i>Public Health Nutrition</i> , 2016 , 19, 1842-51	3.3	4
51	Effect of a functional fibre supplement on glycemic control when added to a year-long medically supervised weight management program in adults with type 2 diabetes. <i>European Journal of Nutrition</i> , 2021 , 60, 1237-1251	5.2	4

50	Assessment of salt intake to consider salt as a fortification vehicle for thiamine in Cambodia. <i>Annals of the New York Academy of Sciences</i> , 2021 , 1498, 85-95	6.5	4
49	Vitamin B12 and folate status of older New Zealand women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2003 , 12, 85-91	1	4
48	Lactating Canadian Women Consuming 1000 µg Folic Acid Daily Have High Circulating Serum Folic Acid Above a Threshold Concentration of Serum Total Folate. <i>Journal of Nutrition</i> , 2018 , 148, 1103-1108 ^{4.1}	4.1	3
47	Integrating nutrition outcomes into agriculture development for impact at scale: Highlights from the Canadian International Food Security Research Fund. <i>Maternal and Child Nutrition</i> , 2019 , 15 Suppl 3, e12812	3.4	3
46	Mechanisms of altered fatty acid and phospholipid levels in hyperhomocysteinemia. <i>Clinical Lipidology</i> , 2009 , 4, 159-166		3
45	Moderate alcohol consumption the night before glycaemic index testing has no effect on glycaemic response. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 692-4	5.2	3
44	Effects of excess protein, sodium and potassium on acute and chronic urinary calcium excretion in young women. <i>Nutrition Research</i> , 1998 , 18, 475-487	4	3
43	Discussion: Indicators for Assessing Folate and Vitamin B12 Status and for Monitoring the Efficacy of Intervention Strategies. <i>Food and Nutrition Bulletin</i> , 2008 , 29, S64-S66	1.8	3
42	Folic acid fortified milk increases blood folate to concentrations associated with a very low risk of neural tube defects in Singaporean women of childbearing age. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2016 , 25, 62-70	1	3
41	The effect of vitamin D supplementation during pregnancy and lactation on maternal & infant 25-hydroxyvitamin D (25OHD) concentration. <i>FASEB Journal</i> , 2013 , 27, lb259	0.9	3
40	Study protocol for a randomised controlled trial evaluating the effect of folic acid supplementation beyond the first trimester on maternal plasma unmetabolised folic acid in late gestation. <i>BMJ Open</i> , 2020 , 10, e040416	3	3
39	Thiamine supplementation holds neurocognitive benefits for breastfed infants during the first year of life. <i>Annals of the New York Academy of Sciences</i> , 2021 , 1498, 116-132	6.5	3
38	Variations in plasma choline and metabolite concentrations in healthy adults. <i>Clinical Biochemistry</i> , 2018 , 60, 77-83	3.5	3
37	Strategies for Improving Vitamin D Status: Focus on Fortification 2013 , 247-260		2
36	The effect of the fat and carbohydrate contents in the evening meal preceding GI testing on GI. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 224-6	5.2	2
35	Periconceptional folic acid use among women giving birth at Queen Mary Maternity Hospital in Dunedin. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006 , 46, 534-7	1.7	2
34	Scaled-up nutrition education on pulse-cereal complementary food practice in Ethiopia: a cluster-randomized trial. <i>BMC Public Health</i> , 2020 , 20, 1437	4.1	2
33	Modeling thiamine fortification: a case study from Kuria atoll, Republic of Kiribati. <i>Annals of the New York Academy of Sciences</i> , 2021 , 1498, 108-115	6.5	2

32	Adequate maternal pre-conceptional folate status may reduce the risk of gestational diabetes mellitus. <i>Evidence-based Nursing</i> , 2020 ,	0.3	1
31	Does the vitamin D status of Australians and New Zealanders need improving and how do we do it?. <i>Nutrition and Dietetics</i> , 2006 , 63, 196-198	2.5	1
30	Vitamin D in Asia 2010 , 563-587		1
29	Dietary Riboflavin Intake and Riboflavin Status in Young Adult Women Living in Metro Vancouver, Canada. <i>Current Developments in Nutrition</i> , 2021 , 5, nzab021	0.4	1
28	Maternal Late-Pregnancy Serum Unmetabolized Folic Acid Concentrations Are Not Associated with Infant Allergic Disease: A Prospective Cohort Study. <i>Journal of Nutrition</i> , 2021 , 151, 1553-1560	4.1	1
27	Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC). <i>PLoS ONE</i> , 2020 , 15, e0223393	3.7	0
26	Does SMS text messaging promote the early introduction of food allergens? A Randomised Controlled Trial.. <i>Pediatric Allergy and Immunology</i> , 2021 ,	4.2	0
25	The Homozygous Hemoglobin EE Variant Is Associated with Poorer Riboflavin Status in Cambodian Women of Reproductive Age. <i>Journal of Nutrition</i> , 2020 , 150, 1943-1950	4.1	0
24	Baseline Hemoglobin, Hcpidin, Ferritin, and Total Body Iron Stores are Equally Strong Diagnostic Predictors of a Hemoglobin Response to 12 Weeks of Daily Iron Supplementation in Cambodian Women. <i>Journal of Nutrition</i> , 2021 , 151, 2255-2263	4.1	0
23	A Systematic Review of Vitamin D during Pregnancy and Postnatally and Symptoms of Depression in the Antenatal and Postpartum Period from Randomized Controlled Trials and Observational Studies. <i>Nutrients</i> , 2022 , 14, 2300	6.7	0
22	Response to Tkachuk and colleagues. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 835-7	5.6	
21	Another approach to estimating the reliability of the glycaemic index: a different interpretation □ response by Williams et al.. <i>British Journal of Nutrition</i> , 2010 , 103, 1697-1697	3.6	
20	Response to Davis and Uthus. <i>Journal of Nutrition</i> , 2003 , 133, 2393-2393	4.1	
19	No effect of folic acid depletion or repletion on leukocyte DNA methylation overall or by MTHFR 677C-□ genotype in healthy individuals. <i>FASEB Journal</i> , 2007 , 21, A347	0.9	
18	Homocysteine lowering with folate, vitamin B12 and vitamin B6 does not alter the proportion of n-3 long chain polyunsaturated fatty acids (LCPUFA) in plasma phosphatidylcholine.. <i>FASEB Journal</i> , 2008 , 22, 449.3	0.9	
17	Association between quantitative measures of skin color & plasma 25-hydroxyvitamin D (25OHD). <i>FASEB Journal</i> , 2008 , 22, 157.5	0.9	
16	An Evaluation of Two Methods to Measure Hemoglobin Concentration among Women with Genetic Hemoglobin Disorders in Cambodia: A Method-Comparison Study. <i>FASEB Journal</i> , 2015 , 29, 403.1	0.9	
15	Maternal Folic Acid/Vitamin B12 Imbalance Programs Hepatic Gene Expression in Female Offspring. <i>FASEB Journal</i> , 2015 , 29, 919.13	0.9	

14 Nutrition and Hypertensive Disorders of Pregnancy **2017**, 155-170

13 Vitamin D status of immigrant mothers and infants in Metro Vancouver. *FASEB Journal*, **2012**, 26, 643.2 0.9

12 The effect of two doses of vitamin D3 (400 IU vs. 2000 IU/d) on serum 25-hydroxyvitamin D in children with Crohn's disease. *FASEB Journal*, **2013**, 27, 347.2 0.9

11 Vitamin D Insufficiency is Associated with Greater Obesity-Related Insulin Resistance. *FASEB Journal*, **2013**, 27, 112.7 0.9

10 The Inclusion of Folic Acid in Weekly Iron-Folic Acid Supplements Confers no Additional Benefit on Anemia Reduction in Nonpregnant Women: A Randomized Controlled Trial in Malaysia. *Journal of Nutrition*, **2021**, 151, 2264-2270 4.1

9 Thiamine Status of Supplemented, Lactating Mothers in Rural Cambodia: A Randomized Controlled Trial. *Current Developments in Nutrition*, **2021**, 5, 830-830 0.4

8 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

7 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

6 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

5 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

4 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

3 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

2 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393

1 Micronutrient intake and prevalence of micronutrient inadequacy among women (15-49 y) and children (6-59 mo) in South Kivu and Kongo Central, Democratic Republic of the Congo (DRC) **2020**, 15, e0223393