

# Aimin Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2714607/publications.pdf>

Version: 2024-02-01

415  
papers

29,497  
citations

4103

90  
h-index

8878

150  
g-index

418  
all docs

418  
docs citations

418  
times ranked

36372  
citing authors

#	ARTICLE	IF	CITATIONS
1	Human cytomegalovirus infection is associated with stroke in women: the US National Health and Nutrition Examination Survey 1999–2004. <i>Postgraduate Medical Journal</i> , 2022, 98, 172-176.	0.9	5
2	Another Kid on the Block: Long-acting FGF21 Analogue to Treat Dyslipidemia and Fatty Liver. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e417-e419.	1.8	4
3	PM20D1 is a circulating biomarker closely associated with obesity, insulin resistance and metabolic syndrome. <i>European Journal of Endocrinology</i> , 2022, 186, 151-161.	1.9	9
4	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control. <i>Genes and Nutrition</i> , 2022, 17, 1.	1.2	6
5	Type 2 innate immunity drives distinct neonatal immune profile conducive for heart regeneration. <i>Theranostics</i> , 2022, 12, 1161-1172.	4.6	6
6	ACE2 pathway regulates thermogenesis and energy metabolism. <i>ELife</i> , 2022, 11, .	2.8	6
7	Clusterin is involved in mediating the metabolic function of adipose SIRT1. <i>IScience</i> , 2022, 25, 103709.	1.9	3
8	Hepatic PRMT1 ameliorates diet-induced hepatic steatosis via induction of PGC1 $\beta$ . <i>Theranostics</i> , 2022, 12, 2502-2518.	4.6	11
9	Differential effects of macrophage subtypes on SARS-CoV-2 infection in a human pluripotent stem cell-derived model. <i>Nature Communications</i> , 2022, 13, 2028.	5.8	34
10	$\beta$ -Klotho promotes glycolysis and glucose-stimulated insulin secretion via GP130. <i>Nature Metabolism</i> , 2022, 4, 608-626.	5.1	12
11	Connexin43 Overexpression Exacerbates Myocardial Ischemic Reperfusion Injury in Diabetes via Modulating Cardiac Autophagy. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
12	Serum Thrombospondin-2 Levels Are Closely Associated With the Severity of Metabolic Syndrome and Metabolic Associated Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3230-e3240.	1.8	13
13	Hepatic MDM2 Causes Metabolic Associated Fatty Liver Disease by Blocking Triglyceride/VLDL Secretion via ApoB Degradation. <i>Advanced Science</i> , 2022, 9, e2200742.	5.6	9
14	MicroRNA-503 Exacerbates Myocardial Ischemia/Reperfusion Injury via Inhibiting PI3K/Akt- and STAT3-Dependent Prosurvival Signaling Pathways. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 1-17.	1.9	3
15	Risk assessment with gut microbiome and metabolite markers in NAFLD development. <i>Science Translational Medicine</i> , 2022, 14, .	5.8	50
16	Mesenchymal stem cell-derived extracellular vesicles for immunomodulation and regeneration: a next generation therapeutic tool?. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	114
17	Modelling gestational diabetes mellitus: large animals hold great promise. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 407-420.	2.6	3
18	Deficiency of telomere-associated repressor activator protein 1 precipitates cardiac aging in mice via p53/PPAR $\beta$ signaling. <i>Theranostics</i> , 2021, 11, 4710-4727.	4.6	18

#	ARTICLE	IF	CITATIONS
19	AdipoRon Treatment Induces a Dose-Dependent Response in Adult Hippocampal Neurogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2068.	1.8	11
20	Adipose Extracellular Vesicles in Intercellular and Inter-Organ Crosstalk in Metabolic Health and Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 608680.	2.2	53
21	Frequency, clinical features, inflammatory cytokines and genetic background of latent autoimmune diabetes in youth in youth-onset type 2 diabetes: Results from a nationwide, multicentre, clinic-based, cross-sectional study (LADA China). <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1282-1291.	2.2	5
22	Adiponectin-expressing Treg facilitate T lymphocyte development in thymic nurse cell complexes. <i>Communications Biology</i> , 2021, 4, 344.	2.0	11
23	Adipocyte Fatty Acid Binding Protein Promotes the Onset and Progression of Liver Fibrosis via Mediating the Crosstalk between Liver Sinusoidal Endothelial Cells and Hepatic Stellate Cells. <i>Advanced Science</i> , 2021, 8, e2003721.	5.6	35
24	Fatty acid binding protein 4 promotes autoimmune diabetes by recruitment and activation of pancreatic islet macrophages. <i>JCI Insight</i> , 2021, 6, .	2.3	15
25	Decreased Abundance of <i>Akkermansia muciniphila</i> Leads to the Impairment of Insulin Secretion and Glucose Homeostasis in Lean Type 2 Diabetes. <i>Advanced Science</i> , 2021, 8, e2100536.	5.6	68
26	Chronic AdipoRon Treatment Mimics the Effects of Physical Exercise on Restoring Hippocampal Neuroplasticity in Diabetic Mice. <i>Molecular Neurobiology</i> , 2021, 58, 4666-4681.	1.9	16
27	Intercellular and inter-organ crosstalk in browning of white adipose tissue: molecular mechanism and therapeutic complications. <i>Journal of Molecular Cell Biology</i> , 2021, 13, 466-479.	1.5	8
28	Circulating Thrombospondin-2 as a Novel Fibrosis Biomarker of Nonalcoholic Fatty Liver Disease in Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 2089-2097.	4.3	27
29	The relationship of neutrophil elastase and proteinase 3 with risk factors, and chronic complications in type 2 diabetes: A Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) sub-study. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412110325.	0.9	3
30	TLR5 Supports Development of Placental Labyrinthine Zone in Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 711253.	1.8	1
31	Microecological preparation combined with an modified low-carbon diet improves glucolipid metabolism and cardiovascular complication in obese patients. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 77.	1.2	6
32	Prospective association of serum adipocyte fatty acid-binding protein with heart failure hospitalization in diabetes. <i>ESC Heart Failure</i> , 2021, 8, 3964-3974.	1.4	2
33	A-FABP in Metabolic Diseases and the Therapeutic Implications: An Update. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9386.	1.8	15
34	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke. <i>Stroke</i> , 2021, 52, 3926-3937.	1.0	16
35	Association between FGF19, FGF21 and lipocalin-2, and diabetes progression in PCOS. <i>Endocrine Connections</i> , 2021, 10, 1243-1252.	0.8	6
36	Adipose MDM2 regulates systemic insulin sensitivity. <i>Scientific Reports</i> , 2021, 11, 21839.	1.6	7

#	ARTICLE	IF	CITATIONS
37	Ultrasensitive detection of blood biomarkers of Alzheimer's and Parkinson's diseases: a systematic review. <i>Biomarkers in Medicine</i> , 2021, 15, 1693-1708.	0.6	2
38	The impact of different adipose depots on cardiovascular disease. <i>Journal of Cardiovascular Pharmacology</i> , 2021, Publish Ahead of Print, .	0.8	5
39	Piezo1 and Piezo2 foster mechanical gating of K2P channels. <i>Cell Reports</i> , 2021, 37, 110070.	2.9	10
40	The APPL1-Rab5 axis restricts NLRP3 inflammasome activation through early endosomal-dependent mitophagy in macrophages. <i>Nature Communications</i> , 2021, 12, 6637.	5.8	35
41	Editorial: The Immunomodulatory Roles of Adipocytes. <i>Frontiers in Immunology</i> , 2021, 12, 827281.	2.2	3
42	Mitochondrial uncoupling protein 1 antagonizes atherosclerosis by blocking NLRP3 inflammasome-dependent interleukin-1 $\beta$ production. <i>Science Advances</i> , 2021, 7, eabl4024.	4.7	27
43	Lipocalin-2 Variants and Their Relationship With Cardio-Renal Risk Factors. <i>Frontiers in Endocrinology</i> , 2021, 12, 781763.	1.5	8
44	Focal TLR4 activation mediates disturbed flow-induced endothelial inflammation. <i>Cardiovascular Research</i> , 2020, 116, 226-236.	1.8	50
45	Divergent Roles of Kupffer Cell TLR2/3 Signaling in Alcoholic Liver Disease and the Protective Role of EGCG. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 145-160.	2.3	24
46	Lipocalin-2: The myth of its expression and function. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 142-151.	1.2	32
47	Obesity and Insulin Resistance Are Inversely Associated with Serum and Adipose Tissue Carotenoid Concentrations in Adults. <i>Journal of Nutrition</i> , 2020, 150, 38-46.	1.3	45
48	Gut Microbiome Fermentation Determines the Efficacy of Exercise for Diabetes Prevention. <i>Cell Metabolism</i> , 2020, 31, 77-91.e5.	7.2	223
49	Relationships of adipocyte-fatty acid binding protein and lipocalin 2 with risk factors and chronic complications in type 2 diabetes and effects of fenofibrate: A fenofibrate Intervention and event lowering in diabetes sub-study. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108450.	1.1	6
50	The therapeutic potential of FGF21 in metabolic diseases: from bench to clinic. <i>Nature Reviews Endocrinology</i> , 2020, 16, 654-667.	4.3	280
51	Possible Modifying Effect of Hemoglobin A1c on Genetic Susceptibility to Severe Diabetic Retinopathy in Patients With Type 2 Diabetes. , 2020, 61, 7.		3
52	PSCs Reveal PUFA-Provoked Mitochondrial Stress as a Central Node Potentiating RPE Degeneration in Bietti's Crystalline Dystrophy. <i>Molecular Therapy</i> , 2020, 28, 2642-2661.	3.7	23
53	Potential Involvement of Adiponectin Signaling in Regulating Physical Exercise-Elicited Hippocampal Neurogenesis and Dendritic Morphology in Stressed Mice. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 189.	1.8	13
54	Up-regulation of FoxO1 contributes to adverse vascular remodelling in type 1 diabetic rats. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 13727-13738.	1.6	9

#	ARTICLE	IF	CITATIONS
55	The adaptor protein APPL2 controls glucose-stimulated insulin secretion via F-actin remodeling in pancreatic $\beta$ -cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28307-28315.	3.3	16
56	Gut Microbiota-Associated Activation of TLR5 Induces Apolipoprotein A1 Production in the Liver. <i>Circulation Research</i> , 2020, 127, 1236-1252.	2.0	32
57	APPL2 Negatively Regulates Olfactory Functions by Switching Fate Commitments of Neural Stem Cells in Adult Olfactory Bulb via Interaction with Notch1 Signaling. <i>Neuroscience Bulletin</i> , 2020, 36, 997-1008.	1.5	1
58	Fibroblast Growth Factor 19 Levels Predict Subclinical Atherosclerosis in Men With Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2020, 11, 282.	1.5	7
59	Predictable modulation of cancer treatment outcomes by the gut microbiota. <i>Microbiome</i> , 2020, 8, 28.	4.9	102
60	Response to Letter to the Editor: "Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes" The Adiponectin Paradox. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3498-e3499.	1.8	3
61	Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes "The Adiponectin Paradox. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1387-e1396.	1.8	14
62	Adipocyte fatty acid-binding protein exacerbates cerebral ischaemia injury by disrupting the blood-brain barrier. <i>European Heart Journal</i> , 2020, 41, 3169-3180.	1.0	54
63	The role of adipose tissue senescence in obesity- and ageing-related metabolic disorders. <i>Clinical Science</i> , 2020, 134, 315-330.	1.8	71
64	Neutrophil elastase triggers the development of autoimmune diabetes by exacerbating innate immune responses in pancreatic islets of non-obese diabetic mice. <i>Clinical Science</i> , 2020, 134, 1679-1696.	1.8	14
65	FOXO1 contributes to diabetic cardiomyopathy via inducing imbalanced oxidative metabolism in type 1 diabetes. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 7850-7861.	1.6	42
66	Crystal structure of human APPL BAR-PH heterodimer reveals a flexible dimeric BAR curve: implication in mutual regulation of endosomal targeting. <i>Biochemical Journal</i> , 2020, 477, 4769-4783.	1.7	0
67	Compromised AMPK-PGC1 $\alpha$ Axis Exacerbated Steatotic Graft Injury by Dysregulating Mitochondrial Homeostasis in Living Donor Liver Transplantation. <i>Annals of Surgery</i> , 2020, Publish Ahead of Print, .	2.1	8
68	Distinct neutrophil counts and functions in newly diagnosed type 1 diabetes, latent autoimmune diabetes in adults, and type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3064.	1.7	47
69	Adaptor protein APPL1 coordinates HDAC3 to modulate brown adipose tissue thermogenesis in mice. <i>Metabolism: Clinical and Experimental</i> , 2019, 100, 153955.	1.5	7
70	Tbx15 is required for adipocyte browning induced by adrenergic signaling pathway. <i>Molecular Metabolism</i> , 2019, 28, 48-57.	3.0	18
71	Piezo Ion Channels in Cardiovascular Mechanobiology. <i>Trends in Pharmacological Sciences</i> , 2019, 40, 956-970.	4.0	114
72	Linifanib exerts dual anti-obesity effect by regulating adipocyte browning and formation. <i>Life Sciences</i> , 2019, 222, 117-124.	2.0	8

#	ARTICLE	IF	CITATIONS
73	Assessment of Vascular Tone Responsiveness using Isolated Mesenteric Arteries with a Focus on Modulation by Perivascular Adipose Tissues. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	2
74	Adipocyte-secreted exosomal microRNA-34a inhibits M2 macrophage polarization to promote obesity-induced adipose inflammation. <i>Journal of Clinical Investigation</i> , 2019, 129, 834-849.	3.9	282
75	Longitudinal Changes in Insulin Resistance in Normal Weight, Overweight and Obese Individuals. <i>Journal of Clinical Medicine</i> , 2019, 8, 623.	1.0	10
76	miR-181c-5p Exacerbates Hypoxia/Reoxygenation-Induced Cardiomyocyte Apoptosis via Targeting PTPN4. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-15.	1.9	44
77	Exercise Alleviates Obesity-Induced Metabolic Dysfunction via Enhancing FGF21 Sensitivity in Adipose Tissues. <i>Cell Reports</i> , 2019, 26, 2738-2752.e4.	2.9	115
78	Association of adipokines with hepatic steatosis and fibrosis in chronic hepatitis B patients on long-term nucleoside analogue. <i>Liver International</i> , 2019, 39, 1217-1225.	1.9	11
79	Seipin Knockout Mice Develop Heart Failure With Preserved Ejection Fraction. <i>JACC Basic To Translational Science</i> , 2019, 4, 924-937.	1.9	24
80	High-sensitivity troponin I and B-type natriuretic peptide biomarkers for prediction of cardiovascular events in patients with coronary artery disease with and without diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2019, 18, 171.	2.7	23
81	Loss of ubiquitin-conjugating enzyme E2 (Ubc9) in macrophages exacerbates multiple low-dose streptozotocin-induced diabetes by attenuating M2 macrophage polarization. <i>Cell Death and Disease</i> , 2019, 10, 892.	2.7	44
82	Endothelial SIRT1 prevents age-induced impairment of vasodilator responses by enhancing the expression and activity of soluble guanylyl cyclase in smooth muscle cells. <i>Cardiovascular Research</i> , 2019, 115, 678-690.	1.8	32
83	High plasma FGF21 levels predicts major cardiovascular events in patients treated with atorvastatin (from the Treating to New Targets [TNT] Study). <i>Metabolism: Clinical and Experimental</i> , 2019, 93, 93-99.	1.5	24
84	Genetic Regulation of Pigment Epithelium-Derived Factor (PEDF): An Exome-Chip Association Analysis in Chinese Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2019, 68, 198-206.	0.3	15
85	Resveratrol ameliorates endothelial dysfunction in diabetic and obese mice through sirtuin 1 and peroxisome proliferator-activated receptor $\gamma$ . <i>Pharmacological Research</i> , 2019, 139, 384-394.	3.1	61
86	ORO1-3 MicroRNA-34a-Mediated FGF21 Resistance in the Adipose Tissue Contributes to Insulin Resistance and Hypoadiponectinemia in Diet-Induced Obesity. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	3
87	Characterization of adiponectin-expressing cells in thymus. <i>FASEB Journal</i> , 2019, 33, 812.4.	0.2	0
88	Activation of hypothalamic $\text{RIP}^{\text{Cre}}$ neurons promotes beiging of $\text{WAT}$ via sympathetic nervous system. <i>EMBO Reports</i> , 2018, 19, .	2.0	26
89	Baicalin Modulates APPL2/Glucocorticoid Receptor Signaling Cascade, Promotes Neurogenesis, and Attenuates Emotional and Olfactory Dysfunctions in Chronic Corticosterone-Induced Depression. <i>Molecular Neurobiology</i> , 2018, 55, 9334-9348.	1.9	44
90	FGF21 Prevents Angiotensin II-Induced Hypertension and Vascular Dysfunction by Activation of ACE2/Angiotensin-(1 $\rightarrow$ 7) Axis in Mice. <i>Cell Metabolism</i> , 2018, 27, 1323-1337.e5.	7.2	104

#	ARTICLE	IF	CITATIONS
91	Hepatic CREBZF couples insulin to lipogenesis by inhibiting insig activity and contributes to hepatic steatosis in diet-induced insulin-resistant mice. <i>Hepatology</i> , 2018, 68, 1361-1375.	3.6	37
92	FABP4 as a biomarker for knee osteoarthritis. <i>Biomarkers in Medicine</i> , 2018, 12, 107-118.	0.6	25
93	Fibroblast growth factor 21 increases insulin sensitivity through specific expansion of subcutaneous fat. <i>Nature Communications</i> , 2018, 9, 272.	5.8	119
94	The natural compound, formononetin, extracted from <i>Astragalus membranaceus</i> increases adipocyte thermogenesis by modulating PPAR $\gamma$ activity. <i>British Journal of Pharmacology</i> , 2018, 175, 1439-1450.	2.7	44
95	Adaptor Protein APPL2 Affects Adult Antidepressant Behaviors and Hippocampal Neurogenesis via Regulating the Sensitivity of Glucocorticoid Receptor. <i>Molecular Neurobiology</i> , 2018, 55, 5537-5547.	1.9	16
96	Local enrichment of fatty acid-binding protein 4 in the pericardial cavity of cardiovascular disease patients. <i>PLoS ONE</i> , 2018, 13, e0206802.	1.1	7
97	From Hyper- to Hypoinsulinemia and Diabetes: Effect of KCNH6 on Insulin Secretion. <i>Cell Reports</i> , 2018, 25, 3800-3810.e6.	2.9	33
98	Adiponectin Mediates Running-Restored Hippocampal Neurogenesis in Streptozotocin-Induced Type 1 Diabetes in Mice. <i>Frontiers in Neuroscience</i> , 2018, 12, 679.	1.4	27
99	Age-Biomarkers-Clinical Risk Factors for Prediction of Cardiovascular Events in Patients With Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2519-2527.	1.1	28
100	Circulating adipocyte fatty acid-binding protein levels predict the development of subclinical atherosclerosis in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1100-1104.	1.2	12
101	Low-Frequency Intermittent Hypoxia Promotes Subcutaneous Adipogenic Differentiation. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	1.9	6
102	No Protective Effect of Constitutive Activation of AMPK in Endothelial Cells on Vascular Function in Aged Obese Mice but Augmented $\beta$ 1-Adrenergic Contractions in Renal Arteries Reversible by Weight Loss. <i>Journal of Vascular Research</i> , 2018, 55, 189-202.	0.6	1
103	Circulating Adipocyte Fatty Acid-Binding Protein Concentrations Predict Multiple Mortality Outcomes among Men and Women with Diabetes. <i>Clinical Chemistry</i> , 2018, 64, 1496-1504.	1.5	14
104	The Dysfunctional MDM2-p53 Axis in Adipocytes Contributes to Aging-Related Metabolic Complications by Induction of Lipodystrophy. <i>Diabetes</i> , 2018, 67, 2397-2409.	0.3	36
105	EP4 emerges as a novel regulator of bile acid synthesis and its activation protects against hypercholesterolemia. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 1029-1040.	1.2	7
106	Lipocalin-2 derived from adipose tissue mediates aldosterone-induced renal injury. <i>JCI Insight</i> , 2018, 3, .	2.3	25
107	Prostaglandin E receptor subtype 4 regulates bile acid synthesis and its activation protects against hypercholesterolemia. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-6-11.	0.0	0
108	Adiponectin regulates T cell maturation by modulating the thymic epithelial environment. <i>FASEB Journal</i> , 2018, 32, 696.4.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Deletion of Rap1 Increases Atherosclerosis Development in ApoE <sup>-/-</sup> Mice by Increasing Macrophage Infiltration and Foam Cell Formation. <i>FASEB Journal</i> , 2018, 32, 568.4.	0.2	0
110	Metabolic Profiling of Serum Reveals Significant Changes in Lipid and Amino Acid Metabolism in A Lipodystrophy Mouse Model. <i>FASEB Journal</i> , 2018, 32, 1b576.	0.2	0
111	Computational analyses of type 2 diabetes-associated loci identified by genome-wide association studies. <i>Journal of Diabetes</i> , 2017, 9, 362-377.	0.8	16
112	Adipocyte Fatty Acid Binding Protein Potentiates Toxic Lipids-Induced Endoplasmic Reticulum Stress in Macrophages via Inhibition of Janus Kinase 2-dependent Autophagy. <i>Scientific Reports</i> , 2017, 7, 40657.	1.6	26
113	A-FABP mediates adaptive thermogenesis by promoting intracellular activation of thyroid hormones in brown adipocytes. <i>Nature Communications</i> , 2017, 8, 14147.	5.8	77
114	Brown Adipogenic Reprogramming Induced by a Small Molecule. <i>Cell Reports</i> , 2017, 18, 624-635.	2.9	48
115	Endothelial overexpression of endothelin-1 modulates aortic, carotid, iliac and renal arterial responses in obese mice. <i>Acta Pharmacologica Sinica</i> , 2017, 38, 498-512.	2.8	9
116	Adipocyte SIRT1 controls systemic insulin sensitivity by modulating macrophages in adipose tissue. <i>EMBO Reports</i> , 2017, 18, 645-657.	2.0	78
117	An Exome-Chip Association Analysis in Chinese Subjects Reveals a Functional Missense Variant of <i>GCKR</i> That Regulates FGF21 Levels. <i>Diabetes</i> , 2017, 66, 1723-1728.	0.3	11
118	Urine Proteome Specific for Eye Damage Can Predict Kidney Damage in Patients With Type 2 Diabetes: A Case-Control and a 5.3-Year Prospective Cohort Study. <i>Diabetes Care</i> , 2017, 40, 253-260.	4.3	32
119	Notch Inhibitor PF-03084014 Inhibits Hepatocellular Carcinoma Growth and Metastasis via Suppression of Cancer Stemness due to Reduced Activation of Notch1-Stat3. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1531-1543.	1.9	64
120	Long-term consumption of caffeine-free high sucrose cola beverages aggravates the pathogenesis of EAE in mice. <i>Cell Discovery</i> , 2017, 3, 17020.	3.1	21
121	Role of Circulating Fibroblast Growth Factor 21 Measurement in Primary Prevention of Coronary Heart Disease Among Chinese Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	29
122	Baseline Circulating FGF21 Concentrations and Increase after Fenofibrate Treatment Predict More Rapid Glycemic Progression in Type 2 Diabetes: Results from the FIELD Study. <i>Clinical Chemistry</i> , 2017, 63, 1261-1270.	1.5	11
123	The Potential Role of Fibroblast Growth Factor 21 in Lipid Metabolism and Hypertension. <i>Current Hypertension Reports</i> , 2017, 19, 28.	1.5	52
124	ANGPTL8 (Betatrophin) is Expressed in Visceral Adipose Tissue and Relates to Human Hepatic Steatosis in Two Independent Clinical Collectives. <i>Hormone and Metabolic Research</i> , 2017, 49, 343-349.	0.7	24
125	APPL1 prevents pancreatic beta cell death and inflammation by dampening NF $\kappa$ B activation in a mouse model of type 1 diabetes. <i>Diabetologia</i> , 2017, 60, 464-474.	2.9	16
126	The FGF21-CCL11 Axis Mediates Beiging of White Adipose Tissues by Coupling Sympathetic Nervous System to Type 2 Immunity. <i>Cell Metabolism</i> , 2017, 26, 493-508.e4.	7.2	113



#	ARTICLE	IF	CITATIONS
127	TRIF-dependent Toll-like receptor signaling suppresses <i>Scd1</i> transcription in hepatocytes and prevents diet-induced hepatic steatosis. <i>Science Signaling</i> , 2017, 10, .	1.6	16
128	Marine collagen peptides reduce endothelial cell injury in diabetic rats by inhibiting apoptosis and the expression of coupling factor 6 and microparticles. <i>Molecular Medicine Reports</i> , 2017, 16, 3947-3957.	1.1	12
129	Gut-homing $\gamma\delta$ T cells promote innate mucosal damage via TLR4 during acute HIV type 1 infection. <i>Nature Microbiology</i> , 2017, 2, 1389-1402.	5.9	13
130	Adiponectin Potentially Contributes to the Antidepressive Effects of Baduanjin Qigong Exercise in Women with Chronic Fatigue Syndrome-Like Illness. <i>Cell Transplantation</i> , 2017, 26, 493-501.	1.2	43
131	Lowered fasting chenodeoxycholic acid correlated with the decrease of fibroblast growth factor 19 in Chinese subjects with impaired fasting glucose. <i>Scientific Reports</i> , 2017, 7, 6042.	1.6	8
132	Measuring non-polyaminated lipocalin for cardiometabolic risk assessment. <i>ESC Heart Failure</i> , 2017, 4, 563-575.	1.4	14
133	Effects of marine collagen peptides on glucose metabolism and insulin resistance in type 2 diabetic rats. <i>Journal of Food Science and Technology</i> , 2017, 54, 2260-2269.	1.4	29
134	Visualization and Quantification of Browning Using a <i>Ucp1</i> -2A-Luciferase Knock-in Mouse Model. <i>Diabetes</i> , 2017, 66, 407-417.	0.3	35
135	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. <i>Diabetologia</i> , 2017, 60, 107-115.	2.9	19
136	Adiponectin Suppresses T Helper 17 Cell Differentiation and Limits Autoimmune CNS Inflammation via the SIRT1/PPAR $\gamma$ /ROR $\gamma$ t Pathway. <i>Molecular Neurobiology</i> , 2017, 54, 4908-4920.	1.9	50
137	Serum fibroblast growth factor 21 is a superior biomarker to other adipokines in predicting incident diabetes. <i>Clinical Endocrinology</i> , 2017, 86, 37-43.	1.2	41
138	PPAR $\gamma$ Is Required for Exercise to Attenuate Endoplasmic Reticulum Stress and Endothelial Dysfunction in Diabetic Mice. <i>Diabetes</i> , 2017, 66, 519-528.	0.3	69
139	CDK1-PDK1-PI3K/Akt signaling pathway regulates embryonic and induced pluripotency. <i>Cell Death and Differentiation</i> , 2017, 24, 38-48.	5.0	88
140	Muscle Sympathetic Nerve Activity Is Associated with Liver Insulin Sensitivity in Obese Non-Diabetic Men. <i>Frontiers in Physiology</i> , 2017, 8, 101.	1.3	5
141	Lipocalin-2 induces NLRP3 inflammasome activation via HMGB1 induced TLR4 signaling in heart tissue of mice under pressure overload challenge. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 2723-2735.	0.0	21
142	Impact of Genetic Loci Identified in Genome-Wide Association Studies on Diabetic Retinopathy in Chinese Patients With Type 2 Diabetes. , 2016, 57, 5518.		22
143	Endothelial SIRT1 prevents adverse arterial remodeling by facilitating HERC2-mediated degradation of acetylated LKB1. <i>Oncotarget</i> , 2016, 7, 39065-39081.	0.8	37
144	Fibroblast Growth Factor 21 Protects against Atherosclerosis via Fine-Tuning the Multiorgan Crosstalk. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 22.	1.8	42

#	ARTICLE	IF	CITATIONS
145	Fibroblast growth factor 21 improves hepatic insulin sensitivity by inhibiting mammalian target of rapamycin complex 1 in mice. <i>Hepatology</i> , 2016, 64, 425-438.	3.6	134
146	A Tireless Giant in Vascular Research. <i>Journal of Cardiovascular Pharmacology</i> , 2016, 67, 359-360.	0.8	3
147	Adiponectin-derived active peptide ADP355 exerts anti-inflammatory and anti-fibrotic activities in thioacetamide-induced liver injury. <i>Scientific Reports</i> , 2016, 6, 19445.	1.6	47
148	Chronic adiponectin deficiency leads to Alzheimer's disease-like cognitive impairments and pathologies through AMPK inactivation and cerebral insulin resistance in aged mice. <i>Molecular Neurodegeneration</i> , 2016, 11, 71.	4.4	122
149	<i>Akkermansia muciniphila</i> Protects Against Atherosclerosis by Preventing Metabolic Endotoxemia-Induced Inflammation in ApoE <sup>-/-</sup> Mice. <i>Circulation</i> , 2016, 133, 2434-2446.	1.6	529
150	iPSC-MSCs with High Intrinsic MIRO1 and Sensitivity to TNF- $\alpha$ Yield Efficacious Mitochondrial Transfer to Rescue Anthracycline-Induced Cardiomyopathy. <i>Stem Cell Reports</i> , 2016, 7, 749-763.	2.3	177
151	Neutrophils in type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2016, 7, 652-663.	1.1	83
152	Circulating Fibroblast Growth Factor 21 Is A Sensitive Biomarker for Severe Ischemia/reperfusion Injury in Patients with Liver Transplantation. <i>Scientific Reports</i> , 2016, 6, 19776.	1.6	25
153	Skeletal muscle and plasma lipidomic signatures of insulin resistance and overweight/obesity in humans. <i>Obesity</i> , 2016, 24, 908-916.	1.5	138
154	Thirty Years of Saying NO. <i>Circulation Research</i> , 2016, 119, 375-396.	2.0	320
155	The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic $\beta$ -cells. <i>Nature Communications</i> , 2016, 7, 11740.	5.8	47
156	Adipose-specific inactivation of JNK alleviates atherosclerosis in apoE-deficient mice. <i>Clinical Science</i> , 2016, 130, 2087-2100.	1.8	21
157	SREBP1c-CRY1 signalling represses hepatic glucose production by promoting FOXO1 degradation during refeeding. <i>Nature Communications</i> , 2016, 7, 12180.	5.8	67
158	Harmine Induces Adipocyte Thermogenesis through RAC1-MEK-ERK-CHD4 Axis. <i>Scientific Reports</i> , 2016, 6, 36382.	1.6	17
159	Lipocalin-2 mediates non-alcoholic steatohepatitis by promoting neutrophil-macrophage crosstalk via the induction of CXCR2. <i>Journal of Hepatology</i> , 2016, 65, 988-997.	1.8	134
160	SIRT1 in Endothelial Cells as a Novel Target for the Prevention of Early Vascular Aging. <i>Journal of Cardiovascular Pharmacology</i> , 2016, 67, 465-473.	0.8	38
161	CXCL10/CXCR3 signaling mobilized-regulatory T cells promote liver tumor recurrence after transplantation. <i>Journal of Hepatology</i> , 2016, 65, 944-952.	1.8	95
162	Endothelium-Dependent Contractions of Isolated Arteries to Thymoquinone Require Biased Activity of Soluble Guanylyl Cyclase with Subsequent Cyclic IMP Production. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 358, 558-568.	1.3	14

#	ARTICLE	IF	CITATIONS
163	Adipose-derived lipocalin 14 alleviates hyperglycaemia by suppressing both adipocyte glycerol efflux and hepatic gluconeogenesis in mice. <i>Diabetologia</i> , 2016, 59, 604-613.	2.9	10
164	The FGF21- $\alpha$ -adiponectin axis in controlling energy and vascular homeostasis. <i>Journal of Molecular Cell Biology</i> , 2016, 8, 110-119.	1.5	68
165	Sodium Intake Regulates Glucose Homeostasis through the PPAR $\gamma$ /Adiponectin-Mediated SGLT2 Pathway. <i>Cell Metabolism</i> , 2016, 23, 699-711.	7.2	76
166	Heterogeneity of white adipose tissue: molecular basis and clinical implications. <i>Experimental and Molecular Medicine</i> , 2016, 48, e215-e215.	3.2	150
167	Hyperglycemia Abrogates Ischemic Postconditioning Cardioprotection by Impairing AdipoR1/Caveolin-3/STAT3 Signaling in Diabetic Rats. <i>Diabetes</i> , 2016, 65, 942-955.	0.3	75
168	High level expression and purification of active recombinant human interleukin-15 in <i>Pichia pastoris</i> . <i>Journal of Immunological Methods</i> , 2016, 428, 50-57.	0.6	14
169	Dietary cholesterol induces hepatic inflammation and blunts mitochondrial function in the liver of high-fat-fed mice. <i>Journal of Nutritional Biochemistry</i> , 2016, 27, 96-103.	1.9	25
170	Adipokine Imbalance in the Pericardial Cavity of Cardiac and Vascular Disease Patients. <i>PLoS ONE</i> , 2016, 11, e0154693.	1.1	17
171	Detection of Independent Associations of Plasma Lipidomic Parameters with Insulin Sensitivity Indices Using Data Mining Methodology. <i>PLoS ONE</i> , 2016, 11, e0164173.	1.1	22
172	Deficiency of adipocyte fatty-acid-binding protein alleviates myocardial ischaemia/reperfusion injury and diabetes-induced cardiac dysfunction. <i>Clinical Science</i> , 2015, 129, 547-559.	1.8	42
173	Serum fibroblast growth factor 21 levels are related to subclinical atherosclerosis in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 72.	2.7	62
174	Serum Levels of Human MIC-1/GDF15 Vary in a Diurnal Pattern, Do Not Display a Profile Suggestive of a Satiety Factor and Are Related to BMI. <i>PLoS ONE</i> , 2015, 10, e0133362.	1.1	66
175	Adiponectin Reduces Hepatic Stellate Cell Migration by Promoting Tissue Inhibitor of Metalloproteinase-1 (TIMP-1) Secretion. <i>Journal of Biological Chemistry</i> , 2015, 290, 5533-5542.	1.6	50
176	Metabolomic profiling in liver of adiponectin-knockout mice uncovers lysophospholipid metabolism as an important target of adiponectin action. <i>Biochemical Journal</i> , 2015, 469, 71-82.	1.7	20
177	Expression and efficient purification of tag-cleaved active recombinant human insulin-like growth factor-II from <i>Escherichia coli</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2015, 20, 234-241.	1.4	1
178	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. <i>Nature Communications</i> , 2015, 6, 10206.	5.8	86
179	Calorie Restriction Prevents Metabolic Aging Caused by Abnormal SIRT1 Function in Adipose Tissues. <i>Diabetes</i> , 2015, 64, 1576-1590.	0.3	32
180	Modulatory effects of adiponectin on the polarization of tumor-associated macrophages. <i>International Journal of Cancer</i> , 2015, 137, 848-858.	2.3	17

#	ARTICLE	IF	CITATIONS
181	Adiponectin attenuates liver fibrosis by inducing nitric oxide production of hepatic stellate cells. <i>Journal of Molecular Medicine</i> , 2015, 93, 1327-1339.	1.7	41
182	Obesity-induced DNA hypermethylation of the adiponectin gene mediates insulin resistance. <i>Nature Communications</i> , 2015, 6, 7585.	5.8	168
183	Adiponectin Enhances Cold-Induced Browning of Subcutaneous Adipose Tissue via Promoting M2 Macrophage Proliferation. <i>Cell Metabolism</i> , 2015, 22, 279-290.	7.2	266
184	Potent Paracrine Effects of human induced Pluripotent Stem Cell-derived Mesenchymal Stem Cells Attenuate Doxorubicin-induced Cardiomyopathy. <i>Scientific Reports</i> , 2015, 5, 11235.	1.6	86
185	Fibroblast Growth Factor 21 Prevents Atherosclerosis by Suppression of Hepatic Sterol Regulatory Element-Binding Protein-2 and Induction of Adiponectin in Mice. <i>Circulation</i> , 2015, 131, 1861-1871.	1.6	217
186	Conversion of non-adipogenic fibroblasts into adipocytes by a defined hormone mixture. <i>Biochemical Journal</i> , 2015, 467, 487-494.	1.7	5
187	Fenofibrate insulates diacylglycerol in lipid droplet/ER and preserves insulin signaling transduction in the liver of high fat fed mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 1511-1519.	1.8	21
188	Emerging role of autophagy in mediating widespread actions of ADIPOQ/adiponectin. <i>Autophagy</i> , 2015, 11, 723-724.	4.3	26
189	Activation of prostaglandin E2-EP4 signaling reduces chemokine production in adipose tissue. <i>Journal of Lipid Research</i> , 2015, 56, 358-368.	2.0	26
190	Relationship of fibroblast growth factor 21 with baseline and new on-study microvascular disease in the Fenofibrate Intervention and Event Lowering in Diabetes study. <i>Diabetologia</i> , 2015, 58, 2035-2044.	2.9	25
191	Rap1 induces cytokine production in pro-inflammatory macrophages through NF $\kappa$ B signaling and is highly expressed in human atherosclerotic lesions. <i>Cell Cycle</i> , 2015, 14, 3580-3592.	1.3	66
192	Mice lacking prostaglandin E receptor subtype 4 manifest disrupted lipid metabolism attributable to impaired triglyceride clearance. <i>FASEB Journal</i> , 2015, 29, 4924-4936.	0.2	26
193	The relationship of fibroblast growth factor 21 with cardiovascular outcome events in the Fenofibrate Intervention and Event Lowering in Diabetes study. <i>Diabetologia</i> , 2015, 58, 464-473.	2.9	78
194	Thyroid hormone affects both endothelial and vascular smooth muscle cells in rat arteries. <i>European Journal of Pharmacology</i> , 2015, 747, 18-28.	1.7	33
195	Elevated pressure causes endothelial dysfunction in mouse carotid arteries by increasing local angiotensin signaling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H358-H363.	1.5	13
196	Adiponectin Stimulates Autophagy and Reduces Oxidative Stress to Enhance Insulin Sensitivity During High-Fat Diet Feeding in Mice. <i>Diabetes</i> , 2015, 64, 36-48.	0.3	180
197	Fat cell-secreted adiponectin mediates physical exercise-induced hippocampal neurogenesis: an alternative anti-depressive treatment?. <i>Neural Regeneration Research</i> , 2015, 10, 7.	1.6	18
198	Abstract 333: Protective Role of Gut Microbiota <i>Akkermansia muciphila</i> Against Development of Atherosclerosis in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, .	1.1	0

#	ARTICLE	IF	CITATIONS
199	Adiponectin promotes pancreatic cancer progression by inhibiting apoptosis via the activation of AMPK/Sirt1/PGC-1 $\beta$ signaling. <i>Oncotarget</i> , 2014, 5, 4732-4745.	0.8	73
200	Polymorphisms in FTO, TMEM18 and PCSK1 are associated with BMI in southern Chinese population. <i>Journal of Genetics</i> , 2014, 93, 509-512.	0.4	1
201	Elevated Circulating Pigment Epithelium-Derived Factor Predicts the Progression of Diabetic Nephropathy in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2169-E2177.	1.8	37
202	Deamidated Lipocalin $\beta$ Induces Endothelial Dysfunction and Hypertension in Dietary Obese Mice. <i>Journal of the American Heart Association</i> , 2014, 3, e000837.	1.6	54
203	Mechanism and clinical evidence of lipocalin $\beta$ and adipocyte fatty acid-binding protein linking obesity and atherosclerosis. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 447-456.	1.7	50
204	Fibroblast growth factor 21 protects against acetaminophen-induced hepatotoxicity by potentiating peroxisome proliferator-activated receptor coactivator protein-1 $\alpha$ -mediated antioxidant capacity in mice. <i>Hepatology</i> , 2014, 60, 977-989.	3.6	153
205	Detection of insulin granule exocytosis by an electrophysiology method with high temporal resolution reveals enlarged insulin granule pool in BIG3-knockout mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E611-E618.	1.8	11
206	Absence of Appl2 sensitizes endotoxin shock through activation of PI3K/Akt pathway. <i>Cell and Bioscience</i> , 2014, 4, 60.	2.1	11
207	Obesity and heterozygous endothelial overexpression of prepro-endothelin-1 modulate responsiveness of mouse main and segmental renal arteries to vasoconstrictor agents. <i>Life Sciences</i> , 2014, 118, 206-212.	2.0	12
208	Signaling mechanisms underlying the insulin-sensitizing effects of adiponectin. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014, 28, 3-13.	2.2	91
209	Hypoadiponectinemia As an Independent Predictor for the Progression of Carotid Atherosclerosis: A 5-Year Prospective Study. <i>Metabolic Syndrome and Related Disorders</i> , 2014, 12, 517-522.	0.5	24
210	Adiponectin Mediated APPL1-AMPK Signaling Induces Cell Migration, MMP Activation, and Collagen Remodeling in Cardiac Fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 785-793.	1.2	39
211	Physical exercise-induced hippocampal neurogenesis and antidepressant effects are mediated by the adipocyte hormone adiponectin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15810-15815.	3.3	238
212	Adiponectin gene variants and the risk of coronary heart disease: a 16-year longitudinal study. <i>European Journal of Endocrinology</i> , 2014, 171, 107-115.	1.9	26
213	Adropin Is a Brain Membrane-bound Protein Regulating Physical Activity via the NB-3/Notch Signaling Pathway in Mice. <i>Journal of Biological Chemistry</i> , 2014, 289, 25976-25986.	1.6	92
214	FGF21 Maintains Glucose Homeostasis by Mediating the Cross Talk Between Liver and Brain During Prolonged Fasting. <i>Diabetes</i> , 2014, 63, 4064-4075.	0.3	217
215	Adiponectin stimulates Rho-mediated actin cytoskeleton remodeling and glucose uptake via APPL1 in primary cardiomyocytes. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1363-1373.	1.5	32
216	Protective effects of histamine on Gq-mediated relaxation in regenerated endothelium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 306, H286-H290.	1.5	4

#	ARTICLE	IF	CITATIONS
217	NUCKS Is a Positive Transcriptional Regulator of Insulin Signaling. <i>Cell Reports</i> , 2014, 7, 1876-1886.	2.9	38
218	Increased Neutrophil Elastase and Proteinase 3 and Augmented NETosis Are Closely Associated With $\beta$ -Cell Autoimmunity in Patients With Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 4239-4248.	0.3	154
219	Elevated Circulating Lipocalin-2 Levels Independently Predict Incident Cardiovascular Events in Men in a Population-Based Cohort. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2457-2464.	1.1	50
220	Clinical relevance and therapeutic potential of angiotensin-like protein 4 in hepatocellular carcinoma. <i>Molecular Cancer</i> , 2014, 13, 196.	7.9	41
221	Uncoupling Protein-2 Mediates DPP-4 Inhibitor-Induced Restoration of Endothelial Function in Hypertension Through Reducing Oxidative Stress. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 1571-1581.	2.5	76
222	Notoginsenoside Ft1 activates both glucocorticoid and estrogen receptors to induce endothelium-dependent, nitric oxide-mediated relaxations in rat mesenteric arteries. <i>Biochemical Pharmacology</i> , 2014, 88, 66-74.	2.0	27
223	The Adaptor Protein APPL2 Inhibits Insulin-Stimulated Glucose Uptake by Interacting With TBC1D1 in Skeletal Muscle. <i>Diabetes</i> , 2014, 63, 3748-3758.	0.3	30
224	Adiponectin protects against acetaminophen-induced mitochondrial dysfunction and acute liver injury by promoting autophagy in mice. <i>Journal of Hepatology</i> , 2014, 61, 825-831.	1.8	103
225	BIG3 inhibits insulin granule biogenesis and insulin secretion. <i>EMBO Reports</i> , 2014, 15, 714-22.	2.0	21
226	The Roles of Lipocalin-2 in Small-for-Size Fatty Liver Graft Injury. <i>Annals of Surgery</i> , 2014, 260, 1062-1072.	2.1	15
227	<i>Lycium barbarum</i> polysaccharides therapeutically improve hepatic functions in non-alcoholic steatohepatitis rats and cellular steatosis model. <i>Scientific Reports</i> , 2014, 4, 5587.	1.6	96
228	Lower Fetuin-A, Retinol Binding Protein 4 and Several Metabolites after Gastric Bypass Compared to Sleeve Gastrectomy in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e96489.	1.1	41
229	Abstract 611: Blocking CD40-TRAF6 Signaling is a Novel Therapeutic Target in Obesity-Associated Insulin Resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, .	1.1	0
230	Interplay between adipose tissue and blood vessels in obesity and vascular dysfunction. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2013, 14, 49-58.	2.6	117
231	High level expression, efficient purification and bioactivity assay of recombinant human platelet-derived growth factor AA dimer (PDGF-AA) from methylotrophic yeast <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2013, 91, 221-227.	0.6	7
232	Obesity as the common soil of non-alcoholic fatty liver disease and diabetes: Role of adipokines. <i>Journal of Diabetes Investigation</i> , 2013, 4, 413-425.	1.1	65
233	High serum level of fibroblast growth factor 21 is an independent predictor of non-alcoholic fatty liver disease: A 3-year prospective study in China. <i>Journal of Hepatology</i> , 2013, 58, 557-563.	1.8	103
234	Pharmacological inhibition of adipocyte fatty acid binding protein alleviates both acute liver injury and non-alcoholic steatohepatitis in mice. <i>Journal of Hepatology</i> , 2013, 58, 358-364.	1.8	65

#	ARTICLE	IF	CITATIONS
235	N-Acetylcysteine and allopurinol up-regulated the Jak/STAT3 and PI3K/Akt pathways via adiponectin and attenuated myocardial postischemic injury in diabetes. <i>Free Radical Biology and Medicine</i> , 2013, 63, 291-303.	1.3	92
236	Adiponectin Mediates the Metabolic Effects of FGF21 on Glucose Homeostasis and Insulin Sensitivity in Mice. <i>Cell Metabolism</i> , 2013, 17, 779-789.	7.2	550
237	Fibroblast Growth Factor 21 as an emerging metabolic regulator: clinical perspectives. <i>Clinical Endocrinology</i> , 2013, 78, 489-496.	1.2	249
238	A-FABP and Oxidative Stress Underlie the Impairment of Endothelium-Dependent Relaxations to Serotonin and the Intima-Medial Thickening in the Porcine Coronary Artery with Regenerated Endothelium. <i>ACS Chemical Neuroscience</i> , 2013, 4, 122-129.	1.7	14
239	Calcitriol restores renovascular function in estrogen-deficient rats through downregulation of cyclooxygenase-2 and the thromboxane-prostanoid receptor. <i>Kidney International</i> , 2013, 84, 54-63.	2.6	30
240	Leptin Mediates the Pathogenesis of Severe 2009 Pandemic Influenza A(H1N1) Infection Associated With Cytokine Dysregulation in Mice With Diet-Induced Obesity. <i>Journal of Infectious Diseases</i> , 2013, 207, 1270-1280.	1.9	102
241	Toll-Like Receptor 4 Mutation Protects Obese Mice Against Endothelial Dysfunction by Decreasing NADPH Oxidase Isoforms 1 and 4. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 777-784.	1.1	96
242	PICK1 and ICA69 Control Insulin Granule Trafficking and Their Deficiencies Lead to Impaired Glucose Tolerance. <i>PLoS Biology</i> , 2013, 11, e1001541.	2.6	74
243	Delivery of adiponectin gene to skeletal muscle using ultrasound targeted microbubbles improves insulin sensitivity and whole body glucose homeostasis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E168-E175.	1.8	20
244	Elevated Circulating Adipocyte Fatty Acid Binding Protein Levels Predict Incident Cardiovascular Events in a Community-Based Cohort: A 12-Year Prospective Study. <i>Journal of the American Heart Association</i> , 2013, 2, e004176.	1.6	81
245	TRAF6-mediated ubiquitination of APPL1 enhances hepatic actions of insulin by promoting the membrane translocation of Akt. <i>Biochemical Journal</i> , 2013, 455, 207-216.	1.7	26
246	Adiponectin Corrects High-Fat Diet-Induced Disturbances in Muscle Metabolomic Profile and Whole-Body Glucose Homeostasis. <i>Diabetes</i> , 2013, 62, 743-752.	0.3	79
247	Circulating adipocyte fatty acid-binding protein levels are independently associated with heart failure. <i>Clinical Science</i> , 2013, 124, 115-122.	1.8	33
248	APPL1 transgenic mice are protected from high-fat diet-induced cardiac dysfunction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E795-E804.	1.8	33
249	Serum Fibroblast Growth Factor-21 Levels Are Associated With Carotid Atherosclerosis Independent of Established Cardiovascular Risk Factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2454-2459.	1.1	159
250	High Glucose Represses I $\beta$ 2-Klotho Expression and Impairs Fibroblast Growth Factor 21 Action in Mouse Pancreatic Islets. <i>Diabetes</i> , 2013, 62, 3751-3759.	0.3	88
251	Globular adiponectin induces LKB1/AMPK-dependent glucose uptake via actin cytoskeleton remodeling. <i>Journal of Molecular Endocrinology</i> , 2013, 51, 155-165.	1.1	28
252	Serum Fibroblast Growth Factor 19 Levels Are Decreased in Chinese Subjects With Impaired Fasting Glucose and Inversely Associated With Fasting Plasma Glucose Levels. <i>Diabetes Care</i> , 2013, 36, 2810-2814.	4.3	37

#	ARTICLE	IF	CITATIONS
253	Pro-Inflammatory Adipokines as Predictors of Incident Cancers in a Chinese Cohort of Low Obesity Prevalence in Hong Kong. <i>PLoS ONE</i> , 2013, 8, e78594.	1.1	14
254	Circulating Lipocalin-2 and Retinol-Binding Protein 4 Are Associated with Intima-Media Thickness and Subclinical Atherosclerosis in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e66607.	1.1	50
255	Resistin Production from Adipose Tissue Is Decreased in db/db Obese Mice, and Is Reversed by Rosiglitazone. <i>PLoS ONE</i> , 2013, 8, e65543.	1.1	17
256	Plasma Level of Adrenomedullin Is Influenced by a Single Nucleotide Polymorphism in the Adiponectin Gene. <i>PLoS ONE</i> , 2013, 8, e70335.	1.1	8
257	Metabolically Protective Cytokines Adiponectin and Fibroblast Growth Factor-21 Are Increased by Acute Overfeeding in Healthy Humans. <i>PLoS ONE</i> , 2013, 8, e78864.	1.1	32
258	Cholesterol-induced mammary tumorigenesis is enhanced by adiponectin deficiency: role of LDL receptor upregulation. <i>Oncotarget</i> , 2013, 4, 1804-1818.	0.8	42
259	Adiponectin Restores Diabetic Heart Sensitivity to Ischemic Postconditioning: Role of STAT3 Activation. <i>FASEB Journal</i> , 2013, 27, 1169.10.	0.2	0
260	Selective overexpression of human SIRT1 in adipose tissue enhances energy homeostasis and prevents the deterioration of insulin sensitivity with ageing in mice. <i>American Journal of Translational Research (discontinued)</i> , 2013, 5, 412-26.	0.0	29
261	APPL1 potentiates insulin secretion in pancreatic $\beta^2$ cells by enhancing protein kinase Akt-dependent expression of SNARE proteins in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8919-8924.	3.3	69
262	Lipocalin-2 Induces Cardiomyocyte Apoptosis by Increasing Intracellular Iron Accumulation. <i>Journal of Biological Chemistry</i> , 2012, 287, 4808-4817.	1.6	110
263	Sodium Butyrate Stimulates Expression of Fibroblast Growth Factor 21 in Liver by Inhibition of Histone Deacetylase 3. <i>Diabetes</i> , 2012, 61, 797-806.	0.3	152
264	Distinct Changes in Serum Fibroblast Growth Factor 21 Levels in Different Subtypes of Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E54-E58.	1.8	94
265	Long-Term Fenofibrate Therapy Increases Fibroblast Growth Factor 21 and Retinol-Binding Protein 4 in Subjects with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4701-4708.	1.8	72
266	Activation of Natural Killer T Cells Promotes M2 Macrophage Polarization in Adipose Tissue and Improves Systemic Glucose Tolerance via Interleukin-4 (IL-4)/STAT6 Protein Signaling Axis in Obesity. <i>Journal of Biological Chemistry</i> , 2012, 287, 13561-13571.	1.6	182
267	Cyclin-Dependent Kinase 5-Mediated Hyperphosphorylation of Sirtuin-1 Contributes to the Development of Endothelial Senescence and Atherosclerosis. <i>Circulation</i> , 2012, 126, 729-740.	1.6	89
268	From Skeleton to Cytoskeleton. <i>Circulation Research</i> , 2012, 111, e55-66.	2.0	28
269	Anti-inflammation Therapy by Activation of Prostaglandin EP4 Receptor in Cardiovascular and Other Inflammatory Diseases. <i>Journal of Cardiovascular Pharmacology</i> , 2012, 59, 116-123.	0.8	61
270	Dipeptidyl Peptidase 4 Inhibitor Sitagliptin Protects Endothelial Function in Hypertension Through a Glucagon-Like Peptide-Dependent Mechanism. <i>Hypertension</i> , 2012, 60, 833-841.	1.3	164



#	ARTICLE	IF	CITATIONS
271	Adipose tissue deletion of <i>Gpr116</i> impairs insulin sensitivity through modulation of adipose function. <i>FEBS Letters</i> , 2012, 586, 3618-3625.	1.3	38
272	Metabolic actions of FGF21: molecular mechanisms and therapeutic implications. <i>Acta Pharmaceutica Sinica B</i> , 2012, 2, 350-357.	5.7	25
273	Uncoupling Protein-2 Protects Endothelial Function in Diet-Induced Obese Mice. <i>Circulation Research</i> , 2012, 110, 1211-1216.	2.0	124
274	Lipopolysaccharide and Hypoxia-Induced HIF-1 Activation in Human Gingival Fibroblasts. <i>Journal of Periodontology</i> , 2012, 83, 816-824.	1.7	34
275	Toll-like receptor-4 mediates obesity-induced non-alcoholic steatohepatitis through activation of X-box binding protein-1 in mice. <i>Gut</i> , 2012, 61, 1058-1067.	6.1	169
276	Endothelium-Selective Activation of AMP-Activated Protein Kinase Prevents Diabetes Mellitus-Induced Impairment in Vascular Function and Reendothelialization via Induction of Heme Oxygenase-1 in Mice. <i>Circulation</i> , 2012, 126, 1267-1277.	1.6	72
277	MicroRNAs and Type 2 Diabetes/Obesity. <i>Journal of Genetics and Genomics</i> , 2012, 39, 11-18.	1.7	99
278	Upregulation of UCP2 by Adiponectin: The Involvement of Mitochondrial Superoxide and hnRNP K. <i>PLoS ONE</i> , 2012, 7, e32349.	1.1	31
279	Adiponectin Mediated MHC Class II Mismatched Cardiac Graft Rejection in Mice Is IL-4 Dependent. <i>PLoS ONE</i> , 2012, 7, e48893.	1.1	9
280	Adiponectin and adipocyte fatty acid binding protein in the pathogenesis of cardiovascular disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1231-H1240.	1.5	101
281	Adiponectin and cardiovascular health: an update. <i>British Journal of Pharmacology</i> , 2012, 165, 574-590.	2.7	219
282	Lipocalin-2 deficiency prevents endothelial dysfunction associated with dietary obesity: role of cytochrome P450 2C inhibition. <i>British Journal of Pharmacology</i> , 2012, 165, 520-531.	2.7	57
283	Plasma concentration of pigment epithelium-derived factor is closely associated with blood pressure and predicts incident hypertension in Chinese: a 10-year prospective study. <i>Clinical Endocrinology</i> , 2012, 76, 506-513.	1.2	8
284	Combined Use of Serum Adiponectin and Tumor Necrosis Factor-Alpha Receptor 2 Levels Was Comparable to 2-Hour Post-Load Glucose in Diabetes Prediction. <i>PLoS ONE</i> , 2012, 7, e36868.	1.1	28
285	Serum Retinol-Binding Protein 4 as a Marker for Cardiovascular Disease in Women. <i>PLoS ONE</i> , 2012, 7, e48612.	1.1	33
286	Lipocalin-2 mediates linoleic acid-induced endothelial dysfunction. <i>FASEB Journal</i> , 2012, 26, 840.9.	0.2	0
287	Improved functional recovery to I/R injury in hearts from lipocalin-2 deficiency mice: restoration of mitochondrial function and phospholipids remodeling. <i>American Journal of Translational Research (discontinued)</i> , 2012, 4, 60-71.	0.0	20
288	Akt blocks the tumor suppressor activity of LKB1 by promoting phosphorylation-dependent nuclear retention through 14-3-3 proteins. <i>American Journal of Translational Research (discontinued)</i> , 2012, 4, 175-86.	0.0	12

#	ARTICLE	IF	CITATIONS
289	Adiponectin Is Required for PPAR $\beta$ -Mediated Improvement of Endothelial Function in Diabetic Mice. <i>Cell Metabolism</i> , 2011, 14, 104-115.	7.2	106
290	Novel immunomodulatory effects of adiponectin on dendritic cell functions. <i>International Immunopharmacology</i> , 2011, 11, 604-609.	1.7	73
291	PPAR- $\beta$ signaling and IL-5 inhibition together prevent chronic rejection of MHC Class II mismatched cardiac grafts. <i>Journal of Heart and Lung Transplantation</i> , 2011, 30, 698-706.	0.3	13
292	High level expression, purification and characterization of active fusion human C1q and tumor necrosis factor related protein 2 (hCTRP2) in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2011, 79, 1-6.	0.6	12
293	High level expression of active recombinant human interleukin-3 in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2011, 80, 185-193.	0.6	15
294	Chronic administration of BMS309403 improves endothelial function in apolipoprotein E deficient mice and in cultured human endothelial cells. <i>British Journal of Pharmacology</i> , 2011, 162, 1564-1576.	2.7	80
295	Large-scale production, purification and bioactivity assay of recombinant human interleukin-6 in the methylotrophic yeast <i>Pichia pastoris</i> . <i>FEMS Yeast Research</i> , 2011, 11, 160-167.	1.1	18
296	The decrement in circulating endothelial progenitor cells (EPCs) in type 2 diabetes is independent of the severity of the hypo adiponectemia. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 185-194.	1.7	11
297	New aromatic substituted pyrazoles as selective inhibitors of human adipocyte fatty acid-binding protein. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2949-2952.	1.0	26
298	Impact of Combination Therapy with Amlodipine and Atorvastatin on Plasma Adiponectin Levels in Hypertensive Patients with Coronary Artery Disease: Combination Therapy and Adiponectin. <i>Postgraduate Medicine</i> , 2011, 123, 66-71.	0.9	16
299	Circadian Rhythm of Circulating Fibroblast Growth Factor 21 Is Related to Diurnal Changes in Fatty Acids in Humans. <i>Clinical Chemistry</i> , 2011, 57, 691-700.	1.5	147
300	Heterogeneity of Altered Cytokine Levels Across the Clinical Spectrum of Diabetes in China. <i>Diabetes Care</i> , 2011, 34, 1639-1641.	4.3	44
301	Globular Adiponectin, Acting via AdipoR1/APPL1, Protects H9c2 Cells from Hypoxia/Reoxygenation-Induced Apoptosis. <i>PLoS ONE</i> , 2011, 6, e19143.	1.1	68
302	Genetic variants associated with persistent central obesity and the metabolic syndrome in a 12-year longitudinal study. <i>European Journal of Endocrinology</i> , 2011, 164, 381-388.	1.9	32
303	APPL1 Counteracts Obesity-Induced Vascular Insulin Resistance and Endothelial Dysfunction by Modulating the Endothelial Production of Nitric Oxide and Endothelin-1 in Mice. <i>Diabetes</i> , 2011, 60, 3044-3054.	0.3	60
304	Carnitine palmitoyltransferase 1A prevents fatty acid-induced adipocyte dysfunction through suppression of c-Jun N-terminal kinase. <i>Biochemical Journal</i> , 2011, 435, 723-732.	1.7	56
305	Fibroblast Growth Factor 21 Induces Glucose Transporter-1 Expression through Activation of the Serum Response Factor/Ets-Like Protein-1 in Adipocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 34533-34541.	1.6	135
306	Selective Inactivation of c-Jun NH2-Terminal Kinase in Adipose Tissue Protects Against Diet-Induced Obesity and Improves Insulin Sensitivity in Both Liver and Skeletal Muscle in Mice. <i>Diabetes</i> , 2011, 60, 486-495.	0.3	100

#	ARTICLE	IF	CITATIONS
307	Growth Hormone Induces Hepatic Production of Fibroblast Growth Factor 21 through a Mechanism Dependent on Lipolysis in Adipocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 34559-34566.	1.6	124
308	Pivotal Role of Protein Kinase C $\delta$ in Angiotensin II-Induced Endothelial Cyclooxygenase-2 Expression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1169-1176.	1.1	41
309	High Plasma Level of Fibroblast Growth Factor 21 Is an Independent Predictor of Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 2113-2115.	4.3	156
310	N-Acetylcysteine and Allopurinol Synergistically Enhance Cardiac Adiponectin Content and Reduce Myocardial Reperfusion Injury in Diabetic Rats. <i>PLoS ONE</i> , 2011, 6, e23967.	1.1	49
311	The KCNJ11 E23K Polymorphism and Progression of Glycaemia in Southern Chinese: A Long-Term Prospective Study. <i>PLoS ONE</i> , 2011, 6, e28598.	1.1	9
312	The gold (III) porphyrin complex, gold-2a, suppresses WNT1 expression in breast cancer cells by enhancing the promoter association of YY1. <i>American Journal of Translational Research (discontinued)</i> , 2011, 3, 479-91.	0.0	2
313	KCNQ1 and type 2 diabetes: study in Hubei Han Chinese and meta-analysis in East Asian populations. <i>Genes and Genomics</i> , 2010, 32, 327-334.	0.5	3
314	The effective fraction isolated from <i>Radix Astragali</i> alleviates glucose intolerance, insulin resistance and hypertriglyceridemia in db/db diabetic mice through its anti-inflammatory activity. <i>Nutrition and Metabolism</i> , 2010, 7, 67.	1.3	91
315	Appl1 is essential for the survival of <i>Xenopus</i> pancreas, duodenum, and stomach progenitor cells. <i>Developmental Dynamics</i> , 2010, 239, 2198-2207.	0.8	15
316	Bone Morphogenic Protein-4 Impairs Endothelial Function Through Oxidative Stress-Dependent Cyclooxygenase-2 Upregulation. <i>Circulation Research</i> , 2010, 107, 984-991.	2.0	121
317	A Gold(III) Porphyrin Complex with Antitumor Properties Targets the Wnt/ $\beta$ -catenin Pathway. <i>Cancer Research</i> , 2010, 70, 329-337.	0.4	92
318	Lipocalin-2 Deficiency Attenuates Insulin Resistance Associated With Aging and Obesity. <i>Diabetes</i> , 2010, 59, 872-882.	0.3	252
319	Association of genetic variants in the adiponectin gene with adiponectin level and hypertension in Hong Kong Chinese. <i>European Journal of Endocrinology</i> , 2010, 163, 251-257.	1.9	75
320	Angiotensin II Type 1 Receptor-Dependent Oxidative Stress Mediates Endothelial Dysfunction in Type 2 Diabetic Mice. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 757-768.	2.5	54
321	Adipocyte Fatty Acid-binding Protein Modulates Inflammatory Responses in Macrophages through a Positive Feedback Loop Involving c-Jun NH2-terminal Kinases and Activator Protein-1. <i>Journal of Biological Chemistry</i> , 2010, 285, 10273-10280.	1.6	136
322	Adipose Tissue-specific Inhibition of Hypoxia-inducible Factor 1 $\alpha$ Induces Obesity and Glucose Intolerance by Impeding Energy Expenditure in Mice*. <i>Journal of Biological Chemistry</i> , 2010, 285, 32869-32877.	1.6	98
323	An APPL1-AMPK signaling axis mediates beneficial metabolic effects of adiponectin in the heart. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E721-E729.	1.8	91
324	Suppression of Liver Tumor Growth and Metastasis by Adiponectin in Nude Mice through Inhibition of Tumor Angiogenesis and Downregulation of Rho Kinase/IFN-Inducible Protein 10/Matrix Metalloproteinase 9 Signaling. <i>Clinical Cancer Research</i> , 2010, 16, 967-977.	3.2	125

#	ARTICLE	IF	CITATIONS
325	Plasma Level of Pigment Epithelium-Derived Factor Is Independently Associated with the Development of the Metabolic Syndrome in Chinese Men: A 10-Year Prospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5074-5081.	1.8	49
326	Sialic Acid Modification of Adiponectin Is Not Required for Multimerization or Secretion but Determines Half-Life in Circulation. <i>Molecular Endocrinology</i> , 2010, 24, 229-239.	3.7	43
327	Chronic Hepatitis C Is Associated With Peripheral Rather Than Hepatic Insulin Resistance. <i>Gastroenterology</i> , 2010, 138, 932-941.e3.	0.6	124
328	Obesity Susceptibility Genetic Variants Identified from Recent Genome-Wide Association Studies: Implications in a Chinese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1395-1403.	1.8	85
329	Fibroblast growth factor 21 levels are increased in nonalcoholic fatty liver disease patients and are correlated with hepatic triglyceride. <i>Journal of Hepatology</i> , 2010, 53, 934-940.	1.8	334
330	Rosiglitazone promotes fatty acyl CoA accumulation and excessive glycogen storage in livers of mice without adiponectin. <i>Journal of Hepatology</i> , 2010, 53, 1108-1116.	1.8	22
331	Vascular Actions of Adipokines. <i>Advances in Pharmacology</i> , 2010, 60, 229-255.	1.2	49
332	Adiponectin Prevents Diabetic Premature Senescence of Endothelial Progenitor Cells and Promotes Endothelial Repair by Suppressing the p38 MAP Kinase/p16INK4A Signaling Pathway. <i>Diabetes</i> , 2010, 59, 2949-2959.	0.3	106
333	Endothelium-dependent contractions induced by aging and diet-induced obesity are attenuated in lipocalin <sup>2</sup> deficient mice. <i>FASEB Journal</i> , 2010, 24, 570.3.	0.2	1
334	Toll-like receptor 4 deficiency attenuates insulin resistance and endothelial dysfunction associated with obesity and diabetes in mice. <i>FASEB Journal</i> , 2010, 24, 571.5.	0.2	0
335	Adiponectin Haploinsufficiency Promotes Mammary Tumor Development in MMTV-PyVT Mice by Modulation of Phosphatase and Tensin Homolog Activities. <i>PLoS ONE</i> , 2009, 4, e4968.	1.1	75
336	Berberine prevents hyperglycemia-induced endothelial injury and enhances vasodilatation via adenosine monophosphate-activated protein kinase and endothelial nitric oxide synthase. <i>Cardiovascular Research</i> , 2009, 82, 484-492.	1.8	140
337	Major Urinary Protein-1 Increases Energy Expenditure and Improves Glucose Intolerance through Enhancing Mitochondrial Function in Skeletal Muscle of Diabetic Mice. <i>Journal of Biological Chemistry</i> , 2009, 284, 14050-14057.	1.6	120
338	A Highly Conserved Motif within the NH <sub>2</sub> -terminal Coiled-coil Domain of Angiopoietin-like Protein 4 Confers Its Inhibitory Effects on Lipoprotein Lipase by Disrupting the Enzyme Dimerization. <i>Journal of Biological Chemistry</i> , 2009, 284, 11942-11952.	1.6	103
339	Serum Zinc-Î <sup>2</sup> -Glycoprotein Correlates with Adiposity, Triglycerides, and the Key Components of the Metabolic Syndrome in Chinese Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2531-2536.	1.8	74
340	Serum Fibroblast Growth Factor 21 Is Associated with Adverse Lipid Profiles and Î <sup>3</sup> -Glutamyltransferase But Not Insulin Sensitivity in Chinese Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2151-2156.	1.8	101
341	Functional significance of skeletal muscle adiponectin production, changes in animal models of obesity and diabetes, and regulation by rosiglitazone treatment. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E657-E664.	1.8	77
342	Selective Elevation of Adiponectin Production by the Natural Compounds Derived from a Medicinal Herb Alleviates Insulin Resistance and Glucose Intolerance in Obese Mice. <i>Endocrinology</i> , 2009, 150, 625-633.	1.4	86

#	ARTICLE	IF	CITATIONS
343	Circulating Levels of Adipocyte and Epidermal Fatty Acid-Binding Proteins in Relation to Nephropathy Staging and Macrovascular Complications in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 132-134.	4.3	72
344	Adipocyte fatty acid binding protein levels relate to inflammation and fibrosis in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009, 49, 1926-1934.	3.6	144
345	Identification and characterization of proteins interacting with SIRT1 and SIRT3: implications in the anti-aging and metabolic effects of sirtuins. <i>Proteomics</i> , 2009, 9, 2444-2456.	1.3	105
346	Expression, purification, crystallization and preliminary X-ray crystallographic analysis of the SH3 domain of human AHI1. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 361-363.	0.7	2
347	APPL1 Potentiates Insulin-Mediated Inhibition of Hepatic Glucose Production and Alleviates Diabetes via Akt Activation in Mice. <i>Cell Metabolism</i> , 2009, 9, 417-427.	7.2	118
348	Expression, purification, and functional characterization of recombinant human interleukin-7. <i>Protein Expression and Purification</i> , 2009, 63, 1-4.	0.6	15
349	High level expression and purification of active recombinant human interleukin-8 in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2009, 68, 60-64.	0.6	8
350	Adiponectin isoform distribution in women's relationship to female sex steroids and insulin sensitivity. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 239-245.	1.5	44
351	Protective roles of adiponectin in obesity-related fatty liver diseases: mechanisms and therapeutic implications. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2009, 53, 201-212.	1.3	72
352	Inhibitory Effects of A-769662, a Novel Activator of AMP-Activated Protein Kinase, on 3T3-L1 Adipogenesis. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 993-998.	0.6	49
353	C-Reactive Protein Is Associated With Obstructive Sleep Apnea Independent of Visceral Obesity. <i>Chest</i> , 2009, 135, 950-956.	0.4	117
354	Mitochondrial dysfunction contributes to the increased vulnerabilities of adiponectin knockout mice to liver injury. <i>Hepatology</i> , 2008, 48, 1087-1096.	3.6	75
355	Post-translational modifications of adiponectin: mechanisms and functional implications. <i>Biochemical Journal</i> , 2008, 409, 623-633.	1.7	346
356	Serum FGF21 Levels Are Increased in Obesity and Are Independently Associated With the Metabolic Syndrome in Humans. <i>Diabetes</i> , 2008, 57, 1246-1253.	0.3	769
357	Adipose tissue and the metabolic syndrome: focusing on adiponectin and several novel adipokines. <i>Biomarkers in Medicine</i> , 2008, 2, 239-252.	0.6	17
358	Moderate Wine Consumption in the Prevention of Metabolic Syndrome and its Related Medical Complications. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2008, 8, 89-98.	0.6	43
359	Epidermal fatty-acid-binding protein: a new circulating biomarker associated with cardio-metabolic risk factors and carotid atherosclerosis. <i>European Heart Journal</i> , 2008, 29, 2156-2163.	1.0	38
360	A disulfide-bond A oxidoreductase-like protein (DsbA-L) regulates adiponectin multimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18302-18307.	3.3	188

#	ARTICLE	IF	CITATIONS
361	Inflammatory biomarkers associated with obesity and insulin resistance: a focus on lipocalin-2 and adipocyte fatty acid-binding protein. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 29-41.	1.2	23
362	Adiponectin is expressed by skeletal muscle fibers and influences muscle phenotype and function. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C203-C212.	2.1	143
363	Suppression of the Raf/MEK/ERK Signaling Cascade and Inhibition of Angiogenesis by the Carboxyl Terminus of Angiopoietin-Like Protein 4. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 835-840.	1.1	102
364	Adiponectin stimulates Wnt inhibitory factor-1 expression through epigenetic regulations involving the transcription factor specificity protein 1. <i>Carcinogenesis</i> , 2008, 29, 2195-2202.	1.3	53
365	Regulation of Glucose Transporter 4 Translocation by the Rab Guanosine Triphosphatase-Activating Protein AS160/TBC1D4: Role of Phosphorylation and Membrane Association. <i>Molecular Endocrinology</i> , 2008, 22, 2703-2715.	3.7	56
366	Effects of an AMP-Activated Protein Kinase Inhibitor, Compound C, on Adipogenic Differentiation of 3T3-L1 Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1716-1722.	0.6	57
367	Vascular effects of adiponectin: molecular mechanisms and potential therapeutic intervention. <i>Clinical Science</i> , 2008, 114, 361-374.	1.8	245
368	Hypoadiponectinemia is Related to Sympathetic Activation and Severity of Obstructive Sleep Apnea. <i>Sleep</i> , 2008, 31, 1721-1727.	0.6	62
369	Serum Adipocyte Fatty Acid Binding Protein as a New Biomarker Predicting the Development of Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 2667-2672.	4.3	251
370	Overexpression of Angiopoietin-Like Protein 4 Alters Mitochondria Activities and Modulates Methionine Metabolic Cycle in the Liver Tissues of db/db Diabetic Mice. <i>Molecular Endocrinology</i> , 2007, 21, 972-986.	3.7	43
371	Adiponectin-Induced Endothelial Nitric Oxide Synthase Activation and Nitric Oxide Production Are Mediated by APPL1 in Endothelial Cells. <i>Diabetes</i> , 2007, 56, 1387-1394.	0.3	290
372	Hypoadiponectinemia as a Predictor for the Development of Hypertension. <i>Hypertension</i> , 2007, 49, 1455-1461.	1.3	238
373	Globular and full-length forms of adiponectin mediate specific changes in glucose and fatty acid uptake and metabolism in cardiomyocytes. <i>Cardiovascular Research</i> , 2007, 75, 148-157.	1.8	94
374	Coculture with Primary Visceral Rat Adipocytes from Control But Not Streptozotocin-Induced Diabetic Animals Increases Glucose Uptake in Rat Skeletal Muscle Cells: Role of Adiponectin. <i>Endocrinology</i> , 2007, 148, 4411-4419.	1.4	23
375	Circulating Adipocyte Fatty Acid Binding Protein Levels Predict the Development of the Metabolic Syndrome. <i>Circulation</i> , 2007, 115, 1537-1543.	1.6	317
376	Cloning and expression of PDK4, FOXO1A and DYRK1A from the hibernating greater horseshoe bat ( <i>Rhinolophus ferrumequinum</i> ). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2007, 146, 166-171.	0.7	7
377	Serum adiponectin is increased in advancing liver fibrosis and declines with reduction in fibrosis in chronic hepatitis B. <i>Journal of Hepatology</i> , 2007, 47, 191-202.	1.8	52
378	Adiponectin Deficiency Protects Mice From Chemically Induced Colonic Inflammation. <i>Gastroenterology</i> , 2007, 132, 601-614.	0.6	125

#	ARTICLE	IF	CITATIONS
379	Lipocalin-2 Is an Inflammatory Marker Closely Associated with Obesity, Insulin Resistance, and Hyperglycemia in Humans. <i>Clinical Chemistry</i> , 2007, 53, 34-41.	1.5	474
380	Reversal of diabetes-evoked changes in mitochondrial protein expression of cardiac left ventricle by treatment with a copper(II)-selective chelator. <i>Proteomics - Clinical Applications</i> , 2007, 1, 387-399.	0.8	23
381	Adiponectin as a negative regulator in obesity-related mammary carcinogenesis. <i>Cell Research</i> , 2007, 17, 280-282.	5.7	50
382	Resistin gene polymorphisms and progression of glycaemia in southern Chinese: a 5-year prospective study. <i>Clinical Endocrinology</i> , 2007, 66, 211-217.	1.2	42
383	Adiponectin. , 2007, , 47-59.		3
384	Post-translational Modifications of the Four Conserved Lysine Residues within the Collagenous Domain of Adiponectin Are Required for the Formation of Its High Molecular Weight Oligomeric Complex. <i>Journal of Biological Chemistry</i> , 2006, 281, 16391-16400.	1.6	222
385	Adiponectin attenuates allergen-induced airway inflammation and hyperresponsiveness in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 389-395.	1.5	283
386	Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 549-556.	1.0	203
387	Proteomic characterization of human serum proteins associated with the fat-derived hormone adiponectin. <i>Proteomics</i> , 2006, 6, 3862-3870.	1.3	52
388	Identification and functional characterization of three novel human melanocortin-4 receptor gene variants in an obese Chinese population. <i>Clinical Endocrinology</i> , 2006, 65, 198-205.	1.2	34
389	Adiponectin as a therapeutic target for obesity-related metabolic and cardiovascular disorders. <i>Drug Development Research</i> , 2006, 67, 677-686.	1.4	13
390	Adiponectin Modulates the Glycogen Synthase Kinase-3 $\beta$ -Catenin Signaling Pathway and Attenuates Mammary Tumorigenesis of MDA-MB-231 Cells in Nude Mice. <i>Cancer Research</i> , 2006, 66, 11462-11470.	0.4	262
391	Adipocyte Fatty Acid-Binding Protein Is a Plasma Biomarker Closely Associated with Obesity and Metabolic Syndrome. <i>Clinical Chemistry</i> , 2006, 52, 405-413.	1.5	517
392	Posttranslational modifications within the collagenous domain of adiponectin are required for the formation of its high-molecular-weight oligomeric complex. <i>FASEB Journal</i> , 2006, 20, A960.	0.2	0
393	Adiponectin: Protection of the endothelium. <i>Current Diabetes Reports</i> , 2005, 5, 254-259.	1.7	85
394	Adiponectin Inhibits Cell Proliferation by Interacting with Several Growth Factors in an Oligomerization-dependent Manner. <i>Journal of Biological Chemistry</i> , 2005, 280, 18341-18347.	1.6	342
395	Angiopoietin-like protein 4 decreases blood glucose and improves glucose tolerance but induces hyperlipidemia and hepatic steatosis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6086-6091.	3.3	290
396	Testosterone Selectively Reduces the High Molecular Weight Form of Adiponectin by Inhibiting Its Secretion from Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 18073-18080.	1.6	357

#	ARTICLE	IF	CITATIONS
397	The Roles of Leptin and Adiponectin. American Journal of Pathology, 2005, 166, 1655-1669.	1.9	221
398	Serum Adiponectin Is Reduced in Acromegaly and Normalized after Correction of Growth Hormone Excess. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5448-5453.	1.8	51
399	Adiponectin Ameliorates Dyslipidemia Induced by the Human Immunodeficiency Virus Protease Inhibitor Ritonavir in Mice. Endocrinology, 2004, 145, 487-494.	1.4	107
400	Proteomic analysis of adipocyte differentiation: Evidence that $\alpha_2$ macroglobulin is involved in the adipose conversion of 3T3 L1 preadipocytes. Proteomics, 2004, 4, 1840-1848.	1.3	32
401	Proteomic and functional characterization of endogenous adiponectin purified from fetal bovine serum. Proteomics, 2004, 4, 3933-3942.	1.3	69
402	Chronic treatment with growth hormone stimulates adiponectin gene expression in 3T3-L1 adipocytes. FEBS Letters, 2004, 572, 129-134.	1.3	30
403	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. Journal of Clinical Investigation, 2003, 112, 91-100.	3.9	975
404	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. Journal of Clinical Investigation, 2003, 112, 91-100.	3.9	560
405	Hydroxylation and Glycosylation of the Four Conserved Lysine Residues in the Collagenous Domain of Adiponectin. Journal of Biological Chemistry, 2002, 277, 19521-19529.	1.6	298
406	Identification of novel putative membrane proteins selectively expressed during adipose conversion of 3T3-L1 cells. Biochemical and Biophysical Research Communications, 2002, 293, 1161-1167.	1.0	48
407	Phosphorylation of Nuclear Phospholipase C $\beta_1$ by Extracellular Signal-Regulated Kinase Mediates the Mitogenic Action of Insulin-Like Growth Factor I. Molecular and Cellular Biology, 2001, 21, 2981-2990.	1.1	107
408	Protein Kinase C $\delta$ -mediated Negative Feedback Regulation Is Responsible for the Termination of Insulin-like Growth Factor I-induced Activation of Nuclear Phospholipase C $\beta_1$ in Swiss 3T3 Cells. Journal of Biological Chemistry, 2001, 276, 14980-14986.	1.6	49
409	Amylin evokes phosphorylation of P20 in rat skeletal muscle. FEBS Letters, 1999, 457, 149-152.	1.3	4
410	Insulin and insulin antagonists evoke phosphorylation of P20 at serine 157 and serine 16 respectively in rat skeletal muscle. FEBS Letters, 1999, 462, 25-30.	1.3	25
411	Expression of translationally controlled tumour protein is regulated by calcium at both the transcriptional and post-transcriptional level. Biochemical Journal, 1999, 342, 683-689.	1.7	89
412	Phosphorylation of P20 is associated with the actions of insulin in rat skeletal and smooth muscle. Biochemical Journal, 1999, 344, 971-976.	1.7	15
413	Phosphorylation of P20 is associated with the actions of insulin in rat skeletal and smooth muscle. Biochemical Journal, 1999, 344, 971.	1.7	8
414	Expression of translationally controlled tumour protein is regulated by calcium at both the transcriptional and post-transcriptional level. Biochemical Journal, 1999, 342, 683.	1.7	45



#	ARTICLE	IF	CITATIONS
415	BiP (GRP78) and Endoplasmic (GRP94) Are Induced following Rotavirus Infection and Bind Transiently to an Endoplasmic Reticulum-Localized Virion Component. Journal of Virology, 1998, 72, 9865-9872.	1.5	79