

Tongling Liang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2715525/tongling-liang-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

2,131
citations

28
h-index

41
g-index

108
ext. papers

2,503
ext. citations

4.1
avg, IF

5.24
L-index

#	Paper	IF	Citations
102	Synthesis, characterization and catalytic behavior toward ethylene of 2-[1-(4,6-dimethyl-2-benzhydrylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylmetal (iron or cobalt) chlorides. <i>Dalton Transactions</i> , 2013 , 42, 9188-97	4.3	84
101	Enhancing the Activity and Thermal Stability of Nickel Complex Precatalysts Using 1-[2,6-Bis(bis(4-fluorophenyl)methyl)-4-methyl phenylimino]-2-aryliminoacenaphthylene Derivatives. <i>Organometallics</i> , 2015 , 34, 582-590	3.8	83
100	2-[1-(2,4-Dibenzhydryl-6-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylcobalt(II) dichlorides: Synthesis, characterization and ethylene polymerization behavior. <i>Polymer Chemistry</i> , 2012 , 3, 787	4.9	73
99	Nickel(II) Complexes Chelated by 2-Arylimino-6-benzoxazolylpyridine: Syntheses, Characterization, and Ethylene Oligomerization. <i>Organometallics</i> , 2008 , 27, 5641-5648	3.8	73
98	2-(1-Aryliminoethyl)-9-arylimino-5,6,7,8-tetrahydrocycloheptapyridyl iron(II) dichloride: synthesis, characterization, and the highly active and tunable active species in ethylene polymerization. <i>Dalton Transactions</i> , 2014 , 43, 16818-29	4.3	72
97	Methylene-bridged bimetallic μ -diimino nickel(II) complexes: synthesis and high efficiency in ethylene polymerization. <i>Dalton Transactions</i> , 2013 , 42, 9176-87	4.3	68
96	Controlling the molecular weights of polyethylene waxes using the highly active precatalysts of 2-(1-aryliminoethyl)-9-arylimino-5,6,7,8-tetrahydrocycloheptapyridylcobalt chlorides: synthesis, characterization, and catalytic behavior. <i>Dalton Transactions</i> , 2016 , 45, 657-66	4.3	63
95	2-[1-(2,6-dibenzhydryl-4-chlorophenylimino)ethyl]-6-[1-aryliminoethyl]pyridyl cobalt dichlorides: Synthesis, characterization and ethylene polymerization behavior. <i>Journal of Organometallic Chemistry</i> , 2012 , 713, 209-216	2.3	62
94	Ultra-high molecular weight elastomeric polyethylene using an electronically and sterically enhanced nickel catalyst. <i>Polymer Chemistry</i> , 2017 , 8, 6416-6430	4.9	60
93	Ring-tension adjusted ethylene polymerization by aryliminocycloheptapyridyl nickel complexes. <i>Dalton Transactions</i> , 2015 , 44, 14281-92	4.3	54
92	Syntheses, structures, and fluorescent properties of 2-(1H-imidazol-2-yl)phenols and their neutral Zn(II) complexes. <i>Inorganic Chemistry</i> , 2009 , 48, 9133-46	5.1	51
91	Tuning the Solid State Emission of the Carbazole and Cyano-Substituted Tetraphenylethylene by Co-Crystallization with Solvents. <i>Small</i> , 2016 , 12, 6554-6561	11	49
90	Chiral Reticular Self-Assembly of Achiral AIEgen into Optically Pure Metal-Organic Frameworks (MOFs) with Dual Mechano-Switchable Circularly Polarized Luminescence. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 12811-12816	16.4	48
89	Concurrently Improving the Thermal Stability and Activity of Ferrous Precatalysts for the Production of Saturated/Unsaturated Polyethylene. <i>Organometallics</i> , 2018 , 37, 957-970	3.8	46
88	μ -Bis(arylimino)-2,3:5,6-bis(pentamethylene)pyridylcobalt Chlorides: Synthesis, Characterization, and Ethylene Polymerization Behavior. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 1748-1755	2.3	45
87	Strictly linear polyethylene using Co-catalysts chelated by fused bis(arylimino)pyridines: Probing ortho-cycloalkyl ring-size effects on molecular weight. <i>Polymer</i> , 2018 , 149, 45-54	3.9	42
86	Synthesis, characterization and ethylene oligomerization behaviour of 8-(1-aryliminoethylidene)quinaldinylnickel dihalides. <i>Catalysis Science and Technology</i> , 2011 , 1, 69	5.5	40

85	Thermo-stable 2-(arylimino)benzylidene-9-arylimino-5,6,7,8-tetrahydro cyclohepta[b]pyridyliron(II) precatalysts toward ethylene polymerization and highly linear polyethylenes. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 830-842	2.5	38
84	2-Substituted 8-(2-benzhydrylarylimino)-5,6,7-trihydroquinoline-N,N? nickel dichlorides: Synthesis, characterization and catalytic behavior towards ethylene. <i>Journal of Organometallic Chemistry</i> , 2012 , 708-709, 98-105	2.3	37
83	Biphenyl-Bridged 6-(1-Aryliminoethyl)-2-iminopyridylcobalt Complexes: Synthesis, Characterization, and Ethylene Polymerization Behavior. <i>Organometallics</i> , 2014 , 33, 1382-1388	3.8	36
82	Bis(imino)pyridines fused with 6- and 7-membered carbocyclic rings as N,N,N-scaffolds for cobalt ethylene polymerization catalysts. <i>Dalton Transactions</i> , 2019 , 48, 2582-2591	4.3	35
81	8-(2-Cycloalkylphenylimino)-5,6,7-trihydro-quinolynickel halides: polymerizing ethylene to highly branched and lower molecular weight polyethylenes. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 223-227	6.8	34
80	Ultrasensitive reversible chromophore reaction of BODIPY functions as high ratio double turn on probe. <i>Nature Communications</i> , 2018 , 9, 362	17.4	34
79	Targeting polyethylene waxes: 9-(2-cycloalkylphenylimino)-5,6,7,8-tetrahydrocycloheptapyridylnickel halides and their use as catalysts for ethylene polymerization. <i>RSC Advances</i> , 2015 , 5, 77913-77921	3.7	32
78	Synthesis, characterization and ethylene polymerization behaviour of binuclear nickel halides bearing 4,5,9,10-tetra(arylimino)pyrenylidenes. <i>Dalton Transactions</i> , 2014 , 43, 7830-7	4.3	32
77	Highly linear polyethylenes tailored with 2,6-bis[1-(p-dibenzo-cycloheptylarylimino)ethyl]pyridylcobalt dichlorides. <i>Dalton Transactions</i> , 2019 , 48, 5604-5613	4.3	29
76	Enhancing thermostability of iron ethylene polymerization catalysts through N,N,N-chelation of doubly fused bis(arylimino)-2,3:5,6-bis(hexamethylene)pyridines. <i>Catalysis Science and Technology</i> , 2019 , 9, 1933-1943	5.5	28
75	Probing the effect of ortho-cycloalkyl ring size on activity and thermostability in cycloheptyl-fused N,N,N-iron ethylene polymerization catalysts. <i>Dalton Transactions</i> , 2020 , 49, 136-146	4.3	28
74	Narrow dispersed linear polyethylene using cobalt catalysts bearing cycloheptyl-fused bis(imino)pyridines; probing the effects of ortho-benzhydryl substitution. <i>European Polymer Journal</i> , 2019 , 110, 240-251	5.2	28
73	Charge transfer co-crystals based on donor-acceptor interactions for near-infrared photothermal conversion. <i>Chemical Communications</i> , 2020 , 56, 5223-5226	5.8	27
72	Selectivity Effects on N,N,N?-Cobalt Catalyzed Ethylene Dimerization/Trimerization Dictated through Choice of Aluminoxane Cocatalyst. <i>Organometallics</i> , 2019 , 38, 1143-1150	3.8	27
71	Probing the Characteristics of Mono- or Bimetallic (Iron or Cobalt) Complexes Bearing 2,4-Bis(6-iminopyridin-2-yl)-3H-benzazepines: Synthesis, Characterization, and Ethylene Reactivity. <i>Organometallics</i> , 2013 , 32, 2309-2318	3.8	26
70	2,6-Dibenzhydryl-N-(2-aryliminoacenaphthylenylidene)-4-chlorobenzenamino-palladium dichlorides: Synthesis, characterization, and use as catalysts in the Heck-reaction. <i>Journal of Organometallic Chemistry</i> , 2012 , 713, 151-156	2.3	26
69	Branched polyethylenes attainable using thermally enhanced bis(imino)acenaphthene-nickel catalysts: Exploring the effects of temperature and pressure. <i>Applied Catalysis A: General</i> , 2019 , 573, 73-86	5.1	24
68	ortho-Cycloalkyl substituted N,NRdiaryliminoacenaphthene-Ni(ii) catalysts for polyethylene elastomers; exploring ring size and temperature effects. <i>Dalton Transactions</i> , 2017 , 46, 15684-15697	4.3	23

67	Bipyridyl-Containing Cadmium-Organic Frameworks for Efficient Photocatalytic Oxidation of Benzylamine. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30953-30958	9.5	23
66	Bis-cycloheptyl-fused bis(imino)pyridine-cobalt catalysts for PE wax formation: positive effects of fluoride substitution on catalytic performance and thermal stability. <i>Dalton Transactions</i> , 2020 , 49, 9425-9437	4.3	22
65	Synthesis, characterization, and ethylene (Co)polymerization behavior of trichlorotitanium 2-(1-(arylimino)propyl)quinolin-8-olates. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 1887-1894	2.5	22
64	Sodium iminoquinolates with cubic and hexagonal prismatic motifs: synthesis, characterization and their catalytic behavior toward the ROP of rac-lactide. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 1178-1189	6.8	21
63	Steric and electronic modulation of iron catalysts as a route to remarkably high molecular weight linear polyethylenes. <i>Dalton Transactions</i> , 2019 , 48, 17488-17498	4.3	21
62	Cycloheptyl-fused NNO-ligands as electronically modifiable supports for M(II) (M = Co, Fe) chloride precatalysts; probing performance in ethylene oligo-/polymerization. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 3980-3989	2.5	21
61	4,4RDiFluorobenzhydryl-modified bis(imino)-pyridyliron(ii) chlorides as thermally stable precatalysts for strictly linear polyethylenes with narrow dispersities. <i>Dalton Transactions</i> , 2020 , 49, 7384-7396 ²⁰	4.3	20
60	Co-catalyst effects on the thermal stability/activity of N,N,N-Co ethylene polymerization Catalysts Bearing Fluoro-Substituted N-2,6-dibenzhydrylphenyl groups. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5134	3.1	20
59	Methylene-bridged bimetallic bis(imino)pyridine-cobaltous chlorides as precatalysts for vinyl-terminated polyethylene waxes. <i>Dalton Transactions</i> , 2018 , 47, 6124-6133	4.3	19
58	Tailoring polymers through interplay of ligands within precatalysts: 8-(Nitro/benzhydryl-arylimino)-7,7-dimethyl-5,6-dihydroquinolynickel halides in ethylene polymerization. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 2071-2083	2.5	18
57	Bisimino-functionalized dibenzo[a,c]acridines as highly conjugated pincer frameworks for palladium(II): synthesis, characterization and catalytic performance in Heck coupling. <i>Organic Chemistry Frontiers</i> , 2016 , 3, 1668-1679	5.2	18
56	High molecular weight polyethylenes of narrow dispersity promoted using bis(arylimino)cyclohepta[b]pyridine-cobalt catalysts ortho-substituted with benzhydryl & cycloalkyl groups. <i>Dalton Transactions</i> , 2020 , 49, 4774-4784	4.3	17
55	Rigid geometry 8-arylimino-7,7-dimethyl-5,6-dihydroquinolyl nickel bromides: single-site active species towards ethylene polymerization. <i>New Journal of Chemistry</i> , 2016 , 40, 9329-9336	3.6	17
54	1,5-Naphthyl-linked bis(imino)pyridines as binucleating scaffolds for dicobalt ethylene oligo-/polymerization catalysts: exploring temperature and steric effects. <i>Dalton Transactions</i> , 2019 , 48, 8264-8278	4.3	16
53	Highly thermo-stable and electronically controlled palladium precatalysts for vinyl homo/co-polymerization of norbornene-ethylene. <i>European Polymer Journal</i> , 2018 , 103, 342-350	5.2	16
52	Synthesis, characterization and ethylene polymerization of 1-(2,6-dimethyl-4-fluorenylphenylimino)-2-aryliminoacenaphthylnickel bromides. <i>Comptes Rendus Chimie</i> , 2016 , 19, 604-613	2.7	15
51	Highly branched and high-molecular-weight polyethylenes produced by 1-[2,6-bis(bis(4-fluorophenyl)methyl)-4-MeOC ₆ H ₂ N]-2-aryliminoacenaphthylnickel(II) halides. <i>Journal of Polymer Science Part A</i> , 2019 , 57, 130-145	2.5	15
50	Attaining highly branched polyethylene elastomers by employing modified diiminonickel(II) catalysts: Probing the effects of enhancing fluorine atom on the ligand framework towards mechanical properties of polyethylene. <i>Polymer</i> , 2020 , 187, 122089	3.9	13

49	Highly cis-1,4 selective polymerization of isoprene promoted by diimine cobalt(II) chlorides. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 3609-3615	2.5	13
48	2-(7-methyl-1H-benzimidazol-2-yl)-6-(1-aryliminoethyl)pyridinylnickel complexes: Synthesis, characterization and their ethylene oligomerization. <i>Comptes Rendus Chimie</i> , 2010 , 13, 1450-1459	2.7	12
47	Fluorinated cobalt catalysts and their use in forming narrowly dispersed polyethylene waxes of high linearity and incorporating vinyl functionality. <i>Catalysis Science and Technology</i> , 2021 , 11, 656-670	5.5	12
46	Alkylaluminum activator effects on polyethylene branching using a N,N'-nickel precatalyst appended with bulky 4,4'-dimethoxybenzhydryl groups. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e4785	3.1	11
45	Judiciously balancing steric and electronic influences on 2,3-diiminobutane-based Pd(II) complexes in nourishing polyethylene properties. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 3214-3222	2.5	11
44	Adjusting Ortho-Cycloalkyl Ring Size in a Cycloheptyl-Fused N,N,N'-Iron Catalyst as Means to Control Catalytic Activity and Polyethylene Properties. <i>Catalysts</i> , 2020 , 10, 1002	4	11
43	Thermo-enhanced ring-opening polymerization of ϵ -caprolactone: the synthesis, characterization, and catalytic behavior of aluminum hydroquinolin-8-olates. <i>Dalton Transactions</i> , 2017 , 46, 7833-7843	4.3	10
42	Construction of two-dimensional supramolecular nanostructure with aggregation-induced emission effect via host-guest interactions. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1532-1537	7.8	10
41	Enhancing catalytic activity towards Heck-reaction by using 4,5,9,10-tetra(arylimino)pyrenylidenyldipalladium tetrachlorides. <i>RSC Advances</i> , 2015 , 5, 14228-14234	3.7	9
40	Exploring ortho-(4,4'-dimethoxybenzhydryl) substitution in iron ethylene polymerization catalysts: Co-catalyst effects, thermal stability, and polymer molecular weight variations. <i>Applied Organometallic Chemistry</i> , 2021 , 35, e6259	3.1	9
39	(Co-)polymerization of methylacrylate with NBE/1-hexene by (8-arylimino-5,6,7-trihydroquinolyl)(methyl)palladium chlorides: an approaching mechanism and the polymeric microstructures. <i>New Journal of Chemistry</i> , 2017 , 41, 3653-3660	3.6	8
38	Vinyl homo/copolymerization of norbornene and ethylene using sterically enhanced 1,2-bis(arylimino)acenaphthene-palladium precatalysts. <i>Journal of Polymer Science Part A</i> , 2018 , 56, 922-930	3.5	8
37	Bimetallic Aluminum 5,6-Dihydro-7,7-dimethyl quinolin-8-olates as Pro-Initiators for the ROP of ECL; Probing the Nuclearity of the Active Initiator. <i>Polymers</i> , 2018 , 10,	4.5	8
36	Thermally resilient cobalt ethylene polymerization catalysts under the joint influence of co-catalyst, gem-dimethyl substitution and ortho-cycloalkyl ring size. <i>Polymer</i> , 2021 , 222, 123684	3.9	8
35	Post-functionalization of narrowly dispersed PE waxes generated using tuned N,N,N'-cobalt ethylene polymerization catalysts substituted with ortho-cycloalkyl groups. <i>Polymer</i> , 2021 , 213, 123294	3.9	8
34	Chiral Reticular Self-Assembly of Achiral AIEgen into Optically Pure Metal-Organic Frameworks (MOFs) with Dual Mechano-Switchable Circularly Polarized Luminescence. <i>Angewandte Chemie</i> , 2020 , 132, 12911-12916	3.6	7
33	Magnesium and aluminum complexes bearing bis(5,6,7-trihydro quinolyl)-fused benzodiazepines for ϵ -caprolactone polymerization. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 1317-1325	6.8	7
32	Fusing Carbocycles of Inequivalent Ring Size to a Bis(imino)pyridine-Iron Ethylene Polymerization Catalyst: Distinctive Effects on Activity, PE Molecular Weight, and Dispersity. <i>Research</i> , 2019 , 2019, 9426083	7.8	7

31	Enhancing Performance of a Bis(arylimino)pyridine-Iron Precatalyst for Ethylene Polymerization by Substitution with a 2,4-Bis(4,4'-dimethoxybenzhydryl)-6-methylphenyl Group. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 1571-1580	2.3	7
30	Geometry Constrained N-(5,6,7-Trihydroquinolin-8-ylidene)arylamino-palladium Dichloride Complexes: Catalytic Behavior toward Methyl Acrylate (MA), Methyl Acrylate-co-Norbornene (MA-co-NB) Polymerization and Heck Coupling. <i>Molecules</i> , 2016 , 21,	4.8	7
29	Self-complementary hydrogen-bonded duplexes and helices based on bis(pyrrolyl)carbohydrazide derivatives. <i>CrystEngComm</i> , 2011 , 13, 6021	3.3	6
28	The chloro-substituent enhances performance of 2,4-bis(imino)pyridylchromium catalysts yielding highly linear polyethylene. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5471	3.1	5
27	Achieving polydispersive HDPE by π -Co precatalysts appended with -2,4-bis(di(4-methoxyphenyl)methyl)-6-methylphenyl.. <i>RSC Advances</i> , 2020 , 10, 43400-43411	3.7	5
26	Doubly fused N,N,N-iron ethylene polymerization catalysts appended with fluoride substituents; probing catalytic performance via a combined experimental and MLR study. <i>Catalysis Science and Technology</i> , 2021 , 11, 4605-4618	5.5	5
25	Enhancing Ethylene Polymerization of π -Cobalt(II) Precatalysts Adorned with a Fluoro-substituent. <i>ACS Omega</i> , 2021 , 6, 4448-4460	3.9	5
24	2-(N,N-Diethylaminomethyl)-6,7-trihydroquinolinyl-8-ylideneamine-Ni(II) chlorides: application in ethylene dimerization and trimerization. <i>New Journal of Chemistry</i> , 2020 , 44, 17047-17052	3.6	4
23	Highly active and thermostable camphyl π -diimine-Bickel(II) catalysts for ethylene polymerization: Effects of N-aryl substituting groups on catalytic properties and branching structures of polyethylene. <i>Applied Organometallic Chemistry</i> ,	3.1	3
22	Rational design and synthesis of AIE active cationic Ir(III) complexes featuring iminopyridine ligand with dibenzosuberane core. <i>Journal of Organometallic Chemistry</i> , 2021 , 939, 121770	2.3	3
21	Revisiting the 2-imino-1,10-phenanthrolylmetal precatalyst in ethylene oligomerization: Benzhydryl-modified cobalt(II) complexes and their dimerization of ethylene. <i>Polyhedron</i> , 2021 , 193, 114865	2.7	3
20	Rational Design of Cycloheptyl-Fused Bis(arylimino)pyridyl-cobalt(II) Precatalysts Adorned with Sterically and Electronically Modified N-Aryls for Enhancing Ethylene Polymerization. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 720-733	2.3	3
19	Boosting activity, thermostability, and lifetime of iron ethylene polymerization catalysts through gem-dimethyl substitution and incorporation of ortho-cycloalkyl substituents. <i>Applied Organometallic Chemistry</i> , 2021 , 35, e6376	3.1	2
18	Unifying Molecular Weights of Highly Linear Polyethylene Waxes through Unsymmetrical 2,4-Bis(imino)pyridylchromium Chlorides. <i>Molecules</i> , 2020 , 25,	4.8	1
17	Trifluoromethoxy-substituted nickel catalysts for producing highly branched polyethylenes: impact of solvent, activator and N,N'-ligand on polymer properties. <i>Polymer Chemistry</i> ,	4.9	1
16	Fluorinated bis(arylimino)-6,7-dihydro-5H-quinoline-cobalt polymerization catalysts: Electronic versus steric modulation in the formation of vinyl-terminated linear PE waxes. <i>Applied Organometallic Chemistry</i> , e6500	3.1	1
15	Naphthalenyl-Substituted π -Bisimino-2,3 : 5,6-Bis(pentamethylene)pyridines as Thermally Robust Supports for Iron Ethylene Polymerization Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 4530-4538	2.3	1
14	Ring size enlargement in an ortho-cycloalkyl-substituted bis(imino)pyridine-cobalt ethylene polymerization catalyst and its impact on performance and polymer properties. <i>Applied Organometallic Chemistry</i> , e6529	3.1	1

13	Sterically enhanced 2-iminopyridylpalladium chlorides as recyclable ppm-palladium catalyst for SuzukiMiyaura coupling in aqueous solution. <i>Applied Organometallic Chemistry</i> , e6474	3.1	1
12	Aza-crown compounds synthesised by the self-condensation of 2-amino-benzyl alcohol over a pincer ruthenium catalyst and applied in the transfer hydrogenation of ketones. <i>Dalton Transactions</i> , 2020 , 49, 15821-15827	4.3	1
11	The benzhydryl-modified 2-imino-1,10-phenanthrolyliron precatalyst in ethylene oligomerization. <i>Journal of Organometallic Chemistry</i> , 2021 , 936, 121713	2.3	1
10	Crystal structure of (E)-amino(2-(4-(dimethylamino)benzylidene)hydrazineyl)methaniminium nitrate, C ₁₀ H ₁₆ N ₆ O ₃ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021 , 236, 795-796	0.2	1
9	Crystalline Solids: Tuning the Solid State Emission of the Carbazole and Cyano-Substituted Tetraphenylethylene by Co-Crystallization with Solvents (Small 47/2016). <i>Small</i> , 2016 , 12, 6553-6553	11	1
8	Bimetallic aluminum complexes bearing novel spiro-phenanthrene-monoketone/OH derivatives: synthesis, characterization and the ring-opening polymerization of ϵ -caprolactone.. <i>RSC Advances</i> , 2021 , 11, 13274-13281	3.7	1
7	Bis(imino)-2,3:5,6-bis(pentamethylene)pyridines appended with benzhydryl and cycloalkyl substituents: Probing their effectiveness as tunable N,N,N-supports for cobalt ethylene polymerization catalysts. <i>Applied Organometallic Chemistry</i> , e6429	3.1	1
6	Fluorinated 2,6-bis(arylimino)pyridyl iron complexes targeting bimodal dispersive polyethylenes: probing chain termination pathways a combined experimental and DFT study.. <i>Dalton Transactions</i> , 2022 ,	4.3	1
5	Bis(imino)-6,7-dihydro-5-quinoline-cobalt complexes as highly active catalysts for the formation of vinyl-terminated PE waxes; steps towards inhibiting deactivation pathways through targeted ligand design.. <i>RSC Advances</i> , 2021 , 11, 39869-39878	3.7	0
4	Fluorinated Sterically Bulky Mononuclear and Binuclear 2-Iminopyridylnickel Halides for Ethylene Polymerization: Effects of Ligand Frameworks and Remote Substituents. <i>ACS Omega</i> , 2021 , 6, 30157-30172	3.0	0
3	Crystal structure of (E)-(2-((1H-pyrrol-2-yl)methylene)hydrazineyl)(amino)methaniminium nitrate monohydrate, C ₆ H ₁₂ N ₆ O ₄ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021 , 236, 797-798	0.2	0
2	Crystal structure of dichloro-bis-(1-butyl-1H-benzo[d]imidazole)-nickel(II), C ₂₂ H ₂₈ Cl ₂ N ₄ Ni. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2020 , 235, 911-912	0.2	
1	Crystal structure of diaqua-bis(2,4-dinitrophenolato- λ O,O')copper(II) 1.5 hydrate, C ₁₂ H ₁₃ CuN ₄ O _{13.5} . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021 , 236, 851-853	0.2	