

Didier Marion

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2716831/publications.pdf>

Version: 2024-02-01

112
papers

5,949
citations

50276

46
h-index

76900

74
g-index

115
all docs

115
docs citations

115
times ranked

3810
citing authors

#	ARTICLE	IF	CITATIONS
1	The SISHN2 transcription factor contributes to cuticle formation and epidermal patterning in tomato fruit. <i>Molecular Horticulture</i> , 2022, 2, .	5.8	8
2	Critical structural elements for the antigenicity of wheat allergen LTP1 (Tri a 14) revealed by site-directed mutagenesis. <i>Scientific Reports</i> , 2022, 12, .	3.3	1
3	Bioinspired co-polyesters of hydroxy-fatty acids extracted from tomato peel agro-wastes and glycerol with tunable mechanical, thermal and barrier properties. <i>Industrial Crops and Products</i> , 2021, 170, 113718.	5.2	17
4	Unraveling Cuticle Formation, Structure, and Properties by Using Tomato Genetic Diversity. <i>Frontiers in Plant Science</i> , 2021, 12, 778131.	3.6	9
5	The Complex Architecture of Plant Cuticles and Its Relation to Multiple Biological Functions. <i>Frontiers in Plant Science</i> , 2021, 12, 782773.	3.6	19
6	Assembly of tomato fruit cuticles: a cross-talk between the cutin polyester and cell wall polysaccharides. <i>New Phytologist</i> , 2020, 226, 809-822.	7.3	56
7	Minor components and wheat quality: Perspectives on climate changes. <i>Journal of Cereal Science</i> , 2020, 94, 103001.	3.7	19
8	Relationships between puroindoline A-prolamins interactions and wheat grain hardness. <i>PLoS ONE</i> , 2020, 15, e0225293.	2.5	12
9	The Spatiotemporal Deposition of Lysophosphatidylcholine Within Starch Granules of Maize Endosperm and its Relationships to the Expression of Genes Involved in Endoplasmic Reticulum Amyloplast Lipid Trafficking and Galactolipid Synthesis. <i>Plant and Cell Physiology</i> , 2019, 60, 139-151.	3.1	13
10	Rheology and structural changes of plasticized zeins in the molten state. <i>Rheologica Acta</i> , 2017, 56, 941-953.	2.4	12
11	Responses to Hypoxia and Endoplasmic Reticulum Stress Discriminate the Development of Vitreous and Floury Endosperms of Conventional Maize (<i>Zea mays</i>) Inbred Lines. <i>Frontiers in Plant Science</i> , 2017, 8, 557.	3.6	19
12	Assembly of the Cutin Polyester: From Cells to Extracellular Cell Walls. <i>Plants</i> , 2017, 6, 57.	3.5	42
13	Ester Cross-Link Profiling of the Cutin Polymer of Wild-Type and Cutin Synthase Tomato Mutants Highlights Different Mechanisms of Polymerization. <i>Plant Physiology</i> , 2016, 170, 807-820.	4.8	51
14	Transition from vitreous to floury endosperm in maize (<i>Zea mays</i> L.) kernels is related to protein and starch gradients. <i>Journal of Cereal Science</i> , 2016, 68, 148-154.	3.7	41
15	A single amino acid substitution in puroindoline b impacts its self-assembly and the formation of heteromeric assemblies with puroindoline a. <i>Journal of Cereal Science</i> , 2015, 64, 116-125.	3.7	5
16	Lipid Partitioning in Maize (<i>Zea mays</i> L.) Endosperm Highlights Relationships among Starch Lipids, Amylose, and Vitreousness. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3551-3558.	5.2	43
17	The antioxidative effect of bread crust in a mouse macrophage reporter cell line. <i>Free Radical Biology and Medicine</i> , 2014, 75, S19.	2.9	2
18	Matrix-assisted laser desorption/ionization mass spectrometry imaging: a powerful tool for probing the molecular topology of plant cutin polymer. <i>Plant Journal</i> , 2014, 80, 926-935.	5.7	31

#	ARTICLE	IF	CITATIONS
19	Analyses of Tomato Fruit Brightness Mutants Uncover Both Cutin-Deficient and Cutin-Abundant Mutants and a New Hypomorphic Allele of <i>GDSL Lipase</i> . <i>Plant Physiology</i> , 2014, 164, 888-906.	4.8	81
20	Wheat grain softness protein (<i>Gsp1</i>) is a puroindoline-like protein that displays a specific post-translational maturation and does not interact with lipids. <i>Journal of Cereal Science</i> , 2013, 58, 117-122.	3.7	9
21	Interfacial properties of functionalized assemblies of hydroxy-fatty acid salts isolated from fruit tomato peels. <i>Green Chemistry</i> , 2013, 15, 341-346.	9.0	27
22	Proteomes of hard and soft near-isogenic wheat lines reveal that kernel hardness is related to the amplification of a stress response during endosperm development. <i>Journal of Experimental Botany</i> , 2012, 63, 1001-1011.	4.8	49
23	Tomato <i>GDSL1</i> Is Required for Cutin Deposition in the Fruit Cuticle. <i>Plant Cell</i> , 2012, 24, 3119-3134.	6.6	175
24	Impact of Low Hydration of Barley Grain on β -Glucan Degradation and Lipid Transfer Protein (LTP1) Modifications During the Malting Process. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8256-8264.	5.2	8
25	Immunoglobulin-binding epitopes of wheat allergens in patients with food allergy to wheat and in mice experimentally sensitized to wheat proteins. <i>Clinical and Experimental Allergy</i> , 2011, 41, 1478-1492.	2.9	53
26	New insight into puroindoline function inferred from their subcellular localization in developing hard and soft near-isogenic endosperm and their relationship with polymer size of storage proteins. <i>Journal of Cereal Science</i> , 2011, 53, 231-238.	3.7	42
27	Proteomic analysis of peripheral layers during wheat (<i>Triticum aestivum</i> L.) grain development. <i>Proteomics</i> , 2011, 11, 371-379.	2.2	43
28	Raman Study of the Puroindoline- α /Lysopamitoylphosphatidylcholine Interaction in Free Standing Black Films. <i>Langmuir</i> , 2009, 25, 8181-8186.	3.5	5
29	The crystal structure of oxylipin-conjugated barley LTP1 highlights the unique plasticity of the hydrophobic cavity of these plant lipid-binding proteins. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 780-785.	2.1	24
30	The structure of a defective in induced resistance protein of <i>Arabidopsis thaliana</i> , DIR1, reveals a new type of lipid transfer protein. <i>Protein Science</i> , 2008, 17, 1522-1530.	7.6	90
31	Structure and Orientation of Puroindolines into Wheat Galactolipid Monolayers. <i>Langmuir</i> , 2008, 24, 10901-10909.	3.5	22
32	Plant lipid binding proteins: Properties and applications. <i>Biotechnology Advances</i> , 2007, 25, 195-197.	11.7	35
33	Ha-DEF1, a sunflower defensin, induces cell death in <i>Orobanche</i> parasitic plants. <i>Planta</i> , 2007, 226, 591-600.	3.2	69
34	Specific Adduction of Plant Lipid Transfer Protein by an Allene Oxide Generated by 9-Lipoxygenase and Allene Oxide Synthase. <i>Journal of Biological Chemistry</i> , 2006, 281, 38981-38988.	3.4	59
35	Stability of Barley and Malt Lipid Transfer Protein 1 (LTP1) toward Heating and Reducing Agents: Relationships with the Brewing Process. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 3108-3113.	5.2	86
36	Crystallization of DIR1, a LTP2-like resistance signalling protein from <i>Arabidopsis thaliana</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006, 62, 702-704.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Puroindoline-a and alpha1-purothionin form ion channels in giant liposomes but exert different toxic actions on murine cells. <i>FEBS Journal</i> , 2006, 273, 1710-1722.	4.7	22
38	Interaction between puroindolines and the major polar lipids of wheat seed endosperm at the air/water interface. <i>Colloids and Surfaces B: Biointerfaces</i> , 2006, 53, 167-174.	5.0	10
39	Solution structure of a tobacco lipid transfer protein exhibiting new biophysical and biological features. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 59, 356-367.	2.6	37
40	Probing heat-stable water-soluble proteins from barley to malt and beer. <i>Proteomics</i> , 2005, 5, 2849-2858.	2.2	132
41	Structure of $\hat{1}^2$ -Purothionin in Membranes: A Two-Dimensional Infrared Correlation Spectroscopy Study. <i>Biochemistry</i> , 2005, 44, 52-61.	2.5	37
42	French Bread Loaf Volume Variations and Digital Image Analysis of Crumb Grain Changes Induced by the Minor Components of Wheat Flour. <i>Cereal Chemistry</i> , 2005, 82, 20-27.	2.2	56
43	Heterologous Expression and Purification of Active Divercin V41, a Class IIa Bacteriocin Encoded by a Synthetic Gene in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2004, 186, 4276-4284.	2.2	68
44	Modulation of the Biological Activity of a Tobacco LTP1 by Lipid Complexation. <i>Molecular Biology of the Cell</i> , 2004, 15, 5047-5052.	2.1	115
45	Mutational Analysis of Mesentericin Y105, an Anti-Listeria Bacteriocin, for Determination of Impact on Bactericidal Activity, In Vitro Secondary Structure, and Membrane Interaction. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4672-4680.	3.1	42
46	Neuronal and muscular alterations caused by two wheat endosperm proteins, puroindoline-a and alpha1-purothionin, are due to ion pore formation. <i>European Biophysics Journal</i> , 2004, 33, 283-4.	2.2	12
47	A bacterial expression system revisited for the recombinant production of cystine-rich plant lipid transfer proteins. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 1202-1209.	2.1	24
48	Early expression of grain hardness in the developing wheat endosperm. <i>Planta</i> , 2003, 216, 699-706.	3.2	36
49	Study of the interaction between end-capped telechelic polymers and the wheat lipid transfer protein LTP1, in solution and at the air/water interface. <i>Colloids and Surfaces B: Biointerfaces</i> , 2003, 32, 213-221.	5.0	9
50	Diversity of puroindolines as revealed by two-dimensional electrophoresis. <i>Proteomics</i> , 2003, 3, 168-174.	2.2	31
51	Puroindolines Form Ion Channels in Biological Membranes. <i>Biophysical Journal</i> , 2003, 84, 2416-2426.	0.5	46
52	Functionality of lipids and lipid-protein interactions in cereal-derived food products. <i>Oleagineux Corps Gras Lipides</i> , 2003, 10, 47-56.	0.2	13
53	Localization of Puroindoline-a and Lipids in Bread Dough Using Confocal Scanning Laser Microscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6078-6085.	5.2	37
54	Interaction of Surfactants and Polymer-Grafted Lipids with a Plant Lipid Transfer Protein, LTP1. <i>Langmuir</i> , 2002, 18, 7309-7312.	3.5	6

#	ARTICLE	IF	CITATIONS
55	Interaction between $\hat{1}^2$ -Purothionin and Dimyristoylphosphatidylglycerol: A ^{31}P -NMR and Infrared Spectroscopic Study. <i>Biophysical Journal</i> , 2002, 83, 2074-2083.	0.5	41
56	From elicitors to lipid-transfer proteins: a new insight in cell signalling involved in plant defence mechanisms. <i>Trends in Plant Science</i> , 2002, 7, 293-296.	8.8	297
57	Mapping QTLs for grain hardness and puroindoline content in wheat (<i>Triticum aestivum</i> L.). <i>Theoretical and Applied Genetics</i> , 2002, 106, 19-27.	3.6	46
58	Effects of acylation on the structure, lipid binding, and transfer activity of wheat lipid transfer protein. <i>The Protein Journal</i> , 2002, 21, 195-201.	1.1	7
59	Identification of a New Form of Lipid Transfer Protein (LTP1) in Wheat Seeds. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1805-1808.	5.2	29
60	Fatty acids bind to the fungal elicitor cryptogein and compete with sterols. <i>FEBS Letters</i> , 2001, 489, 55-58.	2.8	56
61	A lipid transfer protein binds to a receptor involved in the control of plant defence responses. <i>FEBS Letters</i> , 2001, 509, 27-30.	2.8	143
62	Evidence of the Glycation and Denaturation of LTP1 during the Malting and Brewing Process. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 4942-4949.	5.2	83
63	Interfacial behaviour of wheat puroindolines: monolayers of puroindolines at the air-water interface. <i>Colloid and Polymer Science</i> , 2001, 279, 607-614.	2.1	15
64	Binding of two mono-acylated lipid monomers by the barley lipid transfer protein, LTP1, as viewed by fluorescence, isothermal titration calorimetry and molecular modelling. <i>FEBS Journal</i> , 2001, 268, 384-388.	0.2	51
65	Disulfide bond assignment, lipid transfer activity and secondary structure of a 7-kDa plant lipid transfer protein, LTP2. <i>FEBS Journal</i> , 2001, 268, 1400-1403.	0.2	64
66	Interfacial Behavior of Wheat Puroindolines: Study of Adsorption at the Air-Water Interface from Surface Tension Measurement Using Wilhelmy Plate Method. <i>Journal of Colloid and Interface Science</i> , 2001, 244, 245-253.	9.4	50
67	Genetic and Environmental Effects on Puroindoline-a and Puroindoline-b Content and their Relationship to Technological Properties in French Bread Wheats. <i>Journal of Cereal Science</i> , 2001, 34, 37-47.	3.7	54
68	Potential application of plant lipid transfer proteins for drug delivery. <i>Biochemical Pharmacology</i> , 2001, 62, 555-560.	4.4	50
69	The wide binding properties of a wheat nonspecific lipid transfer protein. <i>FEBS Journal</i> , 2000, 267, 1117-1124.	0.2	78
70	Steady-state tyrosine fluorescence to study the lipid-binding properties of a wheat non-specific lipid-transfer protein (nsLTP1). <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000, 1467, 65-72.	2.6	67
71	Purification and Structural Characterization of LTP1 Polypeptides from Beer. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 5023-5029.	5.2	108
72	Variation in puroindoline polypeptides in Australian wheat cultivars in relation to grain hardness. <i>Functional Plant Biology</i> , 2000, 27, 153.	2.1	9

#	ARTICLE	IF	CITATIONS
73	The crystal structure of a wheat nonspecific lipid transfer protein (ns-LTP1) complexed with two molecules of phospholipid at 2.1 Å resolution. <i>FEBS Journal</i> , 1999, 264, 562-568.	0.2	125
74	Solvation study of the non-specific lipid transfer protein from wheat by intermolecular NOEs with water and small organic molecules. <i>Journal of Biomolecular NMR</i> , 1999, 15, 213-225.	2.8	13
75	Production in <i>Escherichia coli</i> and site-directed mutagenesis of a 9 kDa nonspecific lipid transfer protein from wheat. <i>FEBS Journal</i> , 1999, 260, 861-868.	0.2	20
76	Delineation of Key Amino Acid Side Chains and Peptide Domains for Antimicrobial Properties of Divercin V41, a Pediocin-Like Bacteriocin Secreted by <i>Carnobacterium divergens</i> V41. <i>Applied and Environmental Microbiology</i> , 1999, 65, 2895-2900.	3.1	32
77	Comparison of solution and crystal structures of maize nonspecific lipid transfer protein: A model for a potential in vivo lipid carrier protein. , 1998, 31, 160-171.		37
78	Spatial and temporal distribution of the major isoforms of puroindolines (puroindoline-a and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Relationships with their in vitro antifungal properties. <i>Plant Science</i> , 1998, 138, 121-135.	3.6	161
79	Comparison of different soybean phospholipidic fractions as dietary supplements for common carp, <i>Cyprinus carpio</i> , larvae. <i>Aquaculture</i> , 1998, 161, 225-235.	3.5	63
80	Interaction of the Wheat Endosperm Lipid-Binding Protein Puroindoline-a with Phospholipids. <i>Archives of Biochemistry and Biophysics</i> , 1998, 360, 179-186.	3.0	31
81	Solution Structure of <i>Ace</i> -AMP1, a Potent Antimicrobial Protein Extracted from Onion Seeds. Structural Analogies with Plant Nonspecific Lipid Transfer Proteins. <i>Biochemistry</i> , 1998, 37, 3623-3637.	2.5	102
82	Effect of Puroindolines on the Breadmaking Properties of Wheat Flour. <i>Cereal Chemistry</i> , 1998, 75, 222-229.	2.2	89
83	Divercin V41, a new bacteriocin with two disulphide bonds produced by <i>Carnobacterium divergens</i> V41: primary structure and genomic organization. <i>Microbiology (United Kingdom)</i> , 1998, 144, 2837-2844.	1.8	126
84	The wheat proteins puroindoline-a and β -1-purothionin induce nodal swelling in myelinated axons. <i>NeuroReport</i> , 1998, 9, 3803-3803.	1.2	19
85	Localization of a phosphatidylglycerol/ phosphatidylinositol transfer protein in <i>Aspergillus oryzae</i> . <i>Canadian Journal of Microbiology</i> , 1998, 44, 945-953.	1.7	3
86	Interaction of Puroindolines with Wheat Flour Polar Lipids Determines Their Foaming Properties. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 108-116.	5.2	161
87	¹ H NMR and fluorescence studies of the complexation of DMPC by wheat non-specific lipid transfer protein. Global fold of the complex. <i>FEBS Letters</i> , 1997, 416, 130-134.	2.8	73
88	Determination of the Secondary Structure and Conformation of Puroindolines by Infrared and Raman Spectroscopy. <i>Biochemistry</i> , 1996, 35, 12712-12722.	2.5	76
89	Interaction of two lipid binding proteins with membrane lipids: comparative study using the monolayer technique and IR spectroscopy. <i>Thin Solid Films</i> , 1996, 284-285, 326-329.	1.8	8
90	Solution structure and lipid binding of a nonspecific lipid transfer protein extracted from maize seeds. <i>Protein Science</i> , 1996, 5, 565-577.	7.6	109

#	ARTICLE	IF	CITATIONS
91	Purification and Activity of a Wheat 9-kDa Lipid Transfer Protein Expressed in Escherichia coli as a Fusion with the Maltose Binding Protein. Protein Expression and Purification, 1995, 6, 597-603.	1.3	11
92	Purification and characterization of a novel specific phosphatidylglycerol-phosphatidylinositol transfer protein with high activity from Aspergillus oryzae. Lipids and Lipid Metabolism, 1995, 1256, 18-24.	2.6	11
93	Interaction of a nonspecific wheat lipid transfer protein with phospholipid monolayers imaged by fluorescence microscopy and studied by infrared spectroscopy. Biophysical Journal, 1995, 69, 974-988.	0.5	112
94	Gluten Viscoelasticity Is Not Lipid-Mediated. A Rheological and Molecular Flexibility Study on Lipid and Non-Prolamin Protein Depleted Glutens. Journal of Agricultural and Food Chemistry, 1995, 43, 1170-1176.	5.2	11
95	Triticum aestivum puroindolines, two basic cysteine-rich seed proteins: cDNA sequence analysis and developmental gene expression. Plant Molecular Biology, 1994, 25, 43-57.	3.9	350
96	Two-dimensional 1H-NMR studies of maize lipid-transfer protein. Sequence-specific assignment and secondary structure. FEBS Journal, 1994, 222, 1047-1054.	0.2	24
97	Three-Dimensional Structure in Solution of a Wheat Lipid-Transfer Protein from Multidimensional 1H-NMR Data. A New Folding for Lipid Carriers. FEBS Journal, 1994, 226, 413-422.	0.2	144
98	THE PROTECTION OF BEER FOAM AGAINST LIPID-INDUCED DESTABILIZATION. Journal of the Institute of Brewing, 1994, 100, 23-25.	2.3	70
99	Filamentous Fungi with High Cytosolic Phospholipid Transfer Activity in the Presence of Exogenous Phospholipid. Applied and Environmental Microbiology, 1994, 60, 3390-3395.	3.1	8
100	Complete amino acid sequence of puroindoline, a new basic and cysteine-rich protein with a unique tryptophan-rich domain, isolated from wheat endosperm by Triton X-114 phase partitioning. FEBS Letters, 1993, 329, 336-340.	2.8	214
101	Influence of competitive adsorption of a lysopalmitoylphosphatidylcholine on the functional properties of puroindoline, a lipid-binding protein isolated from wheat flour. Journal of Agricultural and Food Chemistry, 1993, 41, 1570-1576.	5.2	86
102	Crystallographic data for the 9000 dalton wheat non-specific phospholipid transfer protein. Journal of Molecular Biology, 1992, 226, 563-564.	4.2	9
103	Amino acid sequence of a non-specific wheat phospholipid transfer protein and its conformation as revealed by infrared and Raman spectroscopy. Role of disulfide bridges and phospholipids in the stabilization of the α -helix structure. BBA - Proteins and Proteomics, 1992, 1121, 137-152.	2.1	90
104	Two- and three-dimensional proton NMR studies of a wheat phospholipid transfer protein: sequential resonance assignments and secondary structure. Biochemistry, 1991, 30, 11600-11608.	2.5	58
105	Increased endoplasmic reticulum content of Phanerochaete chrysosporium INA-12 by inositol phospholipid precursor in relation to peroxidase excretion. Applied Microbiology and Biotechnology, 1991, 36, 265-269.	3.6	7
106	Study of the structure of N-acyldipalmitoylphosphatidylethanolamines in aqueous dispersion by infrared and Raman spectroscopies. Biochemistry, 1990, 29, 4592-4599.	2.5	51
107	A phosphorus magnetic resonance spectroscopy and a differential scanning calorimetry study of the physical properties of N-acylphosphatidylethanolamines in aqueous dispersions. Chemistry and Physics of Lipids, 1988, 46, 43-50.	3.2	49
108	Lipid-protein interactions in wheat gluten: a phosphorus nuclear magnetic resonance spectroscopy and freeze-fracture electron microscopy study. Journal of Cereal Science, 1987, 5, 101-115.	3.7	40

#	ARTICLE	IF	CITATIONS
109	A comparison of the lipoprotein profiles in male trout (<i>Salmo gairdneri</i>) before maturity and during spermiation. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1982, 73, 849-855.	0.2	15
110	Essential fatty acids in trout serum lipoproteins, vitellogenin and egg lipids. <i>Lipids</i> , 1981, 16, 593-600.	1.7	57
111	Plant Lipid Transfer Proteins: Relationships Between Allergenicity and Structural, Biological and Technological Properties. , 0, , 57-69.		7
112	Spatial distribution of starch, proteins and lipids in maize endosperm probed by scanning transmission X-ray microscopy. <i>Journal of Spectral Imaging</i> , 0, , .	0.0	1