

Mark Bycroft

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2717113/mark-bycroft-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	7,433 citations	41 h-index	86 g-index
90 ext. papers	7,952 ext. citations	8.2 avg, IF	5.37 L-index

#	Paper	IF	Citations
89	Transient folding intermediates characterized by protein engineering. <i>Nature</i> , 1990 , 346, 440-5	50.4	476
88	Strength and co-operativity of contributions of surface salt bridges to protein stability. <i>Journal of Molecular Biology</i> , 1990 , 216, 1031-44	6.5	382
87	The macro domain is an ADP-ribose binding module. <i>EMBO Journal</i> , 2005 , 24, 1911-20	13	380
86	Estimating the contribution of engineered surface electrostatic interactions to protein stability by using double-mutant cycles. <i>Biochemistry</i> , 1990 , 29, 9343-52	3.2	359
85	The solution structure of the S1 RNA binding domain: a member of an ancient nucleic acid-binding fold. <i>Cell</i> , 1997 , 88, 235-42	56.2	350
84	The structure of a LysM domain from E. coli membrane-bound lytic murein transglycosylase D (MltD). <i>Journal of Molecular Biology</i> , 2000 , 299, 1113-9	6.5	343
83	RNA recognition by a Staufen double-stranded RNA-binding domain. <i>EMBO Journal</i> , 2000 , 19, 997-1009	13	291
82	Aromatic-aromatic interactions and protein stability. Investigation by double-mutant cycles. <i>Journal of Molecular Biology</i> , 1991 , 218, 465-75	6.5	288
81	Molecular mechanism of the interaction between MDM2 and p53. <i>Journal of Molecular Biology</i> , 2002 , 323, 491-501	6.5	280
80	Crystal structure of a calcium-phospholipid binding domain from cytosolic phospholipase A2. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1596-604	5.4	223
79	Stabilization of protein structure by interaction of alpha-helix dipole with a charged side chain. <i>Nature</i> , 1988 , 335, 740-3	50.4	216
78	Detection and characterization of a folding intermediate in barnase by NMR. <i>Nature</i> , 1990 , 346, 488-90	50.4	210
77	Molecular basis of histone H3K36me3 recognition by the PWWP domain of Brpf1. <i>Nature Structural and Molecular Biology</i> , 2010 , 17, 617-9	17.6	164
76	Surface electrostatic interactions contribute little of stability of barnase. <i>Journal of Molecular Biology</i> , 1991 , 220, 779-88	6.5	161
75	Four domains of p300 each bind tightly to a sequence spanning both transactivation subdomains of p53. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7009-14	11.5	156
74	Comparative binding of p53 to its promoter and DNA recognition elements. <i>Journal of Molecular Biology</i> , 2005 , 348, 589-96	6.5	145
73	The Autophagy Receptor TAX1BP1 and the Molecular Motor Myosin VI Are Required for Clearance of Salmonella Typhimurium by Autophagy. <i>PLoS Pathogens</i> , 2015 , 11, e1005174	7.6	131

72	A comparison of the pH, urea, and temperature-denatured states of barnase by heteronuclear NMR: implications for the initiation of protein folding. <i>Journal of Molecular Biology</i> , 1995 , 254, 305-21	6.5	129
71	Solution structure of the nonmethyl-CpG-binding CXXC domain of the leukaemia-associated MLL histone methyltransferase. <i>EMBO Journal</i> , 2006 , 25, 4503-12	13	127
70	The UBX domain: a widespread ubiquitin-like module. <i>Journal of Molecular Biology</i> , 2001 , 307, 17-24	6.5	119
69	Determination of the three-dimensional solution structure of barnase using nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , 1991 , 30, 8697-701	3.2	108
68	Three-dimensional solution structure and ¹³ C assignments of barstar using nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , 1994 , 33, 8866-8877	3.2	104
67	Structure of the Jab1/MPN domain and its implications for proteasome function. <i>Biochemistry</i> , 2003 , 42, 11460-5	3.2	100
66	The crystal structure of AF1521 a protein from <i>Archaeoglobus fulgidus</i> with homology to the non-histone domain of macroH2A. <i>Journal of Molecular Biology</i> , 2003 , 330, 503-11	6.5	97
65	The folding of an enzyme. V. H/2H exchange-nuclear magnetic resonance studies on the folding pathway of barnase: complementarity to and agreement with protein engineering studies. <i>Journal of Molecular Biology</i> , 1992 , 224, 837-45	6.5	90
64	The structure of a tunicate C-type lectin from <i>Polyandrocarpa misakiensis</i> complexed with D -galactose. <i>Journal of Molecular Biology</i> , 1999 , 290, 867-79	6.5	89
63	Structural consequences of nucleophosmin mutations in acute myeloid leukemia. <i>Journal of Biological Chemistry</i> , 2008 , 283, 23326-32	5.4	84
62	Regulation of DNA binding of p53 by its C-terminal domain. <i>Journal of Molecular Biology</i> , 2004 , 342, 801-15	6.5	84
61	The FtsK gamma domain directs oriented DNA translocation by interacting with KOPS. <i>Nature Structural and Molecular Biology</i> , 2006 , 13, 965-72	17.6	83
60	The structure of an FF domain from human HYPA/FBP11. <i>Journal of Molecular Biology</i> , 2002 , 323, 411-6	6.5	78
59	Solution structure of the Kaposi sarcoma-associated herpesvirus K3 N-terminal domain reveals a Novel E2-binding C4HC3-type RING domain. <i>Journal of Biological Chemistry</i> , 2004 , 279, 53840-7	5.4	77
58	The UBAP1 subunit of ESCRT-I interacts with ubiquitin via a SOUBA domain. <i>Structure</i> , 2012 , 20, 414-28	5.2	76
57	Recruitment of TBK1 to cytosol-invading <i>Salmonella</i> induces WIPI2-dependent antibacterial autophagy. <i>EMBO Journal</i> , 2016 , 35, 1779-92	13	71
56	The PUB domain functions as a p97 binding module in human peptide N-glycanase. <i>Journal of Biological Chemistry</i> , 2006 , 281, 25502-8	5.4	69
55	Functional analysis of the post-transcriptional regulator RsmA reveals a novel RNA-binding site. <i>Journal of Molecular Biology</i> , 2006 , 355, 1026-36	6.5	69

54	Equilibrium dissociation and unfolding of the dimeric human papillomavirus strain-16 E2 DNA-binding domain. <i>Protein Science</i> , 1996 , 5, 310-9	6.3	66
53	Amperometric enzyme electrodes. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , 1987 , 218, 119-126		55
52	Structure and stability of an immunoglobulin superfamily domain from twitchin, a muscle protein of the nematode <i>Caenorhabditis elegans</i> . <i>Journal of Molecular Biology</i> , 1996 , 264, 624-39	6.5	54
51	NMR structure of the alpha-hemoglobin stabilizing protein: insights into conformational heterogeneity and binding. <i>Journal of Biological Chemistry</i> , 2004 , 279, 34963-70	5.4	47
50	The structure of the AXH domain of spinocerebellar ataxin-1. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3758-65	5.4	47
49	Electrostatic interactions contribute to reduced heat capacity change of unfolding in a thermophilic ribosomal protein l30e. <i>Journal of Molecular Biology</i> , 2005 , 348, 419-31	6.5	43
48	The general definition of the p97/valosin-containing protein (VCP)-interacting motif (VIM) delineates a new family of p97 cofactors. <i>Journal of Biological Chemistry</i> , 2011 , 286, 38670-38678	5.4	40
47	Crystal structure of the malignant brain tumor (MBT) repeats in Sex Comb on Midleg-like 2 (SCML2). <i>Journal of Biological Chemistry</i> , 2003 , 278, 46968-73	5.4	39
46	Structural basis for Pan3 binding to Pan2 and its function in mRNA recruitment and deadenylation. <i>EMBO Journal</i> , 2014 , 33, 1514-26	13	38
45	Structural variation in PWWP domains. <i>Journal of Molecular Biology</i> , 2003 , 330, 571-6	6.5	36
44	Solution structure of the C4 zinc finger domain of HDM2. <i>Protein Science</i> , 2006 , 15, 384-9	6.3	35
43	The dimeric DNA binding domain of the human papillomavirus E2 protein folds through a monomeric intermediate which cannot be native-like. <i>Nature Structural and Molecular Biology</i> , 1996 , 3, 711-7	17.6	34
42	Identification of the barstar binding site of barnase by NMR spectroscopy and hydrogen-deuterium exchange. <i>FEBS Letters</i> , 1993 , 331, 165-72	3.8	34
41	Sequential assignment of the ¹ H nuclear magnetic resonance spectrum of barnase. <i>Biochemistry</i> , 1990 , 29, 7425-32	3.2	34
40	Crystal structure of a hyperthermophilic archaeal acylphosphatase from <i>Pyrococcus horikoshii</i> --structural insights into enzymatic catalysis, thermostability, and dimerization. <i>Biochemistry</i> , 2005 , 44, 4601-11	3.2	31
39	The structure of the FYR domain of transforming growth factor beta regulator 1. <i>Protein Science</i> , 2010 , 19, 1432-8	6.3	30
38	The malignant brain tumor repeats of human SCML2 bind to peptides containing monomethylated lysine. <i>Journal of Molecular Biology</i> , 2008 , 382, 1107-12	6.5	29
37	NMR structure of the N-terminal domain of <i>Saccharomyces cerevisiae</i> RNase HI reveals a fold with a strong resemblance to the N-terminal domain of ribosomal protein L9. <i>Journal of Molecular Biology</i> , 1999 , 291, 661-9	6.5	29

36	Structure of the C-terminal sterile alpha-motif (SAM) domain of human p73 alpha. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2001 , 57, 545-51		27
35	Characterization of phosphate binding in the active site of barnase by site-directed mutagenesis and NMR. <i>Biochemistry</i> , 1991 , 30, 11348-56	3.2	26
34	Molecular basis of the interactions between the p73 N terminus and p300: effects on transactivation and modulation by phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 3142-7	11.5	25
33	Characterisation of urea-denatured states of an immunoglobulin superfamily domain by heteronuclear NMR. <i>Journal of Molecular Biology</i> , 1998 , 278, 417-29	6.5	25
32	Solution structure of the BRK domains from CHD7. <i>Journal of Molecular Biology</i> , 2007 , 371, 1135-40	6.5	24
31	The solution structure of the ZnF UBP domain of USP33/VDU1. <i>Protein Science</i> , 2007 , 16, 2072-5	6.3	22
30	Solution structure of the HPV-16 E2 DNA binding domain, a transcriptional regulator with a dimeric beta-barrel fold. <i>Journal of Biomolecular NMR</i> , 2004 , 30, 211-4	3	22
29	Structure and dynamics of barnase complexed with 3UGMP studied by NMR spectroscopy. <i>Biochemistry</i> , 1993 , 32, 10975-87	3.2	22
28	The SWI/SNF Subunit INI1 Contains an N-Terminal Winged Helix DNA Binding Domain that Is a Target for Mutations in Schwannomatosis. <i>Structure</i> , 2015 , 23, 1344-9	5.2	21
27	An integrated computational approach can classify VHL missense mutations according to risk of clear cell renal carcinoma. <i>Human Molecular Genetics</i> , 2014 , 23, 5976-88	5.6	19
26	Role of conformational heterogeneity in domain swapping and adapter function of the Cks proteins. <i>Journal of Biological Chemistry</i> , 2005 , 280, 30448-59	5.4	19
25	Structural basis of p63SAM domain mutants involved in AEC syndrome. <i>FEBS Journal</i> , 2011 , 278, 2680-8	5.7	18
24	The ligand-binding loops in the tunicate C-type lectin TC14 are rigid. <i>Biochemistry</i> , 2001 , 40, 10966-72	3.2	17
23	Assignment of the backbone ¹ H and ¹⁵ N NMR resonances and secondary structure characterization of barstar. <i>FEBS Letters</i> , 1993 , 332, 81-7	3.8	17
22	VHL mutations linked to type 2C von Hippel-Lindau disease cause extensive structural perturbations in pVHL. <i>Journal of Biological Chemistry</i> , 2009 , 284, 10514-22	5.4	16
21	Folding of a dimeric beta-barrel: residual structure in the urea denatured state of the human papillomavirus E2 DNA binding domain. <i>Protein Science</i> , 2000 , 9, 799-811	6.3	16
20	Assignment of histidine resonances in the ¹ H NMR (500 MHz) spectrum of subtilisin BPN _U using site-directed mutagenesis. <i>Biochemistry</i> , 1988 , 27, 7390-4	3.2	16
19	Crystal structure of ribosomal protein L30e from the extreme thermophile <i>Thermococcus celer</i> : thermal stability and RNA binding. <i>Biochemistry</i> , 2003 , 42, 2857-65	3.2	15

18	Crystal Structures and Nuclear Magnetic Resonance Studies of the Apo Form of the c-MYC:MAX bHLHZip Complex Reveal a Helical Basic Region in the Absence of DNA. <i>Biochemistry</i> , 2019 , 58, 3144-3154 ^{3,2}	14
17	The structure of INI1/hSNF5 RPT1 and its interactions with the c-MYC:MAX heterodimer provide insights into the interplay between MYC and the SWI/SNF chromatin remodeling complex. <i>FEBS Journal</i> , 2018 , 285, 4165-4180	5.7 14
16	A high-resolution structure of the EF-hand domain of human polycystin-2. <i>Protein Science</i> , 2014 , 23, 1301-1318	13
15	Solution structure and thermal stability of ribosomal protein L30e from hyperthermophilic archaeon <i>Thermococcus celer</i> . <i>Protein Science</i> , 2003 , 12, 1483-95	6.3 13
14	Crystallization and preliminary crystallographic studies of a SAM domain at the C-terminus of human p73alpha. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2000 , 56, 769-71	11
13	Crystallization and preliminary crystallographic analysis of a novel orange fluorescent protein from the Cnidaria tube anemone <i>Cerianthus</i> sp. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2004 , 60, 340-1	10
12	Structure of the BRK domain of the SWI/SNF chromatin remodeling complex subunit BRG1 reveals a potential role in protein-protein interactions. <i>Protein Science</i> , 2020 , 29, 1047-1053	6.3 10
11	Biophysical characterization of elongin C from <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 2000 , 39, 11137-46	8
10	Assignment of the backbone ¹ H, ¹⁵ N, ¹³ C NMR resonances and secondary structure of a double-stranded RNA binding domain from the <i>Drosophila</i> protein staufer. <i>FEBS Letters</i> , 1995 , 362, 333-6 ^{3,8}	8
9	Solution structure of the FCS zinc finger domain of the human polycomb group protein L(3)mbt-like 2. <i>Protein Science</i> , 2009 , 18, 657-61	6.3 7
8	Crystallization and preliminary crystallographic analysis of an acylphosphatase from the hyperthermophilic archaeon <i>Pyrococcus horikoshii</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2004 , 60, 1308-10	7
7	Physical-organic molecular biology: pathway and stability of protein folding. <i>Pure and Applied Chemistry</i> , 1991 , 63, 187-194	2.1 6
6	Recognition of non-methyl histone marks. <i>Current Opinion in Structural Biology</i> , 2011 , 21, 761-6	8.1 5
5	Letter to the editor: ¹ H, ¹³ C and ¹⁵ N NMR assignments of the C-type lectin TC14. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 283-4	3 3
4	Solution structure of a soluble fragment derived from a membrane protein by shotgun proteolysis. <i>Protein Engineering, Design and Selection</i> , 2015 , 28, 445-50	1.9 2
3	Crystallization and preliminary crystallographic studies of a ribosomal protein L30e from the hyperthermophilic archaeon <i>Thermococcus celer</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2001 , 57, 865-6	2
2	SWI/SNF subunit BAF155 N-terminus structure informs the impact of cancer-associated mutations and reveals a potential drug binding site. <i>Communications Biology</i> , 2021 , 4, 528	6.7 1
1	High-resolution NMR structures of the domains of <i>Saccharomyces cerevisiae</i> Tho1. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2016 , 72, 500-6	1.1

