

Lawrence J Appel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2717326/lawrence-j-appel-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 371 papers | 40,660 citations | 78 h-index | 198 g-index |
| 429 ext. papers | 47,187 ext. citations | 8.9 avg, IF | 6.98 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 371 | Plasma Metabolites Associated with a Protein-Rich Dietary Pattern: Results from the OmniHeart Trial.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2100890 | 5.9 | 0 |
| 370 | Sodium and Health: Old Myths and a Controversy Based on Denial.. <i>Current Nutrition Reports</i> , 2022 , 1 | 6 | 4 |
| 369 | Early Outpatient Treatment for Covid-19 with Convalescent Plasma.. <i>New England Journal of Medicine</i> , 2022 , | 59.2 | 11 |
| 368 | Blood pressure interactions with the DASH dietary pattern, sodium, and potassium: The International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP).. <i>American Journal of Clinical Nutrition</i> , 2022 , | 7 | 1 |
| 367 | The Relationship of Falls With Achieved 25-Hydroxyvitamin D Levels From Vitamin D Supplementation: The STURDY Trial.. <i>Journal of the Endocrine Society</i> , 2022 , 6, bvac065 | 0.4 | 1 |
| 366 | The effects of vitamin D supplementation on frailty in older adults at risk for falls.. <i>BMC Geriatrics</i> , 2022 , 22, 312 | 4.1 | |
| 365 | Adherence to Diet and Meal Timing in a Randomized Controlled Feeding Study of Time-Restricted Feeding. <i>Nutrients</i> , 2022 , 14, 2283 | 6.7 | 1 |
| 364 | Clinical events and patient-reported outcome measures during CKD progression: findings from the Chronic Renal Insufficiency Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1685-1693 | 4.3 | 2 |
| 363 | Visual Impairment and Objectively Measured Physical Activity in Middle-Aged and Older Adults. <i>Innovation in Aging</i> , 2021 , 5, 337-337 | 0.1 | |
| 362 | Effects of Different Rest Period Durations Prior to Blood Pressure Measurement: The Best Rest Trial. <i>Hypertension</i> , 2021 , 78, 1511-1519 | 8.5 | 3 |
| 361 | A/B design testing of a clinical trial recruitment website: A pilot study to enhance the enrollment of older adults. <i>Contemporary Clinical Trials</i> , 2021 , 111, 106598 | 2.3 | |
| 360 | Serum levels of IL-6, IL-8 and IL-10 and risks of end-stage kidney disease and mortality. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 561-563 | 4.3 | 3 |
| 359 | Simplified blood pressure measurement approaches and implications for hypertension screening: the Atherosclerosis Risk in Communities study. <i>Journal of Hypertension</i> , 2021 , 39, 447-452 | 1.9 | 4 |
| 358 | Changes in Hypertension Control in a Community-Based Population of Older Adults, 2011-2013 to 2016-2017. <i>American Journal of Hypertension</i> , 2021 , 34, 591-599 | 2.3 | 1 |
| 357 | Effects of dietary macronutrients on serum urate: results from the OmniHeart trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1593-1599 | 7 | 4 |
| 356 | Use of Salt-Restriction Spoons and Its Associations with Urinary Sodium and Potassium in the Zhejiang Province of China: Results of a Population-Based Survey. <i>Nutrients</i> , 2021 , 13, | 6.7 | 1 |
| 355 | Effects of Behavioral Weight Loss and Metformin on IGFs in Cancer Survivors: A Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4179-e4191 | 5.6 | 3 |

| | | | |
|-----|--|------|----|
| 354 | The impact of weight loss on physical function and symptoms in overweight or obese breast cancer survivors: results from POWER-remote. <i>Journal of Cancer Survivorship</i> , 2021 , 1 | 5.1 | 1 |
| 353 | Metformin Affects Gut Microbiome Composition and Function and Circulating Short-Chain Fatty Acids: A Randomized Trial. <i>Diabetes Care</i> , 2021 , 44, 1462-1471 | 14.6 | 7 |
| 352 | Abstract MP54: Retail Soda Purchases Decrease And Water Purchases Increase After Six Years Of A Healthy Beverage Campaign. <i>Circulation</i> , 2021 , 143, | 16.7 | 1 |
| 351 | The effects of vitamin D supplementation on types of falls. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2851-2864 | 5.6 | 2 |
| 350 | Effects of Diet and Sodium Reduction on Cardiac Injury, Strain, and Inflammation: The DASH-Sodium Trial. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 2625-2634 | 15.1 | 8 |
| 349 | Randomized Trial on the Effects of Dietary Potassium on Blood Pressure and Serum Potassium Levels in Adults with Chronic Kidney Disease. <i>Nutrients</i> , 2021 , 13, | 6.7 | 5 |
| 348 | Adherence to Healthy Dietary Patterns and Risk of CKD Progression and All-Cause Mortality: Findings From the CRIC (Chronic Renal Insufficiency Cohort) Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 235-244 | 7.4 | 18 |
| 347 | Digit Preference in Office Blood Pressure Measurements, United States 2015-2019. <i>American Journal of Hypertension</i> , 2021 , 34, 521-530 | 2.3 | 1 |
| 346 | Urine Metabolites Associated with the Dietary Approaches to Stop Hypertension (DASH) Diet: Results from the DASH-Sodium Trial. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000695 | 5.9 | 7 |
| 345 | Effects of Dietary Patterns on Serum Urate: Results From a Randomized Trial of the Effects of Diet on Hypertension. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1014-1020 | 9.5 | 11 |
| 344 | The Effects of Four Doses of Vitamin D Supplements on Falls in Older Adults : A Response-Adaptive, Randomized Clinical Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 145-156 | 8 | 16 |
| 343 | Effects of the Dietary Approaches to Stop Hypertension Diet and Sodium Reduction on Blood Pressure in Persons With Diabetes. <i>Hypertension</i> , 2021 , 77, 265-274 | 8.5 | 3 |
| 342 | Use of electronic recruitment methods in a clinical trial of adults with gout. <i>Clinical Trials</i> , 2021 , 18, 92-103 | 10.3 | 9 |
| 341 | The Relationship Between Urine Uromodulin and Blood Pressure Changes: The DASH-Sodium Trial. <i>American Journal of Hypertension</i> , 2021 , 34, 154-156 | 2.3 | 3 |
| 340 | A Randomized Pilot Study of DASH Patterned Groceries on Serum Urate in Individuals with Gout. <i>Nutrients</i> , 2021 , 13, | 6.7 | 5 |
| 339 | Vitamin D, Calcium Supplements, and Implications for Cardiovascular Health: JACC Focus Seminar. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 437-449 | 15.1 | 19 |
| 338 | Biomarkers of Immune Activation and Incident Kidney Failure With Replacement Therapy: Findings From the African American Study of Kidney Disease and Hypertension. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 75-84.e1 | 7.4 | 3 |
| 337 | A Low-Sodium DASH Dietary Pattern Affects Serum Markers of Inflammation and Mineral Metabolism in Adults with Elevated Blood Pressure. <i>Journal of Nutrition</i> , 2021 , 151, 3067-3074 | 4.1 | 0 |

| | | | |
|-----|---|------|----|
| 336 | Evaluation of a Video-Assisted Patient Education Program to Reduce Blood Pressure Delivered Through the Electronic Medical Record: Results of a Quality Improvement Project. <i>American Journal of Hypertension</i> , 2021 , 34, 1328-1335 | 2.3 | 2 |
| 335 | Patient and healthcare provider perspectives on adherence with antihypertensive medications: an exploratory qualitative study in Tanzania. <i>BMC Health Services Research</i> , 2021 , 21, 834 | 2.9 | 0 |
| 334 | Estimation of the Global Gap in Clinic Visits for Hypertension Care Between Patient Need and Physician Capacity. <i>Hypertension</i> , 2021 , 78, 779-786 | 8.5 | 2 |
| 333 | Free-Living Gait Cadence Measured by Wearable Accelerometers for Assessing Fall Risk. <i>Innovation in Aging</i> , 2021 , 5, 336-336 | 0.1 | |
| 332 | Randomized controlled trial transfusing convalescent plasma as post-exposure prophylaxis against SARS-CoV-2 infection. 2021 , | | 5 |
| 331 | Randomized trial of two artificial intelligence coaching interventions to increase physical activity in cancer survivors. <i>Npj Digital Medicine</i> , 2021 , 4, 168 | 15.7 | 0 |
| 330 | Minority and low-income patients are less likely to have a scale for self-weighing in their home: A survey in primary care. <i>Clinical Obesity</i> , 2020 , 10, e12363 | 3.6 | 2 |
| 329 | The Effects of a Remote-based Weight Loss Program on Adipocytokines, Metabolic Markers, and Telomere Length in Breast Cancer Survivors: the POWER-Remote Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 3024-3034 | 12.9 | 8 |
| 328 | A Healthy Beverage Score and Risk of Chronic Kidney Disease Progression, Incident Cardiovascular Disease, and All-Cause Mortality in the Chronic Renal Insufficiency Cohort. <i>Current Developments in Nutrition</i> , 2020 , 4, nzaa088 | 0.4 | 3 |
| 327 | Effect of a Comprehensive Cardiovascular Risk Reduction Intervention in Persons With Serious Mental Illness: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e207247 | 10.4 | 26 |
| 326 | Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle in pregnancy and after delivery: a qualitative in-depth interview study. <i>BMC Women's Health</i> , 2020 , 20, 44 | 2.9 | 6 |
| 325 | Fibroblast Growth Factor 23 and Risk of Hospitalization with Infection in Chronic Kidney Disease: The Chronic Renal Insufficiency Cohort (CRIC) Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1836-1846 | 12.7 | 7 |
| 324 | Factors Associated With Physician Recommendation of Home Blood Pressure Monitoring and Blood Pressure in the US Population. <i>American Journal of Hypertension</i> , 2020 , 33, 852-859 | 2.3 | 8 |
| 323 | Alcohol Consumption and Risk of Hospitalizations and Mortality in the Atherosclerosis Risk in Communities Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1646-1657 | 3.7 | 2 |
| 322 | Dietary Sodium Intake and Sodium Density in the United States: Estimates From NHANES 2005-2006 and 2015-2016. <i>American Journal of Hypertension</i> , 2020 , 33, 825-830 | 2.3 | 10 |
| 321 | Report of the National Heart, Lung, and Blood Institute Working Group on Hypertension: Barriers to Translation. <i>Hypertension</i> , 2020 , 75, 902-917 | 8.5 | 17 |
| 320 | An exploratory study on the quality of patient screening and counseling for hypertension management in Tanzania. <i>PLoS ONE</i> , 2020 , 15, e0227439 | 3.7 | 5 |
| 319 | Effects of high-fiber diets enriched with carbohydrate, protein, or unsaturated fat on circulating short chain fatty acids: results from the OmniHeart randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 545-554 | 7 | 21 |

| | | | |
|-----|---|------|----|
| 318 | Orthostatic Hypotension, Cardiovascular Outcomes, and Adverse Events: Results From SPRINT. <i>Hypertension</i> , 2020 , 75, 660-667 | 8.5 | 29 |
| 317 | Effects of Sodium Reduction on Energy, Metabolism, Weight, Thirst, and Urine Volume: Results From the DASH (Dietary Approaches to Stop Hypertension)-Sodium Trial. <i>Hypertension</i> , 2020 , 75, 723-729 | 8.5 | 7 |
| 316 | Effects of High-Fiber Diets and Macronutrient Substitution on Bloating: Findings From the OmniHeart Trial. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00122 | 4.2 | 2 |
| 315 | Estimated population wide benefits and risks in China of lowering sodium through potassium enriched salt substitution: modelling study. <i>BMJ, The</i> , 2020 , 369, m824 | 5.9 | 18 |
| 314 | Abstract MP36: Effects Of Intensive Blood Pressure Treatment On Orthostatic Hypotension: An Individual-level Meta-analysis. <i>Hypertension</i> , 2020 , 76, | 8.5 | 1 |
| 313 | Abstract P154: Results From A Randomized Trial Of Different Rest Times Before Initiating BP Measurements. <i>Hypertension</i> , 2020 , 76, | 8.5 | 1 |
| 312 | The Relationship of COVID-19 Severity with Cardiovascular Disease and Its Traditional Risk Factors: A Systematic Review and Meta-Analysis. <i>Global Heart</i> , 2020 , 15, 64 | 2.9 | 54 |
| 311 | The impact of weight loss on physical function in overweight or obese breast cancer survivors.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 12053-12053 | 2.2 | 0 |
| 310 | Vitamin D Supplementation and Change in Objectively Measured Physical Performance. <i>Innovation in Aging</i> , 2020 , 4, 759-760 | 0.1 | 78 |
| 309 | Vitamin D Supplementation on Detailed Fall Characteristics. <i>Innovation in Aging</i> , 2020 , 4, 759-759 | 0.1 | 78 |
| 308 | Design and Main Results of STURDY: A Randomized Clinical Trial of Four Vitamin D3 Doses to Prevent Falls in Older Adults. <i>Innovation in Aging</i> , 2020 , 4, 759-759 | 0.1 | 78 |
| 307 | Effects of Daily Vitamin D Supplementation on Objectively Measured Physical Activity: Results From the STURDY Trial. <i>Innovation in Aging</i> , 2020 , 4, 760-760 | 0.1 | 78 |
| 306 | A Systematic Review of the Sources of Dietary Salt Around the World. <i>Advances in Nutrition</i> , 2020 , 11, 677-686 | 10 | 37 |
| 305 | Dietary Cholesterol and Cardiovascular Risk: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2020 , 141, e39-e53 | 16.7 | 67 |
| 304 | Potassium-Enriched Salt Substitutes as a Means to Lower Blood Pressure: Benefits and Risks. <i>Hypertension</i> , 2020 , 75, 266-274 | 8.5 | 27 |
| 303 | Evidence-Based Policy Making for Public Health Interventions in Cardiovascular Diseases: Formally Assessing the Feasibility of Clinical Trials. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006378 | 5.8 | 4 |
| 302 | Dietary Patterns and Risk of Chronic Kidney Disease Progression and All-Cause Mortality: Findings from the CRIC study. <i>Current Developments in Nutrition</i> , 2020 , 4, 1415-1415 | 0.4 | 0 |
| 301 | Gut Microbiota Are Predictive of Coach-Directed Behavioral Weight Loss Success over 6 Months in Randomized Trial. <i>Current Developments in Nutrition</i> , 2020 , 4, 1556-1556 | 0.4 | 78 |

| | | | |
|-----|--|------|----|
| 300 | Associations Between Dietary Patterns and Subclinical Cardiac Injury: An Observational Analysis From the DASH Trial. <i>Annals of Internal Medicine</i> , 2020 , 172, 786-794 | 8 | 11 |
| 299 | Dietary intake of adults with and without diabetes: results from NHANES 2013-2016. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8, | 4.5 | 3 |
| 298 | Interventions Made to Preserve Cognitive Function Trial (IMPCT) study protocol: a multi-dialysis center 2x2 factorial randomized controlled trial of intradialytic cognitive and exercise training to preserve cognitive function. <i>BMC Nephrology</i> , 2020 , 21, 383 | 2.7 | 3 |
| 297 | Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. <i>Translational Behavioral Medicine</i> , 2020 , 10, 103-113 | 3.2 | 1 |
| 296 | Recruitment of trial participants through electronic medical record patient portal messaging: A pilot study. <i>Clinical Trials</i> , 2020 , 17, 30-38 | 2.2 | 9 |
| 295 | Healthy diet reduces markers of cardiac injury and inflammation regardless of macronutrients: Results from the OmniHeart trial. <i>International Journal of Cardiology</i> , 2020 , 299, 282-288 | 3.2 | 12 |
| 294 | The association of dietary phosphorus with blood pressure: results from a secondary analysis of the PREMIER trial. <i>Journal of Human Hypertension</i> , 2020 , 34, 132-142 | 2.6 | 3 |
| 293 | Electronic medical record-based cohort selection and direct-to-patient, targeted recruitment: early efficacy and lessons learned. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2019 , 26, 1209-1217 | 8.6 | 12 |
| 292 | Blood Pressure Assessment in Adults in Clinical Practice and Clinic-Based Research: JACC Scientific Expert Panel. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 317-335 | 15.1 | 58 |
| 291 | Effects of sodium intake on postural lightheadedness: Results from the DASH-sodium trial. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 355-362 | 2.3 | 5 |
| 290 | Benefits and Risks of Lowering Sodium Through Potassium-enriched Salt Substitution for Patients with Chronic Kidney Disease in China: A Modelling Study (OR25-05-19). <i>Current Developments in Nutrition</i> , 2019 , 3, | 0.4 | 78 |
| 289 | Dose-dependent effects of lifestyle interventions on blood lipid levels: Results from the PREMIER trial. <i>Patient Education and Counseling</i> , 2019 , 102, 1882-1891 | 3.1 | 3 |
| 288 | 27.2 COMPREHENSIVE CARDIOVASCULAR RISK REDUCTION TRIAL IN PERSONS WITH SERIOUS MENTAL ILLNESS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S134-S134 | 1.3 | 78 |
| 287 | 6.4 TRIAL OF INTEGRATED TOBACCO SMOKING CESSATION, EXERCISE AND WEIGHT MANAGEMENT IN PERSONS WITH SERIOUS MENTAL ILLNESS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S96-S97 | 1.3 | 1 |
| 286 | Influence of subsidies and promotional strategies on outcomes in a beneficiary-based commercial weight-loss programme. <i>Clinical Obesity</i> , 2019 , 9, e12307 | 3.6 | 1 |
| 285 | The Percentage of Dietary Phosphorus Excreted in the Urine Varies by Dietary Pattern in a Randomized Feeding Study in Adults. <i>Journal of Nutrition</i> , 2019 , 149, 816-823 | 4.1 | 4 |
| 284 | Dietary phosphorus intake and blood pressure in adults: a systematic review of randomized trials and prospective observational studies. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1264-1272 | 7 | 6 |
| 283 | Effects of a behavioural weight loss intervention in people with serious mental illness: Subgroup analyses from the ACHIEVE trial. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 205-210 | 5.4 | 2 |

| | | | |
|-----|---|------|----|
| 282 | Absence of the Association of Blood Pressure With Age in a Remote Venezuelan Population Renews the Call for Population-Wide Interventions-Reply. <i>JAMA Cardiology</i> , 2019 , 4, 497 | 16.2 | 1 |
| 281 | The Serum Metabolome Identifies Biomarkers of Dietary Acid Load in 2 Studies of Adults with Chronic Kidney Disease. <i>Journal of Nutrition</i> , 2019 , 149, 578-585 | 4.1 | 12 |
| 280 | Serum metabolites associated with dietary protein intake: results from the Modification of Diet in Renal Disease (MDRD) randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 517-525 | 7 | 15 |
| 279 | Gestational Weight Gain and Pregnancy Complications in a High-Risk, Racially and Ethnically Diverse Population. <i>Journal of Women's Health</i> , 2019 , 28, 375-383 | 3 | 5 |
| 278 | Estimation of Salt Consumption from 24-hour Urine Collection in a Nepalese Population (P18-084-19). <i>Current Developments in Nutrition</i> , 2019 , 3, | 0.4 | 78 |
| 277 | Changes in Dietary Intake After Metformin Treatment and Behavioral Weight Loss Intervention in Overweight or Obese Cancer Survivors: Results from a Randomized Clinical Trial (P05-029-19). <i>Current Developments in Nutrition</i> , 2019 , 3, | 0.4 | 1 |
| 276 | Abstract P119: Gap Between Need and Supply for Hypertension Care in Low- and Middle-Income Countries. <i>Circulation</i> , 2019 , 139, | 16.7 | 1 |
| 275 | Does an all-condition case management program for high-risk patients reduce health care utilization in medicaid and medicare beneficiaries with diabetes?. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 445-450 | 3.2 | 15 |
| 274 | Effect of a Behavioral Weight Loss Intervention in People With Serious Mental Illness and Diabetes. <i>Diabetes Care</i> , 2019 , 42, 804-809 | 14.6 | 4 |
| 273 | Kidney Risk Variants and Cardiovascular Disease: An Individual Participant Data Meta-Analysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 2027-2036 | 12.7 | 16 |
| 272 | Lower levels of proteinuria are associated with elevated mortality in incident dialysis patients. <i>PLoS ONE</i> , 2019 , 14, e0226866 | 3.7 | 1 |
| 271 | Effects of the DASH Diet and Sodium Intake on Bloating: Results From the DASH-Sodium Trial. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1109-1115 | 0.7 | 5 |
| 270 | Blood Pressure Goals in Patients with CKD: A Review of Evidence and Guidelines. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 161-169 | 6.9 | 25 |
| 269 | Sex-Related Disparities in CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 137-146 | 12.7 | 76 |
| 268 | Need for Cardiovascular Risk Reduction in Persons With Serious Mental Illness: Design of a Comprehensive Intervention. <i>Frontiers in Psychiatry</i> , 2018 , 9, 786 | 5 | 5 |
| 267 | Predictors of Long-Term Adherence to Multiple Health Behavior Recommendations for Weight Management. <i>Health Education and Behavior</i> , 2018 , 45, 997-1007 | 4.2 | 11 |
| 266 | Estimated 24-Hour Urinary Sodium and Potassium Excretion in US Adults. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1209-1220 | 27.4 | 85 |
| 265 | Characterization of metabolic responses to healthy diets and association with blood pressure: application to the Optimal Macronutrient Intake Trial for Heart Health (OmniHeart), a randomized controlled study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 323-334 | 7 | 31 |

| | | | |
|-----|---|------|----|
| 264 | Metabolically Healthy Obesity and Risk of Kidney Function Decline. <i>Obesity</i> , 2018 , 26, 762-768 | 8 | 13 |
| 263 | Use of online recruitment strategies in a randomized trial of cancer survivors. <i>Clinical Trials</i> , 2018 , 15, 130-138 | 2.2 | 29 |
| 262 | Orthostatic Hypotension and Symptoms in the AASK Trial. <i>American Journal of Hypertension</i> , 2018 , 31, 665-671 | 2.3 | 8 |
| 261 | Recommended treatment protocols to improve management of hypertension globally: A statement by Resolve to Save Lives and the World Hypertension League (WHL). <i>Journal of Clinical Hypertension</i> , 2018 , 20, 829-836 | 2.3 | 18 |
| 260 | Relationship of Sodium Intake and Blood Pressure Varies With Energy Intake: Secondary Analysis of the DASH (Dietary Approaches to Stop Hypertension)-Sodium Trial. <i>Hypertension</i> , 2018 , 71, 858-865 | 8.5 | 24 |
| 259 | Habitual sleep and kidney function in chronic kidney disease: the Chronic Renal Insufficiency Cohort study. <i>Journal of Sleep Research</i> , 2018 , 27, 281-289 | 5.8 | 15 |
| 258 | Intradialytic Cognitive and Exercise Training May Preserve Cognitive Function. <i>Kidney International Reports</i> , 2018 , 3, 81-88 | 4.1 | 25 |
| 257 | Characteristics and trends of clinical trials funded by the National Institutes of Health between 2005 and 2015. <i>Clinical Trials</i> , 2018 , 15, 65-74 | 2.2 | 21 |
| 256 | Dietary Cholesterol Intake and Sources among U.S Adults: Results from National Health and Nutrition Examination Surveys (NHANES), 2001?2014. <i>Nutrients</i> , 2018 , 10, | 6.7 | 32 |
| 255 | Diet and Blood Pressure 2018 , 201-210 | | 1 |
| 254 | Comparison of Frequency of Atherosclerotic Cardiovascular and Safety Events With Systolic Blood Pressure . <i>American Journal of Cardiology</i> , 2018 , 122, 1185-1190 | 3 | 3 |
| 253 | Effects of Different Dietary Interventions on Calcitriol, Parathyroid Hormone, Calcium, and Phosphorus: Results from the DASH Trial. <i>Nutrients</i> , 2018 , 10, | 6.7 | 6 |
| 252 | Effect of intermittent vs. daily calorie restriction on changes in weight and patient-reported outcomes in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018 , 23, 33-39 | 4 | 51 |
| 251 | Orthostatic Hypotension and Risk of Clinical and Subclinical Cardiovascular Disease in Middle-Aged Adults. <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 30 |
| 250 | Sodium Excretion in Population Subgroups-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 720 | 27.4 | 2 |
| 249 | Design Features of Randomized Clinical Trials of Vitamin D and Falls: A Systematic Review. <i>Nutrients</i> , 2018 , 10, | 6.7 | 6 |
| 248 | Trends in user ratings and reviews of a popular yet inaccurate blood pressure-measuring smartphone app. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018 , 25, 1074-1079 | 8.6 | 17 |
| 247 | Serum untargeted metabolomic profile of the Dietary Approaches to Stop Hypertension (DASH) dietary pattern. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 243-255 | 7 | 51 |

| | | | |
|-----|--|------|----|
| 246 | The relationship of lung function with ambient temperature. <i>PLoS ONE</i> , 2018 , 13, e0191409 | 3.7 | 13 |
| 245 | Auralife Instant Blood Pressure App in Measuring Resting Heart Rate: Validation Study. <i>JMIR Biomedical Engineering</i> , 2018 , 3, e11057 | 1.3 | 1 |
| 244 | Increasing Physical Activity Amongst Overweight and Obese Cancer Survivors Using an Alexa-Based Intelligent Agent for Patient Coaching: Protocol for the Physical Activity by Technology Help (PATH) Trial. <i>JMIR Research Protocols</i> , 2018 , 7, e27 | 2 | 17 |
| 243 | Longitudinal Weight Change During CKD Progression and Its Association With Subsequent Mortality. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 657-665 | 7.4 | 34 |
| 242 | Chronic kidney disease: Intensive blood pressure reduction lowers mortality in CKD. <i>Nature Reviews Nephrology</i> , 2018 , 14, 5-6 | 14.9 | 3 |
| 241 | Development and preliminary evaluation of a patient portal messaging for research recruitment service. <i>Journal of Clinical and Translational Science</i> , 2018 , 2, 53-56 | 0.4 | 15 |
| 240 | Comparison of automated clinical and research blood pressure measurements: Implications for clinical practice and trial design. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1676-1682 | 2.3 | 8 |
| 239 | Hypertension Treatment Effects on Orthostatic Hypotension and Its Relationship With Cardiovascular Disease. <i>Hypertension</i> , 2018 , 72, 986-993 | 8.5 | 20 |
| 238 | Rationale and design of the Study To Understand Fall Reduction and Vitamin D in You (STURDY): A randomized clinical trial of Vitamin D supplement doses for the prevention of falls in older adults. <i>Contemporary Clinical Trials</i> , 2018 , 73, 111-122 | 2.3 | 15 |
| 237 | Cardiovascular Events after New-Onset Atrial Fibrillation in Adults with CKD: Results from the Chronic Renal Insufficiency Cohort (CRIC) Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2859-2869 | 12.7 | 31 |
| 236 | Serum 6-Bromotryptophan Levels Identified as a Risk Factor for CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1939-1947 | 12.7 | 10 |
| 235 | Serum metabolites are associated with all-cause mortality in chronic kidney disease. <i>Kidney International</i> , 2018 , 94, 381-389 | 9.9 | 27 |
| 234 | Maternal Exposure to Ambient Particulate Matter $2.5 \mu\text{m}$ During Pregnancy and the Risk for High Blood Pressure in Childhood. <i>Hypertension</i> , 2018 , 72, 194-201 | 8.5 | 38 |
| 233 | The Joint Association of Small for Gestational Age and Nighttime Sleep with Blood Pressure in Childhood. <i>Scientific Reports</i> , 2018 , 8, 9632 | 4.9 | 3 |
| 232 | Soluble Urokinase-Type Plasminogen Activator Receptor in Black Americans with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1013-1021 | 6.9 | 15 |
| 231 | Diabetes, hyperglycemia, and the burden of functional disability among older adults in a community-based study. <i>Journal of Diabetes</i> , 2017 , 9, 76-84 | 3.8 | 15 |
| 230 | Vitamin D, Calcium, and Cardiovascular Disease: A "D"vantageous or "D"etrimental? An Era of Uncertainty. <i>Current Atherosclerosis Reports</i> , 2017 , 19, 5 | 6 | 13 |
| 229 | A cost analysis of implementing a behavioral weight loss intervention in community mental health settings: Results from the ACHIEVE trial. <i>Obesity</i> , 2017 , 25, 1006-1013 | 8 | 3 |

| | | | |
|-----|---|------|----|
| 228 | The Effects of Dietary Factors on Blood Pressure. <i>Cardiology Clinics</i> , 2017 , 35, 197-212 | 2.5 | 24 |
| 227 | Invited Commentary: Can Estimation of Sodium Intake Be Improved by Borrowing Information From Other Variables?. <i>American Journal of Epidemiology</i> , 2017 , 186, 1044-1046 | 3.8 | 1 |
| 226 | Cardiorespiratory benefits of group exercise among adults with serious mental illness. <i>Psychiatry Research</i> , 2017 , 256, 85-87 | 9.9 | 3 |
| 225 | Risk Variants and Cardiovascular Disease: Results From the AASK (African American Study of Kidney Disease and Hypertension). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1765-1769 | 9.4 | 27 |
| 224 | Risks of Adverse Events in Advanced CKD: The Chronic Renal Insufficiency Cohort (CRIC) Study. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 337-346 | 7.4 | 31 |
| 223 | Understanding the science that supports population-wide salt reduction programs. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 569-576 | 2.3 | 17 |
| 222 | DASH diet and change in serum uric acid over time. <i>Clinical Rheumatology</i> , 2017 , 36, 1413-1417 | 3.9 | 21 |
| 221 | Strict blood pressure control associates with decreased mortality risk by APOL1 genotype. <i>Kidney International</i> , 2017 , 91, 443-450 | 9.9 | 23 |
| 220 | The Association of Vitamin D Deficiency and Incident Frailty in Older Women: The Role of Cardiometabolic Diseases. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 619-624 | 5.6 | 23 |
| 219 | Time Course of Change in Blood Pressure From Sodium Reduction and the DASH Diet. <i>Hypertension</i> , 2017 , 70, 923-929 | 8.5 | 30 |
| 218 | Potassium homeostasis in health and disease: A scientific workshop cosponsored by the National Kidney Foundation and the American Society of Hypertension. <i>Journal of the American Society of Hypertension</i> , 2017 , 11, 783-800 | | 33 |
| 217 | Potassium Homeostasis in Health and Disease: A Scientific Workshop Cosponsored by the National Kidney Foundation and the American Society of Hypertension. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 844-858 | 7.4 | 37 |
| 216 | Risk Variants, Incident Proteinuria, and Subsequent eGFR Decline in Blacks with Hypertension-Attributed CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1771-1777 | 6.9 | 16 |
| 215 | Metoprolol Increases Uric Acid and Risk of Gout in African Americans With Chronic Kidney Disease Attributed to Hypertension. <i>American Journal of Hypertension</i> , 2017 , 30, 871-875 | 2.3 | 9 |
| 214 | The Association of Sleep Duration and Quality with CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3708-3715 | 12.7 | 35 |
| 213 | Association of History of Dizziness and Long-term Adverse Outcomes With Early vs Later Orthostatic Hypotension Assessment Times in Middle-aged Adults. <i>JAMA Internal Medicine</i> , 2017 , 177, 1316-1323 | 11.5 | 60 |
| 212 | Food Processing and Incident Hypertension: Causal Relationship, Confounding, or Both?. <i>American Journal of Hypertension</i> , 2017 , 30, 348-349 | 2.3 | 2 |
| 211 | Effects of Sodium Reduction and the DASH Diet in Relation to Baseline Blood Pressure. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2841-2848 | 15.1 | 91 |

| | | | |
|-----|---|------|-----|
| 210 | Filtration Markers as Predictors of ESRD and Mortality: Individual Participant Data Meta-Analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 69-78 | 6.9 | 19 |
| 209 | Phosphorus Additives and Albuminuria in Early Stages of CKD: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 200-209 | 7.4 | 17 |
| 208 | BP Control and Long-Term Risk of ESRD and Mortality. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 671-677 | 12.7 | 57 |
| 207 | Dietary Sources of Phosphorus among Adults in the United States: Results from NHANES 2001-2014. <i>Nutrients</i> , 2017 , 9, | 6.7 | 41 |
| 206 | A pilot feeding study for adults with asthma: The healthy eating better breathing trial. <i>PLoS ONE</i> , 2017 , 12, e0180068 | 3.7 | 7 |
| 205 | Urinary Sodium and Potassium Excretion and CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1202-12 | 12.7 | 120 |
| 204 | Kidney Function and Fracture Risk: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 218-226 | 7.4 | 41 |
| 203 | Vegetarian Diets for Weight Loss: How Strong is the Evidence?. <i>Journal of General Internal Medicine</i> , 2016 , 31, 9-10 | 4 | 1 |
| 202 | Effects of the Dietary Approaches to Stop Hypertension (DASH) Diet and Sodium Intake on Serum Uric Acid. <i>Arthritis and Rheumatology</i> , 2016 , 68, 3002-3009 | 9.5 | 60 |
| 201 | Effect of glycemic index and carbohydrate intake on kidney function in healthy adults. <i>BMC Nephrology</i> , 2016 , 17, 70 | 2.7 | 10 |
| 200 | Research Needs to Improve Hypertension Treatment and Control in African Americans. <i>Hypertension</i> , 2016 , 68, 1066-1072 | 8.5 | 49 |
| 199 | Opposing effects of sodium intake on uric acid and blood pressure and their causal implication. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 939-946.e2 | | 9 |
| 198 | Recommended Dietary Pattern to Achieve Adherence to the American Heart Association/American College of Cardiology (AHA/ACC) Guidelines: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2016 , 134, e505-e529 | 16.7 | 227 |
| 197 | The impact of continued intervention on weight: Five-year results from the weight loss maintenance trial. <i>Obesity</i> , 2016 , 24, 1046-53 | 8 | 18 |
| 196 | National Heart, Lung, and Blood Institute Working Group Report on Salt in Human Health and Sickness: Building on the Current Scientific Evidence. <i>Hypertension</i> , 2016 , 68, 281-8 | 8.5 | 39 |
| 195 | Patterns of Kidney Function Decline Associated with APOL1 Genotypes: Results from AASK. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1353-9 | 6.9 | 13 |
| 194 | Multinational Assessment of Accuracy of Equations for Predicting Risk of Kidney Failure: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 164-74 | 27.4 | 258 |
| 193 | Race, APOL1 Risk, and eGFR Decline in the General Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2842-50 | 12.7 | 89 |

| | | | |
|-----|--|------|-----|
| 192 | Prevalence and Prognostic Significance of Apparent Treatment Resistant Hypertension in Chronic Kidney Disease: Report From the Chronic Renal Insufficiency Cohort Study. <i>Hypertension</i> , 2016 , 67, 387-96 | 8.5 | 89 |
| 191 | Traditional and non-traditional risk factors for incident peripheral arterial disease among patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1145-51 | 4.3 | 30 |
| 190 | Effects of Lowering Glycemic Index of Dietary Carbohydrate on Plasma Uric Acid Levels: The OmniCarb Randomized Clinical Trial. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1281-9 | 9.5 | 14 |
| 189 | Relationship of the American Heart Association® Impact Goals (Life® Simple 7) With Risk of Chronic Kidney Disease: Results From the Atherosclerosis Risk in Communities (ARIC) Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5, e003192 | 6 | 39 |
| 188 | Individual variation in urinary sodium excretion among adolescent girls on a fixed intake. <i>Journal of Hypertension</i> , 2016 , 34, 1290-7 | 1.9 | 16 |
| 187 | Lower Sodium Intake and Risk of Headaches: Results From the Trial of Nonpharmacologic Interventions in the Elderly. <i>American Journal of Public Health</i> , 2016 , 106, 1270-5 | 5.1 | 11 |
| 186 | Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. <i>Scientific Reports</i> , 2016 , 6, 37032 | 4.9 | 9 |
| 185 | Effect of type and amount of dietary carbohydrate on biomarkers of glucose homeostasis and C reactive protein in overweight or obese adults: results from the OmniCarb trial. <i>BMJ Open Diabetes Research and Care</i> , 2016 , 4, e000276 | 4.5 | 6 |
| 184 | A Dietary Intervention in Urban African Americans: Results of the "Five Plus Nuts and Beans" Randomized Trial. <i>American Journal of Preventive Medicine</i> , 2016 , 50, 87-95 | 6.1 | 34 |
| 183 | Sodium Excretion and the Risk of Cardiovascular Disease in Patients With Chronic Kidney Disease. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2200-10 | 27.4 | 133 |
| 182 | Validation of the Instant Blood Pressure Smartphone App. <i>JAMA Internal Medicine</i> , 2016 , 176, 700-2 | 11.5 | 112 |
| 181 | Bariatric surgery is associated with improvement in kidney outcomes. <i>Kidney International</i> , 2016 , 90, 164-71 | 9.9 | 104 |
| 180 | Respiratory pathogens mediate the association between lung function and temperature in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2016 , 15, 794-801 | 4.1 | 12 |
| 179 | Critical Flaws in the Validation of the Instant Blood Pressure Smartphone App-A Letter from the App Developers-Reply. <i>JAMA Internal Medicine</i> , 2016 , 176, 1410-1 | 11.5 | 4 |
| 178 | Sodium Intake and All-Cause Mortality Over 20 Years in the Trials of Hypertension Prevention. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1609-1617 | 15.1 | 118 |
| 177 | DASH (Dietary Approaches to Stop Hypertension) Diet and Risk of Subsequent Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 853-861 | 7.4 | 167 |
| 176 | Association Between Adiposity and Left Ventricular Mass in Children With Hypertension. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 625-33 | 2.3 | 25 |
| 175 | Comparison of Two ELISA Methods and Mass Spectrometry for Measurement of Vitamin D-Binding Protein: Implications for the Assessment of Bioavailable Vitamin D Concentrations Across Genotypes. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1128-36 | 6.3 | 77 |

| | | | |
|-----|---|------|-----|
| 174 | Application of Latent Class Analysis to Identify Behavioral Patterns of Response to Behavioral Lifestyle Interventions in Overweight and Obese Adults. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 471-80 | 2.6 | 21 |
| 173 | The effects of weight change on glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1870-7 | 4.3 | 15 |
| 172 | High-Sensitivity Cardiac Troponin T and Risk of Hypertension. <i>Circulation</i> , 2015 , 132, 825-33 | 16.7 | 62 |
| 171 | Persistent high serum bicarbonate and the risk of heart failure in patients with chronic kidney disease (CKD): A report from the Chronic Renal Insufficiency Cohort (CRIC) study. <i>Journal of the American Heart Association</i> , 2015 , 4, | 6 | 49 |
| 170 | Phosphorus content of popular beverages. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 969-71 | 7.4 | 27 |
| 169 | Longitudinal changes in hematocrit in hypertensive chronic kidney disease: results from the African-American Study of Kidney Disease and Hypertension (AASK). <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1329-35 | 4.3 | 5 |
| 168 | The associations of 25-hydroxyvitamin D levels, vitamin D binding protein gene polymorphisms, and race with risk of incident fracture-related hospitalization: Twenty-year follow-up in a bi-ethnic cohort (the ARIC Study). <i>Bone</i> , 2015 , 78, 94-101 | 4.7 | 17 |
| 167 | Examination of Potential Modifiers of the Association of APOL1 Alleles with CKD Progression. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 2128-35 | 6.9 | 24 |
| 166 | Elevated uric acid and obesity-related cardiovascular disease risk factors among hypertensive youth. <i>Pediatric Nephrology</i> , 2015 , 30, 2169-76 | 3.2 | 14 |
| 165 | Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. <i>Patient Education and Counseling</i> , 2015 , 98, 1099-105 | 3.1 | 28 |
| 164 | Effects of a behavioral intervention that emphasizes spices and herbs on adherence to recommended sodium intake: results of the SPICE randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 671-9 | 7 | 36 |
| 163 | Estimating time to ESRD using kidney failure risk equations: results from the African American Study of Kidney Disease and Hypertension (AASK). <i>American Journal of Kidney Diseases</i> , 2015 , 65, 394-402 | 7.4 | 30 |
| 162 | Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. <i>Obesity</i> , 2015 , 23, 282-5 | 8 | 3 |
| 161 | Reducing Sodium Intake in Children: A Public Health Investment. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 657-62 | 2.3 | 35 |
| 160 | Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , 2015 , 2, 968-72 | 2.6 | 4 |
| 159 | The relationship of the local food environment with obesity: A systematic review of methods, study quality, and results. <i>Obesity</i> , 2015 , 23, 1331-44 | 8 | 266 |
| 158 | Low vs high glycemic index diet--reply. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1372-3 | 27.4 | 1 |
| 157 | Trends in National Institutes of Health Funding for Clinical Trials Registered in ClinicalTrials.gov. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 2566-7 | 27.4 | 73 |

| | | | |
|-----|--|------|-----|
| 156 | Plasma Urate and Risk of a Hospital Stay with AKI: The Atherosclerosis Risk in Communities Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 776-83 | 6.9 | 10 |
| 155 | Dietary Acid Load and Incident Chronic Kidney Disease: Results from the ARIC Study. <i>American Journal of Nephrology</i> , 2015 , 42, 427-35 | 4.6 | 92 |
| 154 | Recruitment and enrollment of African Americans and Caucasians in a health promotion trial for persons with serious mental illness. <i>Ethnicity and Disease</i> , 2015 , 25, 72-7 | 1.8 | 2 |
| 153 | Relation of serum lipids and lipoproteins with progression of CKD: The CRIC study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1190-8 | 6.9 | 90 |
| 152 | High dietary phosphorus intake is associated with all-cause mortality: results from NHANES III. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 320-7 | 7 | 147 |
| 151 | Reducing sodium intake to prevent stroke: time for action, not hesitation. <i>Stroke</i> , 2014 , 45, 909-11 | 6.7 | 5 |
| 150 | Effects of high vs low glycemic index of dietary carbohydrate on cardiovascular disease risk factors and insulin sensitivity: the OmniCarb randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 2531-41 | 27.4 | 134 |
| 149 | Methodological issues in cohort studies that relate sodium intake to cardiovascular disease outcomes: a science advisory from the American Heart Association. <i>Circulation</i> , 2014 , 129, 1173-86 | 16.7 | 203 |
| 148 | Effects of dietary sodium and the DASH diet on the occurrence of headaches: results from randomised multicentre DASH-Sodium clinical trial. <i>BMJ Open</i> , 2014 , 4, e006671 | 3 | 31 |
| 147 | Response to letter regarding article, "lower levels of sodium intake and reduced cardiovascular risk". <i>Circulation</i> , 2014 , 130, e269 | 16.7 | 2 |
| 146 | From policy to action: next steps in achieving population-wide reduction in sodium intake. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 94 | 2.3 | 0 |
| 145 | Examining behavioral processes through which lifestyle interventions promote weight loss: results from PREMIER. <i>Obesity</i> , 2014 , 22, 1002-7 | 8 | 20 |
| 144 | A within-patient analysis for time-varying risk factors of CKD progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 606-13 | 12.7 | 22 |
| 143 | Response to letter regarding article, "reducing sodium intake to prevent stroke: time for action, not hesitation". <i>Stroke</i> , 2014 , 45, e109 | 6.7 | 1 |
| 142 | Prevalence of obesity in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 188-9 | 27.4 | 4 |
| 141 | Decline in estimated glomerular filtration rate and subsequent risk of end-stage renal disease and mortality. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2518-2531 | 27.4 | 580 |
| 140 | Serum carbon isotope values change in adults in response to changes in sugar-sweetened beverage intake. <i>Journal of Nutrition</i> , 2014 , 144, 902-5 | 4.1 | 25 |
| 139 | Neighborhood socioeconomic status, race, and mortality in young adult dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 2649-57 | 12.7 | 54 |

| | | | |
|-----|--|------|-----|
| 138 | Insights from the POWER practice-based weight loss trial: a focus group study on the PCP's role in weight management. <i>Journal of General Internal Medicine</i> , 2014 , 29, 50-8 | 4 | 31 |
| 137 | POWER-remote: A randomized study evaluating the effect of a remote-based weight loss program on biomarkers in women with early-stage breast cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, TPS9657-TPS9657 | 2.2 | 27 |
| 136 | Healthy dietary interventions and lipoprotein (a) plasma levels: results from the Omni Heart Trial. <i>PLoS ONE</i> , 2014 , 9, e114859 | 3.7 | 23 |
| 135 | Longitudinal accuracy of web-based self-reported weights: results from the Hopkins POWER Trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e173 | 7.6 | 14 |
| 134 | A behavioral weight-loss intervention in persons with serious mental illness. <i>New England Journal of Medicine</i> , 2013 , 368, 1594-602 | 59.2 | 362 |
| 133 | Association of a reduction in central obesity and phosphorus intake with changes in urinary albumin excretion: the PREMIER study. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 900-7 | 7.4 | 21 |
| 132 | Effects of sodium intake and diet on racial differences in urinary potassium excretion: results from the Dietary Approaches to Stop Hypertension (DASH)-Sodium trial. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 88-95 | 7.4 | 28 |
| 131 | Diet and Blood Pressure 2013 , 151-159 | | |
| 130 | Beyond medications and diet: alternative approaches to lowering blood pressure: a scientific statement from the american heart association. <i>Hypertension</i> , 2013 , 61, 1360-83 | 8.5 | 364 |
| 129 | Effect of a high-protein diet on kidney function in healthy adults: results from the OmniHeart trial. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 547-54 | 7.4 | 57 |
| 128 | A trial of 2 strategies to reduce nocturnal blood pressure in blacks with chronic kidney disease. <i>Hypertension</i> , 2013 , 61, 82-8 | 8.5 | 64 |
| 127 | Modeling dietary patterns to assess sodium recommendations for nutrient adequacy. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 842-7 | 7 | 19 |
| 126 | Mineral metabolites and CKD progression in African Americans. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 125-35 | 12.7 | 68 |
| 125 | The effects of carbohydrate, unsaturated fat, and protein intake on measures of insulin sensitivity: results from the OmniHeart trial. <i>Diabetes Care</i> , 2013 , 36, 1132-7 | 14.6 | 70 |
| 124 | Impact of participant and interventionist race concordance on weight loss outcomes. <i>Obesity</i> , 2013 , 21, 712-7 | 8 | 10 |
| 123 | APOL1 risk variants, race, and progression of chronic kidney disease. <i>New England Journal of Medicine</i> , 2013 , 369, 2183-96 | 59.2 | 492 |
| 122 | Cigarette Smoking and Health Characteristics in Individuals With Serious Mental Illness Enrolled in a Behavioral Weight Loss Trial. <i>Journal of Dual Diagnosis</i> , 2013 , 9, 39-46 | 2.4 | 8 |
| 121 | Relationship of dietary monounsaturated fatty acids to blood pressure: the International Study of Macro/Micronutrients and Blood Pressure. <i>Journal of Hypertension</i> , 2013 , 31, 1144-50 | 1.9 | 25 |

| | | | |
|-----|--|------|------|
| 120 | Impact of Participant and Interventionist Race Concordance on Weight Loss Outcomes. <i>Obesity</i> , 2013 , 21, 712-7 | 8 | 7 |
| 119 | Longitudinal progression trajectory of GFR among patients with CKD. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 504-12 | 7.4 | 210 |
| 118 | Plant protein intake is associated with fibroblast growth factor 23 and serum bicarbonate levels in patients with chronic kidney disease: the Chronic Renal Insufficiency Cohort study. <i>Journal of Renal Nutrition</i> , 2012 , 22, 379-388.e1 | 3 | 66 |
| 117 | Population-wide sodium reduction: the bumpy road from evidence to policy. <i>Annals of Epidemiology</i> , 2012 , 22, 417-25 | 6.4 | 32 |
| 116 | Net endogenous acid production is associated with a faster decline in GFR in African Americans. <i>Kidney International</i> , 2012 , 82, 106-12 | 9.9 | 88 |
| 115 | Primary care providers' communication with patients during weight counseling: a focus group study. <i>Patient Education and Counseling</i> , 2012 , 89, 152-7 | 3.1 | 31 |
| 114 | Rationale, design and baseline data for the Activating Consumers to Exercise through Peer Support (ACE trial): A randomized controlled trial to increase fitness among adults with mental illness. <i>Mental Health and Physical Activity</i> , 2012 , 5, 166-174 | 5 | 13 |
| 113 | Kidney function can improve in patients with hypertensive CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 706-13 | 12.7 | 35 |
| 112 | Strategies to reduce dietary sodium intake. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2012 , 14, 425-34 | 2.1 | 34 |
| 111 | Predictors of long-term weight loss in adults with modest initial weight loss, by sex and race. <i>Obesity</i> , 2012 , 20, 1820-8 | 8 | 58 |
| 110 | Relationship between ambulatory BP and clinical outcomes in patients with hypertensive CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 1770-6 | 6.9 | 70 |
| 109 | Effects of vitamin C supplementation on blood pressure: a meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1079-88 | 7 | 179 |
| 108 | Sodium, blood pressure, and cardiovascular disease: further evidence supporting the American Heart Association sodium reduction recommendations. <i>Circulation</i> , 2012 , 126, 2880-9 | 16.7 | 300 |
| 107 | Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2011 , 42, 517-84 | 6.7 | 1148 |
| 106 | Behavioral transitions and weight change patterns within the PREMIER trial. <i>Obesity</i> , 2011 , 19, 1609-15 | 8 | 29 |
| 105 | Comparison of measured GFR, serum creatinine, cystatin C, and beta-trace protein to predict ESRD in African Americans with hypertensive CKD. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 886-93 | 7.4 | 62 |
| 104 | Comparative effectiveness of weight-loss interventions in clinical practice. <i>New England Journal of Medicine</i> , 2011 , 365, 1959-68 | 59.2 | 554 |
| 103 | Does reducing salt intake increase cardiovascular mortality?. <i>Kidney International</i> , 2011 , 80, 696-8 | 9.9 | 25 |

| | | | |
|-----|---|------|------|
| 102 | Components of a cardioprotective diet: new insights. <i>Circulation</i> , 2011 , 123, 2870-91 | 16.7 | 365 |
| 101 | The importance of population-wide sodium reduction as a means to prevent cardiovascular disease and stroke: a call to action from the American Heart Association. <i>Circulation</i> , 2011 , 123, 1138-43 | 16.7 | 284 |
| 100 | The effects of macronutrient intake on total and high-molecular weight adiponectin: results from the OMNI-Heart trial. <i>Obesity</i> , 2010 , 18, 1632-7 | 8 | 18 |
| 99 | Defining and setting national goals for cardiovascular health promotion and disease reduction: the American Heart Association's strategic Impact Goal through 2020 and beyond. <i>Circulation</i> , 2010 , 121, 586-613 | 16.7 | 2497 |
| 98 | Malnutrition-inflammation modifies the relationship of cholesterol with cardiovascular disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 2131-42 | 12.7 | 33 |
| 97 | Rate of ESRD exceeds mortality among African Americans with hypertensive nephrosclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 1361-9 | 12.7 | 39 |
| 96 | Independent but coordinated trials: insights from the practice-based Opportunities for Weight Reduction Trials Collaborative Research Group. <i>Clinical Trials</i> , 2010 , 7, 322-32 | 2.2 | 26 |
| 95 | Dietary interventions that lower lipoproteins containing apolipoprotein C-III are more effective in whites than in blacks: results of the OmniHeart trial. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 714-22 | 7.22 | 12 |
| 94 | The effect of dietary patterns on estimated coronary heart disease risk: results from the Dietary Approaches to Stop Hypertension (DASH) trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 484-9 | 5.8 | 62 |
| 93 | CYP3A4 and CYP3A5 polymorphisms and blood pressure response to amlodipine among African-American men and women with early hypertensive renal disease. <i>American Journal of Nephrology</i> , 2010 , 31, 95-103 | 4.6 | 39 |
| 92 | Compelling evidence for public health action to reduce salt intake. <i>New England Journal of Medicine</i> , 2010 , 362, 650-2 | 59.2 | 58 |
| 91 | Intensive blood-pressure control in hypertensive chronic kidney disease. <i>New England Journal of Medicine</i> , 2010 , 363, 918-29 | 59.2 | 511 |
| 90 | Overall and minority-focused recruitment strategies in the PREMIER multicenter trial of lifestyle interventions for blood pressure control. <i>Contemporary Clinical Trials</i> , 2010 , 31, 49-54 | 2.3 | 29 |
| 89 | ASH position paper: dietary approaches to lower blood pressure. <i>Journal of the American Society of Hypertension</i> , 2010 , 4, 79-89 | | 45 |
| 88 | Reducing consumption of sugar-sweetened beverages is associated with reduced blood pressure: a prospective study among United States adults. <i>Circulation</i> , 2010 , 121, 2398-406 | 16.7 | 180 |
| 87 | Dietary sources of sodium in China, Japan, the United Kingdom, and the United States, women and men aged 40 to 59 years: the INTERMAP study. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 736-45 | | 359 |
| 86 | Randomized trial of achieving healthy lifestyles in psychiatric rehabilitation: the ACHIEVE trial. <i>BMC Psychiatry</i> , 2010 , 10, 108 | 4.2 | 26 |
| 85 | Treatment of Obesity in Primary Care Practice: The Practice Based Opportunities for Weight Reduction (POWER) Trial at Johns Hopkins. <i>Obesity and Weight Management</i> , 2009 , 5, 216-221 | | 9 |

| | | | |
|----|--|------|-----|
| 84 | Associations between macronutrient intake and self-reported appetite and fasting levels of appetite hormones: results from the Optimal Macronutrient Intake Trial to Prevent Heart Disease. <i>American Journal of Epidemiology</i> , 2009 , 169, 893-900 | 3.8 | 35 |
| 83 | Reduction in consumption of sugar-sweetened beverages is associated with weight loss: the PREMIER trial. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1299-306 | 7 | 155 |
| 82 | Can individuals meet multiple physical activity and dietary behavior goals?. <i>American Journal of Health Behavior</i> , 2009 , 33, 277-86 | 1.9 | 17 |
| 81 | Disparate estimates of hypertension control from ambulatory and clinic blood pressure measurements in hypertensive kidney disease. <i>Hypertension</i> , 2009 , 53, 20-7 | 8.5 | 218 |
| 80 | Lifestyle interventions reduce coronary heart disease risk: results from the PREMIER Trial. <i>Circulation</i> , 2009 , 119, 2026-31 | 16.7 | 184 |
| 79 | Development and implementation cost analysis of telephone- and Internet-based interventions for the maintenance of weight loss. <i>International Journal of Technology Assessment in Health Care</i> , 2009 , 25, 400-10 | 1.8 | 18 |
| 78 | ASH Position Paper: Dietary approaches to lower blood pressure. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 358-68 | 2.3 | 64 |
| 77 | Characteristics associated with fasting appetite hormones (obestatin, ghrelin, and leptin). <i>Obesity</i> , 2009 , 17, 349-54 | 8 | 34 |
| 76 | Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. <i>Circulation</i> , 2009 , 120, 1011-20 | 16.7 | 805 |
| 75 | ASH position paper: Dietary approaches to lower blood pressure. <i>Journal of the American Society of Hypertension</i> , 2009 , 3, 321-31 | | 31 |
| 74 | The case for population-wide salt reduction gets stronger. <i>BMJ, The</i> , 2009 , 339, b4980 | 5.9 | 6 |
| 73 | Effect of group racial composition on weight loss in African Americans. <i>Obesity</i> , 2008 , 16, 306-10 | 8 | 22 |
| 72 | Characteristics of the diet patterns tested in the optimal macronutrient intake trial to prevent heart disease (OmniHeart): options for a heart-healthy diet. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 257-65 | | 77 |
| 71 | At the tipping point: accomplishing population-wide sodium reduction in the United States. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 7-11 | 2.3 | 14 |
| 70 | Comparison of strategies for sustaining weight loss: the weight loss maintenance randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 1139-48 | 27.4 | 551 |
| 69 | PREMIER--a trial of lifestyle interventions for blood pressure control: intervention design and rationale. <i>Health Promotion Practice</i> , 2008 , 9, 271-80 | 1.8 | 55 |
| 68 | Dietary phosphorus and blood pressure: international study of macro- and micro-nutrients and blood pressure. <i>Hypertension</i> , 2008 , 51, 669-75 | 8.5 | 78 |
| 67 | Racial differences in urinary potassium excretion. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 1396-402 | 12.7 | 51 |

| | | | |
|----|--|------|------|
| 66 | Design considerations and rationale of a multi-center trial to sustain weight loss: the Weight Loss Maintenance Trial. <i>Clinical Trials</i> , 2008 , 5, 546-56 | 2.2 | 42 |
| 65 | Long-term effects of renin-angiotensin system-blocking therapy and a low blood pressure goal on progression of hypertensive chronic kidney disease in African Americans. <i>Archives of Internal Medicine</i> , 2008 , 168, 832-9 | | 117 |
| 64 | Alternatives for macronutrient intake and chronic disease: a comparison of the OmniHeart diets with popular diets and with dietary recommendations. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1-11 | 7 | 51 |
| 63 | Effect of protein, unsaturated fat, and carbohydrate intakes on plasma apolipoprotein B and VLDL and LDL containing apolipoprotein C-III: results from the OmniHeart Trial. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1623-30 | 7 | 44 |
| 62 | Diet and Blood Pressure 2007 , 201-212 | | |
| 61 | Effects of Dietary Patterns 2007 , 89-98 | | |
| 60 | The PREMIER intervention helps participants follow the Dietary Approaches to Stop Hypertension dietary pattern and the current Dietary Reference Intakes recommendations. <i>Journal of the American Dietetic Association</i> , 2007 , 107, 1541-51 | | 78 |
| 59 | Baseline characteristics of participants in the African American Study of Kidney Disease and Hypertension (AASK) Clinical Trial and Cohort Study. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 78-89, 89.e1 | 7.4 | 37 |
| 58 | The effects of macronutrients on blood pressure and lipids: An overview of the DASH and OmniHeart trials. <i>Current Cardiovascular Risk Reports</i> , 2007 , 1, 46-51 | 0.9 | |
| 57 | Long term effects of dietary sodium reduction on cardiovascular disease outcomes: observational follow-up of the trials of hypertension prevention (TOHP). <i>BMJ, The</i> , 2007 , 334, 885-8 | 5.9 | 782 |
| 56 | Effects of PREMIER lifestyle modifications on participants with and without the metabolic syndrome. <i>Hypertension</i> , 2007 , 50, 609-16 | 8.5 | 92 |
| 55 | Prevalence and correlates of left ventricular hypertrophy in the African American Study of Kidney Disease Cohort Study. <i>Hypertension</i> , 2007 , 50, 1033-9 | 8.5 | 36 |
| 54 | Reductions in dietary energy density are associated with weight loss in overweight and obese participants in the PREMIER trial. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1212-21 | 7 | 168 |
| 53 | The effects of macronutrients on blood pressure and lipids: an overview of the DASH and OmniHeart trials. <i>Current Atherosclerosis Reports</i> , 2006 , 8, 460-5 | 6 | 63 |
| 52 | Association between protein intake and blood pressure: the INTERMAP Study. <i>Archives of Internal Medicine</i> , 2006 , 166, 79-87 | | 192 |
| 51 | Validation of creatinine-based estimates of GFR when evaluating risk factors in longitudinal studies of kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2900-9 | 12.7 | 57 |
| 50 | Baseline predictors of renal disease progression in the African American Study of Hypertension and Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2928-36 | 12.7 | 115 |
| 49 | Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. <i>Circulation</i> , 2006 , 114, 82-96 | 16.7 | 2018 |

| | | | |
|----|--|------|-----|
| 48 | Dietary approaches to prevent and treat hypertension: a scientific statement from the American Heart Association. <i>Hypertension</i> , 2006 , 47, 296-308 | 8.5 | 895 |
| 47 | A primer on the design, conduct, and interpretation of clinical trials. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 1360-7 | 6.9 | 19 |
| 46 | Effects of comprehensive lifestyle modification on diet, weight, physical fitness, and blood pressure control: 18-month results of a randomized trial. <i>Annals of Internal Medicine</i> , 2006 , 144, 485-95 | 8 | 415 |
| 45 | The effects of vitamin C supplementation on serum concentrations of uric acid: results of a randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1843-7 | | 135 |
| 44 | Rationale and design of the Optimal Macro-Nutrient Intake Heart Trial to Prevent Heart Disease (OMNI-Heart). <i>Clinical Trials</i> , 2005 , 2, 529-37 | 2.2 | 38 |
| 43 | Effects of protein, monounsaturated fat, and carbohydrate intake on blood pressure and serum lipids: results of the OmniHeart randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 2455-64 | 27.4 | 809 |
| 42 | Effect of dietary sodium intake on blood lipids: results from the DASH-sodium trial. <i>Hypertension</i> , 2004 , 43, 393-8 | 8.5 | 78 |
| 41 | A further subgroup analysis of the effects of the DASH diet and three dietary sodium levels on blood pressure: results of the DASH-Sodium Trial. <i>American Journal of Cardiology</i> , 2004 , 94, 222-7 | 3 | 173 |
| 40 | Comprehensive lifestyle modification and blood pressure control: a review of the PREMIER trial. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 383-90 | 2.3 | 35 |
| 39 | Lifestyle modification: is it achievable and durable? The argument for. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 578-81 | 2.3 | 4 |
| 38 | Beyond (or back to) traditional risk factors: preventing cardiovascular disease in patients with chronic kidney disease. <i>Annals of Internal Medicine</i> , 2004 , 140, 60-1 | 8 | 17 |
| 37 | Inflammation modifies the effects of a reduced-fat low-cholesterol diet on lipids: results from the DASH-sodium trial. <i>Circulation</i> , 2003 , 108, 150-4 | 16.7 | 91 |
| 36 | The rationale and design of the AASK cohort study. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S166-72 | 12.7 | 78 |
| 35 | Lifestyle modification as a means to prevent and treat high blood pressure. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S99-S102 | 12.7 | 104 |
| 34 | The effects of protein intake on blood pressure and cardiovascular disease. <i>Current Opinion in Lipidology</i> , 2003 , 14, 55-9 | 4.4 | 58 |
| 33 | The DASH diet and sodium reduction improve markers of bone turnover and calcium metabolism in adults. <i>Journal of Nutrition</i> , 2003 , 133, 3130-6 | 4.1 | 170 |
| 32 | The potential impact of nonpharmacologic population-wide blood pressure reduction on coronary heart disease events: pronounced benefits in African-Americans and hypertensives. <i>Preventive Medicine</i> , 2003 , 37, 327-33 | 4.3 | 37 |
| 31 | Individual blood pressure responses to changes in salt intake: results from the DASH-Sodium trial. <i>Hypertension</i> , 2003 , 42, 459-67 | 8.5 | 146 |

| | | | |
|----|--|------|------|
| 30 | Effects of comprehensive lifestyle modification on blood pressure control: main results of the PREMIER clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 2083-93 | 27.4 | 916 |
| 29 | Results of the Diet, Exercise, and Weight Loss Intervention Trial (DEW-IT). <i>Hypertension</i> , 2002 , 40, 612-8 | 8.5 | 228 |
| 28 | Effect of blood pressure lowering and antihypertensive drug class on progression of hypertensive kidney disease: results from the AASK trial. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2421-31 | 27.4 | 1425 |
| 27 | Primary prevention of hypertension: clinical and public health advisory from The National High Blood Pressure Education Program. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1882-8 | 27.4 | 982 |
| 26 | The effect of magnesium supplementation on blood pressure: a meta-analysis of randomized clinical trials. <i>American Journal of Hypertension</i> , 2002 , 15, 691-6 | 2.3 | 247 |
| 25 | Association of angiotensin-converting enzyme DD genotype with blood pressure sensitivity to weight loss. <i>American Heart Journal</i> , 2002 , 144, 625-629 | 4.9 | 30 |
| 24 | Bbs and bullets: the impact of dietary factors on blood pressure. <i>Hypertension</i> , 2001 , 37, 268-9 | 8.5 | 4 |
| 23 | Effects of diet and sodium intake on blood pressure: subgroup analysis of the DASH-sodium trial. <i>Annals of Internal Medicine</i> , 2001 , 135, 1019-28 | 8 | 380 |
| 22 | Effects of reduced sodium intake on hypertension control in older individuals: results from the Trial of Nonpharmacologic Interventions in the Elderly (TONE). <i>Archives of Internal Medicine</i> , 2001 , 161, 685-93 | | 188 |
| 21 | Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. <i>New England Journal of Medicine</i> , 2001 , 344, 3-10 | 59.2 | 3645 |
| 20 | Angiotensinogen genotype and blood pressure response in the Dietary Approaches to Stop Hypertension (DASH) study. <i>Journal of Hypertension</i> , 2001 , 19, 1949-56 | 1.9 | 71 |
| 19 | The role of diet in the prevention and treatment of hypertension. <i>Current Atherosclerosis Reports</i> , 2000 , 2, 521-8 | 6 | 28 |
| 18 | Nutrition-Related Cardiovascular Risk Factors in Older People: Results from the Third National Health and Nutrition Examination Survey. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1486-1489 | 5.6 | 9 |
| 17 | Effect of dietary patterns on serum homocysteine: results of a randomized, controlled feeding study. <i>Circulation</i> , 2000 , 102, 852-7 | 16.7 | 141 |
| 16 | Effect of dietary patterns on ambulatory blood pressure : results from the Dietary Approaches to Stop Hypertension (DASH) Trial. DASH Collaborative Research Group. <i>Hypertension</i> , 1999 , 34, 472-7 | 8.5 | 107 |
| 15 | Nonpharmacologic therapies that reduce blood pressure: a fresh perspective. <i>Clinical Cardiology</i> , 1999 , 22, III1-5 | 3.3 | 31 |
| 14 | Dietary Approaches to Stop Hypertension: rationale, design, and methods. DASH Collaborative Research Group. <i>Journal of the American Dietetic Association</i> , 1999 , 99, S12-8 | | 90 |
| 13 | The DASH Diet, Sodium Intake and Blood Pressure Trial (DASH-sodium): rationale and design. DASH-Sodium Collaborative Research Group. <i>Journal of the American Dietetic Association</i> , 1999 , 99, S96-104 | | 128 |

| | | | |
|----|---|------|------|
| 12 | The effects of aerobic exercise and Tai Chi on blood pressure in older people: results of a randomized trial. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 277-84 | 5.6 | 143 |
| 11 | Lifestyle Changes That Reduce Blood Pressure: Implementation in Clinical Practice. <i>Journal of Clinical Hypertension</i> , 1999 , 1, 191-198 | 2.3 | 5 |
| 10 | Sodium reduction and weight loss in the treatment of hypertension in older persons: a randomized controlled trial of nonpharmacologic interventions in the elderly (TONE). TONE Collaborative Research Group. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 839-46 | 27.4 | 789 |
| 9 | Effect of dietary patterns on measures of lipid peroxidation: results from a randomized clinical trial. <i>Circulation</i> , 1998 , 98, 2390-5 | 16.7 | 125 |
| 8 | Baseline correlates with quality of life among men and women with medication-controlled hypertension. The trial of nonpharmacologic interventions in the elderly (TONE). <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1080-5 | 5.6 | 37 |
| 7 | A clinical trial of the effects of dietary patterns on blood pressure. DASH Collaborative Research Group. <i>New England Journal of Medicine</i> , 1997 , 336, 1117-24 | 59.2 | 4073 |
| 6 | Association between cigarette smoking and lipid peroxidation in a controlled feeding study. <i>Circulation</i> , 1997 , 96, 1097-101 | 16.7 | 67 |
| 5 | Rationale and design of the Dietary Approaches to Stop Hypertension trial (DASH). A multicenter controlled-feeding study of dietary patterns to lower blood pressure. <i>Annals of Epidemiology</i> , 1995 , 5, 108-18 | 6.4 | 335 |
| 4 | Trial of Nonpharmacologic Intervention in the Elderly (TONE). Design and rationale of a blood pressure control trial. <i>Annals of Epidemiology</i> , 1995 , 5, 119-29 | 6.4 | 68 |
| 3 | The Egyptian National Hypertension Project (NHP). Design and rationale. The NHP Investigative Team. <i>Hypertension</i> , 1995 , 26, 880-5 | 8.5 | 14 |
| 2 | Combinations of potassium, calcium, and magnesium supplements in hypertension. <i>Hypertension</i> , 1995 , 26, 950-6 | 8.5 | 47 |
| 1 | Does Supplementation of Diet With Fish Oil Reduce Blood Pressure?. <i>Archives of Internal Medicine</i> , 1993 , 153, 1429 | | 240 |