

# Sven van den Bosch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2718055/publications.pdf>

Version: 2024-02-01

13  
papers

677  
citations

840776

11  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

1240  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Cancer-specific Survival in Patients with High-risk, Non-muscle-invasive Bladder Cancer and Tumour Progression: A Systematic Review. <i>European Urology</i> , 2011, 60, 493-500.	1.9	274
2	In Tanzania, Hemolysis after a Single Dose of Primaquine Coadministered with an Artemisinin Is Not Restricted to Glucose-6-Phosphate Dehydrogenase-Deficient (G6PD A-) Individuals. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 1762-1768.	3.2	93
3	A cluster-randomized trial of mass drug administration with a gametocytocidal drug combination to interrupt malaria transmission in a low endemic area in Tanzania. <i>Malaria Journal</i> , 2011, 10, 247.	2.3	63
4	Reirradiation of head and neck cancer: Long-term disease control and toxicity. <i>Head and Neck</i> , 2017, 39, 1122-1130.	2.0	46
5	External validation of deep learning-based contouring of head and neck organs at risk. <i>Physics and Imaging in Radiation Oncology</i> , 2020, 15, 8-15.	2.9	40
6	Implications of improved diagnostic imaging of small nodal metastases in head and neck cancer: Radiotherapy target volume transformation and dose de-escalation. <i>Radiotherapy and Oncology</i> , 2018, 128, 472-478.	0.6	33
7	Patterns of Recurrence in Electively Irradiated Lymph Node Regions After Definitive Accelerated Intensity Modulated Radiation Therapy for Head and Neck Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 766-774.	0.8	31
8	Uniform FDG-PET guided GRAdient Dose prEscription to reduce late Radiation Toxicity (UPGRADE-RT): study protocol for a randomized clinical trial with dose reduction to the elective neck in head and neck squamous cell carcinoma. <i>BMC Cancer</i> , 2017, 17, 208.	2.6	27
9	18F-FDG-PET/CT-based treatment planning for definitive (chemo)radiotherapy in patients with head and neck squamous cell carcinoma improves regional control and survival. <i>Radiotherapy and Oncology</i> , 2020, 142, 107-114.	0.6	24
10	Advances in cancer imaging require renewed radiotherapy dose and target volume concepts. <i>Radiotherapy and Oncology</i> , 2020, 148, 140-142.	0.6	19
11	Erythromycin to Promote Bedside Placement of a Self-Propelled Nasojejunal Feeding Tube in Non-Critically Ill Patients Having Pancreatitis: A Randomized, Double-Blind, Placebo-Controlled Study. <i>Nutrition in Clinical Practice</i> , 2011, 26, 181-185.	2.4	16
12	Tumor to cervical spinal cord standardized uptake ratio (SUR) improves the reproducibility of 18F-FDG-PET based tumor segmentation in head and neck squamous cell carcinoma in a multicenter setting. <i>Radiotherapy and Oncology</i> , 2019, 130, 39-45.	0.6	8
13	Comparison of Patients With Head and Neck Cancer in Randomized Clinical Trials and Clinical Practice. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 670.	2.2	3