

Woo Kyoung Jeong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2718548/publications.pdf>

Version: 2024-02-01

153
papers

3,264
citations

185998

28
h-index

205818

48
g-index

156
all docs

156
docs citations

156
times ranked

4616
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of epithelial-to-mesenchymal transition molecular subtype using CT in gastric cancer. <i>European Radiology</i> , 2022, 32, 1-11.	2.3	6
2	Steady-state ferumoxytol-enhanced MRI: early observations in benign abdominal organ masses and clinical implications. <i>Abdominal Radiology</i> , 2022, 47, 460-470.	1.0	3
3	Second-line Sonazoid-enhanced ultrasonography for Liver Imaging Reporting and Data System category 3 and 4 on gadoxetate-enhanced magnetic resonance imaging. <i>Ultrasonography</i> , 2022, 41, 519-529.	1.0	2
4	Impact of Skeletal Muscle Loss and Visceral Obesity Measured Using Serial CT on the Prognosis of Operable Breast Cancers in Asian Patients. <i>Korean Journal of Radiology</i> , 2022, 23, 159.	1.5	4
5	Prognostic significance of cachexia index in patients with advanced hepatocellular carcinoma treated with systemic chemotherapy. <i>Scientific Reports</i> , 2022, 12, 7647.	1.6	13
6	Perfluorobutane-enhanced ultrasonography with a Kupffer phase: improved diagnostic sensitivity for hepatocellular carcinoma. <i>European Radiology</i> , 2022, 32, 8507-8517.	2.3	8
7	Prognostic significance of sarcopenia in microsatellite-stable gastric cancer patients treated with programmed death-1 inhibitors. <i>Gastric Cancer</i> , 2021, 24, 457-466.	2.7	34
8	Venous outflow congestion is related to poor recurrence-free survival of living donor liver transplantation recipients with hepatocellular carcinoma – a retrospective study. <i>Transplant International</i> , 2021, 34, 272-280.	0.8	3
9	Comparison of Super-Resolution US and Contrast Material-enhanced US in Detection of the Spoke Wheel Sign in Patients with Focal Nodular Hyperplasia. <i>Radiology</i> , 2021, 298, 82-90.	3.6	10
10	Comparison of ablation performance between dual internally cooled wet tip and conventional dual internally cooled tip radiofrequency electrodes: an experimental study in <i>ex vivo</i> bovine liver. <i>International Journal of Hyperthermia</i> , 2021, 38, 332-340.	1.1	6
11	The AFSUMB consensus statements and recommendations for the clinical practice of contrast-enhanced ultrasound using sonazoid. <i>Journal of Medical Ultrasound</i> , 2021, 28, 59-82.	0.2	13
12	Liver Imaging Reporting and Data System Category on Magnetic Resonance Imaging Predicts Recurrence of Hepatocellular Carcinoma After Liver Transplantation Within the Milan Criteria: A Multicenter Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 6782-6789.	0.7	9
13	Risk of Second Primary Malignancies among Patients with Early Gastric Cancer Exposed to Recurrent Computed Tomography Scans. <i>Cancers</i> , 2021, 13, 1144.	1.7	4
14	Rim-arterial enhancing primary hepatic tumors with other targetoid appearance show early recurrence after radiofrequency ablation. <i>European Radiology</i> , 2021, 31, 6555-6567.	2.3	4
15	Assessment of factors affecting washout appearance of hepatocellular carcinoma on CT. <i>European Radiology</i> , 2021, 31, 7760-7770.	2.3	3
16	Quantitative analysis of contrast-enhanced ultrasonography following living donor liver transplantation: early diagnosis of middle hepatic venous occlusion. <i>Medical Ultrasonography</i> , 2021, 23, 390-395.	0.4	0
17	A Novel Technique for Bile Duct Division During Laparoscopic Living Donor Hepatectomy to Overcome Biliary Complications in Liver Transplantation Recipients: “Cut and Clip” Rather Than “Clip and Cut”. <i>Transplantation</i> , 2021, 105, 1791-1799.	0.5	10
18	Prognostic Impact of Sarcopenia and Radiotherapy in Patients With Advanced Gastric Cancer Treated With Anti-PD-1 Antibody. <i>Frontiers in Immunology</i> , 2021, 12, 701668.	2.2	13

#	ARTICLE	IF	CITATIONS
19	Systematic review and meta-analysis of diagnostic performance of CT imaging for assessing resectability of pancreatic ductal adenocarcinoma after neoadjuvant therapy: importance of CT criteria. <i>Abdominal Radiology</i> , 2021, 46, 5201-5217.	1.0	10
20	Sonazoid-enhanced ultrasonography: comparison with CT/MRI Liver Imaging Reporting and Data System in patients with suspected hepatocellular carcinoma. <i>Ultrasonography</i> , 2021, 40, 486-498.	1.0	23
21	Imaging of Mesentery and Omentum. <i>Journal of the Korean Society of Radiology</i> , 2021, 82, 335.	0.1	1
22	Serial Observations of Muscle and Fat Mass as Prognostic Factors for Deceased Donor Liver Transplantation. <i>Korean Journal of Radiology</i> , 2021, 22, 189.	1.5	10
23	Estimation of Noise Level and Edge Preservation for Computed Tomography Images: Comparisons in Iterative Reconstruction. <i>Progress in Medical Physics</i> , 2021, 32, 92-98.	0.5	0
24	Gadoxetic acid-enhanced MRI as a predictor of recurrence of HCC after liver transplantation. <i>European Radiology</i> , 2020, 30, 987-995.	2.3	43
25	Gastric cancer: development and validation of a CT-based model to predict peritoneal metastasis. <i>Acta Radiologica</i> , 2020, 61, 732-742.	0.5	12
26	Do Biliary Complications after Proton Beam Therapy for Perihilar Hepatocellular Carcinoma Matter?. <i>Cancers</i> , 2020, 12, 2395.	1.7	7
27	Ultrasonographic morphological diagnosis of chronic liver disease: 2-dimensional shear wave elastography as an add-on test. <i>Ultrasonography</i> , 2020, 39, 272-280.	1.0	3
28	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Ultrasonography</i> , 2020, 39, 191-220.	1.0	58
29	Ultrasound Elastography. , 2020, , 513-521.		0
30	Clinical Impact of Preoperative Sarcopenia to Postoperative Prognosis in Patients with Periampullary Malignancy: Retrospective Multicenter Study. <i>Surgical Metabolism and Nutrition</i> , 2020, 11, 40-45.	0.3	0
31	Contrast-enhanced US with Perfluorobutane for Hepatocellular Carcinoma Surveillance: A Multicenter Diagnostic Trial (SCAN). <i>Radiology</i> , 2019, 292, 638-646.	3.6	30
32	Abdominal Wall Thickness Affects Liver Stiffness Measurements by 2-D Shear Wave Elastography in Patients with Chronic Liver Disease. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2697-2703.	0.7	14
33	Intrahepatic distant recurrence after radiofrequency ablation of hepatocellular carcinoma: relationship with portal hypertension. <i>Acta Radiologica</i> , 2019, 60, 1609-1618.	0.5	6
34	Radiomics and radiogenomics of primary liver cancers. <i>Clinical and Molecular Hepatology</i> , 2019, 25, 21-29.	4.5	52
35	Intraindividual Comparison between Gadoxetate-Enhanced Magnetic Resonance Imaging and Dynamic Computed Tomography for Characterizing Focal Hepatic Lesions: A Multicenter, Multireader Study. <i>Korean Journal of Radiology</i> , 2019, 20, 1616.	1.5	22
36	2-D Shear Wave Elastography for Focal Lesions in Liver Phantoms: Effects of Background Stiffness, Depth and Size of Focal Lesions on Stiffness Measurement. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 3261-3268.	0.7	8

#	ARTICLE	IF	CITATIONS
37	Semiautomatic software for measurement of abdominal muscle and adipose areas using computed tomography. <i>Medicine (United States)</i> , 2019, 98, e15867.	0.4	24
38	Magnetic Resonance Imaging Findings of Biliary Adenofibroma. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2019, 74, 356.	0.2	10
39	Multidisciplinary approach is associated with improved survival of hepatocellular carcinoma patients. <i>PLoS ONE</i> , 2019, 14, e0210730.	1.1	64
40	Evaluation of early treatment response to radiotherapy for HCC using pre- and post-treatment MRI. <i>Acta Radiologica</i> , 2019, 60, 826-835.	0.5	7
41	The New Cutoff Value of the Hepatic Venous Pressure Gradient on Predicting Long-Term Survival in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , 2019, 34, e223.	1.1	4
42	Teleradiology of Korea in 2017: A Questionnaire to Members of The Korean Society of Radiology. <i>Journal of the Korean Society of Radiology</i> , 2019, 80, 684.	0.1	1
43	Teleradiology of Korea in 2017: Survey and Interview of Training Hospitals and Teleradiology Center. <i>Journal of the Korean Society of Radiology</i> , 2019, 80, 490.	0.1	3
44	Adding ancillary features to enhancement patterns of hepatocellular carcinoma on gadoxetic acid-enhanced magnetic resonance imaging improves diagnostic performance. <i>Abdominal Radiology</i> , 2018, 43, 2309-2320.	1.0	9
45	Artifacts during the arterial phase of gadoxetate disodium-enhanced MRI: Multiple arterial phases using view-sharing from two different vendors versus single arterial phase imaging. <i>European Radiology</i> , 2018, 28, 3335-3346.	2.3	19
46	Added value of ancillary imaging features for differentiating scirrhou hepatocellular carcinoma from intrahepatic cholangiocarcinoma on gadoxetic acid-enhanced MR imaging. <i>European Radiology</i> , 2018, 28, 2549-2560.	2.3	36
47	Hepatobiliary MRI as novel selection criteria in liver transplantation for hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2018, 68, 1144-1152.	1.8	49
48	Quality Management of Ultrasound Surveillance for Hepatocellular Carcinoma Under the Korean National Cancer Screening Program. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 245-254.	0.8	5
49	Focal Nodular Hyperplasia of the Liver: Contrast-Enhanced Ultrasonographic Features With Sonazoid. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1473-1480.	0.8	21
50	Coefficient of Variance as Quality Criterion for Evaluation of Advanced Hepatic Fibrosis Using 2D Shear-Wave Elastography. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 355-362.	0.8	13
51	Clinical implication of hepatic volumetry for living donor liver transplantation. <i>Clinical and Molecular Hepatology</i> , 2018, 24, 51-53.	4.5	1
52	Deep Learning-Based Survival Analysis Identified Associations Between Molecular Subtype and Optimal Adjuvant Treatment of Patients With Gastric Cancer. <i>JCO Clinical Cancer Informatics</i> , 2018, 2, 1-14.	1.0	17
53	Impact of sarcopenia on prognostic value of cirrhosis: going beyond the hepatic venous pressure gradient and MELD score. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 860-870.	2.9	101
54	Detection of recurrent hepatocellular carcinoma after surgical resection: Non-contrast liver MR imaging with diffusion-weighted imaging versus gadoxetic acid-enhanced MR imaging. <i>British Journal of Radiology</i> , 2018, 91, 20180177.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Computed tomographic features of inflammatory myofibroblastic tumour of the stomach in adult patients: An analysis of five multicentre cases with literature review. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2018, 62, 769-776.	0.9	8
56	Sarcopenia as a predictor of post-transplant tumor recurrence after living donor liver transplantation for hepatocellular carcinoma beyond the Milan criteria. <i>Scientific Reports</i> , 2018, 8, 7157.	1.6	25
57	Suggested Protocol for Efficient Medical Image Information Exchange in Korea: Breast MRI. <i>Journal of the Korean Society of Radiology</i> , 2018, 79, 254.	0.1	1
58	Imaging features of hepatic sarcomatous carcinoma on computed tomography and gadoxetic acid-enhanced magnetic resonance imaging. <i>Abdominal Radiology</i> , 2017, 42, 1424-1433.	1.0	33
59	Differentiation between cholangiocarcinoma and hepatocellular carcinoma with target sign on diffusion-weighted imaging and hepatobiliary phase gadoxetic acid-enhanced MR imaging: Classification tree analysis applying capsule and septum. <i>European Journal of Radiology</i> , 2017, 92, 1-10.	1.2	33
60	Contrast-enhanced US with Perfluorobutane(Sonazoid) used as a surveillance test for Hepatocellular Carcinoma (HCC) in Cirrhosis (SCAN): an exploratory cross-sectional study for a diagnostic trial. <i>BMC Cancer</i> , 2017, 17, 279.	1.1	13
61	Diagnostic accuracy of diffusion restriction in intraductal papillary mucinous neoplasm of the pancreas in comparison with "high-risk stigmata" of the 2012 international consensus guidelines for prediction of the malignancy and invasiveness. <i>Acta Radiologica</i> , 2017, 58, 1157-1166.	0.5	16
62	Magnetic resonance findings of hepatic epithelioid hemangioendothelioma: emphasis on hepatobiliary phase using Gd-EOB-DTPA. <i>Abdominal Radiology</i> , 2017, 42, 2261-2271.	1.0	15
63	The value of gadoxetic acid-enhanced MRI for differentiation between hepatic microabscesses and metastases in patients with periampullary cancer. <i>European Radiology</i> , 2017, 27, 4383-4393.	2.3	16
64	Gadoxetic acid-enhanced magnetic resonance imaging characteristics of hepatocellular carcinoma occurring in liver transplants. <i>European Radiology</i> , 2017, 27, 3117-3127.	2.3	4
65	Differentiating primary hepatic angiosarcomas from hemangiomas and epithelioid hemangioendotheliomas using gadoxetic acid-enhanced and diffusion-weighted MR imaging. <i>Japanese Journal of Radiology</i> , 2017, 35, 655-663.	1.0	9
66	Differentiation of mass-forming focal pancreatitis from pancreatic ductal adenocarcinoma: value of characterizing dynamic enhancement patterns on contrast-enhanced MR images by adding signal intensity color mapping. <i>European Radiology</i> , 2017, 27, 1722-1732.	2.3	16
67	2-dimensional shear wave elastography: Interobserver agreement and factors related to interobserver discrepancy. <i>PLoS ONE</i> , 2017, 12, e0175747.	1.1	12
68	Methodology for Developing Evidence-Based Clinical Imaging Guidelines: Joint Recommendations by Korean Society of Radiology and National Evidence-Based Healthcare Collaborating Agency. <i>Korean Journal of Radiology</i> , 2017, 18, 208.	1.5	26
69	Surveillance of hepatocellular carcinoma: is only ultrasound enough?. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 222-223.	4.5	8
70	Current status of musculoskeletal application of shear wave elastography. <i>Ultrasonography</i> , 2017, 36, 185-197.	1.0	118
71	The General Rules for the Study of Primary Liver Cancer. <i>Journal of Liver Cancer</i> , 2017, 17, 19-44.	0.3	28
72	Radiomics and imaging genomics in precision medicine. <i>Precision and Future Medicine</i> , 2017, 1, 10-31.	0.5	24

#	ARTICLE	IF	CITATIONS
73	Role of Shear Wave Elastography in Evaluating the Risk of Hepatocellular Carcinoma in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2017, 11, 852-859.	1.4	7
74	Hepatic and Splenic Volumetry Could Be Used as an Imaging Parameter to Evaluate Fibrosis Grades of the Diffuse Liver Disease Including Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2017, 11, 577-578.	1.4	2
75	Morphologic and Doppler Findings from Hepatic Ultrasonography of Normal Cynomolgus Monkeys (<i>J. Journal of the American Association for Laboratory Animal Science</i> , 2017, 56, 177-180.	0.6	1
76	Hepatic Venous Pressure Gradient Predicts Long-Term Mortality in Patients with Decompensated Cirrhosis. <i>Yonsei Medical Journal</i> , 2016, 57, 138.	0.9	13
77	Radiation Doses of Various CT Protocols: a Multicenter Longitudinal Observation Study. <i>Journal of Korean Medical Science</i> , 2016, 31, S24.	1.1	8
78	Imaging Guidelines for Enhancing Justifications for Radiologic Studies. <i>Journal of Korean Medical Science</i> , 2016, 31, S38.	1.1	6
79	Should an Aberrant Left Hepatic Artery Arising from the Left Gastric Artery Be Preserved during Laparoscopic Gastrectomy for Early Gastric Cancer Treatment?. <i>Journal of Gastric Cancer</i> , 2016, 16, 72.	0.9	11
80	Hepatic enhancement of Gdâ€œEOBâ€œDTPAâ€œenhanced 3 Tesla MR imaging: Assessing severity of liver cirrhosis. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1339-1345.	1.9	12
81	Diagnostic Performance of Shear Wave Elastography for Predicting Esophageal Varices in Patients With Compensated Liver Cirrhosis. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1373-1381.	0.8	47
82	Diagnosis of Clinically Significant Portal Hypertension in Patients with Cirrhosis: Splenic Arterial Resistive Index versus Liver Stiffness Measurement. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1312-1320.	0.7	20
83	CT Features of Primary Graft Nonfunction after Liver Transplantation. <i>Radiology</i> , 2016, 281, 465-473.	3.6	3
84	How many times should we repeat measuring liver stiffness using shear wave elastography?: 5-repetition versus 10-repetition protocols. <i>Ultrasonics</i> , 2016, 72, 158-164.	2.1	19
85	Iterative reconstruction: comparison of techniques for reduced-dose liver computed tomography following transarterial chemoembolization for hepatocellular carcinoma. <i>Acta Radiologica</i> , 2016, 57, 1429-1437.	0.5	4
86	Frequency of hemorrhagic complications on abdominal CT in patients with warfarin therapy. <i>Clinical Imaging</i> , 2016, 40, 435-439.	0.8	5
87	Imaging of biliary complications in recipients of right-lobe living donor liver transplantation. <i>Acta Radiologica</i> , 2016, 57, 401-412.	0.5	0
88	Radiologic evaluation of portal steal phenomenon in recipients of liver transplantation. <i>Acta Radiologica</i> , 2016, 57, 914-922.	0.5	4
89	Noninvasive quantitative estimation of hepatic steatosis by ultrasound: a comparison of the hepato-renal index and ultrasound attenuation index.. <i>Medical Ultrasonography</i> , 2016, 18, 431.	0.4	11
90	Effectiveness of on-site education for quality assurance of screening ultrasonography for hepatocellular carcinoma. <i>Medical Ultrasonography</i> , 2016, 18, 275.	0.4	2

#	ARTICLE	IF	CITATIONS
91	Intraductal malignant tumors in the liver mimicking cholangiocarcinoma: Imaging features for differential diagnosis. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 192-197.	4.5	14
92	The role of radiologists for multidisciplinary cancer care. <i>Journal of the Korean Medical Association</i> , 2016, 59, 114.	0.1	1
93	Usefulness of B-mode and doppler sonography for the diagnosis of severe acute viral hepatitis A. <i>Journal of Clinical Ultrasound</i> , 2015, 43, 384-392.	0.4	7
94	Evaluation of portal hypertension by real-time shear wave elastography in cirrhotic patients. <i>Liver International</i> , 2015, 35, 2416-2424.	1.9	70
95	The Korean guideline for hepatocellular carcinoma surveillance. <i>Journal of the Korean Medical Association</i> , 2015, 58, 385.	0.1	14
96	T2-Weighted Liver MRI Using the MultiVane Technique at 3T: Comparison with Conventional T2-Weighted MRI. <i>Korean Journal of Radiology</i> , 2015, 16, 1038.	1.5	21
97	Severe Portal Hypertension in Cirrhosis: Evaluation of Perfusion Parameters with Contrast-Enhanced Ultrasonography. <i>PLoS ONE</i> , 2015, 10, e0121601.	1.1	30
98	Quality management of medical imaging for public health screening. <i>Journal of the Korean Medical Association</i> , 2015, 58, 1125.	0.1	4
99	Renal Function Impairment in Liver Cirrhosis: Preliminary Results With Diffusion-Weighted Imaging at 3 T. <i>American Journal of Roentgenology</i> , 2015, 204, 1024-1030.	1.0	4
100	Pancreatic duct "cicle sign" on MRI for distinguishing autoimmune pancreatitis from pancreatic ductal adenocarcinoma in the proximal pancreas. <i>European Radiology</i> , 2015, 25, 1551-1560.	2.3	51
101	Comparison of morphologic findings obtained by optical coherence tomography in acute coronary syndrome caused by vasospasm and chronic stable variant angina. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 229-237.	0.7	21
102	Prediction of microvascular invasion of hepatocellular carcinomas with gadoxetic acid-enhanced MR imaging: Impact of intra-tumoral fat detected on chemical-shift images. <i>European Journal of Radiology</i> , 2015, 84, 1036-1043.	1.2	43
103	Nonhypervascular Hypointense Nodules at Gadoxetic Acid-enhanced MR Imaging in Chronic Liver Disease: Diffusion-weighted Imaging for Characterization. <i>Radiology</i> , 2015, 276, 137-146.	3.6	39
104	Assessment of Substantial Liver Fibrosis by Real-time Shear Wave Elastography in Methotrexate-treated Patients With Rheumatoid Arthritis. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1621-1630.	0.8	24
105	Microsteatosis may not interact with macrosteatosis in living donor liver transplantation. <i>Journal of Hepatology</i> , 2015, 62, 556-562.	1.8	28
106	Frequency, CT findings, and fate of multiple infarcted regenerative nodules in liver cirrhosis after variceal bleeding or septic shock. <i>Abdominal Imaging</i> , 2015, 40, 835-842.	2.0	4
107	Alteration of laboratory findings after radiofrequency ablation of hepatocellular carcinoma: relationship to severity of the underlying liver disease and the ablation volume. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 71.	4.5	3
108	Benign nodules mimicking hepatocellular carcinoma on gadoxetic acid-enhanced liver MRI. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 187.	4.5	11

#	ARTICLE	IF	CITATIONS
109	Measurement of Intrahepatic Pressure during Microwave Ablation in an Ex Vivo Bovine Liver Model. <i>Gut and Liver</i> , 2015, 9, 784.	1.4	6
110	Clinical Practice Guidelines for Gastric Cancer in Korea: An Evidence-Based Approach. <i>Journal of Gastric Cancer</i> , 2014, 14, 87.	0.9	163
111	Invasive and non-invasive diagnosis of cirrhosis and portal hypertension. <i>World Journal of Gastroenterology</i> , 2014, 20, 4300.	1.4	98
112	Is gadoteric acid-enhanced MRI limited in tumor characterization for patients with chronic liver disease?. <i>Magnetic Resonance Imaging</i> , 2014, 32, 1214-1222.	1.0	5
113	Shear-Wave Elastography: A Noninvasive Tool for Monitoring Changing Hepatic Venous Pressure Gradients in Patients with Cirrhosis. <i>Radiology</i> , 2014, 273, 917-926.	3.6	58
114	Repeated Percutaneous Radiofrequency Ablation for Hepatocellular Carcinoma in Patients with Cirrhosis: Assessment of Safety Based on Liver Function and Portal Hypertension Parameters. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1573-1579.	0.2	7
115	Nondiseased Liver Stiffness Measured by Shear Wave Elastography. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 53-60.	0.8	22
116	The Role of Diffusion-Weighted Magnetic Resonance Imaging in the Treatment Response Evaluation of Hepatocellular Carcinoma Patients Treated With Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 814-821.	0.4	23
117	Clinically Severe Portal Hypertension: Role of Multi-detector Row CT Features in Diagnosis. <i>Digestive Diseases and Sciences</i> , 2014, 59, 2333-2343.	1.1	12
118	Real time shear wave elastography in chronic liver diseases: Accuracy for predicting liver fibrosis, in comparison with serum markers. <i>World Journal of Gastroenterology</i> , 2014, 20, 13920.	1.4	36
119	Principles and clinical application of ultrasound elastography for diffuse liver disease. <i>Ultrasonography</i> , 2014, 33, 149-160.	1.0	104
120	Percutaneous transsplenic embolization of jejunal varices in a patient with liver cirrhosis: a case report. <i>Abdominal Imaging</i> , 2013, 38, 52-55.	2.0	10
121	Isolated IgG4-related cholecystitis mimicking gallbladder cancer: a case report. <i>Clinical Imaging</i> , 2013, 37, 969-971.	0.8	18
122	Validation of intra- and interobserver reproducibility of shearwave elastography: Phantom study. <i>Ultrasonics</i> , 2013, 53, 1039-1043.	2.1	32
123	Dual-energy CT to detect recurrent HCC after TACE: Initial experience of color-coded iodine CT imaging. <i>European Journal of Radiology</i> , 2013, 82, 569-576.	1.2	45
124	Shoulder sonography after intraarticular fluid injection for evaluation of anterior labral tears: Comparison with conventional sonography. <i>Journal of Clinical Ultrasound</i> , 2013, 41, 94-100.	0.4	4
125	Hepatocellular carcinoma composed of two different histologic types: imaging features on gadoteric acid-enhanced liver MRI. <i>Clinical and Molecular Hepatology</i> , 2013, 19, 92.	4.5	11
126	Pseudocirrhosis as a complication after chemotherapy for hepatic metastasis from breast cancer. <i>Clinical and Molecular Hepatology</i> , 2013, 19, 190.	4.5	32

#	ARTICLE	IF	CITATIONS
127	Primary hepatic lymphoma mimicking acute hepatitis. <i>Clinical and Molecular Hepatology</i> , 2013, 19, 320.	4.5	12
128	The MR imaging diagnosis of liver diseases using gadoxetic acid: Emphasis on hepatobiliary phase. <i>Clinical and Molecular Hepatology</i> , 2013, 19, 360.	4.5	22
129	Hepatofugal Portal Venous Flow on Doppler Sonography After Liver Transplantation. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1069-1079.	0.8	7
130	Semiautomated spleen volumetry with diffusion-weighted MR imaging. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 305-310.	1.9	8
131	Hepatic inflammatory pseudotumor misinterpreted as hepatocellular carcinoma. <i>Clinical and Molecular Hepatology</i> , 2012, 18, 239.	4.5	14
132	Acute Outflow Obstruction of Hepatic Veins in Rabbits. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 635-642.	0.8	6
133	Radiation Doses of Dual-Energy CT for Abdominopelvic CT: Comparison with Single-Energy CT. <i>Journal of the Korean Society of Radiology</i> , 2011, 65, 505.	0.1	2
134	Radiation exposure and its reduction in the fluoroscopic examination and fluoroscopy-guided interventional radiology. <i>Journal of the Korean Medical Association</i> , 2011, 54, 1269.	0.1	19
135	Changing Waveform During Respiration on Hepatic Vein Doppler Sonography of Severe Portal Hypertension. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 455-462.	0.8	11
136	Establishing Cutoff Values for a Quality Assurance Test Using an Ultrasound Phantom in Screening Ultrasound Examinations for Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1221-1229.	0.8	11
137	Gadobenate dimeglumine-enhanced liver MR imaging in cirrhotic patients: Quantitative and qualitative comparison of 1-hour and 3-hour delayed images. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 889-897.	1.9	9
138	Influence of Preoperative Portal Hypertension and Graft Size on Portal Blood Flow Velocity in Recipient After Living Donor Liver Transplantation With Right-Lobe Graft. <i>American Journal of Roentgenology</i> , 2010, 194, W165-W170.	1.0	9
139	The MDCT and MRI Findings of a Pancreatic Arteriovenous Malformation Combined with Isolated Dissection of the Superior Mesenteric Artery: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 62, 257.	0.1	1
140	Radiologic Placement of Tunneled Central Venous Catheters in Pediatric Patients. <i>Journal of the Korean Society of Radiology</i> , 2010, 62, 351.	0.1	0
141	Retrograde Jejuno duodenal Intussusception due to a Migrated Percutaneous Endoscopic Gastrostomy (PEG) Tube: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 62, 541.	0.1	1
142	Right Lobe Estimated Blood-free Weight for Living Donor Liver Transplantation: Accuracy of Automated Blood-free CT Volumetry—Preliminary Results. <i>Radiology</i> , 2010, 256, 433-440.	3.6	53
143	Right Hepatic Vein Stenosis at Anastomosis in Patients after Living Donor Liver Transplantation: Optimal Doppler US Venous Pulsatility Index and CT Criteria—Receiver Operating Characteristic Analysis. <i>Radiology</i> , 2009, 253, 543-551.	3.6	25
144	Hepatic Outflow Obstruction at Middle Hepatic Vein Tributaries or Inferior Right Hepatic Veins After Living Donor Liver Transplantation with Modified Right Lobe Graft: Comparison of CT and Doppler Ultrasound. <i>American Journal of Roentgenology</i> , 2009, 193, 745-751.	1.0	21

#	ARTICLE	IF	CITATIONS
145	Hepatofugal portal flow on Doppler sonography in various pathological conditions: A pictorial essay. <i>Journal of Clinical Ultrasound</i> , 2009, 37, 511-524.	0.4	3
146	Perihepatitis with pelvic inflammatory disease (PID) on MDCT: characteristic findings and relevance to PID. <i>Abdominal Imaging</i> , 2009, 34, 737-742.	2.0	30
147	The Efficacy of Magnetic Resonance Imaging for the Diagnosis of Testicular Rupture: A Prospective Preliminary Study. <i>Journal of Trauma</i> , 2009, 66, 239-242.	2.3	39
148	Radiofrequency ablation of benign thyroid nodules: safety and imaging follow-up in 236 patients. <i>European Radiology</i> , 2008, 18, 1244-1250.	2.3	386
149	Significant Predictors for Determination of Testicular Rupture on Sonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1649-1655.	0.8	27
150	Tubo-ovarian abscess: CT and pathological correlation. <i>Clinical Imaging</i> , 2007, 31, 414-418.	0.8	12
151	A young female patient with vague abdominal pain (2006: 4a). <i>European Radiology</i> , 2006, 16, 960-961.	2.3	0
152	Cavernous mesenteric lymphangioma (2006: 4b). <i>European Radiology</i> , 2006, 16, 1625-1628.	2.3	7
153	Imaging features of hepatobiliary MRI and the risk of hepatocellular carcinoma development. <i>Scandinavian Journal of Gastroenterology</i> , 0, , 1-8.	0.6	0