

# Wei Gong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/271925/publications.pdf>

Version: 2024-02-01

34  
papers

550  
citations

759233

12  
h-index

677142

22  
g-index

37  
all docs

37  
docs citations

37  
times ranked

440  
citing authors

#	ARTICLE	IF	CITATIONS
1	A biocompatible two-photon absorbing fluorescent mitochondrial probe for deep<i>in vivo</i> bioimaging. <i>Journal of Materials Chemistry B</i> , 2022, 10, 887-898.	5.8	9
2	Adaptive optics for structured illumination microscopy based on deep learning. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021, 99, 622-631.	1.5	3
3	Deep learning based wavefront sensor for complex wavefront detection in adaptive optical microscopes. <i>Frontiers of Information Technology and Electronic Engineering</i> , 2021, 22, 1277-1288.	2.6	5
4	Organizational principles of amygdalar input-output neuronal circuits. <i>Molecular Psychiatry</i> , 2021, 26, 7118-7129.	7.9	21
5	Fully end-to-end deep-learning-based diagnosis of pancreatic tumors. <i>Theranostics</i> , 2021, 11, 1982-1990.	10.0	54
6	Reliability of wavefront shaping based on coherent optical adaptive technique in deep tissue focusing. <i>Journal of Biophotonics</i> , 2020, 13, e201900245.	2.3	3
7	Simplifying the detection of optical distortions by machine learning. <i>Journal of Innovative Optical Health Sciences</i> , 2020, 13, .	1.0	7
8	Application of artificial neural networks in detection and diagnosis of gastrointestinal and liver tumors. <i>World Journal of Clinical Cases</i> , 2020, 8, 3971-3977.	0.8	11
9	Combining real-time elastography with fine-needle aspiration biopsy to identify malignant thyroid nodules. <i>Journal of International Medical Research</i> , 2020, 48, 030006052097602.	1.0	6
10	Large field of view correction by using conjugate adaptive optics with multiple guide stars. <i>Journal of Biophotonics</i> , 2019, 12, e201800225.	2.3	7
11	Multidither coherent optical adaptive technique for deep tissue two-photon microscopy. <i>Journal of Innovative Optical Health Sciences</i> , 2019, 12, .	1.0	5
12	Aberration corrections of doughnut beam by adaptive optics in the turbid medium. <i>Journal of Biophotonics</i> , 2019, 12, e201900125.	2.3	3
13	Ultrafast optical clearing method for three-dimensional imaging with cellular resolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11480-11489.	7.1	77
14	Improvements with divided cosine-shaped apertures in confocal microscopy. <i>Optics Communications</i> , 2019, 442, 71-76.	2.1	2
15	Twoâ€photon focal modulation microscopy for highâ€resolution imaging in deep tissue. <i>Journal of Biophotonics</i> , 2019, 12, e201800247.	2.3	12
16	Machine learning based adaptive optics for doughnut-shaped beam. <i>Optics Express</i> , 2019, 27, 16871.	3.4	20
17	Learning-based Shack-Hartmann wavefront sensor for high-order aberration detection. <i>Optics Express</i> , 2019, 27, 33504.	3.4	55
18	Optimization for imaging through scattering media for confocal microscopes with divided elliptical apertures. <i>Journal of Biophotonics</i> , 2018, 11, e201700293.	2.3	2

#	ARTICLE	IF	CITATIONS
19	Machine learning guided rapid focusing with sensor-less aberration corrections. Optics Express, 2018, 26, 30162.	3.4	50
20	Optical Brain Imaging: A Powerful Tool for Neuroscience. Neuroscience Bulletin, 2017, 33, 95-102.	2.9	16
21	Stripe-shaped apertures in confocal microscopy. Applied Optics, 2016, 55, 7613.	2.1	6
22	Polarization effects in 4Pi microscopy. Micron, 2011, 42, 353-359.	2.2	10
23	Enhanced background rejection in thick tissue using focal modulation microscopy with quadrant apertures. Optics Communications, 2011, 284, 1475-1480.	2.1	10
24	Two-photon focal modulation microscopy in turbid media. Applied Physics Letters, 2011, 99, .	3.3	12
25	Focal modulation microscopy with annular apertures: A numerical study. Journal of Biophotonics, 2010, 3, 476-484.	2.3	24
26	Divided-aperture technique for fluorescence confocal microscopy through scattering media. Applied Optics, 2010, 49, 752.	2.1	8
27	Improvements in confocal microscopy imaging using serrated divided apertures. Optics Communications, 2009, 282, 3846-3849.	2.1	8
28	Improved spatial resolution in fluorescence focal modulation microscopy. Optics Letters, 2009, 34, 3508.	3.3	31
29	Optimization of axial resolution in a confocal microscope with D-shaped apertures. Applied Optics, 2009, 48, 3998.	2.1	24
30	Edge enhancement for in-phase focal modulation microscope. Applied Optics, 2009, 48, 6290.	2.1	8
31	Modeling phase functions in biological tissue. Optics Letters, 2008, 33, 1599.	3.3	4
32	The divided aperture technique for microscopy through scattering media. Optics Express, 2008, 16, 17031.	3.4	37
33	VISUALIZATION OF BONE MATERIAL MAP WITH NOVEL MATERIAL SENSITIVE TRANSFER FUNCTIONS(3C2 Bone) Tj ETQq1 1 0.784314 and Technology in Biomechanics, 2007, 2007.3, S211.	0.0	0
34	LIGHT SCATTERING BY RANDOM NON-SPHERICAL PARTICLES WITH ROUGH SURFACE IN BIOLOGICAL TISSUE AND CELLS(3A2 Cellular & Tissue Engineering & Biomaterials II). The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics, 2007, 2007.3, S171.	0.0	0