

# Marisa A Da S Velloso Ferreira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2719351/publications.pdf>

Version: 2024-02-01

26  
papers

337  
citations

840776

11  
h-index

888059

17  
g-index

26  
all docs

26  
docs citations

26  
times ranked

352  
citing authors

#	ARTICLE	IF	CITATIONS
1	Virulence and type III effector diversities of <i>Xanthomonas citri</i> pv. <i>fuscans</i> and <i>X.Âphaseoli</i> pv. <i>phaseoli</i> in Brazil. <i>Journal of Phytopathology</i> , 2022, 170, 1-14.	1.0	1
2	Interaction between <i>Xanthomonas citri</i> pv. <i>viticola</i> and its alternative natural host, <i>Senna obtusifolia</i> , and species in the family <i>Amaranthaceae</i> . <i>Tropical Plant Pathology</i> , 2021, 46, 360.	1.5	0
3	Rapid Detection of <i>Xanthomonas citri</i> pv. <i>fuscans</i> and <i>Xanthomonas phaseoli</i> pv. <i>phaseoli</i> in Common Bean by Loop-Mediated Isothermal Amplification. <i>Plant Disease</i> , 2020, 104, 198-203.	1.4	12
4	Detection of <i>Xanthomonas citri</i> pv. <i>viticola</i> on grapevine by real-time PCR and BIO-PCR using primers designed from pathogenicity and xanthomonadin gene sequences. <i>European Journal of Plant Pathology</i> , 2019, 155, 445-459.	1.7	9
5	Draft Genome Sequence of <i>Erwinia psidii</i> , Causal Agent of Bacterial Blight of Guava ( <i>Psidium</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 2019, 8, .	0.6	5
6	<i>Xanthomonas citri</i> pv. <i>viticola</i> Affecting Grapevine in Brazil: Emergence of a Successful Monomorphic Pathogen. <i>Frontiers in Plant Science</i> , 2019, 10, 489.	3.6	19
7	Movement of the bacterial blight pathogen <i>Erwinia psidii</i> in guava varieties differing in susceptibility. <i>Tropical Plant Pathology</i> , 2018, 43, 577-582.	1.5	4
8	Widespread distribution of <i>Xanthomonas perforans</i> and limited presence of <i>X.Âgardneri</i> in Brazil. <i>Plant Pathology</i> , 2017, 66, 159-168.	2.4	27
9	PCR-based methods for detection of <i>Erwinia psidii</i> on guava. <i>Tropical Plant Pathology</i> , 2015, 40, 251-259.	1.5	10
10	Specific primers for <i>Xanthomonas vesicatoria</i> , a tomato bacterial spot causal agent. <i>European Journal of Plant Pathology</i> , 2013, 137, 5-9.	1.7	9
11	Simultaneous detection and identification of the <i>Xanthomonas</i> species complex associated with tomato bacterial spot using species-specific primers and multiplex PCR. <i>Journal of Applied Microbiology</i> , 2012, 113, 1479-1490.	3.1	39
12	Characterization of isolates of <i>Ralstonia solanacearum</i> biovar 2, pathogenic to <i>Eucalyptus</i> "urograndis" hybrids. <i>Tropical Plant Pathology</i> , 2012, 37, 399-408.	1.5	8
13	Ocorrência e caracterização do complexo de espécies causadoras da mancha bacteriana do tomateiro no Alto Vale do Rio do Peixe, SC. <i>Tropical Plant Pathology</i> , 2012, 37, 149-154.	1.5	11
14	Polyphasic Characterization of Pigmented Strains of <i>Xanthomonas</i> Pathogenic to Cashew Trees. <i>Plant Disease</i> , 2011, 95, 793-802.	1.4	9
15	Low genetic diversity among pathogenic strains of <i>Erwinia psidii</i> from Brazil. <i>Brazilian Journal of Microbiology</i> , 2009, 40, 678-684.	2.0	14
16	Detecção de <i>Erwinia psidii</i> via enriquecimento em extrato de folhas de goiabeira e imunodifusão radial dupla. <i>Tropical Plant Pathology</i> , 2008, 33, .	1.5	6
17	Diversidade patogênica e molecular de <i>Ralstonia solanacearum</i> da região amazônica brasileira. <i>Tropical Plant Pathology</i> , 2007, 32, 285-294.	0.3	10
18	Variability of the coat protein gene of Grapevine leafroll-associated virus 3 in Brazil. <i>Tropical Plant Pathology</i> , 2007, 32, 335-340.	0.3	19

#	ARTICLE	IF	CITATIONS
19	<i>Crinipellis brasiliensis</i> , a new species based on morphological and molecular data. <i>Mycologia</i> , 2005, 97, 1348-1361.	1.9	13
20	Morphological and molecular characterization of the sudden-death syndrome pathogen of soybean in Brazil. <i>Plant Pathology</i> , 2005, 54, 53-65.	2.4	18
21	Molecular characterization of Brazilian strains of <i>Xanthomonas campestris</i> pv. <i>viticola</i> by rep-PCR fingerprinting. <i>Tropical Plant Pathology</i> , 2005, 30, 46-54.	0.3	21
22	<i>Crinipellis brasiliensis</i> , a new species based on morphological and molecular data. <i>Mycologia</i> , 2005, 97, 1348-1361.	1.9	19
23	Variability of the 3' terminal of the polymerase gene of Grapevine leafroll-associated virus 3 isolates from Vale do São Francisco, Brazil. <i>Tropical Plant Pathology</i> , 2005, 30, 173-176.	0.3	1
24	Nuclear and mitochondrial rDNA variability in <i>Crinipellis pernicioso</i> from different geographic origins and hosts. <i>Mycological Research</i> , 2003, 107, 25-37.	2.5	23
25	Comparison of <i>Crinipellis pernicioso</i> isolates from Brazil by ERIC repetitive element sequence-based PCR genomic fingerprinting. <i>Plant Pathology</i> , 2003, 52, 236-244.	2.4	30
26	Screening soybean germplasm for resistance to <i>Cylindrocladium clavatum</i> . <i>International Journal of Pest Management</i> , 1999, 45, 249-253.	1.8	0