

Claire C Bristow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2720426/publications.pdf>

Version: 2024-02-01

77
papers

1,286
citations

394421

19
h-index

414414

32
g-index

77
all docs

77
docs citations

77
times ranked

1652
citing authors

#	ARTICLE	IF	CITATIONS
1	A Systematic Review of Point of Care Testing for <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> . <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2016, 2016, 1-17.	1.5	99
2	Chlamydia and Gonorrhea in HIV-Infected Pregnant Women and Infant HIV Transmission. <i>Sexually Transmitted Diseases</i> , 2015, 42, 554-565.	1.7	68
3	Meningitis in HIV-positive patients in sub-Saharan Africa: a review. <i>Journal of the International AIDS Society</i> , 2014, 17, 19184.	3.0	60
4	Piloting an HIV self-test kit voucher program to raise serostatus awareness of high-risk African Americans, Los Angeles. <i>BMC Public Health</i> , 2014, 14, 1226.	2.9	53
5	Performance of a single-use, rapid, point-of-care PCR device for the detection of <i>Neisseria gonorrhoeae</i> , <i>Chlamydia trachomatis</i> , and <i>Trichomonas vaginalis</i> : a cross-sectional study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 668-676.	9.1	52
6	Point-of-Care Sexually Transmitted Infection Diagnostics: Proceedings of the STAR Sexually Transmitted Infection Clinical Trial Group Programmatic Meeting. <i>Sexually Transmitted Diseases</i> , 2017, 44, 211-218.	1.7	50
7	<i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in HIV-infected Pregnant Women and Adverse Infant Outcomes. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 894-900.	2.0	46
8	Assessing the impact of diet, exercise and the combination of the two as a treatment for OSA: A systematic review and meta-analysis. <i>Respirology</i> , 2019, 24, 740-751.	2.3	46
9	Predictors of serological failure after treatment in HIV-infected patients with early syphilis in the emerging Era of universal antiretroviral therapy use. <i>BMC Infectious Diseases</i> , 2013, 13, 605.	2.9	42
10	Combined evaluation of sexually transmitted infections in HIV-infected pregnant women and infant HIV transmission. <i>PLoS ONE</i> , 2018, 13, e0189851.	2.5	42
11	Multisite Laboratory Evaluation of a Dual Human Immunodeficiency Virus (HIV)/Syphilis Point-of-Care Rapid Test for Simultaneous Detection of HIV and Syphilis Infection. <i>Open Forum Infectious Diseases</i> , 2014, 1, ofu015.	0.9	39
12	Completeness and Reliability of the Republic of South Africa National Tuberculosis (TB) Surveillance System. <i>BMC Public Health</i> , 2015, 15, 765.	2.9	34
13	Cost-effectiveness of HIV and syphilis antenatal screening: a modelling study. <i>Sexually Transmitted Infections</i> , 2016, 92, 340-346.	1.9	33
14	Resistance-Guided Treatment of Gonorrhea: A Prospective Clinical Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 298-303.	5.8	32
15	Field evaluation of a dual rapid diagnostic test for HIV infection and syphilis in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2016, 92, 182-185.	1.9	25
16	Implementing and sustaining a mobile medical clinic for prenatal care and sexually transmitted infection prevention in rural Mysore, India. <i>BMC Infectious Diseases</i> , 2017, 17, 189.	2.9	25
17	Isolation of a New Hemimethylated DNA Binding Protein Which Regulates dnaA Gene Expression. <i>Journal of Bacteriology</i> , 2003, 185, 2967-2971.	2.2	23
18	The PICASSO Cohort: baseline characteristics of a cohort of men who have sex with men and male-to-female transgender women at high risk for syphilis infection in Lima, Peru. <i>BMC Infectious Diseases</i> , 2017, 17, 255.	2.9	23

#	ARTICLE	IF	CITATIONS
19	<i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> screening and treatment of pregnant women in Port-au-Prince, Haiti. <i>International Journal of STD and AIDS</i> , 2017, 28, 1130-1134.	1.1	20
20	Sexually Transmitted Infections in Pregnancy and Reproductive Health: Proceedings of the STAR Sexually Transmitted Infection Clinical Trial Group Programmatic Meeting. <i>Sexually Transmitted Diseases</i> , 2020, 47, 5-11.	1.7	20
21	Anti-obesity public health messages and risk factors for disordered eating: a systematic review. <i>Health Promotion International</i> , 2020, 35, 1551-1569.	1.8	20
22	Comparative Evaluation of 2 Nucleic Acid Amplification Tests for the Detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> at Extragenital Sites. <i>Sexually Transmitted Diseases</i> , 2017, 44, 398-400.	1.7	19
23	Clinical Test Performance of a Rapid Point-of-Care Syphilis Treponemal Antibody Test: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2020, 71, S52-S57.	5.8	19
24	Laboratory Evaluation of Three Rapid Diagnostic Tests for Dual Detection of HIV and <i>Treponema pallidum</i> Antibodies. <i>Journal of Clinical Microbiology</i> , 2014, 52, 4394-4397.	3.9	18
25	Laboratory Evaluation of a Dual Rapid Immunodiagnostic Test for HIV and Syphilis Infection. <i>Journal of Clinical Microbiology</i> , 2015, 53, 311-313.	3.9	18
26	High prevalence of extra-genital chlamydial or gonococcal infections among men who have sex with men and transgender women in Lima, Peru. <i>International Journal of STD and AIDS</i> , 2017, 28, 138-144.	1.1	18
27	A program evaluation report of a rapid scale-up of a high-volume medical male circumcision site, KwaZulu-Natal, South Africa, 2010-2013. <i>BMC Health Services Research</i> , 2015, 15, 235.	2.2	17
28	Comparing mail-in self-collected specimens sent via United States Postal Service versus clinic-collected specimens for the detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in extra-genital sites. <i>PLoS ONE</i> , 2017, 12, e0189515.	2.5	16
29	Field Evaluation of a Dual Rapid Immunodiagnostic Test for HIV and Syphilis Infection in Peru. <i>Sexually Transmitted Diseases</i> , 2016, 43, 57-60.	1.7	15
30	Meta-analysis of the Cepheid Xpert® CT/NG assay for extragenital detection of <i>Chlamydia trachomatis</i> (CT) and <i>Neisseria gonorrhoeae</i> (NG) infections. <i>Sexual Health</i> , 2019, 16, 314.	0.9	15
31	Antimicrobial Resistance in <i>Neisseria gonorrhoeae</i> : Proceedings of the STAR Sexually Transmitted Infection Clinical Trial Group Programmatic Meeting. <i>Sexually Transmitted Diseases</i> , 2019, 46, e18-e25.	1.7	15
32	Oral and vaginal HIV pre-exposure prophylaxis product attribute preferences among female sex workers in the Mexico-US border region. <i>International Journal of STD and AIDS</i> , 2019, 30, 45-55.	1.1	15
33	Knowledge and testing preferences for <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> infections among female undergraduate students. <i>Journal of American College Health</i> , 2020, 68, 754-761.	1.5	15
34	Scale-up of isoniazid preventive therapy in PEPFAR-assisted clinical sites in South Africa [Notes from the field]. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012, 16, 1020-1022.	1.2	14
35	Validation of sputum smear results in the Electronic TB Register for the management of tuberculosis, South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 1317-1321.	1.2	14
36	Dual rapid lateral flow immunoassay fingerstick wholeblood testing for syphilis and HIV infections is acceptable and accurate, Port-au-Prince, Haiti. <i>BMC Infectious Diseases</i> , 2016, 16, 302.	2.9	14

#	ARTICLE	IF	CITATIONS
37	A review of recent advances in rapid point-of-care tests for syphilis. <i>Sexual Health</i> , 2015, 12, 119.	0.9	13
38	Attributes of diagnostic tests to increase uptake of dual testing for syphilis and HIV in Port-au-Prince, Haiti. <i>International Journal of STD and AIDS</i> , 2017, 28, 259-264.	1.1	13
39	Factors in the HIV risk environment associated with bacterial vaginosis among HIV-negative female sex workers who inject drugs in the Mexico-United States border region. <i>BMC Public Health</i> , 2018, 18, 1032.	2.9	13
40	Laboratory Evaluation of a Point-of-Care Downward-Flow Assay for Simultaneous Detection of Antibodies to <i>Treponema pallidum</i> and Human Immunodeficiency Virus. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1922-1924.	3.9	11
41	Acceptability and Feasibility of Rapid Chlamydial, Gonococcal, and Trichomonal Screening and Treatment in Pregnant Women in 6 Low- to Middle-Income Countries. <i>Sexually Transmitted Diseases</i> , 2018, 45, 673-676.	1.7	11
42	HIV and syphilis testing preferences among men who have sex with men and among transgender women in Lima, Peru. <i>PLoS ONE</i> , 2018, 13, e0206204.	2.5	11
43	Collateral Damage: A Narrative Review on Epidemics of Substance Use Disorders and Their Relationships to Sexually Transmitted Infections in the United States. <i>Sexually Transmitted Diseases</i> , 2021, 48, 466-473.	1.7	11
44	Feasibility and Acceptability of Cryptococcal Antigen Screening and Prevalence of Cryptocococemia in Patients Attending a Resource-Limited HIV/AIDS Clinic in Malawi. <i>Journal of the International Association of Providers of AIDS Care</i> , 2015, 14, 387-390.	1.5	10
45	Lack of patient registration in the electronic TB register for sputum smear-positive patients in KwaZulu-Natal, South Africa. <i>Tuberculosis</i> , 2013, 93, 567-568.	1.9	9
46	Laboratory Evaluation of a Smartphone-Based Electronic Reader of Rapid Dual Point-of-Care Tests for Antibodies to Human Immunodeficiency Virus and <i>Treponema pallidum</i> Infections. <i>Sexually Transmitted Diseases</i> , 2017, 44, 412-416.	1.7	9
47	Similarities in the Markers of Inflammation Between Men With Syphilis and Women With Increased Risk of HIV Acquisition. <i>Clinical Infectious Diseases</i> , 2016, 62, 265-266.	5.8	8
48	Sleeping Well Trial: Increasing the effectiveness of treatment with continuous positive airway pressure using a weight management program in overweight adults with obstructive sleep apnoea – A stepped wedge randomised trial protocol. <i>Nutrition and Dietetics</i> , 2019, 76, 110-117.	1.8	7
49	TB tracer teams in South Africa: knowledge, practices and challenges of tracing TB patients to improve adherence. <i>BMC Public Health</i> , 2013, 13, 801.	2.9	6
50	Factors associated with previously undiagnosed human immunodeficiency virus infection in a population of men who have sex with men and male-to-female transgender women in Lima, Peru. <i>Medicine (United States)</i> , 2016, 95, e5147.	1.0	5
51	Measuring Self-Esteem Changes in Children and Adolescents Affected by Overweight or Obesity: A Scoping Review of Instruments Currently Used in Multicomponent Weight-Management Interventions. <i>Childhood Obesity</i> , 2019, 15, 485-501.	1.5	5
52	Changes in nutrition and dietetic research: A content analysis of the past decade of Dietitians Association of Australia conference abstracts. <i>Nutrition and Dietetics</i> , 2019, 76, 634-641.	1.8	5
53	Cuba: defeating mother-to-child transmission of syphilis. <i>Lancet, The</i> , 2015, 386, 1533.	13.7	4
54	Prevalence of bacterial sexually transmitted infections and coinfection with HIV among men who have sex with men and transgender women in Tijuana, Mexico. <i>International Journal of STD and AIDS</i> , 2021, 32, 751-757.	1.1	4

#	ARTICLE	IF	CITATIONS
55	The Performance of Pooled 3 Anatomic Site Testing for Chlamydia trachomatis and Neisseria gonorrhoeae Among Men Who Have Sex With Men and Transgender Women. Sexually Transmitted Diseases, 2021, 48, 733-737.	1.7	4
56	Pooled 3-Anatomic-Site Testing for Chlamydia trachomatis and Neisseria gonorrhoeae: A Systematic Review and Meta-Analysis. Sexually Transmitted Diseases, 2021, 48, e215-e222.	1.7	4
57	Characteristics of the Sample Adequacy Control (SAC) in the Cepheid Xpert® CT/NG Assay in Female Urine Specimens. Journal of Microbiology & Experimentation, 2014, 1, .	0.2	4
58	The aetiology of vaginal symptoms in rural Haiti. International Journal of STD and AIDS, 2014, 25, 669-675.	1.1	3
59	Using Treponemal Assay Signal Strength Cutoff Ratios To Predict Syphilis Infection. Journal of Clinical Microbiology, 2018, 56, .	3.9	3
60	Field evaluation of a dual rapid Human Immunodeficiency Virus and treponemal syphilis rapid test in community-based clinics in Los Angeles and New York. Diagnostic Microbiology and Infectious Disease, 2019, 93, 325-328.	1.8	3
61	Dual rapid test for HIV and syphilis: A laboratory evaluation of the diagnostic accuracy of the Standard Q HIV/Syphilis Combo Test. Diagnostic Microbiology and Infectious Disease, 2019, 94, 30-32.	1.8	3
62	Adolescents may accurately self-collect pharyngeal and rectal clinical specimens for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae infection. PLoS ONE, 2021, 16, e0255878.	2.5	3
63	Use of Oral Fluid With a Rapid Treponemal Test for Syphilis Evaluation. Sexually Transmitted Diseases, 2018, 45, e65-e67.	1.7	2
64	Correlates of trichomoniasis among female sex workers who inject drugs in two Mexico-US border cities. International Journal of STD and AIDS, 2020, 31, 866-875.	1.1	2
65	Clinical Factors Associated With Accurate Presumptive Treatment of Neisseria gonorrhoeae Infections in Men Who Have Sex with Men and Transgender Women. Clinical Infectious Diseases, 2021, 73, e3156-e3162.	5.8	2
66	Comparison of germ line minisatellite mutation detection at the CEB1 locus by Southern blotting and PCR amplification. Mutagenesis, 2010, 25, 343-349.	2.6	1
67	Technological Solutions to Address Drug-Resistant <i>Neisseria gonorrhoeae</i> . Emerging Infectious Diseases, 2016, 22, 939-940.	4.3	1
68	Prevalence and correlates of cervical abnormalities among female sex workers in Tijuana, Mexico. International Journal of STD and AIDS, 2019, 30, 861-867.	1.1	1
69	72-Hour transport recovery of antimicrobial resistant Neisseria gonorrhoeae isolates using the InTray® GC method. PLoS ONE, 2022, 17, e0259668.	2.5	1
70	Choosing a metric for measurement of pre-exposure prophylaxis. Lancet Infectious Diseases, The, 2014, 14, 1177-1178.	9.1	0
71	Rapid Training and Implementation of the Pollock Technique, a Safe, Effective Newborn Circumcision Procedure, in a Low-Resource Setting. Global Pediatric Health, 2015, 2, 2333794X1558911.	0.7	0
72	P4.27€...Healthcare access and antibiotic use for genitourinary symptoms among female sex workers in tijuana mexico. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
73	Closed Genome Sequences of Clinical Neisseria gonorrhoeae Strains Obtained from Combined Oxford Nanopore and Illumina Sequencing. Microbiology Resource Announcements, 2019, 8, .	0.6	0
74	P774â€...Prevalence of bacterial sexually transmitted infections and co-infection with HIV among MSM and TW in tijuana, mexico. , 2019, , .		0
75	Acceptability and feasibility of screening pregnant women for sexually transmitted infections in Rawalpindi, Pakistan. International Journal of STD and AIDS, 2021, 32, 940-945.	1.1	0
76	Impact of Testing on Sexually Transmitted Infections among Female Brothel Sex Workers in Bangladesh: A Randomized Controlled Trial. American Journal of Tropical Medicine and Hygiene, 2021, 104, 1991-1999.	1.4	0
77	Sexually Transmitted Infections and Adverse Birth and Infant Outcomes among Pregnant Women in Rural Southern India. Journal of Clinical and Diagnostic Research JCDR, 0, , .	0.8	0