Claire C Bristow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2720426/publications.pdf

Version: 2024-02-01

448610 466096 1,286 77 19 32 citations h-index g-index papers 77 77 77 1746 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	72-Hour transport recovery of antimicrobial resistant Neisseria gonorrhoeae isolates using the InTray® GC method. PLoS ONE, 2022, 17, e0259668.	1.1	1
2	Resistance-Guided Treatment of Gonorrhea: A Prospective Clinical Study. Clinical Infectious Diseases, 2021, 73, 298-303.	2.9	32
3	Performance of a single-use, rapid, point-of-care PCR device for the detection of Neisseria gonorrhoeae, Chlamydia trachomatis, and Trichomonas vaginalis: a cross-sectional study. Lancet Infectious Diseases, The, 2021, 21, 668-676.	4.6	52
4	Prevalence of bacterial sexually transmitted infections and coinfection with HIV among men who have sex with men and transgender women in Tijuana, Mexico. International Journal of STD and AIDS, 2021, 32, 751-757.	0.5	4
5	Clinical Factors Associated With Accurate Presumptive Treatment of Neisseria gonorrhoeae Infections in Men Who Have Sex with Men and Transgender Women. Clinical Infectious Diseases, 2021, 73, e3156-e3162.	2.9	2
6	The Performance of Pooled 3 Anatomic Site Testing for Chlamydia trachomatis and Neisseria gonorrhoeae Among Men Who Have Sex With Men and Transgender Women. Sexually Transmitted Diseases, 2021, 48, 733-737.	0.8	4
7	Acceptability and feasibility of screening pregnant women for sexually transmitted infections in Rawalpindi, Pakistan. International Journal of STD and AIDS, 2021, 32, 940-945.	0.5	O
8	Impact of Testing on Sexually Transmitted Infections among Female Brothel Sex Workers in Bangladesh: A Randomized Controlled Trial. American Journal of Tropical Medicine and Hygiene, 2021, 104, 1991-1999.	0.6	0
9	Pooled 3-Anatomic-Site Testing for Chlamydia trachomatis and Neisseria gonorrhoeae: A Systematic Review and Meta-Analysis. Sexually Transmitted Diseases, 2021, 48, e215-e222.	0.8	4
10	Adolescents may accurately self-collect pharyngeal and rectal clinical specimens for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae infection. PLoS ONE, 2021, 16, e0255878.	1.1	3
11	Collateral Damage: A Narrative Review on Epidemics of Substance Use Disorders and Their Relationships to Sexually Transmitted Infections in the United States. Sexually Transmitted Diseases, 2021, 48, 466-473.	0.8	11
12	Knowledge and testing preferences for <i>Chlamydia trachomatis, Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> infections among female undergraduate students. Journal of American College Health, 2020, 68, 754-761.	0.8	15
13	Sexually Transmitted Infections in Pregnancy and Reproductive Health: Proceedings of the STAR Sexually Transmitted Infection Clinical Trial Group Programmatic Meeting. Sexually Transmitted Diseases, 2020, 47, 5-11.	0.8	20
14	Anti-obesity public health messages and risk factors for disordered eating: a systematic review. Health Promotion International, 2020, 35, 1551-1569.	0.9	20
15	Correlates of trichomoniasis among female sex workers who inject drugs in two Mexico-US border cities. International Journal of STD and AIDS, 2020, 31, 866-875.	0.5	2
16	Clinical Test Performance of a Rapid Point-of-Care Syphilis Treponemal Antibody Test: A Systematic Review and Meta-analysis. Clinical Infectious Diseases, 2020, 71, S52-S57.	2.9	19
17	Sleeping Well Trial: Increasing the effectiveness of treatment with continuous positive airway pressure using a weight management program in overweight adults with obstructive sleep apnoea—A stepped wedge randomised trial protocol. Nutrition and Dietetics, 2019, 76, 110-117.	0.9	7
18	Measuring Self-Esteem Changes in Children and Adolescents Affected by Overweight or Obesity: A Scoping Review of Instruments Currently Used in Multicomponent Weight-Management Interventions. Childhood Obesity, 2019, 15, 485-501.	0.8	5

#	Article	IF	Citations
19	Prevalence and correlates of cervical abnormalities among female sex workers in Tijuana, Mexico. International Journal of STD and AIDS, 2019, 30, 861-867.	0.5	1
20	Changes in nutrition and dietetic research: A content analysis of the past decade of Dietitians Association of Australia conference abstracts. Nutrition and Dietetics, 2019, 76, 634-641.	0.9	5
21	Meta-analysis of the Cepheid Xpert \hat{A}^{\otimes} CT/NG assay for extragenital detection of Chlamydia trachomatis (CT) and Neisseria gonorrhoeae (NG) infections. Sexual Health, 2019, 16, 314.	0.4	15
22	Assessing the impact of diet, exercise and the combination of the two as a treatment for OSA: A systematic review and metaâ€analysis. Respirology, 2019, 24, 740-751.	1.3	46
23	Closed Genome Sequences of Clinical Neisseria gonorrhoeae Strains Obtained from Combined Oxford Nanopore and Illumina Sequencing. Microbiology Resource Announcements, 2019, 8, .	0.3	0
24	Antimicrobial Resistance in Neisseria gonorrhoeae: Proceedings of the STAR Sexually Transmitted Infectionâ€"Clinical Trial Group Programmatic Meeting. Sexually Transmitted Diseases, 2019, 46, e18-e25.	0.8	15
25	Field evaluation of a dual rapid Human Immunodeficiency Virus and treponemal syphilis rapid test in community-based clinics in Los Angeles and New York. Diagnostic Microbiology and Infectious Disease, 2019, 93, 325-328.	0.8	3
26	P774 \hat{a} \in Prevalence of bacterial sexually transmitted infections and co-infection with HIV among MSM and TW in tijuana, mexico. , 2019, , .		0
27	Oral and vaginal HIV pre-exposure prophylaxis product attribute preferences among female sex workers in the Mexico-US border region. International Journal of STD and AIDS, 2019, 30, 45-55.	0.5	15
28	Dual rapid test for HIV and syphilis: A laboratory evaluation of the diagnostic accuracy of the Standard Q HIV/Syphilis Combo Test. Diagnostic Microbiology and Infectious Disease, 2019, 94, 30-32.	0.8	3
29	Use of Oral Fluid With a Rapid Treponemal Test for Syphilis Evaluation. Sexually Transmitted Diseases, 2018, 45, e65-e67.	0.8	2
30	Acceptability and Feasibility of Rapid Chlamydial, Gonococcal, and Trichomonal Screening and Treatment in Pregnant Women in 6 Low- to Middle-Income Countries. Sexually Transmitted Diseases, 2018, 45, 673-676.	0.8	11
31	Using Treponemal Assay Signal Strength Cutoff Ratios To Predict Syphilis Infection. Journal of Clinical Microbiology, 2018, 56, .	1.8	3
32	HIV and syphilis testing preferences among men who have sex with men and among transgender women in Lima, Peru. PLoS ONE, 2018, 13, e0206204.	1.1	11
33	Factors in the HIV risk environment associated with bacterial vaginosis among HIV-negative female sex workers who inject drugs in the Mexico-United States border region. BMC Public Health, 2018, 18, 1032.	1.2	13
34	Combined evaluation of sexually transmitted infections in HIV-infected pregnant women and infant HIV transmission. PLoS ONE, 2018, 13, e0189851.	1.1	42
35	High prevalence of extra-genital chlamydial or gonococcal infections among men who have sex with men and transgender women in Lima, Peru. International Journal of STD and AIDS, 2017, 28, 138-144.	0.5	18
36	Attributes of diagnostic tests to increase uptake of dual testing for syphilis and HIV in Port-au-Prince, Haiti. International Journal of STD and AIDS, 2017, 28, 259-264.	0.5	13

#	Article	IF	CITATIONS
37	<i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> screening and treatment of pregnant women in Port-au-Prince, Haiti. International Journal of STD and AIDS, 2017, 28, 1130-1134.	0.5	20
38	Implementing and sustaining a mobile medical clinic for prenatal care and sexually transmitted infection prevention in rural Mysore, India. BMC Infectious Diseases, 2017, 17, 189.	1.3	25
39	Point-of-Care Sexually Transmitted Infection Diagnostics: Proceedings of the STAR Sexually Transmitted Infection—Clinical Trial Group Programmatic Meeting. Sexually Transmitted Diseases, 2017, 44, 211-218.	0.8	50
40	Comparative Evaluation of 2 Nucleic Acid Amplification Tests for the Detection of Chlamydia trachomatis and Neisseria gonorrhoeae at Extragenital Sites. Sexually Transmitted Diseases, 2017, 44, 398-400.	0.8	19
41	Laboratory Evaluation of a Smartphone-Based Electronic Reader of Rapid Dual Point-of-Care Tests for Antibodies to Human Immunodeficiency Virus and Treponema pallidum Infections. Sexually Transmitted Diseases, 2017, 44, 412-416.	0.8	9
42	The PICASSO Cohort: baseline characteristics of a cohort of men who have sex with men and male-to-female transgender women at high risk for syphilis infection in Lima, Peru. BMC Infectious Diseases, 2017, 17, 255.	1.3	23
43	P4.27â€Healthcare access and antibiotic use for genitourinary symptoms among female sex workers in tijuana mexico. , 2017, , .		0
44	Comparing mail-in self-collected specimens sent via United States Postal Service versus clinic-collected specimens for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae in extra-genital sites. PLoS ONE, 2017, 12, e0189515.	1.1	16
45	Technological Solutions to Address Drug-Resistant <i>Neisseria gonorrhoeae</i> . Emerging Infectious Diseases, 2016, 22, 939-940.	2.0	1
46	A Systematic Review of Point of Care Testing for <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , and <i>Trichomonas vaginalis</i> . Infectious Diseases in Obstetrics and Gynecology, 2016, 2016, 1-17.	0.4	99
47	Field Evaluation of a Dual Rapid Immunodiagnostic Test for HIV and Syphilis Infection in Peru. Sexually Transmitted Diseases, 2016, 43, 57-60.	0.8	15
48	Chlamydia trachomatis and Neisseria gonorrhoeae in HIV-infected Pregnant Women and Adverse Infant Outcomes. Pediatric Infectious Disease Journal, 2016, 35, 894-900.	1.1	46
49	Cost-effectiveness of HIV and syphilis antenatal screening: a modelling study. Sexually Transmitted Infections, 2016, 92, 340-346.	0.8	33
50	Laboratory Evaluation of a Point-of-Care Downward-Flow Assay for Simultaneous Detection of Antibodies to Treponema pallidum and Human Immunodeficiency Virus. Journal of Clinical Microbiology, 2016, 54, 1922-1924.	1.8	11
51	Factors associated with previously undiagnosed human immunodeficiency virus infection in a population of men who have sex with men and male-to-female transgender women in Lima, Peru. Medicine (United States), 2016, 95, e5147.	0.4	5
52	Dual rapid lateral flow immunoassay fingerstick wholeblood testing for syphilis and HIV infections is acceptable and accurate, Port-au-Prince, Haiti. BMC Infectious Diseases, 2016, 16, 302.	1.3	14
53	Field evaluation of a dual rapid diagnostic test for HIV infection and syphilis in Lima, Peru. Sexually Transmitted Infections, 2016, 92, 182-185.	0.8	25
54	Similarities in the Markers of Inflammation Between Men With Syphilis and Women With Increased Risk of HIV Acquisition. Clinical Infectious Diseases, 2016, 62, 265-266.	2.9	8

#	Article	IF	CITATIONS
55	Cuba: defeating mother-to-child transmission of syphilis. Lancet, The, 2015, 386, 1533.	6.3	4
56	A review of recent advances in rapid point-of-care tests for syphilis. Sexual Health, 2015, 12, 119.	0.4	13
57	Rapid Training and Implementation of the Pollock Technique, a Safe, Effective Newborn Circumcision Procedure, in a Low-Resource Setting. Global Pediatric Health, 2015, 2, 2333794X1558911.	0.3	0
58	Chlamydia and Gonorrhea in HIV-Infected Pregnant Women and Infant HIV Transmission. Sexually Transmitted Diseases, 2015, 42, 554-565.	0.8	68
59	Feasibility and Acceptability of Cryptococcal Antigen Screening and Prevalence of Cryptocococcemia in Patients Attending a Resource-Limited HIV/AIDS Clinic in Malawi. Journal of the International Association of Providers of AIDS Care, 2015, 14, 387-390.	0.6	10
60	Completeness and Reliability of the Republic of South Africa National Tuberculosis (TB) Surveillance System. BMC Public Health, 2015, 15, 765.	1.2	34
61	A program evaluation report of a rapid scale-up of a high-volume medical male circumcision site, KwaZulu-Natal, South Africa, 2010–2013. BMC Health Services Research, 2015, 15, 235.	0.9	17
62	Laboratory Evaluation of a Dual Rapid Immunodiagnostic Test for HIV and Syphilis Infection. Journal of Clinical Microbiology, 2015, 53, 311-313.	1.8	18
63	Piloting an HIV self-test kit voucher program to raise serostatus awareness of high-risk African Americans, Los Angeles. BMC Public Health, 2014, 14, 1226.	1.2	53
64	The aetiology of vaginal symptoms in rural Haiti. International Journal of STD and AIDS, 2014, 25, 669-675.	0.5	3
65	Laboratory Evaluation of Three Rapid Diagnostic Tests for Dual Detection of HIV and Treponema pallidum Antibodies. Journal of Clinical Microbiology, 2014, 52, 4394-4397.	1.8	18
66	Multisite Laboratory Evaluation of a Dual Human Immunodeficiency Virus (HIV)/Syphilis Point-of-Care Rapid Test for Simultaneous Detection of HIV and Syphilis Infection. Open Forum Infectious Diseases, 2014, 1, ofu015.	0.4	39
67	Choosing a metric for measurement of pre-exposure prophylaxis. Lancet Infectious Diseases, The, 2014, 14, 1177-1178.	4.6	0
68	Meningitis in HIVâ€positive patients in subâ€Saharan Africa: a review. Journal of the International AIDS Society, 2014, 17, 19184.	1.2	60
69	Characteristics of the Sample Adequacy Control (SAC) in the Cepheid Xpert \hat{A}^{\otimes} CT/NG Assay in Female Urine Specimens. Journal of Microbiology & Experimentation, 2014, 1, .	0.1	4
70	TB tracer teams in South Africa: knowledge, practices and challenges of tracing TB patients to improve adherence. BMC Public Health, 2013, 13, 801.	1.2	6
71	Predictors of serological failure after treatment in HIV-infected patients with early syphilis in the emerging Era of universal antiretroviral therapy use. BMC Infectious Diseases, 2013, 13, 605.	1.3	42
72	Lack of patient registration in the electronic TB register for sputum smear-positive patients in KwaZulu-Natal, South Africa. Tuberculosis, 2013, 93, 567-568.	0.8	9

#	Article	IF	CITATIONS
73	Validation of sputum smear results in the Electronic TB Register for the management of tuberculosis, South Africa. International Journal of Tuberculosis and Lung Disease, 2013, 17, 1317-1321.	0.6	14
74	Scale-up of isoniazid preventive therapy in PEPFAR-assisted clinical sites in South Africa [Notes from the field]. International Journal of Tuberculosis and Lung Disease, 2012, 16, 1020-1022.	0.6	14
75	Comparison of germ line minisatellite mutation detection at the CEB1 locus by Southern blotting and PCR amplification. Mutagenesis, 2010, 25, 343-349.	1.0	1
76	Isolation of a New Hemimethylated DNA Binding Protein Which Regulates dnaA Gene Expression. Journal of Bacteriology, 2003, 185, 2967-2971.	1.0	23
77	Sexually Transmitted Infections and Adverse Birth and Infant Outcomes among Pregnant Women in Rural Southern India. Journal of Clinical and Diagnostic Research JCDR, 0, , .	0.8	0