Adam J Prus

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2720699/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----------------|-----------|
| 1 | Discriminative stimulus properties of 1.25 and 5.0 mg/kg doses of clozapine in rats: examination of the role of dopamine, serotonin, and muscarinic receptor mechanisms. Pharmacology Biochemistry and Behavior, 2004, 77, 199-208. | 1.3 | 27 |
| 2 | Acute, but not repeated, administration of the neurotensin NTS1 receptor agonist PD149163 decreases conditioned footshock-induced ultrasonic vocalizations in rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 49, 78-84. | 2.5 | 25 |
| 3 | Serotonin receptor mechanisms mediate the discriminative stimulus properties of the atypical antipsychotic clozapine in C57BL/6 mice. Psychopharmacology, 2005, 180, 49-56. | 1.5 | 24 |
| 4 | Discriminative stimulus properties of the atypical antipsychotic clozapine and the typical antipsychotic chlorpromazine in a three-choice drug discrimination procedure in rats. Psychopharmacology, 2005, 178, 67-77. | 1.5 | 23 |
| 5 | The neurotensin analog NT69L enhances medial prefrontal cortical dopamine and acetylcholine efflux: Potentiation of risperidone-, but not haloperidol-, induced dopamine efflux. Brain Research, 2007, 1184, 354-364. | 1.1 | 22 |
| 6 | Discriminative stimulus properties of atypical and typical antipsychotic drugs: a review of preclinical studies. Psychopharmacology, 2009, 203, 279-294. | 1.5 | 20 |
| 7 | Discriminative stimulus properties of the atypical antipsychotic drug clozapine in rats trained to discriminate 1.25 mg/kg clozapine vs. 5.0 mg/kg clozapine vs. vehicle. Behavioural Pharmacology, 2006, 185-194. | , 1 7, 8 | 18 |
| 8 | Systemic administration of the neurotensin NTSâ,•receptor agonist PD149163 improves performance on a memory task in naturally deficient male Brown Norway rats Experimental and Clinical Psychopharmacology, 2014, 22, 541-547. | 1.3 | 17 |
| 9 | Neurotensin NTS 1 and NTS 2 receptor agonists produce anxiolytic-like effects in the 22-kHz ultrasonic vocalization model in rats. Brain Research, 2017, 1658, 31-35. | 1.1 | 17 |
| 10 | Further characterization of the discriminative stimulus properties of the atypical antipsychotic drug clozapine in C57BL/6 mice: role of 5-HT2A serotonergic and α1 adrenergic antagonism. Psychopharmacology, 2009, 203, 303-315. | 1.5 | 16 |
| 11 | The neurotensin-1 receptor agonist PD149163 inhibits conditioned avoidance responding without producing catalepsy in rats. European Neuropsychopharmacology, 2011, 21, 526-531. | 0.3 | 15 |
| 12 | Acute nicotine reduces and repeated nicotine increases spontaneous activity in male and female Lewis rats. Pharmacology Biochemistry and Behavior, 2008, 91, 150-154. | 1.3 | 12 |
| 13 | The role of M1 muscarinic cholinergic receptors in the discriminative stimulus properties of N-desmethylclozapine and the atypical antipsychotic drug clozapine in rats. Psychopharmacology, 2009, 203, 295-301. | 1.5 | 11 |
| 14 | Drug discrimination: 30Âyears of progress. Psychopharmacology, 2009, 203, 189-191. | 1.5 | 9 |
| 15 | Effects of the neurotensin NTS1 receptor agonist PD149163 on visual signal detection in rats. European Journal of Pharmacology, 2013, 721, 201-207. | 1.7 | 9 |
| 16 | Generalization testing with atypical and typical antipsychotic drugs in rats trained to discriminate 5.0 mg/kg clozapine from vehicle in a two-choice drug discrimination task. Drug Development Research, 2005, 64, 55-65. | 1.4 | 7 |
| 17 | The Neurotensin NTS ₁ Receptor Agonist PD149163 Produces Antidepressantâ€Like Effects in the Forced Swim Test: Further Support for Neurotensin as a Novel Pharmacologic Strategy for Antidepressant Drugs. Drug Development Research, 2017, 78, 196-202. | 1.4 | 7 |
| 18 | Discriminative stimulus properties of 1.25 mg/kg clozapine in rats: Mediation by serotonin 5-HT 2 and dopamine D 4 receptors. Brain Research, 2016, 1648, 298-305. | 1.1 | 6 |

Adam J Prus

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Evaluation of the effects of α2 adrenoceptor antagonism with the D2 receptor antagonist raclopride on conditioned avoidance responding in rats. Behavioural Pharmacology, 2010, 21, 654-659. | 0.8 | 5 |
| 20 | The quetiapine active metabolite N-desalkylquetiapine and the neurotensin NTSâ,•receptor agonist PD149163 exhibit antidepressant-like effects on operant responding in male rats Experimental and Clinical Psychopharmacology, 2014, 22, 548-556. | 1.3 | 4 |
| 21 | The antidepressant drugs fluoxetine and duloxetine produce anxiolytic-like effects in a schedule-induced polydipsia paradigm in rats. Behavioural Pharmacology, 2015, 26, 489-494. | 0.8 | 4 |
| 22 | Acute behavioral tolerance to nicotine in the conditioned taste aversion paradigm. Drug Development Research, 2007, 68, 522-528. | 1.4 | 2 |
| 23 | Discriminative stimulus properties of idazoxan: mediation by both α ₂ adrenoceptor antagonism and 5â€HT _{1A} receptor agonism. Drug Development Research, 2010, 71, 261-267. | 1.4 | 2 |
| 24 | The Discriminative Stimulus Properties of Drugs Used to Treat Depression and Anxiety. Current Topics in Behavioral Neurosciences, 2016, 39, 213-241. | 0.8 | 2 |
| 25 | The Discriminative Stimulus Effects of the Neurotensin <scp>NTS</scp> ₁ Receptor Agonist <scp>PD</scp> 149163 in Rats: Stimulus Generalization Testing with Dopamine <scp>D</scp> ₁ and <scp>D</scp> ₂ Receptor Ligands. Drug Development Research. 2014. 75. 47-58. | 1.4 | 1 |
| 26 | Translational Value of Drug Discrimination with Typical and Atypical Antipsychotic Drugs. Current Topics in Behavioral Neurosciences, 2017, 39, 193-212. | 0.8 | 1 |