

Adam J Prus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2720699/adam-j-prus-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

272
citations

10
h-index

15
g-index

26
ext. papers

287
ext. citations

3.9
avg, IF

2.91
L-index

#	Paper	IF	Citations
25	Translational Value of Drug Discrimination with Typical and Atypical Antipsychotic Drugs. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 39, 193-212	3.4	1
24	The Discriminative Stimulus Properties of Drugs Used to Treat Depression and Anxiety. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 39, 213-241	3.4	1
23	Neurotensin NTS and NTS receptor agonists produce anxiolytic-like effects in the 22-kHz ultrasonic vocalization model in rats. <i>Brain Research</i> , 2017 , 1658, 31-35	3.7	9
22	The Neurotensin NTS Receptor Agonist PD149163 Produces Antidepressant-Like Effects in the Forced Swim Test: Further Support for Neurotensin as a Novel Pharmacologic Strategy for Antidepressant Drugs. <i>Drug Development Research</i> , 2017 , 78, 196-202	5.1	4
21	Discriminative stimulus properties of 1.25mg/kg clozapine in rats: Mediation by serotonin 5-HT ₂ and dopamine D ₄ receptors. <i>Brain Research</i> , 2016 , 1648, 298-305	3.7	6
20	The antidepressant drugs fluoxetine and duloxetine produce anxiolytic-like effects in a schedule-induced polydipsia paradigm in rats: enhancement of fluoxetine's effects by the α adrenoceptor antagonist yohimbine. <i>Behavioural Pharmacology</i> , 2015 , 26, 489-94	2.4	2
19	The quetiapine active metabolite N-desalkylquetiapine and the neurotensin NTS μ receptor agonist PD149163 exhibit antidepressant-like effects on operant responding in male rats. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 548-56	3.2	4
18	Systemic administration of the neurotensin NTS μ receptor agonist PD149163 improves performance on a memory task in naturally deficient male brown Norway rats. <i>Experimental and Clinical Psychopharmacology</i> , 2014 , 22, 541-7	3.2	14
17	The discriminative stimulus effects of the neurotensin NTS ₁ receptor agonist PD149163 in rats: stimulus generalization testing with dopamine D ₁ and D ₂ receptor ligands. <i>Drug Development Research</i> , 2014 , 75, 47-58	5.1	1
16	Acute, but not repeated, administration of the neurotensin NTS ₁ receptor agonist PD149163 decreases conditioned footshock-induced ultrasonic vocalizations in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 49, 78-84	5.5	21
15	Effects of the neurotensin NTS μ receptor agonist PD149163 on visual signal detection in rats. <i>European Journal of Pharmacology</i> , 2013 , 721, 201-7	5.3	8
14	The neurotensin-1 receptor agonist PD149163 inhibits conditioned avoidance responding without producing catalepsy in rats. <i>European Neuropsychopharmacology</i> , 2011 , 21, 526-31	1.2	14
13	Evaluation of the effects of α adrenoceptor antagonism with the D ₂ receptor antagonist raclopride on conditioned avoidance responding in rats. <i>Behavioural Pharmacology</i> , 2010 , 21, 654-9	2.4	5
12	Discriminative stimulus properties of idazoxan: mediation by both α adrenoceptor antagonism and 5-HT _{1A} receptor agonism. <i>Drug Development Research</i> , 2010 , 71, 261-267	5.1	2
11	The role of M ₁ muscarinic cholinergic receptors in the discriminative stimulus properties of N-desmethylclozapine and the atypical antipsychotic drug clozapine in rats. <i>Psychopharmacology</i> , 2009 , 203, 295-301	4.7	9
10	Discriminative stimulus properties of atypical and typical antipsychotic drugs: a review of preclinical studies. <i>Psychopharmacology</i> , 2009 , 203, 279-94	4.7	19
9	Further characterization of the discriminative stimulus properties of the atypical antipsychotic drug clozapine in C57BL/6 mice: role of 5-HT(2A) serotonergic and alpha (1) adrenergic antagonism. <i>Psychopharmacology</i> , 2009 , 203, 303-15	4.7	16

8	Acute nicotine reduces and repeated nicotine increases spontaneous activity in male and female Lewis rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 91, 150-4	3.9	8
7	Acute behavioral tolerance to nicotine in the conditioned taste aversion paradigm. <i>Drug Development Research</i> , 2007 , 68, 522-528	5.1	1
6	The neurotensin analog NT69L enhances medial prefrontal cortical dopamine and acetylcholine efflux: potentiation of risperidone-, but not haloperidol-, induced dopamine efflux. <i>Brain Research</i> , 2007 , 1184, 354-64	3.7	20
5	Discriminative stimulus properties of the atypical antipsychotic drug clozapine in rats trained to discriminate 1.25 mg/kg clozapine vs. 5.0 mg/kg clozapine vs. vehicle. <i>Behavioural Pharmacology</i> , 2006 , 17, 185-94	2.4	18
4	Generalization testing with atypical and typical antipsychotic drugs in rats trained to discriminate 5.0 mg/kg clozapine from vehicle in a two-choice drug discrimination task. <i>Drug Development Research</i> , 2005 , 64, 55-65	5.1	7
3	Discriminative stimulus properties of the atypical antipsychotic clozapine and the typical antipsychotic chlorpromazine in a three-choice drug discrimination procedure in rats. <i>Psychopharmacology</i> , 2005 , 178, 67-77	4.7	23
2	Serotonin receptor mechanisms mediate the discriminative stimulus properties of the atypical antipsychotic clozapine in C57BL/6 mice. <i>Psychopharmacology</i> , 2005 , 180, 49-56	4.7	23
1	Discriminative stimulus properties of 1.25 and 5.0 mg/kg doses of clozapine in rats: examination of the role of dopamine, serotonin, and muscarinic receptor mechanisms. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 77, 199-208	3.9	27