Richard R Riker

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2721616/richard-r-riker-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 115
 13,615
 44
 116

 papers
 citations
 h-index
 g-index

 131
 16,236
 4.4
 5.94

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper Paper	IF	Citations
115	Midodrine to liberate ICU patients from intravenous vasopressors: Another negative fixed-dose trial <i>Journal of Critical Care</i> , 2022 , 69, 153995	4	1
114	Ceftriaxone to PRevent pneumOnia and inflammaTion aftEr Cardiac arresT (PROTECT): study protocol for a randomized, placebo-controlled trial <i>Trials</i> , 2022 , 23, 197	2.8	0
113	Prospective Validation of Sedation Scale Scores That Identify Light Sedation: A Pilot Study <i>American Journal of Critical Care</i> , 2022 , 31, 202-208	1.7	
112	DEspR neutrophils are associated with critical illness in COVID-19. Scientific Reports, 2021, 11, 22463	4.9	Ο
111	Vasopressin-Induced Hyponatremia in Patients With Aneurysmal Subarachnoid Hemorrhage: A Case Series and Literature Review. <i>Journal of Pharmacy Practice</i> , 2021 , 8971900211053497	1.3	
110	Comment: A Review of Pharmacologic Neurostimulant Use During Rehabilitation and Recovery After Brain Injury. <i>Annals of Pharmacotherapy</i> , 2021 , 10600280211052629	2.9	
109	Amantadine and Modafinil as Neurostimulants Following Acute Stroke: A Retrospective Study of Intensive Care Unit Patients. <i>Neurocritical Care</i> , 2021 , 34, 102-111	3.3	11
108	Methadone bioavailability and dose conversion implications with intravenous and enteral administration: A scoping review. <i>American Journal of Health-System Pharmacy</i> , 2021 , 78, 1395-1401	2.2	0
107	Design of Clinical Trials Evaluating Sedation in Critically Ill Adults Undergoing Mechanical Ventilation: Recommendations From Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research (SCEPTER) Recommendation III. <i>Critical Care Medicine</i> , 2021 ,	1.4	2
106	Response to Dr. Panda and Colleagues. <i>Neurocritical Care</i> , 2021 , 35, 279-280	3.3	
105	Midodrine administration during critical illness: fixed-dose or titrate to response?. <i>Intensive Care Medicine</i> , 2021 , 47, 249-251	14.5	3
104	Risk Stratification Among Survivors of Cardiac Arrest Considered for Coronary Angiography. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 360-371	15.1	7
103	Influence of sex on survival, neurologic outcomes, and neurodiagnostic testing after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021 , 167, 66-75	4	1
102	Incidence of cardiac interventions and associated cardiac arrest outcomes in patients with nonshockable initial rhythms and no ST elevation post resuscitation. <i>Resuscitation</i> , 2021 , 167, 188-197	4	0
101	Amantadine and Modafinil as Neurostimulants During Post-stroke Care: A Systematic Review. <i>Neurocritical Care</i> , 2020 , 33, 283-297	3.3	8
100	Heparin-induced thrombocytopenia with thrombosis in COVID-19 adult respiratory distress syndrome. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020 , 4, 936-941	5.1	44
99	Validation of the suppression ratio from a simplified EEG montage during targeted temperature management after cardiac arrest. <i>Resuscitation</i> , 2020 , 153, 1-5	4	O

(2018-2020)

98	Functional outcomes associated with varying levels of targeted temperature management after out-of-hospital cardiac arrest - An INTCAR2 registry analysis. <i>Resuscitation</i> , 2020 , 146, 229-236	4	7
97	Tele-Critical Care: An Update From the Society of Critical Care Medicine Tele-ICU Committee. <i>Critical Care Medicine</i> , 2020 , 48, 553-561	1.4	45
96	Delirium-Beyond the CAM-ICU. Critical Care Medicine, 2020, 48, 134-136	1.4	4
95	The association of partial pressures of oxygen and carbon dioxide with neurological outcome after out-of-hospital cardiac arrest: an explorative International Cardiac Arrest Registry 2.0 study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020 , 28, 67	3.6	3
94	Response to The challenges of diagnosing heparin-induced thrombocytopenia in patients with COVID-19. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020 , 4, 1068	5.1	
93	Neurological Pupil Index and Pupillary Light Reflex by Pupillometry Predict Outcome Early After Cardiac Arrest. <i>Neurocritical Care</i> , 2020 , 32, 152-161	3.3	34
92	An Analysis of Psychoactive Medications Initiated in the ICU but Continued Beyond Discharge: A Pilot Study of Stewardship. <i>Journal of Pharmacy Practice</i> , 2020 , 33, 760-767	1.3	2
91	Early withdrawal of life support after resuscitation from cardiac arrest is common and may result in additional deaths. <i>Resuscitation</i> , 2019 , 139, 308-313	4	34
90	Variability in functional outcome and treatment practices by treatment center after out-of-hospital cardiac arrest: analysis of International Cardiac Arrest Registry. <i>Intensive Care Medicine</i> , 2019 , 45, 637-6	4 5 4.5	18
89	Number of Circulating CD 73-Expressing Lymphocytes Correlates With Survival After Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2019 , 8, e010874	6	3
88	Hemodynamic, Biochemical, and Ventilatory Parameters are Independently Associated with Outcome after Cardiac Arrest. <i>Neurocritical Care</i> , 2018 , 29, 69-76	3.3	3
87	Derivation and Validation of the CREST Model for Very Early Prediction of Circulatory Etiology Death in Patients Without ST-Segment-Elevation Myocardial Infarction After Cardiac Arrest. <i>Circulation</i> , 2018 , 137, 273-282	16.7	23
86	Continuous surface EMG power reflects the metabolic cost of shivering during targeted temperature management after cardiac arrest. <i>Resuscitation</i> , 2018 , 131, 8-13	4	3
85	Response. <i>Chest</i> , 2018 , 154, 465	5.3	1
84	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, 1532-1548	1.4	109
83	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, e825-e873	1.4	1140
82	In the Middle of Difficulty Lies OpportunityAlbert Einstein. Critical Care Medicine, 2018, 46, 1881-1882	1.4	3
81	Variation in Sedation and Neuromuscular Blockade Regimens on Outcome After Cardiac Arrest. <i>Critical Care Medicine</i> , 2018 , 46, e975-e980	1.4	21

80	Accuracy of Point-of-Care Blood Glucose Level Measurements in Critically Ill Patients with Sepsis Receiving High-Dose Intravenous Vitamin C. <i>Pharmacotherapy</i> , 2018 , 38, 1155-1161	5.8	5
79	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 2 Safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. <i>Anesthesia and Analgesia</i> , 2018 , 127, 1146-1154	3.9	11
78	Approaches to community consultation in exception from informed consent: Analysis of scope, efficiency, and cost at two centers. <i>Resuscitation</i> , 2018 , 130, 81-87	4	8
77	Valproate free serum concentrations: More complex than simple formulas. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018 , 60, 155-156	3.2	
76	Valproate Protein Binding Is Highly Variable in ICU Patients and Not Predicted by Total Serum Concentrations: A Case Series and Literature Review. <i>Pharmacotherapy</i> , 2017 , 37, 500-508	5.8	20
75	ICU Clinicians Underestimate Breathing Discomfort in Ventilated Subjects. <i>Respiratory Care</i> , 2017 , 62, 150-155	2.1	24
74	Cefepime-induced neurotoxicity: a systematic review. <i>Critical Care</i> , 2017 , 21, 276	10.8	123
73	Repurposing Valproate, Enteral Clonidine, and Phenobarbital for Comfort in Adult ICU Patients: A Literature Review with Practical Considerations. <i>Pharmacotherapy</i> , 2017 , 37, 1309-1321	5.8	19
72	Caution Warranted Regarding Transfusion for Subarachnoid Hemorrhage. <i>Critical Care Medicine</i> , 2017 , 45, e986-e987	1.4	3
71	Five-Year Trends of Critical Care Practice and Outcomes. <i>Chest</i> , 2017 , 152, 723-735	5.3	48
70	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 1 Efficacy: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. <i>Anesthesia and Analgesia</i> , 2017 , 124, 821-830	3.9	21
69	Valproate for agitation in critically ill patients: A retrospective study. <i>Journal of Critical Care</i> , 2017 , 37, 119-125	4	32
68	Inadequacy of Headache Management After Subarachnoid Hemorrhage. <i>American Journal of Critical Care</i> , 2016 , 25, 136-43	1.7	29
67	Free serum valproate concentration more reliable than total concentration in critically ill patients. <i>Resuscitation</i> , 2016 , 105, e15-6	4	6
66	Sedation quality in intensive care: which interventions work?. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 767-768	35.1	О
65	Neurologic outcomes and postresuscitation care of patients with myoclonus following cardiac arrest. <i>Critical Care Medicine</i> , 2015 , 43, 965-72	1.4	83
64	Moderate-dose sedation and analgesia during targeted temperature management after cardiac arrest. <i>Neurocritical Care</i> , 2015 , 22, 105-11	3.3	23
63	Prophylactic antibiotics are associated with a lower incidence of pneumonia in cardiac arrest survivors treated with targeted temperature management. <i>Resuscitation</i> , 2015 , 92, 154-9	4	37

(2013-2015)

62	Transition from dexmedetomidine to enteral clonidine for ICU sedation: an observational pilot study. <i>Pharmacotherapy</i> , 2015 , 35, 251-9	5.8	46
61	Analgesia, sedation, and neuromuscular blockade during targeted temperature management after cardiac arrest. <i>Baillierew Best Practice and Research in Clinical Anaesthesiology</i> , 2015 , 29, 435-50	4	18
60	The authors reply. Critical Care Medicine, 2015, 43, e397-8	1.4	
59	Association of gender to outcome after out-of-hospital cardiac arresta report from the International Cardiac Arrest Registry. <i>Critical Care</i> , 2015 , 19, 182	10.8	59
58	Clinical monitoring scales in acute brain injury: assessment of coma, pain, agitation, and delirium. <i>Neurocritical Care</i> , 2014 , 21 Suppl 2, S27-37	3.3	75
57	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. <i>Neurocritical Care</i> ,	3.3	139
56	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. <i>Intensive Care</i>	14.5	190
55	Medicine, 2014 , 40, 1189-209 Feasibility of bispectral index monitoring to guide early post-resuscitation cardiac arrest triage. Resuscitation, 2014 , 85, 1030-6	4	15
54	The International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: evidentiary tables: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. <i>Neurocritical Care</i> ,	3.3	53
53	The International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: a list of recommendations and additional conclusions: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive	3.3	54
52	Randomized ICU trials do not demonstrate an association between interventions that reduce delirium duration and short-term mortality: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2014 , 42, 1442-54	1.4	70
51	The accurate recognition of delirium in the ICU: the emperor's new clothes?. <i>Intensive Care Medicine</i> , 2013 , 39, 2196-9	14.5	26
50	Intensive care sedation: the past, present and the future. Critical Care, 2013, 17, 322	10.8	38
49	The new practice guidelines for pain, agitation, and delirium. <i>American Journal of Critical Care</i> , 2013 , 22, 153-7	1.7	6
48	Initial bispectral index may identify patients who will awaken during therapeutic hypothermia after cardiac arrest: a retrospective pilot study. <i>Resuscitation</i> , 2013 , 84, 794-7	4	19
47	Psychometric analysis of subjective sedation scales in critically ill adults. <i>Critical Care Medicine</i> , 2013 , 41, S16-29	1.4	37
46	Evaluating and monitoring sedation, arousal, and agitation in the ICU. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013 , 34, 169-78	3.9	11
45	Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. <i>Critical Care Medicine</i> , 2013 , 41, 263-306	1.4	2424

44	Single-dose etomidate is not associated with increased mortality in ICU patients with sepsis: analysis of a large electronic ICU database. <i>Critical Care Medicine</i> , 2013 , 41, 774-83	1.4	56
43	Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the Intensive Care Unit: executive summary. <i>American Journal of Health-System Pharmacy</i> , 2013 , 70, 53	-8 ^{2.2}	116
42	Emergency neurological life support: airway, ventilation, and sedation. <i>Neurocritical Care</i> , 2012 , 17 Suppl 1, S4-20	3.3	29
41	Altering intensive care sedation paradigms to improve patient outcomes. <i>Anesthesiology Clinics</i> , 2011 , 29, 663-74	2.3	18
40	Adverse events and their relation to mortality in out-of-hospital cardiac arrest patients treated with therapeutic hypothermia. <i>Critical Care Medicine</i> , 2011 , 39, 57-64	1.4	635
39	Benchmark data from more than 240,000 adults that reflect the current practice of critical care in the United States. <i>Chest</i> , 2011 , 140, 1232-1242	5.3	102
38	Bispectral index and suppression ratio during hypothermia after cardiac arrest: reply to Aibiki. <i>Intensive Care Medicine</i> , 2011 , 37, 1400-1401	14.5	
37	Surface cooling after cardiac arrest: effectiveness, skin safety, and adverse events in routine clinical practice. <i>Neurocritical Care</i> , 2011 , 14, 382-8	3.3	35
36	Impact of quetiapine on resolution of individual delirium symptoms in critically ill patients with delirium: a post-hoc analysis of a double-blind, randomized, placebo-controlled study. <i>Critical Care</i> , 2011 , 15, R215	10.8	48
35	Association of the Bedside Shivering Assessment Scale and derived EMG power during therapeutic hypothermia in survivors of cardiac arrest. <i>Resuscitation</i> , 2011 , 82, 1100-3	4	15
34	Delirium duration and mortality in lightly sedated, mechanically ventilated intensive care patients. <i>Critical Care Medicine</i> , 2010 , 38, 2311-8	1.4	339
33	A cost-minimization analysis of dexmedetomidine compared with midazolam for long-term sedation in the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, 497-503	1.4	94
32	Adverse drug events associated with the use of analgesics, sedatives, and antipsychotics in the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, S231-43	1.4	72
31	Efficacy and safety of quetiapine in critically ill patients with delirium: a prospective, multicenter, randomized, double-blind, placebo-controlled pilot study. <i>Critical Care Medicine</i> , 2010 , 38, 419-27	1.4	420
30	The bispectral index and suppression ratio are very early predictors of neurological outcome during therapeutic hypothermia after cardiac arrest. <i>Intensive Care Medicine</i> , 2010 , 36, 281-8	14.5	81
29	The eICU research institute - a collaboration between industry, health-care providers, and academia. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2010 , 29, 18-25		44
28	Dexmedetomidine vs midazolam for sedation of critically ill patients: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 489-99	27.4	1108
27	Altering intensive care sedation paradigms to improve patient outcomes. <i>Critical Care Clinics</i> , 2009 , 25, 527-38, viii-ix	4.5	51

(2001-2008)

26	Determination of a lorazepam dose threshold for using the osmol gap to monitor for propylene glycol toxicity. <i>Pharmacotherapy</i> , 2008 , 28, 984-91	5.8	50
25	Combined didactic and scenario-based education improves the ability of intensive care unit staff to recognize delirium at the bedside. <i>Critical Care</i> , 2008 , 12, R19	10.8	99
24	Delirium assessment in the critically ill. <i>Intensive Care Medicine</i> , 2007 , 33, 929-40	14.5	171
23	Subsyndromal delirium in the ICU: evidence for a disease spectrum. <i>Intensive Care Medicine</i> , 2007 , 33, 1007-13	14.5	242
22	Individual delirium symptoms: do they matter?. Critical Care Medicine, 2007, 35, 2533-7	1.4	60
21	Comfort without coma: changing sedation practices. <i>Critical Care Medicine</i> , 2007 , 35, 635-7	1.4	23
20	Phenobarbital Provides Effective Sedation for a Select Cohort of Adult ICU Patients Intolerant of Standard Treatment: A Brief Report. <i>Hospital Pharmacy</i> , 2006 , 41, 17-23	1.1	8
19	ICU DELIRIUM ASSESSMENT TOOLS OFTEN DISAGREE Critical Care Medicine, 2006 , 34, A7	1.4	3
18	Bispectral index monitoring in the intensive care unit provides more signal than noise. <i>Pharmacotherapy</i> , 2005 , 25, 19S-27S	5.8	38
17	Adverse events associated with sedatives, analgesics, and other drugs that provide patient comfort in the intensive care unit. <i>Pharmacotherapy</i> , 2005 , 25, 8S-18S	5.8	100
16	The Uncertain Risk of Single-Dose Etomidate in the Critically III. Hospital Pharmacy, 2005, 40, 658-661	1.1	3
15	Corticosteroids in the Critically Ill. <i>Hospital Pharmacy</i> , 2004 , 39, 116-118	1.1	1
14	Ventilation of patients with acute lung injury and acute respiratory distress syndrome: has new evidence changed clinical practice?. <i>Critical Care Medicine</i> , 2004 , 32, 1260-5	1.4	656
13	Comparing the bispectral index and suppression ratio with burst suppression of the electroencephalogram during pentobarbital infusions in adult intensive care patients. <i>Pharmacotherapy</i> , 2003 , 23, 1087-93	5.8	42
12	Advances and Controversies in Adult ICU Sedation, Part 3: Evolving Pharmacological Treatment Issues. <i>Hospital Pharmacy</i> , 2002 , 37, 362-368	1.1	1
11	Removal of propylene glycol and correction of increased osmolar gap by hemodialysis in a patient on high dose lorazepam infusion therapy. <i>Intensive Care Medicine</i> , 2002 , 28, 81-4	14.5	61
10	Clinical practice guidelines for the sustained use of sedatives and analgesics in the critically ill adult. <i>Critical Care Medicine</i> , 2002 , 30, 119-41	1.4	1633
9	Validating the Sedation-Agitation Scale with the Bispectral Index and Visual Analog Scale in adult ICU patients after cardiac surgery. <i>Intensive Care Medicine</i> , 2001 , 27, 853-8	14.5	226

8	Adrenocortical dysfunction following etomidate induction in emergency department patients. <i>Academic Emergency Medicine</i> , 2001 , 8, 1-7	3.4	156
7	The frequency and cost of patient-initiated device removal in the ICU. <i>Pharmacotherapy</i> , 2001 , 21, 1-6	5.8	52
6	Confirming the reliability of the sedation-agitation scale administered by ICU nurses without experience in its use. <i>Pharmacotherapy</i> , 2001 , 21, 431-6	5.8	49
5	Frequency, severity, and treatment of agitation in young versus elderly patients in the ICU. <i>Pharmacotherapy</i> , 2000 , 20, 75-82	5.8	93
4	Prospective evaluation of the Sedation-Agitation Scale for adult critically ill patients. <i>Critical Care Medicine</i> , 1999 , 27, 1325-9	1.4	729
3	Assessing sedation during intensive care unit mechanical ventilation with the Bispectral Index and the Sedation-Agitation Scale. <i>Critical Care Medicine</i> , 1999 , 27, 1499-504	1.4	302
2	Visual compatibility of haloperidol lactate with injectable solutions. <i>American Journal of Health-System Pharmacy</i> , 1994 , 51, 905-906	2.2	
1	Continuous infusion of haloperidol controls agitation in critically ill patients. <i>Critical Care Medicine</i> , 1994 , 22, 433-40	1.4	235