

Lars Erik Kristensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2723601/publications.pdf>

Version: 2024-02-01

102
papers

2,418
citations

236612

25
h-index

223531

46
g-index

104
all docs

104
docs citations

104
times ranked

2931
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of psoriatic arthritis in patients with psoriasis: A systematic review and meta-analysis of observational and clinical studies. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 251-265.e19.	0.6	362
2	Impact of concomitant DMARD therapy on adherence to treatment with etanercept and infliximab in rheumatoid arthritis. Results from a six-year observational study in southern Sweden. <i>Arthritis Research and Therapy</i> , 2006, 8, R174.	1.6	143
3	The LUNDEX, a new index of drug efficacy in clinical practice: Results of a five-year observational study of treatment with infliximab and etanercept among rheumatoid arthritis patients in southern Sweden. <i>Arthritis and Rheumatism</i> , 2006, 54, 600-606.	6.7	122
4	The influence of obesity on response to tumour necrosis factor- α inhibitors in psoriatic arthritis: results from the DANBIO and ICEBIO registries. <i>Rheumatology</i> , 2016, 55, 2191-2199.	0.9	101
5	Tumour necrosis factor inhibitor treatment and occurrence of anterior uveitis in ankylosing spondylitis: results from the Swedish biologics register. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1515-1521.	0.5	92
6	Predictors of revision, prosthetic joint infection and mortality following total hip or total knee arthroplasty in patients with rheumatoid arthritis: a nationwide cohort study using Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 281-288.	0.5	92
7	Mortality in ankylosing spondylitis: results from a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1466-1472.	0.5	83
8	Efficacy and safety of risankizumab for active psoriatic arthritis: 24-week results from the randomised, double-blind, phase 3 KEEPsaKE 1 trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 225-231.	0.5	73
9	Group for Research and Assessment of Psoriasis and Psoriatic Arthritis/Outcome Measures in Rheumatology Consensus-Based Recommendations and Research Agenda for Use of Composite Measures and Treatment Targets in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 345-355.	2.9	72
10	The effect of comedication with conventional synthetic disease modifying antirheumatic drugs on TNF inhibitor drug survival in patients with ankylosing spondylitis and undifferentiated spondyloarthritis: results from a nationwide prospective study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 970-978.	0.5	69
11	Societal costs and patients' experience of health inequities before and after diagnosis of psoriatic arthritis: a Danish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1495-1501.	0.5	63
12	Gender differences in biologic treatment outcomes—a study of 1750 patients with psoriatic arthritis using Danish Health Care Registers. <i>Rheumatology</i> , 2018, 57, 1651-1660.	0.9	56
13	Comparison of non-radiographic axial spondyloarthritis and ankylosing spondylitis patients' baseline characteristics, treatment adherence, and development of clinical variables during three years of anti-TNF therapy in clinical practice. <i>Arthritis Research and Therapy</i> , 2015, 17, 378.	1.6	53
14	Incidence and prevalence of psoriatic arthritis in Denmark: a nationwide register linkage study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1591-1597.	0.5	52
15	Incidence of hip and knee replacement in patients with rheumatoid arthritis following the introduction of biological DMARDs: an interrupted time-series analysis using nationwide Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 684-689.	0.5	52
16	Validity of ankylosing spondylitis and undifferentiated spondyloarthritis diagnoses in the Swedish National Patient Register. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 369-376.	0.6	47
17	Impact of Comorbidities on Tumor Necrosis Factor Inhibitor Therapy in Psoriatic Arthritis: A Population-Based Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 592-599.	1.5	47
18	Drug adherence, response and predictors thereof for tocilizumab in patients with rheumatoid arthritis: results from the Swedish biologics register. <i>Rheumatology</i> , 2015, 54, 1186-1193.	0.9	44

#	ARTICLE	IF	CITATIONS
19	Nutritional recommendations for gout: An update from clinical epidemiology. <i>Autoimmunity Reviews</i> , 2018, 17, 1090-1096.	2.5	40
20	Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With Psoriatic Arthritis: A Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 798-810.	1.5	35
21	Effectiveness and drug adherence of biologic monotherapy in routine care of patients with rheumatoid arthritis: a cohort study of patients registered in the Danish biologics registry. <i>Rheumatology</i> , 2015, 54, kev216.	0.9	34
22	Effectiveness and Feasibility Associated with Switching to a Second or Third TNF Inhibitor in Patients with Psoriatic Arthritis: A Cohort Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2016, 43, 81-87.	1.0	33
23	Is Swollen to Tender Joint Count Ratio a New and Useful Clinical Marker for Biologic Drug Response in Rheumatoid Arthritis? Results From a Swedish Cohort. <i>Arthritis Care and Research</i> , 2014, 66, 173-179.	1.5	32
24	Risk of second malignant neoplasm and mortality in patients with rheumatoid arthritis treated with biological DMARDs: a Danish population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 510-514.	0.5	32
25	Drug survival of biologics and novel immunomodulators for rheumatoid arthritis, axial spondyloarthritis, psoriatic arthritis, and psoriasis - A nationwide cohort study from the DANBIO and DERMIBIO registries. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 53, 151979.	1.6	32
26	Secular trends in the incidence and prevalence of gout in Denmark from 1995 to 2015: a nationwide register-based study. <i>Rheumatology</i> , 2019, 58, 836-839.	0.9	30
27	The number needed to treat for second-generation biologics when treating established rheumatoid arthritis: a systematic quantitative review of randomized controlled trials. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 1-7.	0.6	28
28	Cause-specific mortality in patients with psoriasis and psoriatic arthritis. <i>British Journal of Dermatology</i> , 2019, 180, 100-107.	1.4	28
29	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. <i>PLoS ONE</i> , 2017, 12, e0169946.	1.1	25
30	Relationship Between Fatigue and Inflammation, Disease Duration, and Chronic Pain in Psoriatic Arthritis: An Observational DANBIO Registry Study. <i>Journal of Rheumatology</i> , 2020, 47, 548-552.	1.0	24
31	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	2.2	24
32	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 537-543.	0.5	23
33	Biological treatment in ankylosing spondylitis in the Nordic countries during 2010-2016: a collaboration between five biological registries. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 465-474.	0.6	22
34	Opportunities and challenges for real-world studies on chronic inflammatory joint diseases through data enrichment and collaboration between national registers: the Nordic example. <i>RMD Open</i> , 2018, 4, e000655.	1.8	21
35	Elevated faecal calprotectin is linked to worse disease status in axial spondyloarthritis: results from the SPARTAKUS cohort. <i>Rheumatology</i> , 2019, 58, 1176-1187.	0.9	18
36	Sustained Remission Improves Physical Function in Patients with Established Rheumatoid Arthritis, and Should Be a Treatment Goal: A Prospective Observational Cohort Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2016, 43, 1017-1023.	1.0	17

#	ARTICLE	IF	CITATIONS
37	Chronic Pain and Assessment of Pain Sensitivity in Patients With Axial Spondyloarthritis: Results From the SPARTAKUS Cohort. <i>Journal of Rheumatology</i> , 2021, 48, 1672-1679.	1.0	17
38	Efficacy and drug survival of anti-tumour necrosis factor-alpha therapies in patients with non-radiographic axial spondyloarthritis: an observational cohort study from Southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 493-497.	0.6	16
39	Irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 159-161.	0.5	15
40	<scp>Oneâ€Year</scp> Treatment Outcomes of Secukinumab Versus Tumor Necrosis Factor Inhibitors in Spondyloarthritis: Results From Five Nordic Biologic Registries Including More Than 10,000 Treatment Courses. <i>Arthritis Care and Research</i> , 2022, 74, 748-758.	1.5	15
41	Comparison of treatment retention and response to secukinumab versus tumour necrosis factor inhibitors in psoriatic arthritis. <i>Rheumatology</i> , 2021, 60, 3635-3645.	0.9	14
42	Gut dysbiosis associated with worse disease activity and physical function in axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, 42.	1.6	12
43	Work Disability in Early Systemic Sclerosis: A Longitudinal Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2015, 42, 1794-1800.	1.0	11
44	Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. <i>BMJ Open</i> , 2016, 6, e010650.	0.8	11
45	Early occupational intervention for people with low back pain in physically demanding jobs: A randomized clinical trial. <i>PLoS Medicine</i> , 2019, 16, e1002898.	3.9	11
46	Association Between Weight Loss and Spontaneous Changes in Physical Inactivity in Overweight/Obese Individuals With Knee Osteoarthritis: An Eightâ€Week Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2020, 72, 397-404.	1.5	11
47	Reduction in Upper Limb Joint Surgery Among Rheumatoid Arthritis Patients: An Interrupted Timeâ€Series Analysis Using Danish Health Care Registers. <i>Arthritis Care and Research</i> , 2020, 72, 274-282.	1.5	9
48	The implications of an aging population and increased obesity for knee arthroplasty rates in Sweden: a register-based study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 738-742.	1.2	9
49	Detection of immunoglobulin light chain mRNA in nodular sclerosing Hodgkin's disease by in situ hybridization with biotinylated oligonucleotide probes compared with immunohistochemical staining with poly- and monoclonal antibodies. <i>Histopathology</i> , 1992, 21, 353-358.	1.6	8
50	Risk of solid cancers overall and by subtypes in patients with psoriatic arthritis treated with TNF inhibitors â€“ a Nordic cohort study. <i>Rheumatology</i> , 2021, 60, 3656-3668.	0.9	8
51	Disease burden, symptoms, and use of analgesics in patients with psoriasis with or without psoriatic arthritis: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 590-597.	0.6	8
52	Effects of risankizumab on nail psoriasis in patients with active psoriatic arthritis: results from KEEPSAKE 1. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	8
53	Increased mortality in patients with severe COPD associated with high-intensity exercise: a preliminary cohort study. <i>International Journal of COPD</i> , 2016, Volume 11, 2329-2334.	0.9	7
54	EuroQol-5 dimensions utility gain according to British and Swedish preference sets in rheumatoid arthritis treated with abatacept, rituximab, tocilizumab, or tumour necrosis factor inhibitors: a prospective cohort study from southern Sweden. <i>Arthritis Research and Therapy</i> , 2016, 18, 51.	1.6	7

#	ARTICLE	IF	CITATIONS
55	Clinical characteristics of importance to outcome in patients with axial spondyloarthritis: protocol for a prospective descriptive and exploratory cohort study. <i>BMJ Open</i> , 2017, 7, e015536.	0.8	7
56	Muscle function assessed by the non-invasive method acoustic myography (AMG) in a Danish group of healthy adults. <i>Current Research in Physiology</i> , 2020, 2, 22-29.	0.8	7
57	Exercise therapy and patient education versus intra-articular saline injections in the treatment of knee osteoarthritis: an evidence-based protocol for an open-label randomised controlled trial (the Tj ETQq1 1 0.784314 rgBT7/Overlo		
58	Protocol for evaluating and implementing a pragmatic value-based healthcare management model for patients with inflammatory arthritis: a Danish population-based regional cohort and qualitative implementation study. <i>BMJ Open</i> , 2018, 8, e023915.	0.8	6
59	Age and Sex Specific Trends in Incidence of Juvenile Idiopathic Arthritis in Danish Birth Cohorts from 1992 to 2002: A Nationwide Register Linkage Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8331.	1.2	6
60	Increased prevalence of sleep disturbance in psoriatic arthritis is associated with inflammatory and non-inflammatory measures. <i>Scandinavian Journal of Rheumatology</i> , 2022, , 1-9.	0.6	6
61	The Parker Model: Applying a Qualitative Three-Step Approach to Optimally Utilize Input from Stakeholders When Introducing New Device Technologies in the Management of Chronic Rheumatic Diseases. <i>Patient</i> , 2018, 11, 515-526.	1.1	5
62	Incentives for Danish healthcare management based on a pilot outcome-based, patient-centric management model in psoriasis and psoriatic arthritis: the non-interventional IMPROVE study. <i>Archives of Public Health</i> , 2020, 78, 95.	1.0	5
63	Effectiveness of a Second Biologic After Failure of a Non-tumor Necrosis Factor Inhibitor As First Biologic in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2021, 48, 1512-1518.	1.0	5
64	Muscle assessment using multi-frequency bioimpedance in a healthy Danish population aged 20-69 years: a powerful non-invasive tool in sports and in the clinic. <i>Physiological Reports</i> , 2019, 7, e14109.	0.7	4
65	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019, 9, e024065.	0.8	4
66	Proposal for capturing patient experience through extended value frameworks of health technologies. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021, 27, 936-947.	0.5	4
67	Early Occupational Intervention for People with Low Back Pain in Physically Demanding Jobs: 1-year Follow-up Results of the Randomized Controlled GOBACK Trial. <i>Spine</i> , 2021, 46, 347-355.	1.0	4
68	Change in psoriatic arthritis outcome measures impacts SF-36 physical and mental component scores differently: an observational cohort study. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkab076.	0.3	4
69	Fatigue is a systemic extraintestinal disease manifestation largely independent of disease activity, chronicity, and nutritional deficiencies in inflammatory bowel disease on biologics. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-7.	0.6	4
70	Risankizumab improved health-related quality of life, fatigue, pain and work productivity in psoriatic arthritis: results of KEEPSAKE 1. <i>Rheumatology</i> , 2023, 62, 629-637.	0.9	4
71	Agreement between self-reported and observed functioning in patients with rheumatoid arthritis, osteoarthritis, and fibromyalgia, and the influence of pain and fatigue: a cross-sectional study. <i>Scandinavian Journal of Rheumatology</i> , 2022, 51, 452-460.	0.6	3
72	Multimodal imaging of the distal interphalangeal-joint synovio-entheseal complex in psoriatic arthritis (MIDAS): a cross-sectional study on the diagnostic accuracy of different imaging modalities comparing psoriatic arthritis to psoriasis and osteoarthritis. <i>RMD Open</i> , 2022, 8, e002109.	1.8	3

#	ARTICLE	IF	CITATIONS
73	Relation Between Fatigue and ACR Response in Patients With Psoriatic Arthritis Treated With Tumor Necrosis Factor Inhibitor Therapy: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2021, 48, 829-835.	1.0	2
74	Triage Strategies Based on C-Reactive Protein Levels and SARS-CoV-2 Tests among Individuals Referred with Suspected COVID-19: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 201.	1.0	2
75	SAT0098â€¦Validity of Ankylosing Spondylitis and Spondyloarthritis Diagnoses in the Swedish National Patient Register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 625.3-626.	0.5	1
76	OPO340â€¦Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal observational studies. , 2017, , .		1
77	OPO005â€¦INCIDENCE OF OVERALL AND SITE-SPECIFIC CANCERS IN TNF INHIBITOR TREATED PATIENTS WITH PSORIATIC ARTHRITIS: A POPULATION-BASED COHORT STUDY FROM 4 NORDIC COUNTRIES. , 2019, , .		1
78	Response to: â€”response to: irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?â€” by Proft et al.. <i>Annals of the Rheumatic Diseases</i> , 2019, , annrhumdis-2019-216752.	0.5	1
79	Herpes Zoster Meningoencephalitis: A Novel, Rare, Potentially Fatal Side Effect to Tofacitinib. <i>American Journal of Gastroenterology</i> , 2021, Publish Ahead of Print, 195-196.	0.2	1
80	Is Real-world Evidence Really Real?. <i>Journal of Rheumatology</i> , 2021, , jrheum.211044.	1.0	1
81	Vitamin D Concentrations at Birth and the Risk of Rheumatoid Arthritis in Early Adulthood: A Danish Population-Based Case-Cohort Study. <i>Nutrients</i> , 2022, 14, 447.	1.7	1
82	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. <i>BMJ Open</i> , 2021, 11, e052919.	0.8	1
83	OPO275â€¦Birth Characteristics and Childhood Infections Predict Ankylosing Spondylitis. A National Register Based Nested Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 176.1-176.	0.5	0
84	THU0326â€¦Pain Mechanisms in Patients with Inflammatory Arthritis: A Nationwide Cross-Sectional Danbio Registry Survey. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 313.2-313.	0.5	0
85	THU0418â€¦Obesity Impairs The Response To Tumour Necrosis Factor-Alpha Inhibitors in Psoriatic Arthritis: Results from The DANBIO and ICEBIO Registries. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 340.1-340.	0.5	0
86	SAT0619â€¦Relationship between HAQ Disability Scores and Measures of Observed Functional Ability in Patents with Rheumatoid Arthritis, Osteoarthritis and fibromyalgia and The Association To Pain and Fatigue. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 894.1-894.	0.5	0
87	SAT0437â€¦Ixekizumab improves nail and skin lesions in patients with active psoriatic arthritis and prior tn timer inadequate response. , 2017, , .		0
88	THU0072â€¦Risk of revision, prosthetic joint infection and death following total hip or knee arthroplasty in patients with rheumatoid arthritis â€” a nationwide cohort study from denmark. , 2017, , .		0
89	AB1020â€¦Multifrequency bioimpedance combined with acoustic myography â€” a non-invasive pain-free assessment of muscle use. , 2017, , .		0
90	FRI0460â€¦Extra-articular manifestations in patients with axial spondyloarthritis: a cross sectional study from southern denmark. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
91	OP0251â€¦Incidence of knee and hip replacements in rheumatoid arthritis patients following introduction of biological dmards: an interrupted time series analysis using nationwide health care registers. , 2017, , .		0
92	SAT0365â€¦Secular trends in the incidence and prevalence of gout in denmark from 1995â€¦2015: a nationwide register-based study. , 2018, , .		0
93	FRI0221â€¦Gout is associated with an increased risk of cancer â€œ a nationwide cohort study including over 70,000 gout patients. , 2018, , .		0
94	THU0316â€¦Gender differences in biologic treatment outcomes â€œ a study of 1750 patients with psoriatic arthritis using danish health care registers. , 2018, , .		0
95	FRI0673â€¦RISK OF JOINT SURGERY IN PATIENTS WITH PSORIATIC ARTHRITIS. A REGISTER-BASED TIME SERIES STUDY FROM DENMARK. , 2019, , .		0
96	OP0091â€¦RISK OF MEDICAL COMPLICATIONS FOLLOWING TOTAL HIP OR KNEE ARTHROPLASTY IN PATIENTS WITH RHEUMATOID ARTHRITIS: A NATIONWIDE REGISTER-BASED COHORT STUDY. , 2019, , .		0
97	SAT0355â€¦IRRITABLE BOWEL SYNDROME SYMPTOMS IN AXIAL SPONDYLOARTHRITIS AND HEALTHY CONTROLS, AND THEIR RELATION TO DISEASE CHARACTERISTICS â€œ IS IT AN OVERLOOKED COMORBIDITY?. , 2019, , .		0
98	THU0059â€¦INCIDENCE OF JOINT REPLACEMENT SURGERY AMONG BIOLOGICS AND NON-BIOLOGICS TREATED PATIENTS WITH RHEUMATOID ARTHRITIS: A PROPENSITY SCORE MATCHED COHORT STUDY FROM DENMARK. , 2019, , .		0
99	The Prognostic Value of Pain Phenotyping in Relation to Treatment Outcomes in Patients with Axial Spondyloarthritis Treated in Clinical Practice: A Prospective Cohort Study. Journal of Clinical Medicine, 2021, 10, 1469.	1.0	0
100	Risk of harm in synthetic and biological intervention trials in patients with inflammatory arthritis: protocol for a metaepidemiological study focusing on contextual factors. BMJ Open, 2021, 11, e049850.	0.8	0
101	THU0284â€¦Haq in psoriatic arthritis is driven by gender, inflammation and ageing: observational data from cohort studies in uk, denmark, iceland and sweden. , 2018, , .		0
102	SAT0081â€¦Changes in incidence of shoulder, elbow, wrist and finger replacement surgery among rheumatoid arthritis patients following the introduction of biological dmards: an interrupted time series analysis using danish health care registers. , 2018, , .		0