

# Lars Erik Kristensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2723601/publications.pdf>

Version: 2024-02-01

102  
papers

2,418  
citations

236612

25  
h-index

223531

46  
g-index

104  
all docs

104  
docs citations

104  
times ranked

2931  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risankizumab improved health-related quality of life, fatigue, pain and work productivity in psoriatic arthritis: results of KEEPsAKE 1. <i>Rheumatology</i> , 2023, 62, 629-637.	0.9	4
2	<sc>One-Year</sc> Treatment Outcomes of Secukinumab Versus Tumor Necrosis Factor Inhibitors in Spondyloarthritis: Results From Five Nordic Biologic Registries Including More Than 10,000 Treatment Courses. <i>Arthritis Care and Research</i> , 2022, 74, 748-758.	1.5	15
3	Disease burden, symptoms, and use of analgesics in patients with psoriasis with or without psoriatic arthritis: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 590-597.	0.6	8
4	Agreement between self-reported and observed functioning in patients with rheumatoid arthritis, osteoarthritis, and fibromyalgia, and the influence of pain and fatigue: a cross-sectional study. <i>Scandinavian Journal of Rheumatology</i> , 2022, 51, 452-460.	0.6	3
5	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 537-543.	0.5	23
6	Vitamin D Concentrations at Birth and the Risk of Rheumatoid Arthritis in Early Adulthood: A Danish Population-Based Case-Cohort Study. <i>Nutrients</i> , 2022, 14, 447.	1.7	1
7	Effects of risankizumab on nail psoriasis in patients with active psoriatic arthritis: results from KEEPsAKE 1. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	8
8	Gut dysbiosis associated with worse disease activity and physical function in axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, 42.	1.6	12
9	Drug survival of biologics and novel immunomodulators for rheumatoid arthritis, axial spondyloarthritis, psoriatic arthritis, and psoriasis - A nationwide cohort study from the DANBIO and DERMBIO registries. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 53, 151979.	1.6	32
10	Efficacy and safety of risankizumab for active psoriatic arthritis: 24-week results from the randomised, double-blind, phase 3 KEEPsAKE 1 trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 225-231.	0.5	73
11	Increased prevalence of sleep disturbance in psoriatic arthritis is associated with inflammatory and non-inflammatory measures. <i>Scandinavian Journal of Rheumatology</i> , 2022, , 1-9.	0.6	6
12	Multimodal imaging of the distal interphalangeal-joint synovio-entheseal complex in psoriatic arthritis (MIDAS): a cross-sectional study on the diagnostic accuracy of different imaging modalities comparing psoriatic arthritis to psoriasis and osteoarthritis. <i>RMD Open</i> , 2022, 8, e002109.	1.8	3
13	Triage Strategies Based on C-Reactive Protein Levels and SARS-CoV-2 Tests among Individuals Referred with Suspected COVID-19: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 201.	1.0	2
14	Fatigue is a systemic extraintestinal disease manifestation largely independent of disease activity, chronicity, and nutritional deficiencies in inflammatory bowel disease on biologics. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-7.	0.6	4
15	Chronic Pain and Assessment of Pain Sensitivity in Patients With Axial Spondyloarthritis: Results From the SPARTAKUS Cohort. <i>Journal of Rheumatology</i> , 2021, 48, 1672-1679.	1.0	17
16	Relation Between Fatigue and ACR Response in Patients With Psoriatic Arthritis Treated With Tumor Necrosis Factor Inhibitor Therapy: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2021, 48, 829-835.	1.0	2
17	Exercise therapy and patient education versus intra-articular saline injections in the treatment of knee osteoarthritis: an evidence-based protocol for an open-label randomised controlled trial (the Tj ETQq1 1 0.780314 rgBT7/Overlook		
18	Risk of solid cancers overall and by subtypes in patients with psoriatic arthritis treated with TNF inhibitors - a Nordic cohort study. <i>Rheumatology</i> , 2021, 60, 3656-3668.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	2.2	24
20	Effectiveness of a Second Biologic After Failure of a Non-tumor Necrosis Factor Inhibitor As First Biologic in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2021, 48, 1512-1518.	1.0	5
21	The Prognostic Value of Pain Phenotyping in Relation to Treatment Outcomes in Patients with Axial Spondyloarthritis Treated in Clinical Practice: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1469.	1.0	0
22	Proposal for capturing patient experience through extended value frameworks of health technologies. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , 2021, 27, 936-947.	0.5	4
23	Age and Sex Specific Trends in Incidence of Juvenile Idiopathic Arthritis in Danish Birth Cohorts from 1992 to 2002: A Nationwide Register Linkage Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8331.	1.2	6
24	Risk of harm in synthetic and biological intervention trials in patients with inflammatory arthritis: protocol for a metaepidemiological study focusing on contextual factors. <i>BMJ Open</i> , 2021, 11, e049850.	0.8	0
25	Herpes Zoster Meningoencephalitis: A Novel, Rare, Potentially Fatal Side Effect to Tofacitinib. <i>American Journal of Gastroenterology</i> , 2021, Publish Ahead of Print, 195-196.	0.2	1
26	Early Occupational Intervention for People with Low Back Pain in Physically Demanding Jobs: 1-year Follow-up Results of the Randomized Controlled GOBACK Trial. <i>Spine</i> , 2021, 46, 347-355.	1.0	4
27	Is Real-world Evidence Really Real?. <i>Journal of Rheumatology</i> , 2021, , jrheum.211044.	1.0	1
28	Comparison of treatment retention and response to secukinumab versus tumour necrosis factor inhibitors in psoriatic arthritis. <i>Rheumatology</i> , 2021, 60, 3635-3645.	0.9	14
29	Change in psoriatic arthritis outcome measures impacts SF-36 physical and mental component scores differently: an observational cohort study. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkab076.	0.3	4
30	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. <i>BMJ Open</i> , 2021, 11, e052919.	0.8	1
31	Reduction in Upper Limb Joint Surgery Among Rheumatoid Arthritis Patients: An Interrupted Time-Series Analysis Using Danish Health Care Registers. <i>Arthritis Care and Research</i> , 2020, 72, 274-282.	1.5	9
32	Association Between Weight Loss and Spontaneous Changes in Physical Inactivity in Overweight/Obese Individuals With Knee Osteoarthritis: An Eight-Week Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2020, 72, 397-404.	1.5	11
33	Irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 159-161.	0.5	15
34	Relationship Between Fatigue and Inflammation, Disease Duration, and Chronic Pain in Psoriatic Arthritis: An Observational DANBIO Registry Study. <i>Journal of Rheumatology</i> , 2020, 47, 548-552.	1.0	24
35	The implications of an aging population and increased obesity for knee arthroplasty rates in Sweden: a register-based study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 738-742.	1.2	9
36	Incentives for Danish healthcare management based on a pilot outcome-based, patient-centric management model in psoriasis and psoriatic arthritis: the non-interventional IMPROVE study. <i>Archives of Public Health</i> , 2020, 78, 95.	1.0	5

#	ARTICLE	IF	CITATIONS
37	Muscle function assessed by the non-invasive method acoustic myography (AMG) in a Danish group of healthy adults. <i>Current Research in Physiology</i> , 2020, 2, 22-29.	0.8	7
38	Cause-specific mortality in patients with psoriasis and psoriatic arthritis. <i>British Journal of Dermatology</i> , 2019, 180, 100-107.	1.4	28
39	Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With Psoriatic Arthritis: A Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 798-810.	1.5	35
40	Early occupational intervention for people with low back pain in physically demanding jobs: A randomized clinical trial. <i>PLoS Medicine</i> , 2019, 16, e1002898.	3.9	11
41	Muscle assessment using multi-frequency bioimpedance in a healthy Danish population aged 20-69 years: a powerful non-invasive tool in sports and in the clinic. <i>Physiological Reports</i> , 2019, 7, e14109.	0.7	4
42	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019, 9, e024065.	0.8	4
43	OP0005...INCIDENCE OF OVERALL AND SITE-SPECIFIC CANCERS IN TNF INHIBITOR TREATED PATIENTS WITH PSORIATIC ARTHRITIS: A POPULATION-BASED COHORT STUDY FROM 4 NORDIC COUNTRIES. , 2019, , .		1
44	FRI0673...RISK OF JOINT SURGERY IN PATIENTS WITH PSORIATIC ARTHRITIS. A REGISTER-BASED TIME SERIES STUDY FROM DENMARK. , 2019, , .		0
45	OP0091...RISK OF MEDICAL COMPLICATIONS FOLLOWING TOTAL HIP OR KNEE ARTHROPLASTY IN PATIENTS WITH RHEUMATOID ARTHRITIS: A NATIONWIDE REGISTER-BASED COHORT STUDY. , 2019, , .		0
46	SAT0355...IRRITABLE BOWEL SYNDROME SYMPTOMS IN AXIAL SPONDYLOARTHRITIS AND HEALTHY CONTROLS, AND THEIR RELATION TO DISEASE CHARACTERISTICS " IS IT AN OVERLOOKED COMORBIDITY?. , 2019, , .		0
47	THU0059...INCIDENCE OF JOINT REPLACEMENT SURGERY AMONG BIOLOGICS AND NON-BIOLOGICS TREATED PATIENTS WITH RHEUMATOID ARTHRITIS: A PROPENSITY SCORE MATCHED COHORT STUDY FROM DENMARK. , 2019, , .		0
48	Response to: "response to: irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?" by Proft et al.. <i>Annals of the Rheumatic Diseases</i> , 2019, , annrheumdis-2019-216752.	0.5	1
49	Secular trends in the incidence and prevalence of gout in Denmark from 1995 to 2015: a nationwide register-based study. <i>Rheumatology</i> , 2019, 58, 836-839.	0.9	30
50	Elevated faecal calprotectin is linked to worse disease status in axial spondyloarthritis: results from the SPARTAKUS cohort. <i>Rheumatology</i> , 2019, 58, 1176-1187.	0.9	18
51	Prevalence of psoriatic arthritis in patients with psoriasis: A systematic review and meta-analysis of observational and clinical studies. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 251-265.e19.	0.6	362
52	Incidence of hip and knee replacement in patients with rheumatoid arthritis following the introduction of biological DMARDs: an interrupted time-series analysis using nationwide Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 684-689.	0.5	52
53	Predictors of revision, prosthetic joint infection and mortality following total hip or total knee arthroplasty in patients with rheumatoid arthritis: a nationwide cohort study using Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 281-288.	0.5	92
54	Group for Research and Assessment of Psoriasis and Psoriatic Arthritis/Outcome Measures in Rheumatology Consensus-Based Recommendations and Research Agenda for Use of Composite Measures and Treatment Targets in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 345-355.	2.9	72

#	ARTICLE	IF	CITATIONS
55	Risk of second malignant neoplasm and mortality in patients with rheumatoid arthritis treated with biological DMARDs: a Danish population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 510-514.	0.5	32
56	Impact of Comorbidities on Tumor Necrosis Factor Inhibitor Therapy in Psoriatic Arthritis: A Population-Based Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 592-599.	1.5	47
57	SAT0365...Secular trends in the incidence and prevalence of gout in denmark from 1995...2015: a nationwide register-based study. , 2018, , .		0
58	FRI0221...Gout is associated with an increased risk of cancer ... a nationwide cohort study including over 70,000 gout patients. , 2018, , .		0
59	THU0316...Gender differences in biologic treatment outcomes ... a study of 1750 patients with psoriatic arthritis using danish health care registers. , 2018, , .		0
60	Opportunities and challenges for real-world studies on chronic inflammatory joint diseases through data enrichment and collaboration between national registers: the Nordic example. <i>RMD Open</i> , 2018, 4, e000655.	1.8	21
61	Protocol for evaluating and implementing a pragmatic value-based healthcare management model for patients with inflammatory arthritis: a Danish population-based regional cohort and qualitative implementation study. <i>BMJ Open</i> , 2018, 8, e023915.	0.8	6
62	The Parker Model: Applying a Qualitative Three-Step Approach to Optimally Utilize Input from Stakeholders When Introducing New Device Technologies in the Management of Chronic Rheumatic Diseases. <i>Patient</i> , 2018, 11, 515-526.	1.1	5
63	Nutritional recommendations for gout: An update from clinical epidemiology. <i>Autoimmunity Reviews</i> , 2018, 17, 1090-1096.	2.5	40
64	Biological treatment in ankylosing spondylitis in the Nordic countries during 2010...2016: a collaboration between five biological registries. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 465-474.	0.6	22
65	Gender differences in biologic treatment outcomes... a study of 1750 patients with psoriatic arthritis using Danish Health Care Registers. <i>Rheumatology</i> , 2018, 57, 1651-1660.	0.9	56
66	THU0284...Haq in psoriatic arthritis is driven by gender, inflammation and ageing: observational data from cohort studies in uk, denmark, iceland and sweden. , 2018, , .		0
67	SAT0081...Changes in incidence of shoulder, elbow, wrist and finger replacement surgery among rheumatoid arthritis patients following the introduction of biological dmards: an interrupted time series analysis using danish health care registers. , 2018, , .		0
68	Societal costs and patients' experience of health inequities before and after diagnosis of psoriatic arthritis: a Danish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1495-1501.	0.5	63
69	Tumour necrosis factor inhibitor treatment and occurrence of anterior uveitis in ankylosing spondylitis: results from the Swedish biologics register. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1515-1521.	0.5	92
70	Incidence and prevalence of psoriatic arthritis in Denmark: a nationwide register linkage study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1591-1597.	0.5	52
71	SAT0437...Ixekizumab improves nail and skin lesions in patients with active psoriatic arthritis and prior tn timer inadequate response. , 2017, , .		0
72	Clinical characteristics of importance to outcome in patients with axial spondyloarthritis: protocol for a prospective descriptive and exploratory cohort study. <i>BMJ Open</i> , 2017, 7, e015536.	0.8	7

#	ARTICLE	IF	CITATIONS
73	THU0072â€¦Risk of revision, prosthetic joint infection and death following total hip or knee arthroplasty in patients with rheumatoid arthritis â€œ a nationwide cohort study from denmark. , 2017, , .		0
74	OP0340â€¦Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal observational studies. , 2017, , .		1
75	AB1020â€¦Multifrequency bioimpedance combined with acoustic myography â€œ a non-invasive pain-free assessment of muscle use. , 2017, , .		0
76	FRI0460â€¦Extra-articular manifestations in patients with axial spondyloarthritis: a cross sectional study from southern denmark. , 2017, , .		0
77	OP0251â€¦Incidence of knee and hip replacements in rheumatoid arthritis patients following introduction of biological dmards: an interrupted time series analysis using nationwide health care registers. , 2017, , .		0
78	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. PLoS ONE, 2017, 12, e0169946.	1.1	25
79	Increased mortality in patients with severe COPD associated with high-intensity exercise: a preliminary cohort study. International Journal of COPD, 2016, Volume 11, 2329-2334.	0.9	7
80	Sustained Remission Improves Physical Function in Patients with Established Rheumatoid Arthritis, and Should Be a Treatment Goal: A Prospective Observational Cohort Study from Southern Sweden. Journal of Rheumatology, 2016, 43, 1017-1023.	1.0	17
81	The influence of obesity on response to tumour necrosis factor-Î± inhibitors in psoriatic arthritis: results from the DANBIO and ICEBIO registries. Rheumatology, 2016, 55, 2191-2199.	0.9	101
82	THU0418â€¦Obesity Impairs The Response To Tumour Necrosis Factor-Alpha Inhibitors in Psoriatic Arthritis: Results from The DANBIO and ICEBIO Registries. Annals of the Rheumatic Diseases, 2016, 75, 340.1-340.	0.5	0
83	SAT0619â€¦Relationship between HAQ Disability Scores and Measures of Observed Functional Ability in Patents with Rheumatoid Arthritis, Osteoarthritis and fibromyalgia and The Association To Pain and Fatigue. Annals of the Rheumatic Diseases, 2016, 75, 894.1-894.	0.5	0
84	Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. BMJ Open, 2016, 6, e010650.	0.8	11
85	EuroQol-5 dimensions utility gain according to British and Swedish preference sets in rheumatoid arthritis treated with abatacept, rituximab, tocilizumab, or tumour necrosis factor inhibitors: a prospective cohort study from southern Sweden. Arthritis Research and Therapy, 2016, 18, 51.	1.6	7
86	Effectiveness and Feasibility Associated with Switching to a Second or Third TNF Inhibitor in Patients with Psoriatic Arthritis: A Cohort Study from Southern Sweden. Journal of Rheumatology, 2016, 43, 81-87.	1.0	33
87	Mortality in ankylosing spondylitis: results from a nationwide population-based study. Annals of the Rheumatic Diseases, 2016, 75, 1466-1472.	0.5	83
88	OP0275â€¦Birth Characteristics and Childhood Infections Predict Ankylosing Spondylitis. A National Register Based Nested Case-Control Study. Annals of the Rheumatic Diseases, 2015, 74, 176.1-176.	0.5	0
89	THU0326â€¦Pain Mechanisms in Patients with Inflammatory Arthritis: A Nationwide Cross-Sectional Danbio Registry Survey. Annals of the Rheumatic Diseases, 2015, 74, 313.2-313.	0.5	0
90	Comparison of non-radiographic axial spondyloarthritis and ankylosing spondylitis patients â€œ baseline characteristics, treatment adherence, and development of clinical variables during three years of anti-TNF therapy in clinical practice. Arthritis Research and Therapy, 2015, 17, 378.	1.6	53

#	ARTICLE	IF	CITATIONS
91	The effect of comedication with conventional synthetic disease modifying antirheumatic drugs on TNF inhibitor drug survival in patients with ankylosing spondylitis and undifferentiated spondyloarthritis: results from a nationwide prospective study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 970-978.	0.5	69
92	Drug adherence, response and predictors thereof for tocilizumab in patients with rheumatoid arthritis: results from the Swedish biologics register. <i>Rheumatology</i> , 2015, 54, 1186-1193.	0.9	44
93	Validity of ankylosing spondylitis and undifferentiated spondyloarthritis diagnoses in the Swedish National Patient Register. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 369-376.	0.6	47
94	Effectiveness and drug adherence of biologic monotherapy in routine care of patients with rheumatoid arthritis: a cohort study of patients registered in the Danish biologics registry. <i>Rheumatology</i> , 2015, 54, kev216.	0.9	34
95	Work Disability in Early Systemic Sclerosis: A Longitudinal Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2015, 42, 1794-1800.	1.0	11
96	Is Swollen to Tender Joint Count Ratio a New and Useful Clinical Marker for Biologic Drug Response in Rheumatoid Arthritis? Results From a Swedish Cohort. <i>Arthritis Care and Research</i> , 2014, 66, 173-179.	1.5	32
97	Efficacy and drug survival of anti-tumour necrosis factor-alpha therapies in patients with non-radiographic axial spondyloarthritis: an observational cohort study from Southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 493-497.	0.6	16
98	SAT0098â€¦Validity of Ankylosing Spondylitis and Spondyloarthritis Diagnoses in the Swedish National Patient Register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 625.3-626.	0.5	1
99	The number needed to treat for second-generation biologics when treating established rheumatoid arthritis: a systematic quantitative review of randomized controlled trials. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 1-7.	0.6	28
100	Impact of concomitant DMARD therapy on adherence to treatment with etanercept and infliximab in rheumatoid arthritis. Results from a six-year observational study in southern Sweden. <i>Arthritis Research and Therapy</i> , 2006, 8, R174.	1.6	143
101	The LUNDEX, a new index of drug efficacy in clinical practice: Results of a five-year observational study of treatment with infliximab and etanercept among rheumatoid arthritis patients in southern Sweden. <i>Arthritis and Rheumatism</i> , 2006, 54, 600-606.	6.7	122
102	Detection of immunoglobulin light chain mRNA in nodular sclerosing Hodgkin's disease by in situ hybridization with biotinylated oligonucleotide probes compared with immunohistochemical staining with poly- and monoclonal antibodies. <i>Histopathology</i> , 1992, 21, 353-358.	1.6	8