

Casey L Peiris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2723614/publications.pdf>

Version: 2024-02-01

37
papers

914
citations

623188

14
h-index

500791

28
g-index

39
all docs

39
docs citations

39
times ranked

1149
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding the hidden epidemic of metabolic syndrome in people accessing community rehabilitation: a cross-sectional study of physical activity, dietary intake, and health literacy. <i>Disability and Rehabilitation</i> , 2023, 45, 1471-1479.	0.9	1
2	Clinical placements in private practice for physiotherapy students are perceived as safe and beneficial for students, private practices and universities: a national mixed-methods study. <i>Journal of Physiotherapy</i> , 2022, 68, 61-68.	0.7	2
3	Functional status of community-dwelling older adults after inpatient rehabilitation. <i>International Journal of Therapy and Rehabilitation</i> , 2022, 29, 1-12.	0.1	0
4	Community Reintegration After Rehabilitation for Hip Fracture: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1638-1650.e7.	0.5	6
5	Classroom Movement Breaks and Physically Active Learning Are Feasible, Reduce Sedentary Behaviour and Fatigue, and May Increase Focus in University Students: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7775.	1.2	4
6	Efficacy of Group Exercise-Based Cancer Rehabilitation Delivered via Telehealth (TeleCaRe): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e38553.	0.5	2
7	Association between physical activity and short-term physical function changes after hip fracture: An observational study. <i>Physiotherapy Research International</i> , 2021, 26, e1876.	0.7	3
8	Core Stability Exercises in Addition to Usual Care Physiotherapy Improve Stability and Balance After Stroke: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 762-775.	0.5	13
9	Personal and social factors that influence physical activity levels in community-dwelling stroke survivors: A systematic review of qualitative literature. <i>Clinical Rehabilitation</i> , 2021, 35, 1044-1055.	1.0	24
10	Education-based, lifestyle intervention programs with unsupervised exercise improve outcomes in adults with metabolic syndrome. A systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 877-890.	2.6	21
11	Classroom Movement Breaks Reduce Sedentary Behavior and Increase Concentration, Alertness and Enjoyment during University Classes: A Mixed-Methods Feasibility Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5589.	1.2	6
12	Bridging the gap: a pre-post feasibility study of embedding exercise therapy into a co-located cancer unit. <i>Supportive Care in Cancer</i> , 2021, 29, 6701-6711.	1.0	13
13	Lifestyle Interventions to Improve Glycemic Control in Adults with Type 2 Diabetes Living in Low-and-Middle Income Countries: A Systematic Review and Meta-Analysis of Randomized Controlled Trials (RCTs). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6273.	1.2	13
14	Motivational interviewing with community-dwelling older adults after hip fracture (MIHip): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e047970.	0.8	5
15	Multidisciplinary Intervention Before Joint Replacement Surgery May Improve Outcomes for People with Osteoarthritis and Metabolic Syndrome: A Cohort Study. <i>Metabolic Syndrome and Related Disorders</i> , 2021, 19, 428-435.	0.5	0
16	Obesity bias and stigma, attitudes and beliefs among entry-level physiotherapy students in the Republic of Ireland: a cross sectional study. <i>Physiotherapy</i> , 2021, 112, 55-63.	0.2	5
17	Multidisciplinary, exercise-based oncology rehabilitation programs improve patient outcomes but their effects on healthcare service-level outcomes remain uncertain: a systematic review. <i>Journal of Physiotherapy</i> , 2021, 67, 12-26.	0.7	16
18	Mapping the Functional Independence Measure to a multi-attribute utility instrument for economic evaluations in rehabilitation: a secondary analysis of randomized controlled trial data. <i>Disability and Rehabilitation</i> , 2020, 42, 3024-3032.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Combining aquatic physiotherapy with usual care physiotherapy for people with neurological conditions: A systematic review. <i>Physiotherapy Research International</i> , 2020, 25, e1813.	0.7	3
20	From Cancer Rehabilitation to Recreation: A Coordinated Approach to Increasing Physical Activity. <i>Physical Therapy</i> , 2020, 100, 2049-2059.	1.1	13
21	“A good stepping stone to normality”: a qualitative study of cancer survivors’ experiences of an exercise-based rehabilitation program. <i>Supportive Care in Cancer</i> , 2019, 27, 1729-1736.	1.0	28
22	Supervised lifestyle intervention for people with metabolic syndrome improves outcomes and reduces individual risk factors of metabolic syndrome: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2019, 101, 153988.	1.5	79
23	Additional Physical Therapy Services Reduce Length of Stay and Improve Health Outcomes in People With Acute and Subacute Conditions: An Updated Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2299-2312.	0.5	38
24	A Group Lifestyle Intervention Program Is Associated with Reduced Emergency Department Presentations for People with Metabolic Syndrome: A Retrospective Case-Control Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 110-116.	0.5	6
25	Cancer Survivors Awaiting Rehabilitation Rarely Meet Recommended Physical Activity Levels: An Observational Study. <i>Rehabilitation Oncology</i> , 2018, 36, 214-222.	0.2	9
26	Motivational interviewing added to oncology rehabilitation did not improve moderate-intensity physical activity in cancer survivors: a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 255-263.	0.7	21
27	Accelerometer use in young people with Down syndrome: A preliminary cross-validation and reliability study. <i>Journal of Intellectual and Developmental Disability</i> , 2017, 42, 339-350.	1.1	2
28	Maximum Tolerated Dose of Walking for Community-Dwelling People Recovering From Hip Fracture: A Dose-Response Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2533-2539.	0.5	10
29	Exercise therapy in oncology rehabilitation in Australia: A mixed-methods study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, e515-e527.	0.7	52
30	Walking tolerance of patients recovering from hip fracture: a phase I trial. <i>Disability and Rehabilitation</i> , 2016, 38, 1900-1908.	0.9	17
31	Moderate-intensity exercise reduces fatigue and improves mobility in cancer survivors: a systematic review and meta-regression. <i>Journal of Physiotherapy</i> , 2016, 62, 68-82.	0.7	129
32	Patients receiving inpatient rehabilitation for lower limb orthopaedic conditions do much less physical activity than recommended in guidelines for healthy older adults: an observational study. <i>Journal of Physiotherapy</i> , 2013, 59, 39-44.	0.7	55
33	Additional Saturday rehabilitation improves functional independence and quality of life and reduces length of stay: a randomized controlled trial. <i>BMC Medicine</i> , 2013, 11, 198.	2.3	72
34	Additional Saturday Allied Health Services Increase Habitual Physical Activity Among Patients Receiving Inpatient Rehabilitation for Lower Limb Orthopedic Conditions: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1365-1370.	0.5	39
35	Patients value patient-therapist interactions more than the amount or content of therapy during inpatient rehabilitation: a qualitative study. <i>Journal of Physiotherapy</i> , 2012, 58, 261-268.	0.7	67
36	Extra Physical Therapy Reduces Patient Length of Stay and Improves Functional Outcomes and Quality of Life in People With Acute or Subacute Conditions: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1490-1500.	0.5	114

#	ARTICLE	IF	CITATIONS
37	A study protocol of a randomised controlled trial incorporating a health economic analysis to investigate if additional allied health services for rehabilitation reduce length of stay without compromising patient outcomes. BMC Health Services Research, 2010, 10, 308.	0.9	20