

De-Lin Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2723865/de-lin-zhang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

4,058
citations

33
h-index

58
g-index

176
ext. papers

4,870
ext. citations

4.8
avg, IF

5.84
L-index

#	Paper	IF	Citations
160	Ferromagnetic resonance and magnetization switching characteristics of perpendicular magnetic tunnel junctions with synthetic antiferromagnetic free layers. <i>Applied Physics Letters</i> , 2022 , 120, 012404	3.4	2
159	Bipolar Electric-Field Switching of Perpendicular Magnetic Tunnel Junctions through Voltage-Controlled Exchange Coupling.. <i>Nano Letters</i> , 2022 ,	11.5	2
158	CRAM-Seq: Accelerating RNA-Seq Abundance Quantification using Computational RAM. <i>IEEE Transactions on Emerging Topics in Computing</i> , 2022 , 1-1	4.1	0
157	Giant Magnetoresistance Biosensors in Biomedical Applications.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	5
156	Enhancement of voltage controlled magnetic anisotropy (VCMA) through electron depletion. <i>Journal of Applied Physics</i> , 2022 , 131, 153904	2.5	0
155	Giant Anomalous Hall Effect due to Double-Degenerate Quasiflat Bands. <i>Physical Review Letters</i> , 2021 , 126, 106601	7.4	4
154	Magnetic Particle Spectroscopy with One-Stage Lock-In Implementation for Magnetic Bioassays with Improved Sensitivities. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 17221-17231	3.8	2
153	Charge trapping analysis in sputtered Bi ₂ Se ₃ -x based accumulation-mode FETs. II. Gate capacitance characteristics. <i>AIP Advances</i> , 2021 , 11, 015221	1.5	
152	Magnetocrystalline anisotropy of Bi ₂ Se ₃ under various DFT approaches. <i>AIP Advances</i> , 2021 , 11, 015039	1.5	3
151	A Portable Magnetic Particle Spectrometer for Future Rapid and Wash-Free Bioassays. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7966-7976	9.5	6
150	Investigation of Commercial Iron Oxide Nanoparticles: Structural and Magnetic Property Characterization. <i>ACS Omega</i> , 2021 , 6, 6274-6283	3.9	7
149	Buffer layer engineering of L10 FePd thin films with large perpendicular magnetic anisotropy. <i>AIP Advances</i> , 2021 , 11, 025106	1.5	2
148	Surface acoustic wave induced modulation of tunneling magnetoresistance in magnetic tunnel junctions. <i>Journal of Applied Physics</i> , 2021 , 130, 033901	2.5	1
147	Voltage control of ferrimagnetic order and voltage-assisted writing of ferrimagnetic spin textures. <i>Nature Nanotechnology</i> , 2021 , 16, 981-988	28.7	16
146	One-Step, Wash-free, Nanoparticle Clustering-Based Magnetic Particle Spectroscopy Bioassay Method for Detection of SARS-CoV-2 Spike and Nucleocapsid Proteins in the Liquid Phase. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 44136-44146	9.5	10
145	Magnetic Particle Spectroscopy: A Short Review of Applications Using Magnetic Nanoparticles. <i>ACS Applied Nano Materials</i> , 2020 , 3, 4972-4989	5.6	36
144	Theory of Quantum Computation With Magnetic Clusters. <i>IEEE Transactions on Quantum Engineering</i> , 2020 , 1, 1-8	2.9	1

143	Voltage-Controlled Antiferromagnetism in Magnetic Tunnel Junctions. <i>Physical Review Letters</i> , 2020 , 124, 187701	7.4	6
142	Spin pumping and large field-like torque at room temperature in sputtered amorphous WTe ₂ films. <i>APL Materials</i> , 2020 , 8, 041102	5.7	10
141	Irregularly Shaped Iron Nitride Nanoparticles as a Potential Candidate for Biomedical Applications: From Synthesis to Characterization. <i>ACS Omega</i> , 2020 , 5, 11756-11767	3.9	8
140	Magnetic Particle Spectroscopy for Detection of Influenza A Virus Subtype H1N1. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 13686-13697	9.5	32
139	Design and fabrication of integrated magnetic field sensing system with enhanced sensitivity. <i>Journal of Magnetism and Magnetic Materials</i> , 2020 , 511, 166728	2.8	4
138	Magnetic Weyl semimetals with diamond structure realized in spinel compounds. <i>Physical Review B</i> , 2020 , 101,	3.3	15
137	External-Field-Free Spin Hall Switching of Perpendicular Magnetic Nanopillar with a Dipole-Coupled Composite Structure. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901368	6.4	15
136	High-moment magnetic nanoparticles. <i>Journal of Nanoparticle Research</i> , 2020 , 22, 1	2.3	18
135	Charge trapping analysis in sputtered Bi _x Se _{1-x} based accumulation-mode FETs. <i>AIP Advances</i> , 2020 , 10, 015315	1.5	1
134	Large-scale interlayer rotations and Te grain boundaries in (Bi,Sb) ₂ Te ₃ thin films. <i>Physical Review Materials</i> , 2020 , 4,	3.2	8
133	Magnetic-Nanosensor-Based Virus and Pathogen Detection Strategies before and during COVID-19. <i>ACS Applied Nano Materials</i> , 2020 , 3, 9560-9580	5.6	38
132	Low Gilbert damping and high thermal stability of Ru-seeded L1-phase FePd perpendicular magnetic thin films at elevated temperatures. <i>Applied Physics Letters</i> , 2020 , 117,	3.4	7
131	Effects of mobile oxygen ions in top-gated synthetic antiferromagnet structure. <i>Applied Physics Letters</i> , 2020 , 117, 202405	3.4	1
130	High-Yield Gas-Phase Condensation Synthesis of Nanoparticles to Enable a Wide Array of Applications. <i>ACS Applied Nano Materials</i> , 2020 , 3, 7942-7949	5.6	3
129	High-frequency magnetoacoustic resonance through strain-spin coupling in perpendicular magnetic multilayers. <i>Science Advances</i> , 2020 , 6,	14.3	10
128	Magnetic structure of Fe ₁₆ N ₂ determined by polarized neutron diffraction on thin-film samples. <i>Physical Review B</i> , 2020 , 102,	3.3	4
127	Magnetic nanoparticles in nanomedicine: a review of recent advances. <i>Nanotechnology</i> , 2019 , 30, 502003	3.4	164
126	Spin-Orbit Torque and Spin Hall Effect-Based Cellular Level Therapeutic Spintronic Neuromodulator: A Simulation Study. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 24963-24972	3.8	1

125	Detection of Influenza a Virus in Swine Nasal Swab Samples With a Wash-Free Magnetic Bioassay and a Handheld Giant Magnetoresistance Sensing System. <i>Frontiers in Microbiology</i> , 2019 , 10, 1077	5.7	34
124	An Energy Efficient Non-Volatile Flip-Flop based on CoMET Technology 2019 ,		1
123	Heavy-Metal-Free, Low-Damping, and Non-Interface Perpendicular Fe ₁₆ N ₂ Thin Film and Magnetoresistance Device. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019 , 13, 1900089	2.5	10
122	High saturation magnetization and low magnetic anisotropy Fe-CN martensite thin film. <i>Applied Physics Letters</i> , 2019 , 114, 152401	3.4	7
121	Using Spin-Hall MTJs to Build an Energy-Efficient In-memory Computation Platform 2019 ,		17
120	Incorporation of Phosphorus Impurities in a Silicon Nanowire Transistor with a Diameter of 5 nm. <i>Micromachines</i> , 2019 , 10,	3.3	1
119	Room-temperature spin-to-charge conversion in sputtered bismuth selenide thin films via spin pumping from yttrium iron garnet. <i>Applied Physics Letters</i> , 2019 , 114, 102401	3.4	14
118	SkyLogic [®] Proposal for a Skyrmion-Based Logic Device. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 1990-1996	2.9	17
117	In-Memory Processing on the Spintronic CRAM: From Hardware Design to Application Mapping. <i>IEEE Transactions on Computers</i> , 2019 , 68, 1159-1173	2.5	40
116	Observation of High Spin-to-Charge Conversion by Sputtered Bismuth Selenide Thin Films at Room Temperature. <i>Nano Letters</i> , 2019 , 19, 4836-4844	11.5	18
115	Synthesis of Fe-Fe ₁₆ N ₂ ribbons with a porous structure. <i>Nanoscale Advances</i> , 2019 , 1, 1337-1342	5.1	13
114	Tunable charge to spin conversion in strontium iridate thin films. <i>Physical Review Materials</i> , 2019 , 3,	3.2	17
113	Advances in Magnetoresistive Biosensors. <i>Micromachines</i> , 2019 , 11,	3.3	26
112	Experimental demonstration of integrated magneto-electric and spin-orbit building blocks implementing energy-efficient logic 2019 ,		3
111	Tunable magnetic domain walls for therapeutic neuromodulation at cellular level: Stimulating neurons through magnetic domain walls. <i>Journal of Applied Physics</i> , 2019 , 126, 183902	2.5	3
110	Development of a multiplexed giant magnetoresistive biosensor array prototype to quantify ovarian cancer biomarkers. <i>Biosensors and Bioelectronics</i> , 2019 , 126, 301-307	11.8	41
109	Large-area GMR bio-sensors based on reverse nucleation switching mechanism. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 473, 484-489	2.8	10
108	L10 FeBd Synthetic Antiferromagnet through an fcc Ru Spacer Utilized for Perpendicular Magnetic Tunnel Junctions. <i>Physical Review Applied</i> , 2018 , 9,	4.3	11

107	High spin polarization in epitaxial Fe ₄ N thin films using Cr and Ag as buffer layers. <i>Applied Physics Letters</i> , 2018 , 112, 162407	3.4	14
106	Enhancement of tunneling magnetoresistance by inserting a diffusion barrier in L10-FePd perpendicular magnetic tunnel junctions. <i>Applied Physics Letters</i> , 2018 , 112, 152401	3.4	10
105	Nanotechnology: Review of concepts and potential application of sensing platforms in food safety. <i>Food Microbiology</i> , 2018 , 75, 47-54	6	93
104	Unidirectional spin-Hall and Rashba-Edelstein magnetoresistance in topological insulator-ferromagnet layer heterostructures. <i>Nature Communications</i> , 2018 , 9, 111	17.4	55
103	Computing-in-memory with spintronics 2018 ,		3
102	Weak antilocalization and low-temperature characterization of sputtered polycrystalline bismuth selenide. <i>Applied Physics Letters</i> , 2018 , 112, 122402	3.4	12
101	Efficient In-Memory Processing Using Spintronics. <i>IEEE Computer Architecture Letters</i> , 2018 , 17, 42-46	1.8	33
100	Room-temperature high spin-orbit torque due to quantum confinement in sputtered BiSe films. <i>Nature Materials</i> , 2018 , 17, 800-807	27	214
99	Epitaxial Fe ₁₆ N ₂ thin film on nonmagnetic seed layer. <i>Applied Physics Letters</i> , 2018 , 112, 192402	3.4	7
98	Iron nanoparticles with tunable tetragonal structure and magnetic properties. <i>Physical Review Materials</i> , 2018 , 2,	3.2	11
97	Field-free switching of a perpendicular magnetic tunnel junction through the interplay of spin-orbit and spin-transfer torques. <i>Nature Electronics</i> , 2018 , 1, 582-588	28.4	167
96	Evaluation of Operating Margin and Switching Probability of Voltage- Controlled Magnetic Anisotropy Magnetic Tunnel Junctions. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2018 , 4, 76-84	2.4	8
95	Quantitative analysis and optimization of magnetization precession initiated by ultrafast optical pulses. <i>Applied Physics Letters</i> , 2018 , 113, 162405	3.4	8
94	Performance Characterization and Majority Gate Design for MESO-Based Circuits. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2018 , 4, 51-59	2.4	5
93	Low Gilbert Damping Constant in Perpendicularly Magnetized W/CoFeB/MgO Films with High Thermal Stability. <i>Scientific Reports</i> , 2018 , 8, 13395	4.9	33
92	Demonstration of Ru as the 4th ferromagnetic element at room temperature. <i>Nature Communications</i> , 2018 , 9, 2058	17.4	16
91	High Performance MgO-barrier Magnetic Tunnel Junctions for Flexible and Wearable Spintronic Applications. <i>Scientific Reports</i> , 2017 , 7, 42001	4.9	53
90	FORC-study of magnetization reversal of L10-FePt based exchange coupled composite films. <i>AIP Advances</i> , 2017 , 7, 056510	1.5	

89	CoMET: Composite-Input Magnetoelectric- Based Logic Technology. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2017 , 3, 27-36	2.4	18
88	Advanced spintronic memory and logic for non-volatile processors 2017 ,		10
87	Characterizing Physical Properties of Superparamagnetic Nanoparticles in Liquid Phase Using Brownian Relaxation. <i>Small</i> , 2017 , 13, 1604135	11	23
86	Portable GMR Handheld Platform for the Detection of Influenza A Virus. <i>ACS Sensors</i> , 2017 , 2, 1594-1601	5.2	71
85	Localized detection of reversal nucleation generated by high moment magnetic nanoparticles using a large-area magnetic sensor. <i>Journal of Applied Physics</i> , 2017 , 122, 123901	2.5	15
84	Deposition and spin polarization study of Fe ₄ N thin films with (111) orientation. <i>AIP Advances</i> , 2017 , 7, 095001	1.5	3
83	Picosecond Fresnel transmission electron microscopy. <i>Applied Physics Letters</i> , 2017 , 110, 222404	3.4	17
82	Field-free spin-orbit torque switching of composite perpendicular CoFeB/Gd/CoFeB layers utilized for three-terminal magnetic tunnel junctions. <i>Applied Physics Letters</i> , 2017 , 111, 012402	3.4	27
81	A Comparative Study Between Spin-Transfer-Torque and Spin-Hall-Effect Switching Mechanisms in PMTJ Using SPICE. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2017 , 3, 74-82	2.4	28
80	Molecular dynamic simulation study of plasma etching L10 FePt media in embedded mask patterning (EMP) process. <i>AIP Advances</i> , 2017 , 7, 056507	1.5	
79	Effect of capping layer on formation and magnetic properties of MnBi thin films. <i>Journal of Applied Physics</i> , 2017 , 122, 213904	2.5	5
78	Damping constant measurement and inverse giant magnetoresistance in spintronic devices with Fe ₄ N. <i>AIP Advances</i> , 2017 , 7, 125303	1.5	8
77	Synthesis of Fe ₁₆ N ₂ Compound Anisotropic Magnet by the Strained-Wire Method. <i>Physical Review Applied</i> , 2016 , 6,	4.3	16
76	Laser-initiated magnetization reversal and correlated morphological effects visualized with in situ Fresnel transmission electron microscopy. <i>Physical Review B</i> , 2016 , 94,	3.3	2
75	Black Phosphorus: Revealing the Origins of 3D Anisotropic Thermal Conductivities of Black Phosphorus (Adv. Electron. Mater. 5/2016). <i>Advanced Electronic Materials</i> , 2016 , 2,	6.4	4
74	Non-Local Lateral Spin-Valve Devices Fabricated With a Versatile Top-Down Fabrication Process. <i>IEEE Magnetics Letters</i> , 2016 , 7, 1-4	1.6	2
73	Time-Resolved Magneto-Optical Kerr Effect of Magnetic Thin Films for Ultrafast Thermal Characterization. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 2328-32	6.4	25
72	Preparation of an Fe ₁₆ N ₂ Magnet via a Ball Milling and Shock Compaction Approach . <i>Advanced Engineering Materials</i> , 2016 , 18, 1009-1016	3.5	25

71	In Vitro Viscosity Measurement on Superparamagnetic Nanoparticle Suspensions. <i>IEEE Transactions on Magnetics</i> , 2016 , 52, 1-4	2	6
70	Magnetization Response Spectroscopy of Superparamagnetic Nanoparticles Under Mixing Frequency Fields. <i>IEEE Transactions on Magnetics</i> , 2016 , 52, 1-4	2	5
69	Giant Magnetoresistance-based Biosensor for Detection of Influenza A Virus. <i>Frontiers in Microbiology</i> , 2016 , 7, 400	5.7	98
68	Revealing the Origins of 3D Anisotropic Thermal Conductivities of Black Phosphorus. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600040	6.4	64
67	Microstructure Analysis of Melt Spun FeN foils with Fe ₁₆ N ₂ Phase. <i>MRS Advances</i> , 2016 , 1, 2373-2378	0.7	1
66	DFT calculation and experimental investigation of Mn doping effect in Fe ₁₆ N ₂ . <i>AIP Advances</i> , 2016 , 6, 056007	1.5	17
65	High Ms Fe ₁₆ N ₂ thin film with Ag under layer on GaAs substrate. <i>AIP Advances</i> , 2016 , 6, 056203	1.5	
64	Synthesis of Fe ₁₆ N ₂ compound Free-Standing Foils with 20 MGOe Magnetic Energy Product by Nitrogen Ion-Implantation. <i>Scientific Reports</i> , 2016 , 6, 25436	4.9	42
63	Fast spintronic thermal sensor for IC power driver cooling down 2016 ,		4
62	A fast magnetoelectric device based on current-driven domain wall propagation 2016 ,		7
61	Giant magnetoresistive-based biosensing probe station system for multiplex protein assays. <i>Biosensors and Bioelectronics</i> , 2015 , 70, 61-8	11.8	57
60	Giant Spin Pumping and Inverse Spin Hall Effect in the Presence of Surface and Bulk Spin-Orbit Coupling of Topological Insulator Bi ₂ Se ₃ . <i>Nano Letters</i> , 2015 , 15, 7126-32	11.5	200
59	Biocompatible Fe-Si Nanoparticles with Adjustable Self-Regulation of Temperature for Medical Applications. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 12649-54	9.5	17
58	Evaluation of hyperthermia of magnetic nanoparticles by dehydrating DNA. <i>Scientific Reports</i> , 2014 , 4, 7216	4.9	25
57	Surface modification and bioconjugation of FeCo magnetic nanoparticles with proteins. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 117, 449-56	6	11
56	Magnetic detection of mercuric ion using giant magnetoresistance-based biosensing system. <i>Analytical Chemistry</i> , 2014 , 86, 3712-6	7.8	38
55	Comparative analysis of several GMR strip sensor configurations for biological applications. <i>Sensors and Actuators A: Physical</i> , 2014 , 216, 349-354	3.9	11
54	9 T high magnetic field annealing effects on FeN bulk sample. <i>Journal of Applied Physics</i> , 2014 , 115, 17A758		9

53	Magnetoresistive performance and comparison of supermagnetic nanoparticles on giant magnetoresistive sensor-based detection system. <i>Scientific Reports</i> , 2014 , 4, 5716	4.9	63
52	FeN foils by nitrogen ion-implantation. <i>Journal of Applied Physics</i> , 2014 , 115, 17A753	2.5	11
51	Thermal stability of partially ordered Fe ₁₆ N ₂ film on non-magnetic Ag under layer. <i>Journal of Applied Physics</i> , 2014 , 115, 17A767	2.5	9
50	Scaling analysis of in-plane and perpendicular anisotropy magnetic tunnel junctions using a physics-based model 2014 ,		10
49	Immobilization of DNA on Fe nanoparticles and their hybridization to functionalized surface. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	1
48	Interaction of Domain Walls and Magnetic Nanoparticles in Giant Magnetoresistive Nanostrips for Biological Applications. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 3414-3417	2	4
47	Current-Induced Fast-Ordering of L ₁ ₀ -FePt Films With Small Grain Size. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 3660-3662	2	5
46	Composition- and Phase-Controlled High-Magnetic-Moment Fe _{1-x} Co _x Nanoparticles for Biomedical Applications. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 197-200	2	12
45	Fabrication and Characterization of FePt Exchange Coupled Composite and Graded Bit Patterned Media. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 707-712	2	19
44	Surface Modification for Protein and DNA Immobilization onto GMR Biosensor. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 296-299	2	34
43	Measurement of Brownian and Néel Relaxation of Magnetic Nanoparticles by a Mixing-Frequency Method. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 227-230	2	21
42	Fe ₃ Si nanoparticles for alternating magnetic field heating. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	5
41	A Scaling Roadmap and Performance Evaluation of In-Plane and Perpendicular MTJ Based STT-MRAMs for High-Density Cache Memory. <i>IEEE Journal of Solid-State Circuits</i> , 2013 , 48, 598-610	5.5	223
40	Strain induced giant magnetism in epitaxial Fe ₁₆ N ₂ thin film. <i>Applied Physics Letters</i> , 2013 , 102, 072411	3.4	40
39	The effect of strain induced by Ag underlayer on saturation magnetization of partially ordered Fe ₁₆ N ₂ thin films. <i>Applied Physics Letters</i> , 2013 , 103, 242412	3.4	14
38	Magnetic logic and computation using magnetic tunnel junctions 2013 ,		1
37	Strain effect of multilayer FeN structure on GaAs substrate. <i>Journal of Applied Physics</i> , 2013 , 113, 17E149	2.5	11
36	Spontaneously Formed FePt Graded Granular Media With a Large Gain Factor. <i>IEEE Magnetics Letters</i> , 2012 , 3, 4500104-4500104	1.6	4

35	High power and low critical current spin torque oscillation from a magnetic tunnel junction with a built-in hard axis polarizer. <i>Applied Physics Letters</i> , 2012 , 100, 032405	3.4	9
34	Spin-Torque Driven Switching Probability Density Function Asymmetry. <i>IEEE Transactions on Magnetism</i> , 2012 , 48, 3818-3820	2	22
33	Measurement of Brownian Relaxation of Magnetic Nanoparticle by a Multi-Tone Mixing-Frequency Method. <i>IEEE Transactions on Magnetism</i> , 2012 , 48, 3513-3516	2	11
32	Fabrication of Fe_{16}N_2 Films by Sputtering Process and Experimental Investigation of Origin of Giant Saturation Magnetization in Fe_{16}N_2 . <i>IEEE Transactions on Magnetism</i> , 2012 , 48, 1710-1717	2	67
31	Characterization of L10-FePt/Fe based exchange coupled composite bit pattern media. <i>Journal of Applied Physics</i> , 2012 , 111, 07B914	2.5	10
30	Quantitative analysis of interaction between domain walls and magnetic nanoparticles. <i>Journal of Applied Physics</i> , 2011 , 109, 07D506	2.5	4
29	Spin torque oscillation modes of a dual magnetic tunneling junction. <i>Journal of Applied Physics</i> , 2011 , 109, 07D307	2.5	0
28	Magnetic Tunnel Junction Logic Architecture for Realization of Simultaneous Computation and Communication. <i>IEEE Transactions on Magnetism</i> , 2011 , 47, 2970-2973	2	16
27	A three-layer competition-based giant magnetoresistive assay for direct quantification of endoglin from human urine. <i>Analytical Chemistry</i> , 2011 , 83, 2996-3002	7.8	45
26	High temperature annealing stability of magnetic properties in MgO-based perpendicular magnetic tunnel junction stacks with CoFeB polarizing layer. <i>Journal of Applied Physics</i> , 2011 , 109, 07C709	2.5	27
25	Perpendicular magnetic anisotropy and high spin-polarization ratio in epitaxial Fe-N thin films. <i>Physical Review B</i> , 2011 , 84,	3.3	65
24	Structural and magnetic properties of a core-shell type L10 FePt/Fe exchange coupled nanocomposite with tilted easy axis. <i>Journal of Applied Physics</i> , 2011 , 109, 083907	2.5	32
23	Fabrication of FePt type exchange coupled composite bit patterned media by block copolymer lithography. <i>Journal of Applied Physics</i> , 2011 , 109, 07B754	2.5	27
22	Chemical stability of highly (0001) textured $\text{Sm}(\text{CoCu})_5$ thin films with a thin Ta capping layer. <i>Journal of Applied Physics</i> , 2011 , 109, 07B715	2.5	5
21	N site ordering effect on partially ordered Fe_{16}N_2 . <i>Applied Physics Letters</i> , 2011 , 98, 092506	3.4	51
20	Spintronic logic gates for spintronic data using magnetic tunnel junctions 2010 ,		17
19	L1_{0} FePt/Fe Exchange Coupled Composite Structure on MgO Substrates. <i>IEEE Transactions on Magnetism</i> , 2010 , 46, 2345-2348	2	21
18	Communication Between Magnetic Tunnel Junctions Using Spin-Polarized Current for Logic Applications. <i>IEEE Transactions on Magnetism</i> , 2010 , 46, 2216-2219	2	12

17	FePt Magnetic Nanoparticles and Their Assembly for Future Magnetic Media. <i>Proceedings of the IEEE</i> , 2008 , 96, 1847-1863	14.3	83
16	Film Composition, Substrate Temperature, and Thickness Dependence of Sm(Co, Cu) ₅ /Ru Thin Films With Perpendicular Anisotropy. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 3550-3553	2	3
15	Exchange Coupling in Synthetic Antiferromagnetic Multilayers for Magnetic Write Head. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 3621-3624	2	1
14	Observation of Intermediate States in Magnetic Tunnel Junctions With Composite Free Layer. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 2496-2499	2	6
13	Asymmetric Spin Torque Transfer in Nano GMR Device With Perpendicular Anisotropy. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 2833-2835	2	7
12	Cubic and Spherical High-Moment FeCo Nanoparticles With Narrow Size Distribution. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 3340-3342	2	17
11	Magnetic Properties of Heterostructured Co/Au Nanoparticles Direct-Synthesized From Gas Phase. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 3109-3111	2	13
10	Fabrication and Characterization of Exchange Coupled Composite Media. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 682-686	2	62
9	Spin transfer in nanomagnetic devices with perpendicular anisotropy. <i>Applied Physics Letters</i> , 2006 , 88, 172506	3.4	232
8	A spintronics full adder for magnetic CPU. <i>IEEE Electron Device Letters</i> , 2005 , 26, 360-362	4.4	58
7	Magneto-resistive read sensor with perpendicular magnetic anisotropy. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 707-712	2	13
6	Exchange coupled composite media for perpendicular magnetic recording. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 3181-3186	2	134
5	Spin transfer effect in magnetic tunnel junction with a nano-current-channel Layer in free layer. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 2612-2614	2	17
4	Fabrication of current-induced magnetization switching devices using etch-back planarization process. <i>Journal of Applied Physics</i> , 2005 , 97, 10C702	2.5	8
3	New perpendicular media by engineering the thermal stability and writing capability separately 2005 ,		1
2	Fabrication of Core-shell Type FeCo-Au (Ag) High Moment Magnetic Nanoparticles. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 877, 1		
1			