

Mohammad-Reza Zarrindast

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2724458/publications.pdf>

Version: 2024-02-01

492
papers

9,426
citations

71004

43
h-index

162838

57
g-index

497
all docs

497
docs citations

497
times ranked

7040
citing authors

#	ARTICLE	IF	CITATIONS
1	Dopamine as a Potential Target for Learning and Memory: Contributing to Related Neurological Disorders. <i>CNS and Neurological Disorders - Drug Targets</i> , 2023, 22, 558-576.	0.8	9
2	Inter/Transgenerational Effects of Drugs of Abuse: A Scoping Review. <i>CNS and Neurological Disorders - Drug Targets</i> , 2023, 22, 512-538.	0.8	3
3	Do Sleep Disturbances have a Dual Effect on Alzheimer's Disease?. <i>Cellular and Molecular Neurobiology</i> , 2023, 43, 711-727.	1.7	1
4	RehaCom rehabilitation training improves a wide-range of cognitive functions in multiple sclerosis patients. <i>Applied Neuropsychology Adult</i> , 2022, 29, 262-272.	0.7	12
5	Modulating role of serotonergic signaling in sleep and memory. <i>Pharmacological Reports</i> , 2022, 74, 1-26.	1.5	15
6	The regulatory role of nitric oxide in morphine-induced analgesia in the descending path of pain from the dorsal hippocampus to the dorsolateral periaqueductal gray. <i>European Journal of Pain</i> , 2022, 26, 888-901.	1.4	3
7	GABAergic agents modulated the effects of histamine on the behaviour of male mice in the elevated plus maze test. <i>Experimental Physiology</i> , 2022, 107, 233-242.	0.9	6
8	Complicated Role of Exercise in Modulating Memory: A Discussion of the Mechanisms Involved. <i>Neurochemical Research</i> , 2022, 47, 1477-1490.	1.6	10
9	St. John's wort (<i>Hypericum perforatum</i>) and depression: what happens to the neurotransmitter systems?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022, 395, 629-642.	1.4	10
10	Treatment with RehaCom computerized rehabilitation program improves response control, but not attention in children with attention-deficit/hyperactivity disorder (ADHD). <i>Journal of Clinical Neuroscience</i> , 2022, 98, 149-153.	0.8	2
11	Exercise can restore behavioural and molecular changes of intergenerational morphine effects. <i>Addiction Biology</i> , 2022, 27, e13122.	1.4	3
12	Isobolographic analysis of the antidepressant interaction in two-drug combinations of citalopram, bupropion, and scopolamine in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022, 395, 827-837.	1.4	1
13	Night shift hormone: How does melatonin affect depression?. <i>Physiology and Behavior</i> , 2022, 252, 113835.	1.0	10
14	Effects of Treadmill Exercise on Social Behavior in Rats Exposed to Thimerosal with Respect to the Hippocampal Level of GluN1, GluN2A, and GluN2B. <i>Journal of Molecular Neuroscience</i> , 2022, 72, 1345-1357.	1.1	2
15	Basolateral amygdala cannabinoid CB1 receptors mediate the antinociceptive activity of harmaline in adolescent male mice. <i>Physiology and Behavior</i> , 2022, 254, 113886.	1.0	1
16	URB597 abrogates anxiogenic and depressive behaviors in the methamphetamine-withdrawal mice: Role of the cannabinoid receptor type 1, cannabinoid receptor type 2, and transient receptor potential vanilloid 1 channels. <i>Journal of Psychopharmacology</i> , 2021, 35, 875-884.	2.0	8
17	Altered D2 receptor and transcription factor EB expression in offspring of aggressive male rats, along with having depressive and anxiety-like behaviors. <i>International Journal of Neuroscience</i> , 2021, 131, 789-799.	0.8	3
18	How do stupendous cannabinoids modulate memory processing via affecting neurotransmitter systems?. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 120, 173-221.	2.9	10

#	ARTICLE	IF	CITATIONS
19	The effect of 5-HT ₄ serotonin receptors in the CA3 hippocampal region on D-AP5-induced anxiolytic-like effects: Isobolographic analyses. <i>Behavioural Brain Research</i> , 2021, 397, 112933.	1.2	2
20	The interaction effect of sleep deprivation and cannabinoid type 1 receptor in the CA1 hippocampal region on passive avoidance memory, depressive-like behavior and locomotor activity in rats. <i>Behavioural Brain Research</i> , 2021, 396, 112901.	1.2	20
21	The effect of alpha lipoic acid on passive avoidance and social interaction memory, pain perception, and locomotor activity in REM sleep-deprived rats. <i>Pharmacological Reports</i> , 2021, 73, 102-110.	1.5	11
22	Synergistic antidepressant- and anxiolytic-like effects of harmaline along with cinanserin in acute restraint stress-treated mice. <i>Psychopharmacology</i> , 2021, 238, 259-269.	1.5	9
23	Anodal tDCS applied to the left frontal cortex abrogates scopolamine-induced fear memory deficit via the dopaminergic system. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 172-180.	0.4	1
24	Comparison and interaction of morphine and CB1 agonist conditioned place preference in the rat model of early life stress. <i>International Journal of Developmental Neuroscience</i> , 2021, 81, 238-248.	0.7	2
25	Harmaline potentiates morphine-induced antinociception via affecting the ventral hippocampal GABA-A receptors in mice. <i>European Journal of Pharmacology</i> , 2021, 893, 173806.	1.7	4
26	New Biomarkers Based on Smoking-Related Phenotypes for Smoking Cessation Outcomes of Nicotine Replacement Therapy: A Prospective Study. <i>Basic and Clinical Neuroscience</i> , 2021, 12, 639-650.	0.3	0
27	Effects of Morphine and Maternal Care on Behaviors and Protein Expression of Male Offspring. <i>Neuroscience</i> , 2021, 466, 58-76.	1.1	5
28	Cannabinoids and sleep-wake cycle: The potential role of serotonin. <i>Behavioural Brain Research</i> , 2021, 412, 113440.	1.2	10
29	Synergistic effect between imipramine and citicoline upon induction of analgesic and antidepressant effects in mice. <i>Neuroscience Letters</i> , 2021, 760, 136095.	1.0	8
30	Punicalagin effect on total sleep deprivation memory deficit in male Wistar rats. <i>Journal of Integrative Neuroscience</i> , 2021, 20, 87.	0.8	4
31	The effect of URB597, exercise or their combination on the performance of 6-OHDA mouse model of Parkinson disease in the elevated plus maze, tail suspension test and step-down task. <i>Metabolic Brain Disease</i> , 2021, 36, 2579-2588.	1.4	5
32	Synergistic effect between quinpirole and L-NAME as well as sulpiride and L-arginine on the modulation of anxiety and memory processes in the 6-OHDA mouse model of Parkinson's disease: An isobologram analysis. <i>Neurobiology of Learning and Memory</i> , 2021, 186, 107538.	1.0	5
33	Cholestasis and behavioral disorders. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2021, 14, 95-107.	0.6	0
34	The bidirectional effect of prelimbic 5-hydroxytryptamine type-4 (5-HT ₄) receptors on ACPA-mediated aversive memory impairment in adult male Sprague-Dawley rats. <i>Iranian Journal of Basic Medical Sciences</i> , 2021, 24, 726-733.	1.0	0
35	Anodal tDCS applied to the left frontal cortex abrogates scopolamine-induced fear memory deficit via the dopaminergic system. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 171-180.	0.4	0
36	Tramadol Treatment Induces Change in Phospho-Cyclic Adenosine Monophosphate Response Element-Binding Protein and Delta and Mu Opioid Receptors within Hippocampus and Amygdala Areas of Rat Brain.. <i>Addiction and Health</i> , 2021, 13, 165-175.	0.3	0

#	ARTICLE	IF	CITATIONS
37	Synergistic analgesic effect of morphine and tramadol in non-sensitized and morphine-sensitized mice: an isobolographic study.. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 350-361.	0.4	0
38	Effects of precondition β -2-adrenoceptor agents on memory- and anxiety-related processes in the transient cerebral ischemic rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 315-324.	1.4	2
39	Activation of D1-like dopamine receptors is involved in the impairment of spatial memory in the offspring of morphine-abstinent rats. <i>Neuroscience Research</i> , 2020, 158, 37-46.	1.0	4
40	Synergistic but not additive effect between ACPA and lithium in the dorsal hippocampal region on spatial learning and memory in rats: Isobolographic analyses. <i>Chemico-Biological Interactions</i> , 2020, 315, 108895.	1.7	9
41	Efficacy of RehaCom cognitive rehabilitation software in activities of daily living, attention and response control in chronic stroke patients. <i>Journal of Clinical Neuroscience</i> , 2020, 71, 101-107.	0.8	19
42	The role of 5-HT ₄ serotonin receptors in the CA1 hippocampal region on memory acquisition impairment induced by total (TSD) and REM sleep deprivation (RSD). <i>Physiology and Behavior</i> , 2020, 215, 112788.	1.0	21
43	Potential of morphine-induced antinociception by harmaline: involvement of μ -opioid and ventral tegmental area NMDA receptors. <i>Psychopharmacology</i> , 2020, 237, 557-570.	1.5	5
44	Effect of cholestasis and NeuroAid treatment on the expression of Bax, Bcl-2, Pgc-1 β and Tfam genes involved in apoptosis and mitochondrial biogenesis in the striatum of male rats. <i>Metabolic Brain Disease</i> , 2020, 35, 183-192.	1.4	18
45	Possible interaction between the ventral hippocampal cannabinoid CB ₂ and muscarinic acetylcholine receptors on the modulation of memory consolidation in mice. <i>NeuroReport</i> , 2020, 31, 174-183.	0.6	4
46	Toxic effect of calcium/calmodulin kinase II on anxiety behavior, neuronal firing and plasticity in the male offspring of morphine-abstinent rats. <i>Behavioural Brain Research</i> , 2020, 395, 112877.	1.2	3
47	Alteration of orexin-A and PKC δ in the postmortem brain of pure-opioid and multi-drug abusers. <i>Neuropeptides</i> , 2020, 83, 102074.	0.9	5
48	Evaluation of the relationship between the gene expression level of orexin-1 receptor in the rat blood and prefrontal cortex, novelty-seeking, and proneness to methamphetamine dependence: A candidate biomarker. <i>Peptides</i> , 2020, 131, 170368.	1.2	5
49	Curcumin prevents cognitive deficits in the bile duct ligated rats. <i>Psychopharmacology</i> , 2020, 237, 3529-3537.	1.5	3
50	Verapamil Inhibits Mitochondria-Induced Reactive Oxygen Species and Dependent Apoptosis Pathways in Cerebral Transient Global Ischemia/Reperfusion. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-12.	1.9	29
51	The role of cannabinoid 1 receptor in the nucleus accumbens on tramadol induced conditioning and reinstatement. <i>Life Sciences</i> , 2020, 260, 118430.	2.0	4
52	A possible neuroprotective property of ethanol and/or NeuroAiD on the modulation of cognitive function. <i>Neurotoxicology and Teratology</i> , 2020, 82, 106927.	1.2	1
53	Tropisetron But Not Granisetron Ameliorates Spatial Memory Impairment Induced by Chronic Cerebral Hypoperfusion. <i>Neurochemical Research</i> , 2020, 45, 2631-2640.	1.6	4
54	The effect of fish oil on social interaction memory in total sleep-deprived rats with respect to the hippocampal level of stathmin, TFEB, synaptophysin and LAMP-1 proteins. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020, 157, 102097.	1.0	9

#	ARTICLE	IF	CITATIONS
55	Beneficial effects of physical activity on depressive and OCD-like behaviors in the male offspring of morphine-abstinent rats. <i>Brain Research</i> , 2020, 1744, 146908.	1.1	5
56	The effect of microinjection of CART 55-102 into the nucleus accumbens shell on morphine-induced conditioned place preference in rats: Involvement of the NMDA receptor. <i>Peptides</i> , 2020, 129, 170319.	1.2	2
57	The role of sleep disturbances in depressive-like behavior with emphasis on $\hat{\pm}$ -ketoglutarate dehydrogenase activity in rats.. <i>Physiology and Behavior</i> , 2020, 224, 113023.	1.0	15
58	Association of microbiota-derived propionic acid and Alzheimer's disease; bioinformatics analysis. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020, 19, 783-804.	0.8	8
59	The neuroprotective effect of NeuroAid on morphine-induced amnesia with respect to the expression of TFAM, PGC-1 β , $\hat{\pm}$ fosB and CART genes in the hippocampus of male Wistar rats. <i>Gene</i> , 2020, 742, 144601.	1.0	19
60	Activation and Inactivation of Nicotinic Receptors in the Dorsal Hippocampal Region Restored Negative Effects of Total (TSD) and REM Sleep Deprivation (RSD) on Memory Acquisition, Locomotor Activity and Pain Perception. <i>Neuroscience</i> , 2020, 433, 200-211.	1.1	24
61	The protective effect of alpha lipoic acid (ALA) on social interaction memory, but not passive avoidance in sleep-deprived rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 2081-2091.	1.4	22
62	Combined treatment of scopolamine and group III mGluR antagonist, CPPG, exerts antidepressant activity without affecting anxiety-related behaviors. <i>Physiology and Behavior</i> , 2020, 224, 113034.	1.0	8
63	Synergistic effect between citalopram and citicoline on anxiolytic effect in non-sensitized and morphine-sensitized mice: An isobologram analysis. <i>Brain Research</i> , 2020, 1734, 146701.	1.1	13
64	The fluctuations of metabotropic glutamate receptor subtype 5 (mGluR5) in the amygdala in fear conditioning model of male Wistar rats following sleep deprivation, reverse circadian and napping. <i>Brain Research</i> , 2020, 1734, 146739.	1.1	19
65	Oxidative stress enzymes are changed in opioid abusers and multidrug abusers. <i>Journal of Clinical Neuroscience</i> , 2020, 72, 365-369.	0.8	13
66	The therapeutic effect of treatment with RehaCom software on verbal performance in patients with multiple sclerosis. <i>Journal of Clinical Neuroscience</i> , 2020, 72, 93-97.	0.8	12
67	GABA-cannabinoid interplays in the dorsal hippocampus and basolateral amygdala mediate morphine-induced amnesia. <i>Brain Research Bulletin</i> , 2020, 157, 61-68.	1.4	6
68	Effect of morphine exposure on novel object memory of the offspring: The role of histone H3 and $\hat{\pm}$ FosB. <i>Brain Research Bulletin</i> , 2020, 156, 141-149.	1.4	10
69	Better antidepressant efficacy of mecamylamine in combination with L-NAME than with L-arginine. <i>Behavioural Brain Research</i> , 2020, 386, 112604.	1.2	2
70	Therapeutic potential of stem cells for treatment of neurodegenerative diseases. <i>Biotechnology Letters</i> , 2020, 42, 1073-1101.	1.1	23
71	Possible involvement of the opioidergic system in the modulation of body temperature, jumping behavior and memory process in cholestatic and addicted mice. <i>EXCLI Journal</i> , 2020, 19, 311-322.	0.5	1
72	State-dependent memory and its modulation by different brain areas and neurotransmitters. <i>EXCLI Journal</i> , 2020, 19, 1081-1099.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Adding extended-release methylphenidate to psychological intervention for treatment of methamphetamine dependence: A double-blind randomized controlled trial. <i>Medical Journal of the Islamic Republic of Iran</i> , 2020, 34, 137.	0.9	0
74	The effect of alpha-2 adrenergic receptors on memory retention deficit induced by rapid eye movement sleep deprivation. <i>Iranian Journal of Basic Medical Sciences</i> , 2020, 23, 1571-1575.	1.0	3
75	NMDA receptor subunits change in the prefrontal cortex of pure-opioid and multi-drug abusers: a post-mortem study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 309-315.	1.8	17
76	The effect of CA1 dopaminergic system on amnesia induced by harmaline in mice. <i>Acta Neurologica Belgica</i> , 2019, 119, 369-377.	0.5	6
77	Involvement of CA1 GABA _A Receptors in Ketamine-Induced Impairment of Spatial and Non-Spatial Novelty Detection in Mice. <i>Neurochemical Journal</i> , 2019, 13, 81-89.	0.2	1
78	Possible involvement of nucleus accumbens D1-like dopamine receptors in the morphine-induced condition place preference in the offspring of morphine abstinent rats. <i>Life Sciences</i> , 2019, 233, 116712.	2.0	5
79	Cross state-dependent memory retrieval between morphine and norharmane in the mouse dorsal hippocampus. <i>Brain Research Bulletin</i> , 2019, 153, 24-29.	1.4	4
80	Transcranial electrical and magnetic stimulation (tES and TMS) for addiction medicine: A consensus paper on the present state of the science and the road ahead. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 104, 118-140.	2.9	198
81	Antinociceptive and antidepressive efficacies of the combined ineffective doses of S-ketamine and URB597. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 1393-1400.	1.4	4
82	Parental morphine exposure affects repetitive grooming actions and marble burying behavior in the offspring: Potential relevance for obsessive-compulsive like behavior. <i>European Journal of Pharmacology</i> , 2019, 865, 172757.	1.7	14
83	Tramadol induces changes in $\hat{\imath}^{\nu}$ -FosB, $\hat{\imath}^{\mu}$ -opioid receptor, and p-CREB level in the nucleus accumbens and prefrontal cortex of male Wistar rat. <i>American Journal of Drug and Alcohol Abuse</i> , 2019, 45, 84-89.	1.1	7
84	<p>Benefit effect of REM-sleep deprivation on memory impairment induced by intensive exercise in male wistar rats: with respect to hippocampal BDNF and TrkB<p>. <i>Nature and Science of Sleep</i> , 2019, Volume 11, 179-188.	1.4	27
85	Additive interaction between scopolamine and nitric oxide agents on immobility in the forced swim test but not exploratory activity in the hole-board. <i>Psychopharmacology</i> , 2019, 236, 3353-3362.	1.5	12
86	The combination of swimming and curcumin consumption may improve spatial memory recovery after binge ethanol drinking. <i>Physiology and Behavior</i> , 2019, 207, 139-150.	1.0	8
87	$\hat{\imath}^{\nu}$ -Opioid receptor in the CA1 involves in tramadol and morphine cross state-dependent memory. <i>Neuroscience Letters</i> , 2019, 705, 177-182.	1.0	6
88	MLC901 during sleep deprivation rescues fear memory disruption in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 813-821.	1.4	6
89	Ketamine-induced antidepressant like effects in mice: A possible involvement of cannabinoid system. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108717.	2.5	30
90	Anxiolytic and antidepressant effects of ACPA and harmaline co-treatment. <i>Behavioural Brain Research</i> , 2019, 364, 296-302.	1.2	22

#	ARTICLE	IF	CITATIONS
91	Evaluation of dynorphin and kappa-opioid receptor level in the human blood lymphocytes and plasma: Possible role as a biomarker in severe opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107638.	1.6	11
92	Parental morphine exposure enhances morphine (but not methamphetamine) preference and increases monoamine oxidase-B level in the nucleus accumbens. <i>Behavioural Pharmacology</i> , 2019, 30, 435-445.	0.8	17
93	Morphine exposure before conception affects anxiety-like behavior and CRF level (in the CSF and) Tj ETQq1 1 0.784314 rgBT /Overloc	1.4	29
94	NMDA receptors of blood lymphocytes anticipate cognitive performance variations in healthy volunteers. <i>Physiology and Behavior</i> , 2019, 201, 53-58.	1.0	5
95	Abolishment of fear memory-disruptive effects REM sleep deprivation by harmaline. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 1563-1568.	2.5	3
96	Co-administration of the low dose of orexin and nitrenergic antagonists induces an antidepressant-like effect in mice. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 589-594.	2.5	16
97	The role of calcium-calmodulin-dependent protein kinase II in modulation of spatial memory in morphine sensitized rats. <i>Behavioural Brain Research</i> , 2019, 359, 298-303.	1.2	7
98	The modulatory role of nicotine on cognitive and non-cognitive functions. <i>Brain Research</i> , 2019, 1710, 92-101.	1.1	16
99	Riluzole for treatment of men with methamphetamine dependence: A randomized, double-blind, placebo-controlled clinical trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 305-315.	2.0	11
100	Protective role of Apelin-13 on amyloid β 25-35-induced memory deficit; Involvement of autophagy and apoptosis process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 322-334.	2.5	59
101	Transgenerational influence of parental morphine exposure on pain perception, anxiety-like behavior and passive avoidance memory among male and female offspring of Wistar rats. <i>EXCLI Journal</i> , 2019, 18, 1019-1036.	0.5	6
102	Morphine Exposure Causes to Enhance Depression-like Behaviour in Confront with Chronic Stress in Adult Male Offspring Rat. <i>Basic and Clinical Neuroscience</i> , 2019, 10, 323-332.	0.3	4
103	The effect of D2 dopaminergic system in nucleus accumbens and glutamatergic system of prefrontal cortex on anxiety-like behaviors in Wistar male rats. <i>Medical Journal of Tabriz University of Medical Sciences & Health Services</i> , 2019, 41, 7-13.	0.1	0
104	Effects of Acute and Subchronic Anodal Transcranial Direct Current Stimulation (tDCS) on Morphine-Induced Responses in Hotplate Apparatus. , 2019, 8, 1157.		1
105	Influence of MLC901 Alone and with Moderate Exercise on Pain Response Concurrent Due to Stress of Male Mice. , 2019, 8, 1253.		0
106	The Effect of REM Sleep Deprivation on mTOR Signaling-Induced by Severe Physical Exercise. <i>Archives of Neuroscience</i> , 2019, 6, .	0.1	0
107	Correlation among the Behavioral Features in the Offspring of Morphine-Abstinent Rats. <i>Addiction and Health</i> , 2019, 11, 262-275.	0.3	0
108	The Involvement of D1 and D2 Dopamine Receptors in the Restoration Effect of Left Frontal Anodal, but not Cathodal, tDCS on Streptozocin-Induced Amnesia. <i>Archives of Iranian Medicine</i> , 2019, 22, 144-154.	0.2	3

#	ARTICLE	IF	CITATIONS
109	Is the Nociception Mechanism Altered in Offspring of Morphine-Abstinent Rats?. <i>Journal of Pain</i> , 2018, 19, 529-541.	0.7	33
110	Protective role of alpha-lipoic acid in impairments of social and stereotyped behaviors induced by early postnatal administration of thimerosal in male rat. <i>Neurotoxicology and Teratology</i> , 2018, 67, 1-9.	1.2	18
111	Plasticity after pediatric cochlear implantation: Implication from changes in peripheral plasma level of BDNF and auditory nerve responses. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 105, 103-110.	0.4	2
112	Bidirectional influence of amygdala $\hat{1}^{2}$ -adrenoceptors blockade on cannabinoid signaling in contextual and auditory fear memory. <i>Journal of Psychopharmacology</i> , 2018, 32, 932-942.	2.0	8
113	Role of CA1 GABAA and GABAB receptors on learning deficit induced by D-AP5 in passive avoidance step-through task. <i>Brain Research</i> , 2018, 1678, 164-173.	1.1	10
114	Effect of rat parental morphine exposure on passive avoidance memory and morphine conditioned place preference in male offspring. <i>Physiology and Behavior</i> , 2018, 184, 143-149.	1.0	37
115	Dorsal hippocampal cannabinergic and GABAergic systems modulate memory consolidation in passive avoidance task. <i>Brain Research Bulletin</i> , 2018, 137, 197-203.	1.4	10
116	Cocaine- and amphetamine-regulated transcript (CART): A multifaceted neuropeptide. <i>Peptides</i> , 2018, 110, 56-77.	1.2	39
117	Alteration of dopamine receptors subtypes in the brain of opioid abusers: A postmortem study in Iran. <i>Neuroscience Letters</i> , 2018, 687, 169-176.	1.0	14
118	Acute morphine administration alters the power of local field potentials in mesolimbic pathway of freely moving rats: Involvement of dopamine receptors. <i>Neuroscience Letters</i> , 2018, 686, 168-174.	1.0	8
119	Expression of NMDA receptor subunits in human blood lymphocytes: A peripheral biomarker in online computer game addiction. <i>Journal of Behavioral Addictions</i> , 2018, 7, 260-268.	1.9	14
120	Adult rat morphine exposure changes morphine preference, anxiety, and the brain expression of dopamine receptors in male offspring. <i>International Journal of Developmental Neuroscience</i> , 2018, 69, 49-59.	0.7	21
121	The modulatory role of accumbens and hippocampus D2 receptors in anxiety and memory. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 1107-1118.	1.4	8
122	Influence of citicoline on citalopram-induced antidepressant activity in depressive-like symptoms in male mice. <i>Physiology and Behavior</i> , 2018, 195, 151-157.	1.0	22
123	The dorsal hippocampal group III metabotropic glutamate receptors are involved in morphine effect on memory formation in male mice. <i>European Journal of Pharmacology</i> , 2018, 836, 44-49.	1.7	4
124	The role of omega-3 on modulation of cognitive deficiency induced by REM sleep deprivation in rats. <i>Behavioural Brain Research</i> , 2018, 351, 152-160.	1.2	20
125	Effects of harmaline during treadmill exercise on spatial memory of restraint-stressed mice. <i>Physiology and Behavior</i> , 2018, 194, 239-245.	1.0	5
126	The role of CA1 CB1 receptors on lithium-induced spatial memory impairment in rats. <i>EXCLI Journal</i> , 2018, 17, 916-934.	0.5	9

#	ARTICLE	IF	CITATIONS
127	Study of the Role of Dopamine Receptors in Streptozotocin-Induced Depressive-Like Behavior Using the Forced Swim Test Model. <i>Galen</i> , 2018, 7, e954.	0.6	0
128	Recovery from ketamine-induced amnesia by blockade of GABA-A receptor in the medial prefrontal cortex of mice. <i>Neuroscience</i> , 2017, 344, 48-55.	1.1	20
129	Possible involvement of the CA1 GABAergic system on harmaline induced memory consolidation deficit. <i>Brain Research Bulletin</i> , 2017, 130, 101-106.	1.4	4
130	Protective effects of gabapentin against the seizure susceptibility and comorbid behavioral abnormalities in the early socially isolated mice. <i>European Journal of Pharmacology</i> , 2017, 797, 106-114.	1.7	15
131	Evaluation of the CART peptide expression in morphine sensitization in male rats. <i>European Journal of Pharmacology</i> , 2017, 802, 52-59.	1.7	6
132	NMDA receptor adjusted co-administration of ecstasy and cannabinoid receptor-1 agonist in the amygdala via stimulation of BDNF/Trk-B/CREB pathway in adult male rats. <i>Brain Research Bulletin</i> , 2017, 130, 221-230.	1.4	14
133	Role of the amygdala GABA-A receptors in ACPA-induced deficits during conditioned fear learning. <i>Brain Research Bulletin</i> , 2017, 131, 85-92.	1.4	4
134	Synergistic effect between D-AP5 and muscimol in the nucleus accumbens shell on memory consolidation deficit in adult male Wistar rats: An isobologram analysis. <i>Neurobiology of Learning and Memory</i> , 2017, 141, 134-142.	1.0	12
135	The major neurotransmitter systems in the basolateral amygdala and the ventral tegmental area mediate morphine-induced memory consolidation impairment. <i>Neuroscience</i> , 2017, 353, 7-16.	1.1	11
136	The effect of left frontal transcranial direct-current stimulation on propranolol-induced fear memory acquisition and consolidation deficits. <i>Behavioural Brain Research</i> , 2017, 331, 76-83.	1.2	13
137	Critical role of CA1 muscarinic receptors on memory acquisition deficit induced by total (TSD) and REM sleep deprivation (RSD). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 128-135.	2.5	17
138	Interaction between harmaline, a class of β^2 -carboline alkaloids, and the CA1 serotonergic system in modulation of memory acquisition. <i>Neuroscience Research</i> , 2017, 122, 17-24.	1.0	7
139	Interference effects of transcranial direct current stimulation over the right frontal cortex and adrenergic system on conditioned fear. <i>Psychopharmacology</i> , 2017, 234, 3407-3416.	1.5	8
140	The interaction between hippocampal GABA-B and cannabinoid receptors upon spatial change and object novelty discrimination memory function. <i>Psychopharmacology</i> , 2017, 234, 3117-3128.	1.5	5
141	The role of CA3 GABA B receptors on anxiolytic-like behaviors and avoidance memory deficit induced by D-AP5 with respect to Ca ²⁺ ions. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 515-524.	2.5	4
142	Interaction between NMDA and CB2 function in the dorsal hippocampus on memory consolidation impairment: an isobologram analysis. <i>Psychopharmacology</i> , 2017, 234, 507-514.	1.5	18
143	Interaction between hippocampal serotonin and cannabinoid systems in reactivity to spatial and object novelty detection. <i>Behavioural Brain Research</i> , 2017, 317, 272-278.	1.2	6
144	Effect of exercise and morphine on psychological and physical dependencies, BDNF and TrkB gene expression in rat's hippocampus. <i>Pakistan Journal of Medical Sciences</i> , 2017, 33, 603-609.	0.3	10

#	ARTICLE	IF	CITATIONS
145	Effect of electrical stimulation on motor nerve regeneration in sciatic nerve ligated-mice. <i>European Journal of Translational Myology</i> , 2017, 27, 6488.	0.8	9
146	Brain Region Specificity of Mitochondrial Biogenesis and Bioenergetics Response to Nrf2 Knockdown: A Comparison Among Hippocampus, Prefrontal Cortex and Amygdala of Male Rat Brain. <i>Brazilian Archives of Biology and Technology</i> , 2017, 60, .	0.5	4
147	Precondition of right frontal region with anodal tDCS can restore the fear memory impairment induced by ACPA in male mice. <i>EXCLI Journal</i> , 2017, 16, 1-13.	0.5	8
148	Effects of left prefrontal transcranial direct current stimulation on the acquisition of contextual and cued fear memory. <i>Iranian Journal of Basic Medical Sciences</i> , 2017, 20, 623-630.	1.0	4
149	The Effects of Pentoxifylline on Serum Levels of Interleukin 10 and Interferon Gamma and Memory Function in Lipopolysaccharide-induced Inflammation in Rats. <i>Advanced Biomedical Research</i> , 2017, 6, 110.	0.2	5
150	Voluntary Wheel Running Induces Exercise-Seeking Behavior in Male Rats: A Behavioral Study. <i>Archives of Iranian Medicine</i> , 2017, 20, 740-745.	0.2	0
151	Activation and Deactivation of 5-HT1 Receptor of Accumbens Shell Area does not Alter ACPA-induced Aversive Memory Deficit in Male Rat. <i>Archives of Iranian Medicine</i> , 2017, 20, 185-192.	0.2	3
152	Different Role of CA1 5HT3 Serotonin Receptors on Memory Acquisition Deficit Induced by Total (TSD) and REM Sleep Deprivation (RSD). <i>Archives of Iranian Medicine</i> , 2017, 20, 581-588.	0.2	13
153	Effect of nucleus accumbens shell 5-HT4 receptors on the impairment of ACPA-induced emotional memory consolidation in male Wistar rats. <i>Behavioural Pharmacology</i> , 2016, 27, 12-21.	0.8	13
154	The influence of dopaminergic system in medial prefrontal cortex on ketamine-induced amnesia in passive avoidance task in mice. <i>European Journal of Pharmacology</i> , 2016, 781, 45-52.	1.7	9
155	Activation of endocannabinoid system in the rat basolateral amygdala improved scopolamine-induced memory consolidation impairment. <i>Behavioural Brain Research</i> , 2016, 311, 183-191.	1.2	13
156	Possible involvement of the CA1 GABAA receptors upon acquisition and expression of the ACPA-induced place preference in mice. <i>Physiology and Behavior</i> , 2016, 161, 155-165.	1.0	9
157	NMDA receptors are involved in the antidepressant-like effects of capsaicin following amphetamine withdrawal in male mice. <i>Neuroscience</i> , 2016, 329, 122-133.	1.1	32
158	Involvement of D1 and D2 dopamine receptors in the antidepressant-like effects of selegiline in maternal separation model of mouse. <i>Physiology and Behavior</i> , 2016, 163, 107-114.	1.0	52
159	Additive effect of BLA GABAA receptor mechanism and (+)-MK-801 on memory retention deficit, an isobologram analysis. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 143, 57-64.	1.3	8
160	Transient inactivation of the nucleus accumbens (NAc) shell prominently ameliorates responses to acute stress in female rats. <i>Brain Research</i> , 2016, 1649, 1-8.	1.1	4
161	Additive effect of harmaline and muscimol for memory consolidation impairment in inhibitory avoidance task. <i>Neuroscience</i> , 2016, 339, 287-295.	1.1	12
162	Function of opioidergic and dopaminergic antagonists on both spatial and object novelty detection deficits induced in rodent model of hepatic encephalopathy. <i>Behavioural Brain Research</i> , 2016, 313, 58-66.	1.2	10

#	ARTICLE	IF	CITATIONS
163	Interaction between dorsal hippocampal NMDA receptors and lithium on spatial learning consolidation in rats. <i>Brain Research Bulletin</i> , 2016, 127, 1-10.	1.4	17
164	Evaluation of CART peptide level in rat plasma and CSF: Possible role as a biomarker in opioid addiction. <i>Peptides</i> , 2016, 84, 1-6.	1.2	14
165	Involvement of medial prefrontal cortex alpha-2 adrenoceptors on memory acquisition deficit induced by arachidonylcyclopropylamide, a cannabinoid CB ₁ receptor agonist, in rats; possible involvement of Ca ²⁺ channels. <i>Journal of Psychopharmacology</i> , 2016, 30, 945-954.	2.0	12
166	The effect of CA1 α 2 adrenergic receptors on memory retention deficit induced by total sleep deprivation and the reversal of circadian rhythm in a rat model. <i>Neurobiology of Learning and Memory</i> , 2016, 133, 53-60.	1.0	19
167	Modulation of cannabinoid signaling by hippocampal 5-HT ₄ serotonergic system in fear conditioning. <i>Journal of Psychopharmacology</i> , 2016, 30, 936-944.	2.0	14
168	Methamphetamine-induced enhancement of hippocampal long-term potentiation is modulated by NMDA and GABA receptors in the shell of accumbens. <i>Synapse</i> , 2016, 70, 325-335.	0.6	12
169	The role of CA3 GABA _A receptors on anxiolytic-like behaviors and avoidance memory deficit induced by NMDA receptor antagonists. <i>Journal of Psychopharmacology</i> , 2016, 30, 215-223.	2.0	13
170	The role of NMDA receptors of the medial septum and dorsal hippocampus on memory acquisition. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 143, 18-25.	1.3	22
171	Harmaline-induced amnesia: Possible role of the amygdala dopaminergic system. <i>Neuroscience</i> , 2016, 312, 1-9.	1.1	8
172	Interplay between serotonin and cannabinoid function in the amygdala in fear conditioning. <i>Brain Research</i> , 2016, 1636, 142-151.	1.1	16
173	Repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex enhances working memory. <i>Experimental Brain Research</i> , 2016, 234, 1807-1818.	0.7	42
174	Modulatory effects of the basolateral amygdala α 2-adrenoceptors on nicotine-induced anxiogenic-like behaviours of rats in the elevated plus maze. <i>Neuropharmacology</i> , 2016, 105, 478-486.	2.0	23
175	CART peptide and opioid addiction: Expression changes in male rat brain. <i>Neuroscience</i> , 2016, 325, 63-73.	1.1	18
176	The effects of GABA _A and NMDA receptors in the shell of accumbens on spatial memory of METH-treated rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 142, 23-35.	1.3	19
177	Modulation of cannabinoid signaling by amygdala α 2-adrenergic system in fear conditioning. <i>Behavioural Brain Research</i> , 2016, 300, 114-122.	1.2	12
178	Synergistic effect between prelimbic 5-HT ₃ and CB1 receptors on memory consolidation deficit in adult male Sprague-Dawley rats: An isobologram analysis. <i>Neuroscience</i> , 2016, 317, 173-183.	1.1	13
179	Dorsal hippocampal NMDA receptors mediate the interactive effects of arachidonylcyclopropylamide and MDMA/ecstasy on memory retrieval in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 66, 41-47.	2.5	12
180	Role of the basolateral amygdala dopamine receptors in arachidonylcyclopropylamide-induced fear learning deficits. <i>Psychopharmacology</i> , 2016, 233, 213-224.	1.5	22

#	ARTICLE	IF	CITATIONS
181	Role of dorsal hippocampal orexin-1 receptors in memory restoration induced by morphine sensitization phenomenon. <i>Neuroscience</i> , 2016, 312, 215-226.	1.1	18
182	Deferoxamine Preconditioning of Neural-Like Cells Derived from Human Wharton's Jelly Mesenchymal Stem Cells as a Strategy to Promote Their Tolerance and Therapeutic Potential: An In Vitro Study. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 689-700.	1.7	27
183	Complexity of Compensatory Effects in Nrf1 Knockdown: Linking Undeveloped Anxiety-Like Behavior to Prevented Mitochondrial Dysfunction and Oxidative Stress. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 553-563.	1.7	5
184	Effects of 3 Hz and 60 Hz Extremely Low Frequency Electromagnetic Fields on Anxiety-Like Behaviors, Memory Retention of Passive Avoidance and Electrophysiological Properties of Male Rats. <i>Journal of Lasers in Medical Sciences</i> , 2016, 7, 120-125.	0.4	18
185	δ -Opioid and N-methyl-D-aspartate receptors in the amygdala contribute to minocycline-induced potentiation of morphine analgesia in rats. <i>Behavioural Pharmacology</i> , 2015, 26, 383-392.	0.8	12
186	Cognitive impairments and neuronal injury in different brain regions of a genetic rat model of absence epilepsy. <i>Neuroscience</i> , 2015, 298, 161-170.	1.1	41
187	The involvement of medial septum 5-HT ₁ and 5-HT ₂ receptors on ACPA-induced memory consolidation deficit: Possible role of TRPC3, TRPC6 and TRPV2. <i>Journal of Psychopharmacology</i> , 2015, 29, 1200-1208.	2.0	14
188	The effects of CA1 5HT4 receptors in MK801-induced amnesia and hyperlocomotion. <i>Neuroscience Letters</i> , 2015, 587, 73-78.	1.0	19
189	Hippocampal DHCR24 down regulation in a rat model of streptozotocin-induced cognitive decline. <i>Neuroscience Letters</i> , 2015, 587, 107-112.	1.0	15
190	The hippocampal NMDA receptors may be involved in acquisition, but not expression of ACPA-induced place preference. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 63, 83-90.	2.5	8
191	Influence of morphine on medial prefrontal cortex alpha2 adrenergic system in passive avoidance learning in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 133, 92-98.	1.3	9
192	The dual effect of CA1 NMDA receptor modulation on ACPA-induced amnesia in step-down passive avoidance learning task. <i>European Neuropsychopharmacology</i> , 2015, 25, 557-565.	0.3	14
193	Involvement of the serotonergic system of the ventral hippocampus (CA3) on amnesia induced by ACPA in mice. <i>Behavioural Brain Research</i> , 2015, 286, 356-363.	1.2	19
194	mRNA expression of dopamine receptors in peripheral blood lymphocytes of computer game addicts. <i>Journal of Neural Transmission</i> , 2015, 122, 1391-1398.	1.4	13
195	Modulation of the effects of the cannabinoid agonist, ACPA, on spatial and non-spatial novelty detection in mice by dopamine D1 receptor drugs infused into the basolateral amygdala. <i>Behavioural Brain Research</i> , 2015, 280, 36-44.	1.2	11
196	The effect of CA1 dopaminergic system in harmaline-induced amnesia. <i>Neuroscience</i> , 2015, 285, 47-59.	1.1	15
197	Involvement of Nrf2 in Development of Anxiety-Like Behavior by Linking Bcl2 to Oxidative Phosphorylation: Estimation in Rat Hippocampus, Amygdala, and Prefrontal Cortex. <i>Journal of Molecular Neuroscience</i> , 2015, 55, 492-499.	1.1	25
198	X Chromosome Inactivation in Opioid Addicted Women. <i>Basic and Clinical Neuroscience</i> , 2015, 6, 179-84.	0.3	2

#	ARTICLE	IF	CITATIONS
199	The effect of BLA GABA(A) receptors in anxiolytic-like effect and aversive memory deficit induced by ACPA. EXCLI Journal, 2015, 14, 613-26.	0.5	8
200	The Modulatory Role of Dopamine in Anxiety-like Behavior. Archives of Iranian Medicine, 2015, 18, 591-603.	0.2	88
201	Basolateral amygdala GABA-A receptors mediate stress-induced memory retrieval impairment in rats. International Journal of Neuropsychopharmacology, 2014, 17, 603-612.	1.0	15
202	Involvement of the CA1 GABAA receptors in MK-801-induced anxiolytic-like effects. Behavioural Pharmacology, 2014, 25, 197-205.	0.8	28
203	Early-Onset Alzheimer's Disease in Two Iranian Families: A Genetic Study. Dementia and Geriatric Cognitive Disorders, 2014, 38, 330-336.	0.7	3
204	Hippocampal $\hat{1}\pm$ -adrenoceptors involve in the effect of histamine on spatial learning. Physiology and Behavior, 2014, 129, 17-24.	1.0	17
205	Increased calcium/calmodulin-dependent protein kinase II activity by morphine-sensitization in rat hippocampus. Behavioural Brain Research, 2014, 267, 74-82.	1.2	19
206	The Possible Role of Medial Prefrontal Cortex Beta-1-Adrenoceptors in Morphine-Induced Amnesia. Pharmacology, 2014, 93, 272-277.	0.9	5
207	Possible involvement of CA1 5-HT1B/1D and 5-HT2A/2B/2C receptors in harmaline-induced amnesia. Pharmacology Biochemistry and Behavior, 2014, 125, 70-77.	1.3	21
208	The involvement of dorsal hippocampus in dextromethorphan-induced state-dependent learning in mice. Pharmacology Biochemistry and Behavior, 2014, 116, 90-95.	1.3	11
209	Swimming improves the emotional memory deficit by scopolamine via mu opioid receptors. Physiology and Behavior, 2014, 128, 237-246.	1.0	14
210	Involvement of the nucleus accumbens shell glutamatergic system in ACPA-induced impairment of inhibitory avoidance memory consolidation. Behavioural Brain Research, 2014, 269, 28-36.	1.2	19
211	Differential role of the basolateral amygdala 5-HT3 and 5-HT4 serotonin receptors upon ACPA-induced anxiolytic-like behaviors and emotional memory deficit in mice. Behavioural Brain Research, 2014, 261, 114-126.	1.2	46
212	A novel traumatic brain injury model for induction of mild brain injury in rats. Journal of Neuroscience Methods, 2014, 233, 18-27.	1.3	11
213	Aversive Memory, Anxiety-Related Behaviors, and Serum Neurochemical Levels in a Rat Model of Labored Sleep Loss. Shiraz E Medical Journal, 2014, 15, .	0.1	3
214	Cholestasis progression effects on long-term memory in bile duct ligation rats. Advanced Biomedical Research, 2014, 3, 215.	0.2	9
215	Mu opioid receptor gene: new point mutations in opioid addicts. Basic and Clinical Neuroscience, 2014, 5, 18-21.	0.3	0
216	Anxiolytic-Like Effects and Increase in Locomotor Activity Induced by Infusions of NMDA into the Ventral Hippocampus in Rat: Interaction with GABAergic System. Basic and Clinical Neuroscience, 2014, 5, 267-76.	0.3	3

#	ARTICLE	IF	CITATIONS
217	Cyclic AMP pathway modifies memory through neural cell adhesion molecule alterations in the rat hippocampus. <i>Acta Medica Iranica</i> , 2014, 52, 246-55.	0.8	2
218	Dorsal hippocampal cannabinoid CB1 receptors mediate the interactive effects of nicotine and ethanol on passive avoidance learning in mice. <i>Addiction Biology</i> , 2013, 18, 241-251.	1.4	26
219	Synergistic effects between CA1 mu opioid and dopamine D1-like receptors in impaired passive avoidance performance induced by hepatic encephalopathy in mice. <i>Psychopharmacology</i> , 2013, 227, 553-566.	1.5	29
220	Involvement of the CA1 GABAA receptors in ACPA-induced impairment of spatial and non-spatial novelty detection in mice. <i>Neurobiology of Learning and Memory</i> , 2013, 100, 32-40.	1.0	35
221	Blockade of the dorsal hippocampal dopamine D1 receptors inhibits the scopolamine-induced state-dependent learning in rats. <i>Neuroscience</i> , 2013, 252, 460-467.	1.1	29
222	Involvement of the dorsal hippocampal dopamine D2 receptors in histamine-induced anxiogenic-like effects in mice. <i>Neuroscience Letters</i> , 2013, 550, 139-144.	1.0	9
223	Î²-Adrenoceptors in the dorsal hippocampus are involved in ethanol-induced state-dependent retrieval in mice. <i>Neurobiology of Learning and Memory</i> , 2013, 100, 12-17.	1.0	8
224	Elevated CSF and plasma microparticles in a rat model of streptozotocin-induced cognitive impairment. <i>Behavioural Brain Research</i> , 2013, 256, 503-511.	1.2	21
225	Involvement of nitrenergic system of CA1 in harmaline induced learning and memory deficits. <i>Physiology and Behavior</i> , 2013, 109, 23-32.	1.0	8
226	EPAC-STX interaction may play a role in neurodevelopment/neurogenesis. <i>Medical Hypotheses</i> , 2013, 81, 216-218.	0.8	2
227	Does CA1 dopaminergic system play a role in cholestasis induced hypothermia?. <i>Pathophysiology</i> , 2013, 20, 181-189.	1.0	4
228	Modulation of ventral tegmental area dopamine receptors inhibit nicotine-induced anxiogenic-like behavior in the central amygdala. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 41, 11-17.	2.5	11
229	Suggesting a possible role of CA1 histaminergic system in harmaline-induced amnesia. <i>Neuroscience Letters</i> , 2013, 556, 5-9.	1.0	16
230	Influence of pre-exposure to morphine on cannabinoid-induced impairment of spatial memory in male rats. <i>Behavioural Brain Research</i> , 2013, 256, 157-164.	1.2	7
231	Effects of dopamine receptor agonist and antagonists on cholestasis-induced anxiolytic-like behaviors in rats. <i>European Journal of Pharmacology</i> , 2013, 702, 25-31.	1.7	20
232	Involvement of the nucleus accumbens shell dopaminergic system in prelimbic NMDA-induced anxiolytic-like behaviors. <i>Neuropharmacology</i> , 2013, 71, 112-123.	2.0	22
233	Involvement of the dorsal hippocampal GABA-A receptors in histamine-induced facilitation of memory in the Morris water maze. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 105, 142-150.	1.3	5
234	Role of the medial septum cholinceptors in anxiogenic-like effects of nicotine. <i>Physiology and Behavior</i> , 2013, 119, 103-109.	1.0	16

#	ARTICLE	IF	CITATIONS
235	Effects of CA1 glutamatergic systems upon memory impairments in cholestatic rats. <i>Behavioural Brain Research</i> , 2013, 256, 636-645.	1.2	18
236	Interaction between gamma-aminobutyric acid type A (GABAA) receptor agents and scopolamine in the nucleus accumbens on impairment of inhibitory avoidance memory performance in rat. <i>Behavioural Brain Research</i> , 2013, 241, 191-197.	1.2	10
237	Differential mechanisms of opioidergic and dopaminergic systems of the ventral hippocampus (CA3) in anxiolytic-like behaviors induced by cholestasis in mice. <i>European Journal of Pharmacology</i> , 2013, 714, 352-358.	1.7	14
238	Evaluation of functional relationship between mouse hippocampal cholinergic and nitrenergic systems in anxiogenic-like behavior. <i>Behavioural Pharmacology</i> , 2013, 24, 229-236.	0.8	3
239	Neuroprotective Treatment With FK506 Reduces Hippocampal Damage and Prevents Learning and Memory Deficits After Transient Global Ischemia in Rat. <i>Archives of Neuroscience</i> , 2013, 1, 35-40.	0.1	2
240	Septo-hippocampo-septal loop and memory formation. <i>Basic and Clinical Neuroscience</i> , 2013, 4, 5-23.	0.3	66
241	[Not Available]. <i>EXCLI Journal</i> , 2013, 12, 347-72.	0.5	12
242	The role of glutamatergic pathway between septum and hippocampus in the memory formation. <i>EXCLI Journal</i> , 2013, 12, 41-51.	0.5	30
243	The time profile of morphine effect on different phases of inhibitory avoidance memory in rat. <i>Archives of Iranian Medicine</i> , 2013, 16, 34-7.	0.2	21
244	Interaction between morphine and noradrenergic system of basolateral amygdala on anxiety and memory in the elevated plus-maze test based on a test-retest paradigm. <i>Archives of Iranian Medicine</i> , 2013, 16, 281-7.	0.2	21
245	Effects of FK506 on Hippocampal CA1 Cells Following Transient Global Ischemia/Reperfusion in Wistar Rat. <i>Stroke Research and Treatment</i> , 2012, 2012, 1-8.	0.5	20
246	Involvement of the cholinergic system of CA1 on harmane-induced amnesia in the step-down passive avoidance test. <i>Journal of Psychopharmacology</i> , 2012, 26, 1151-1161.	2.0	37
247	The effects of nicotine on nitric oxide induced anxiogenic-like behaviors in the dorsal hippocampus. <i>Neuroscience Letters</i> , 2012, 528, 93-98.	1.0	17
248	D1 and D2 dopaminergic systems in the rat basolateral amygdala are involved in anxiogenic-like effects induced by histamine. <i>Journal of Psychopharmacology</i> , 2012, 26, 564-574.	2.0	40
249	Dopaminergic system in CA1 modulates MK-801 induced anxiolytic-like responses. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 102-110.	1.3	21
250	Possible interaction between opioidergic and cholinergic systems of CA1 in cholestasis-induced amnesia in mice. <i>Behavioural Brain Research</i> , 2012, 228, 116-124.	1.2	31
251	Activation of dopamine D1 receptors in the medial septum improves scopolamine-induced amnesia in the dorsal hippocampus. <i>Behavioural Brain Research</i> , 2012, 229, 68-73.	1.2	29
252	Scopolamine induced memory impairment; possible involvement of NMDA receptor mechanisms of dorsal hippocampus and/or septum. <i>Behavioural Brain Research</i> , 2012, 231, 1-10.	1.2	91

#	ARTICLE	IF	CITATIONS
253	Possible interaction of cholinergic and GABAergic systems between MS and CA1 upon memory acquisition in rats. <i>Behavioural Brain Research</i> , 2012, 235, 231-243.	1.2	36
254	Nicotine-induced anxiogenic-like behaviours of rats in the elevated plus-maze: possible role of NMDA receptors of the central amygdala. <i>Journal of Psychopharmacology</i> , 2012, 26, 555-563.	2.0	23
255	Original article Association of monoamine oxidase B and catechol-O-methyltransferase polymorphisms with sporadic Parkinson's disease in an Iranian population. <i>Folia Neuropathologica</i> , 2012, 4, 382-389.	0.5	14
256	Amnesia induced by morphine in spatial memory retrieval inhibited in morphine-sensitized rats. <i>European Journal of Pharmacology</i> , 2012, 683, 132-139.	1.7	19
257	Involvement of rat dopaminergic system of nucleus accumbens in nicotine-induced anxiogenic-like behaviors. <i>Brain Research</i> , 2012, 1460, 25-32.	1.1	26
258	Nitric oxide in the nucleus accumbens is involved in retrieval of inhibitory avoidance memory by nicotine. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 166-173.	1.3	30
259	Influence of nitric oxide agents in the dorsal hippocampus of mice on anxiogenic-like effect induced by histamine. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 102, 391-399.	1.3	5
260	The effect of cholestasis on rewarding and exploratory behaviors induced by opioidergic and dopaminergic agents in mice. <i>Archives of Iranian Medicine</i> , 2012, 15, 617-24.	0.2	11
261	Acute administration of Zn, Mg, and thiamine improves postpartum depression conditions in mice. <i>Archives of Iranian Medicine</i> , 2012, 15, 306-11.	0.2	20
262	Morphine-induced nitric oxide production in PC12 cells. <i>Archives of Iranian Medicine</i> , 2012, 15, 404-8.	0.2	5
263	Functional interaction between morphine and central amygdala cannabinoid CB1 receptors in the acquisition and expression of conditioned place preference. <i>Behavioural Brain Research</i> , 2011, 220, 1-8.	1.2	29
264	$\hat{1}$ 21-noradrenergic system of the central amygdala is involved in state-dependent memory induced by a cannabinoid agonist, WIN55,212-2, in rat. <i>Behavioural Brain Research</i> , 2011, 225, 1-6.	1.2	17
265	Involvement of dorsal hippocampal $\hat{1}$ 1-adrenergic receptors in the effect of WIN55,212-2 on memory retrieval in inhibitory avoidance task. <i>Neuroscience Letters</i> , 2011, 489, 69-73.	1.0	27
266	Influence of nitric oxide agents in the rat amygdala on anxiogenic-like effect induced by histamine. <i>Neuroscience Letters</i> , 2011, 489, 38-42.	1.0	24
267	Cross state-dependency of learning between WIN55, 212-2 and scopolamine in rat dorsal hippocampus. <i>Neuroscience Letters</i> , 2011, 491, 227-231.	1.0	31
268	Morphine sensitization increases the extracellular level of glutamate in CA1 of rat hippocampus via $\hat{1}$ 4-opioid receptor. <i>Neuroscience Letters</i> , 2011, 494, 130-134.	1.0	23
269	Effects of cholinergic system of dorsal hippocampus of rats on MK-801 induced anxiolytic-like behavior. <i>Neuroscience Letters</i> , 2011, 505, 65-70.	1.0	20
270	Involvement of central amygdala NMDA receptor mechanism in morphine state-dependent memory retrieval. <i>Neuroscience Research</i> , 2011, 69, 25-31.	1.0	22

#	ARTICLE	IF	CITATIONS
271	Influence of three-day morphine-treatment upon impairment of memory consolidation induced by cannabinoid infused into the dorsal hippocampus in rats. <i>Neuroscience Research</i> , 2011, 69, 51-59.	1.0	34
272	Systemic opioid receptor antagonism blocks swim stress-induced retention impairment independently from CA1 and BLA opioidergic pathways. <i>Life Sciences</i> , 2011, 89, 320-6.	2.0	4
273	Nitric oxide in the ventral tegmental area is involved in retrieval of inhibitory avoidance memory by nicotine. <i>Neuroscience</i> , 2011, 175, 154-161.	1.1	26
274	Activation of cannabinoid CB1 receptors in the central amygdala impairs inhibitory avoidance memory consolidation via NMDA receptors. <i>Neurobiology of Learning and Memory</i> , 2011, 96, 333-338.	1.0	25
275	Influence of N-methyl D-aspartate receptor mechanism on WIN55,212-2-induced amnesia in rat dorsal hippocampus. <i>Behavioural Pharmacology</i> , 2011, 22, 645-654.	0.8	30
276	The effects of dopaminergic drugs in the dorsal hippocampus of mice in the nicotine-induced anxiogenic-like response. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 468-473.	1.3	34
277	The effect of morphine sensitization on extracellular concentrations of GABA in dorsal hippocampus of male rats. <i>European Journal of Pharmacology</i> , 2011, 669, 66-70.	1.7	22
278	Effects of opioidergic systems upon anxiolytic-like behaviors induced in cholestatic rats. <i>European Journal of Pharmacology</i> , 2011, 670, 180-185.	1.7	28
279	Involvement of the dopaminergic receptors of the rat basolateral amygdala in anxiolytic-like effects of the cholinergic system. <i>European Journal of Pharmacology</i> , 2011, 672, 106-112.	1.7	16
280	Anxiolytic-like effect induced by the cannabinoid CB1 receptor agonist, arachidonilcyclopropylamide (ACPA), in the rat amygdala is mediated through the D1 and D2 dopaminergic systems. <i>Journal of Psychopharmacology</i> , 2011, 25, 131-140.	2.0	32
281	Nicotine restores morphine-induced memory deficit through the D1 and D2 dopamine receptor mechanisms in the nucleus accumbens. <i>Journal of Psychopharmacology</i> , 2011, 25, 1126-1133.	2.0	19
282	Place aversion by morphine in offspring born of female morphine administered wistar rats. <i>Iranian Journal of Pharmaceutical Research</i> , 2011, 10, 577-84.	0.3	4
283	Comparing of the effects of hypericin and synthetic antidepressants on the expression of morphine-induced conditioned place preference. <i>Iranian Journal of Pharmaceutical Research</i> , 2011, 10, 916-26.	0.3	7
284	GABA A Receptors in the Dorsal Hippocampus are Involved in State-dependent Learning Induced by Lithium in Mice. <i>Iranian Journal of Pharmaceutical Research</i> , 2011, 10, 127-34.	0.3	8
285	Repeated pretreatment of morphine prevents morphine-induced amnesia: A possible involvement for dorsal hippocampal NMDA receptors. <i>Archives of Iranian Medicine</i> , 2011, 14, 32-8.	0.2	9
286	Modulation of WIN55,212-2 state-dependent memory by α 2-adrenergic receptors of the dorsal hippocampus. <i>Archives of Iranian Medicine</i> , 2011, 14, 389-95.	0.2	13
287	Inhibitory avoidance memory deficit induced by scopolamine. <i>Behavioural Pharmacology</i> , 2010, 21, 719-726.	0.8	8
288	Anxiety-like behavior induced by histaminergic agents can be prevented by cannabinoidergic WIN55,212-2 injected into the dorsal hippocampus in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2010, 94, 387-396.	1.3	30

#	ARTICLE	IF	CITATIONS
289	Expression of NR3B but not NR2D subunit of NMDA receptor in human blood lymphocytes can serve as a suitable peripheral marker for opioid addiction studies. <i>European Journal of Pharmacology</i> , 2010, 633, 50-54.	1.7	15
290	Involvement of dopamine D1/D2 receptors on harmaline-induced amnesia in the step-down passive avoidance test. <i>European Journal of Pharmacology</i> , 2010, 634, 77-83.	1.7	49
291	Expression of NMDA receptor subunits in human peripheral blood lymphocytes in opioid addiction. <i>European Journal of Pharmacology</i> , 2010, 638, 29-32.	1.7	20
292	Role of nitric oxide in the rat hippocampal CA1 in morphine antinociception. <i>Brain Research</i> , 2010, 1313, 79-88.	1.1	15
293	Dorsal hippocampal opioidergic system modulates anxiety-like behaviors in adult male Wistar rats. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 634-641.	1.0	40
294	Withdrawal from repeated administration of morphine alters histamine-induced anxiogenic effects produced by intra-ventral hippocampal microinjection. <i>Journal of Psychopharmacology</i> , 2010, 24, 881-889.	2.0	6
295	Influence of intracerebral administration of NO agents in dorsal hippocampus (CA1) on cannabinoid state-dependent memory in the step-down passive avoidance test. <i>Physiology and Behavior</i> , 2010, 100, 297-304.	1.0	38
296	Role of ventral hippocampal NMDA receptors in anxiolytic-like effect of morphine. <i>Physiology and Behavior</i> , 2010, 101, 608-613.	1.0	18
297	The effects of dopaminergic drugs in the ventral hippocampus of rats in the nicotine-induced anxiogenic-like response. <i>Neuroscience Letters</i> , 2010, 475, 156-160.	1.0	45
298	Blockade of dorsal hippocampal dopamine receptors inhibits state-dependent learning induced by cannabinoid receptor agonist in mice. <i>Neuroscience Research</i> , 2010, 67, 25-32.	1.0	33
299	Nicotine improves ethanol-induced memory impairment: The role of dorsal hippocampal NMDA receptors. <i>Life Sciences</i> , 2010, 86, 260-266.	2.0	31
300	Role of the central amygdala GABA-A receptors in morphine state-dependent memory. <i>Life Sciences</i> , 2010, 86, 887-893.	2.0	25
301	Inhibition of dorsal hippocampal nitric oxide synthesis potentiates ethanol-induced state-dependent memory in mice. <i>Behavioural Brain Research</i> , 2010, 209, 189-195.	1.2	23
302	Morphine-induced impairment of spatial memory acquisition reversed by morphine sensitization in rats. <i>Behavioural Brain Research</i> , 2010, 211, 156-163.	1.2	47
303	Nicotinic acetylcholine receptors of the dorsal hippocampus and the basolateral amygdala are involved in ethanol-induced conditioned place preference. <i>Neuroscience</i> , 2010, 168, 505-513.	1.1	37
304	Involvement of dorsal hippocampal $\hat{1}$ -adrenergic receptors in the effect of scopolamine on memory retrieval in inhibitory avoidance task. <i>Neurobiology of Learning and Memory</i> , 2010, 93, 455-462.	1.0	49
305	Inhibitory avoidance memory deficit induced by scopolamine: Interaction of cholinergic and glutamatergic systems in the ventral tegmental area. <i>Neurobiology of Learning and Memory</i> , 2010, 94, 83-90.	1.0	29
306	Nicotinic and muscarinic receptors in the rat dorsal hippocampus mediate the conditioned place preference induced by ethanol. <i>FASEB Journal</i> , 2010, 24, 580.7.	0.2	0

#	ARTICLE	IF	CITATIONS
307	The effects of histaminergic agents in the nucleus accumbens of rats in the elevated plus-maze test of anxiety. Iranian Journal of Psychiatry, 2010, 5, 11-7.	0.4	4
308	Verifying of participation of nitric oxide in morphine place conditioning in the rat medial septum using nicotinamide adenine dinucleotide phosphate-diaphorase (NADPH-d). Iranian Biomedical Journal, 2010, 14, 150-7.	0.4	4
309	Study of 5HT3 and HT4 receptor expression in HT29 cell line and human colon adenocarcinoma tissues. Archives of Iranian Medicine, 2010, 13, 120-5.	0.2	23
310	Role of Ventral Hippocampal GABA and NMDA Receptors in the Anxiolytic Effect of Carbamazepine in Rats Using the Elevated Plus Maze Test. Pharmacology, 2009, 84, 356-366.	0.9	31
311	Repeated administrations of dopamine receptor agents affect lithium-induced state-dependent learning in mice. Journal of Psychopharmacology, 2009, 23, 645-651.	2.0	10
312	GABAB receptors within the ventral tegmental area are involved in the expression and acquisition of morphine-induced place preference in morphine-sensitized rats. Pharmacology Biochemistry and Behavior, 2009, 91, 409-416.	1.3	28
313	Dopamine receptors in human peripheral blood lymphocytes: Changes in mRNA expression in opioid addiction. European Journal of Pharmacology, 2009, 615, 218-222.	1.7	16
314	Effects of morphine on rat behaviour in the elevated plus maze: The role of central amygdala dopamine receptors. Behavioural Brain Research, 2009, 202, 171-178.	1.2	56
315	Effects of cannabinoids infused into the dorsal hippocampus upon memory formation in 3-days apomorphine-treated rats. Neurobiology of Learning and Memory, 2009, 92, 391-399.	1.0	54
316	Expression of mu opioid receptor splice variants mRNA in human blood lymphocytes: A peripheral marker for opioid addiction studies. International Immunopharmacology, 2009, 9, 1016-1020.	1.7	9
317	Intradorsal hippocampal microinjection of lithium reverses morphine-induced impairment of memory in mice: interactions with dopamine receptor mechanism(s). Behavioural Pharmacology, 2009, 20, 680-687.	0.8	14
318	The effect of cholinergic system in basolateral amygdala (BLA) on the ethanol-induced conditioned place preference (CPP). FASEB Journal, 2009, 23, 590.2.	0.2	0
319	Effect of Imipramine on Tolerance to Morphine Antinociception in the Formalin Test. Basic and Clinical Pharmacology and Toxicology, 2008, 87, 131-137.	0.0	0
320	Antinociceptive Effect of Intracerebroventricular Administration of Cholecystokinin Receptor Agonist and Antagonist in Nerve-Ligated Mice. Basic and Clinical Pharmacology and Toxicology, 2008, 87, 169-173.	0.0	0
321	Potential of acetylcholine action in the ventral tegmental area facilitates morphine-state dependent learning. Annals of General Psychiatry, 2008, 7, .	1.2	0
322	Effects of microinjections of nicotine into the dorsal hippocampus on morphine-induced amnesia. Annals of General Psychiatry, 2008, 7, .	1.2	0
323	Involvement of GABA-B receptors of the dorsal hippocampus in the inhibition of morphine-induced amnesia by morphine sensitization. Annals of General Psychiatry, 2008, 7, .	1.2	0
324	The effects of histaminergic system in nucleus accumbens of rats in the plus-maze test of anxiety-like behaviours. Annals of General Psychiatry, 2008, 7, .	1.2	0

#	ARTICLE	IF	CITATIONS
325	The dopaminergic system of ventral hippocampus is involved in the anxiety related behavior. <i>Annals of General Psychiatry</i> , 2008, 7, .	1.2	2
326	The ventral hippocampus is involved in morphine-induced anxiolytic behavior. <i>Annals of General Psychiatry</i> , 2008, 7, .	1.2	0
327	Influence of morphine-induced sensitization on histamine-induced anxiety like behaviors in the elevated plus-maze test. <i>Annals of General Psychiatry</i> , 2008, 7, .	1.2	0
328	Modulation of ethanol state-dependent learning by dorsal hippocampal NMDA receptors in mice. <i>Alcohol</i> , 2008, 42, 667-674.	0.8	21
329	DECREASED AMPA GLuR2, BUT NOT GLuR3, mRNA EXPRESSION IN RAT AMYGDALA AND DORSAL HIPPOCAMPUS FOLLOWING MORPHINE-INDUCED BEHAVIOURAL SENSITIZATION. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 1321-1330.	0.9	28
330	Morphine sex-dependently induced place conditioning in adult Wistar rats. <i>European Journal of Pharmacology</i> , 2008, 582, 78-87.	1.7	58
331	Histaminergic system of the lateral septum in the modulation of anxiety-like behaviour in rats. <i>European Journal of Pharmacology</i> , 2008, 583, 108-114.	1.7	24
332	Involvement of dorsal hippocampal nicotinic receptors in the effect of morphine on memory retrieval in passive avoidance task. <i>European Journal of Pharmacology</i> , 2008, 584, 343-351.	1.7	35
333	The dopaminergic system plays a role in the effect of lithium on inhibitory avoidance memory in mice. <i>European Journal of Pharmacology</i> , 2008, 590, 198-203.	1.7	12
334	GABA and Histamine Interaction in the Basolateral Amygdala of Rats in the Plus-Maze Test of Anxiety-Like Behaviors. <i>Pharmacology</i> , 2008, 82, 59-66.	0.9	26
335	Involvement of opioidergic system of the ventral hippocampus, the nucleus accumbens or the central amygdala in anxiety-related behavior. <i>Life Sciences</i> , 2008, 82, 1175-1181.	2.0	71
336	Inhibition of morphine-induced amnesia in morphine-sensitized mice: Involvement of dorsal hippocampal GABAergic receptors. <i>Neuropharmacology</i> , 2008, 54, 569-576.	2.0	27
337	Ethanol state-dependent memory: Involvement of dorsal hippocampal muscarinic and nicotinic receptors. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 441-447.	1.0	46
338	Nicotinic acetylcholine receptors of the ventral tegmental area are involved in mediating morphine-state-dependent learning. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 255-260.	1.0	36
339	Modulation of morphine state-dependent learning by muscarinic cholinergic receptors of the ventral tegmental area. <i>Physiology and Behavior</i> , 2008, 94, 604-610.	1.0	33
340	Effect of Intra-Amygdala Injection of Nicotine and GABA Receptor Agents on Anxiety-Like Behaviour in Rats. <i>Pharmacology</i> , 2008, 82, 276-284.	0.9	57
341	Influence of Central Nicotinic Receptors on Arachidonylcyclopropylamide (ACPA)-Induced Antinociception in Mice. <i>International Journal of Neuroscience</i> , 2008, 118, 531-543.	0.8	7
342	Repeated Administration of Histamine Improves Memory Retrieval of Inhibitory Avoidance by Lithium in Mice. <i>Pharmacology</i> , 2008, 81, 187-194.	0.9	12

#	ARTICLE	IF	CITATIONS
343	Morphine-Induced Behavioral Sensitization Increased the mRNA Expression of NMDA Receptor Subunits in the Rat Amygdala. <i>Pharmacology</i> , 2008, 81, 333-343.	0.9	35
344	Possible involvement of μ -opioid receptors in effect of lithium on inhibitory avoidance response in mice. <i>Journal of Psychopharmacology</i> , 2008, 22, 865-871.	2.0	15
345	Cannabinoid CB1 receptors of the rat central amygdala mediate anxiety-like behavior: interaction with the opioid system. <i>Behavioural Pharmacology</i> , 2008, 19, 716-723.	0.8	59
346	Intra-dorsal hippocampal microinjections of lithium and scopolamine induce a cross state-dependent learning in mice. <i>Archives of Iranian Medicine</i> , 2008, 11, 629-38.	0.2	8
347	Morphine-induced antinociception in the formalin test: sensitization and interactions with D1 and D2 dopamine receptors and nitric oxide agents. <i>Behavioural Pharmacology</i> , 2007, 18, 177-184.	0.8	17
348	Nitric oxide modulates state dependency induced by lithium in an inhibitory avoidance task in mice. <i>Behavioural Pharmacology</i> , 2007, 18, 289-295.	0.8	29
349	Morphine-induced sensitization in mice: changes in locomotor activity by prior scheduled exposure to GABAA receptor agents. <i>Behavioural Pharmacology</i> , 2007, 18, 303-310.	0.8	26
350	N-Methyl-d-aspartate receptors in the ventral tegmental area are involved in retrieval of inhibitory avoidance memory by nicotine. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 352-358.	1.0	26
351	Repeated pre-exposure to morphine into the ventral pallidum enhances morphine-induced place preference: Involvement of dopaminergic and opioidergic mechanisms. <i>Behavioural Brain Research</i> , 2007, 181, 35-41.	1.2	30
352	Dorsal hippocampal dopamine receptors are involved in mediating ethanol state-dependent memory. <i>Life Sciences</i> , 2007, 80, 285-292.	2.0	38
353	GABAA receptors of hippocampal CA1 regions are involved in the acquisition and expression of morphine-induced place preference. <i>European Neuropsychopharmacology</i> , 2007, 17, 24-31.	0.3	40
354	Effects of Clozapine and Sulpiride on Morphine State-Dependent Memory in the Step-Down Passive Avoidance Test. <i>Pharmacology</i> , 2007, 79, 149-153.	0.9	12
355	Nicotine improves morphine-induced impairment of memory: Possible involvement of N-methyl-D-aspartate receptors in the nucleus accumbens. <i>Developmental Neurobiology</i> , 2007, 67, 1118-1127.	1.5	40
356	ROLE OF DORSAL HIPPOCAMPAL CANNABINOID RECEPTORS AND NITRIC OXIDE IN ANXIETY LIKE BEHAVIOURS IN RATS USING THE ELEVATED PLUS-MAZE TEST. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 223-229.	0.9	68
357	Morphine-induced place preference: Involvement of the central amygdala NMDA receptors. <i>Brain Research</i> , 2007, 1133, 34-41.	1.1	47
358	Cannabinoid CB1 receptors of the dorsal hippocampus are important for induction of conditioned place preference (CPP) but do not change morphine CPP. <i>Brain Research</i> , 2007, 1163, 130-137.	1.1	28
359	The role of nitric oxide within the nucleus accumbens on the acquisition and expression of morphine-induced place preference in morphine sensitized rats. <i>European Journal of Pharmacology</i> , 2007, 556, 99-106.	1.7	20
360	Ascorbic acid antagonizes nicotine-induced place preference and behavioral sensitization in mice. <i>European Journal of Pharmacology</i> , 2007, 560, 42-48.	1.7	13

#	ARTICLE	IF	CITATIONS
361	Post-training intrahippocampal infusion of nicotineâ€“bucladesine combination causes a synergistic enhancement effect on spatial memory retention in rats. <i>European Journal of Pharmacology</i> , 2007, 562, 212-220.	1.7	29
362	Morphine-induced place preference: Involvement of cholinergic receptors of the ventral tegmental area. <i>European Journal of Pharmacology</i> , 2007, 562, 92-102.	1.7	61
363	NMDA receptors of dorsal hippocampus are involved in the acquisition, but not in the expression of morphine-induced place preference. <i>European Journal of Pharmacology</i> , 2007, 568, 192-198.	1.7	34
364	Involvement of glucose and ATP-sensitive potassium (K+) channels on morphine-induced conditioned place preference. <i>European Journal of Pharmacology</i> , 2007, 573, 133-138.	1.7	5
365	EFFECT OF GABA RECEPTOR AGONISTS OR ANTAGONISTS ON MORPHINE-INDUCED STRAUB TAIL IN MICE. <i>International Journal of Neuroscience</i> , 2006, 116, 963-973.	0.8	7
366	Effect of the GABAergic System on Memory Formation and State-Dependent Learning Induced by Morphine in Rats. <i>Pharmacology</i> , 2006, 76, 93-100.	0.9	33
367	INVOLVEMENT OF NMDA RECEPTORS IN MORPHINE STATEâ€“DEPENDENT LEARNING IN MICE. <i>International Journal of Neuroscience</i> , 2006, 116, 731-743.	0.8	40
368	Effects of intracerebroventricular administration of ultra low doses of histaminergic drugs on morphine state-dependent memory of passive avoidance in mice. <i>Behavioural Brain Research</i> , 2006, 166, 184-187.	1.2	10
369	Dorsal hippocampal muscarinic and nicotinic receptors are involved in mediating morphine reward. <i>Behavioural Brain Research</i> , 2006, 166, 281-290.	1.2	50
370	Repeated administration of dopaminergic agents in the nucleus accumbens and morphine-induced place preference. <i>Behavioural Brain Research</i> , 2006, 169, 248-255.	1.2	26
371	Influence of morphine- or apomorphine-induced sensitization on histamine state-dependent learning in the step-down passive avoidance test. <i>Behavioural Brain Research</i> , 2006, 171, 50-55.	1.2	23
372	Influence of acute and sub-chronic nicotine pretreatment on morphine state-dependent learning. <i>Behavioural Brain Research</i> , 2006, 173, 268-273.	1.2	23
373	Involvement of GABAB receptors of the dorsal hippocampus on the acquisition and expression of morphine-induced place preference in rats. <i>Physiology and Behavior</i> , 2006, 87, 31-38.	1.0	39
374	Effect of lithium on morphine state-dependent memory of passive avoidance in mice. <i>Physiology and Behavior</i> , 2006, 87, 409-415.	1.0	21
375	The effects of histaminergic agents in the ventral hippocampus of rats in the plus-maze test of anxiety-like behaviours. <i>Physiology and Behavior</i> , 2006, 87, 891-896.	1.0	29
376	Influence of nitric oxide on morphine-induced amnesia and interactions with dopaminergic receptor agents. <i>Physiology and Behavior</i> , 2006, 88, 124-131.	1.0	35
377	Influence of intracerebroventricular administration of dopaminergic drugs on morphine state-dependent memory in the step-down passive avoidance test. <i>Neurobiology of Learning and Memory</i> , 2006, 86, 286-292.	1.0	48
378	Influence of intracerebroventricular administration of cannabinergic drugs on morphine state-dependent memory in the step-down passive avoidance test. <i>Behavioural Pharmacology</i> , 2006, 17, 231-237.	0.8	29

#	ARTICLE	IF	CITATIONS
379	Dopamine receptor mechanism(s) and antinociception and tolerance induced by swim stress in formalin test. <i>Behavioural Pharmacology</i> , 2006, 17, 341-347.	0.8	7
380	Theophylline inhibits tolerance and sensitization induced by morphine: a conditioned place preference paradigm study in female mice. <i>Behavioural Pharmacology</i> , 2006, 17, 621-628.	0.8	11
381	Influence of ATP-sensitive potassium channels on lithium state-dependent memory of passive avoidance in mice. <i>European Journal of Pharmacology</i> , 2006, 550, 107-111.	1.7	3
382	Influence of ATP-dependent K ⁺ channels on nicotine-induced inhibition of withdrawal in morphine-dependent mice. <i>European Journal of Pharmacology</i> , 2006, 552, 90-98.	1.7	10
383	Histaminergic receptors of medial septum and conditioned place preference: D1 dopamine receptor mechanism. <i>Brain Research</i> , 2006, 1109, 108-116.	1.1	8
384	The effects of histaminergic agents in the dorsal hippocampus of rats in the elevated plus-maze test of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 500-506.	1.3	32
385	Intra-hippocampal inhibition of protein kinase A attenuates morphine-induced conditioned place preference. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 705-712.	1.3	19
386	Influence of Morphine and Dopamine Receptor Sensitization on Locomotor Activity in Mice. <i>Pharmacology</i> , 2006, 78, 185-192.	0.9	17
387	Morphine State-Dependent Learning Sensitization and Interaction with Nitric Oxide. <i>Pharmacology</i> , 2006, 78, 66-71.	0.9	18
388	The influence of central administration of dopaminergic and cholinergic agents on morphine-induced amnesia in morphine-sensitized mice. <i>Journal of Psychopharmacology</i> , 2006, 20, 59-66.	2.0	25
389	Antinociceptive effect of spinally administered cannabinergic and 2-adrenoceptor drugs on the formalin test in rat: possible interactions. <i>Journal of Psychopharmacology</i> , 2006, 20, 67-74.	2.0	25
390	The effects of histaminergic agents in the ventral hippocampus of rats in the elevated plus-maze test of anxiety. <i>FASEB Journal</i> , 2006, 20, A236.	0.2	0
391	Attenuation of morphine withdrawal signs by a D1 receptor agonist in the locus coeruleus of rats. <i>NeuroReport</i> , 2005, 16, 1683-1686.	0.6	21
392	Repeated administration of dopaminergic agents in the dorsal hippocampus and morphine-induced place preference. <i>Behavioural Pharmacology</i> , 2005, 16, 85-92.	0.8	20
393	Cross-tolerance between antinociception induced by swim-stress and morphine in formalin test. <i>Behavioural Pharmacology</i> , 2005, 16, 613-619.	0.8	10
394	The effects of histaminergic agents in the central amygdala of rats in the elevated plus-maze test of anxiety. <i>Behavioural Pharmacology</i> , 2005, 16, 643-649.	0.8	30
395	Intracerebroventricular Effects of Histaminergic Agents on Morphine-Induced Anxiolysis in the Elevated Plus-Maze in Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005, 97, 276-281.	1.2	43
396	Role of the cholinergic system in the rat basolateral amygdala on morphine-induced conditioned place preference. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 1-10.	1.3	40

#	ARTICLE	IF	CITATIONS
397	The influence of NMDA receptor agonist and antagonist on morphine state-dependent memory of passive avoidance in mice. <i>Life Sciences</i> , 2005, 78, 157-163.	2.0	28
398	Involvement of the ventral tegmental area (VTA) in morphine-induced memory retention in morphine-sensitized rats. <i>Behavioural Brain Research</i> , 2005, 163, 100-106.	1.2	45
399	Cholecystokinin and GABA interaction in the dorsal hippocampus of rats in the elevated plus-maze test of anxiety. <i>Physiology and Behavior</i> , 2005, 84, 775-782.	1.0	65
400	Cross state-dependent retrieval between histamine and lithium. <i>Physiology and Behavior</i> , 2005, 86, 154-163.	1.0	12
401	Adenosine receptor mediates nicotine-induced antinociception in formalin test. <i>Pharmacological Research</i> , 2005, 51, 197-203.	3.1	11
402	Nitric Oxide Agents and Apomorphine-Induced Rat Behaviors. <i>Pharmacology</i> , 2004, 71, 169-173.	0.9	8
403	Effects of nitric oxide on morphine self-administration in rat. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 111-116.	1.3	26
404	The role of alpha-adrenoceptor mechanism(s) in morphine-induced conditioned place preference in female mice. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 135-141.	1.3	34
405	Influence of central administration ATP-dependent K ⁺ channel on morphine state-dependent memory of passive avoidance. <i>European Journal of Pharmacology</i> , 2004, 487, 143-148.	1.7	21
406	Morphine state-dependent learning: sensitization and interactions with dopamine receptors. <i>European Journal of Pharmacology</i> , 2004, 497, 197-204.	1.7	109
407	The effects of nitric oxide on the acquisition and expression of nicotine-induced conditioned place preference in mice. <i>European Journal of Pharmacology</i> , 2004, 503, 81-87.	1.7	30
408	GABAA receptors in the basolateral amygdala are involved in mediating morphine reward. <i>Brain Research</i> , 2004, 1006, 49-58.	1.1	55
409	Potentiation of imipramine-induced antinociception by nicotine in the formalin test. <i>European Neuropsychopharmacology</i> , 2004, 14, 71-76.	0.3	7
410	GABAergic system and imipramine-induced impairment of memory retention in rats. <i>European Neuropsychopharmacology</i> , 2004, 14, 59-64.	0.3	34
411	The effect of electroconvulsive shock seizures on behaviour induced by dopaminergic agonists and on immobility in the Porsolt test. <i>European Neuropsychopharmacology</i> , 2004, 14, 509-514.	0.3	9
412	Influence of $\hat{\imath}^2$ -adrenoceptor agonists and antagonists on baclofen-induced memory impairment in mice. <i>Behavioural Pharmacology</i> , 2004, 15, 293-297.	0.8	18
413	Influence of potassium channel modulators on morphine state-dependent memory of passive avoidance. <i>Behavioural Pharmacology</i> , 2004, 15, 103-110.	0.8	22
414	The effect of l-NAME and l-arginine on impairment of memory formation and state-dependent learning induced by morphine in mice. <i>Psychopharmacology</i> , 2003, 167, 291-296.	1.5	59

#	ARTICLE	IF	CITATIONS
415	Effects of different doses of glucose and insulin on morphine state-dependent memory of passive avoidance in mice. <i>Psychopharmacology</i> , 2003, -1, 1-1.	1.5	17
416	Role of nitric oxide in the acquisition and expression of apomorphine- or morphine-induced locomotor sensitization. <i>European Journal of Pharmacology</i> , 2003, 482, 205-213.	1.7	39
417	Involvement of dopamine D1 receptors of the central amygdala on the acquisition and expression of morphine-induced place preference in rat. <i>Brain Research</i> , 2003, 965, 212-221.	1.1	67
418	Nitric oxide within the ventral tegmental area is involved in mediating morphine reward. <i>European Journal of Pharmacology</i> , 2003, 458, 119-128.	1.7	33
419	Effects of histamine and cholinergic systems on memory retention of passive avoidance learning in rats. <i>European Journal of Pharmacology</i> , 2003, 465, 91-96.	1.7	53
420	Influence of histamine, cimetidine and pyrilamine on naloxone-induced jumping in morphine-dependent mice. <i>European Journal of Pharmacology</i> , 2003, 471, 105-112.	1.7	5
421	Effects of imipramine on the expression and development of morphine dependence in mice. <i>European Journal of Pharmacology</i> , 2003, 473, 19-25.	1.7	8
422	Cross-tolerance between morphine- and nicotine-induced conditioned place preference in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 74, 363-369.	1.3	68
423	Effect of Acute and Chronic Lead Exposure on Apomorphine-Induced Sniffing in Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2003, 92, 88-93.	0.0	3
424	Influence of α -Adrenoceptor Agonists and Antagonists on Imipramine-Induced Hypothermia in Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2003, 93, 48-53.	0.0	14
425	Adenosine receptor agonists or antagonists alter antinociception, but did not show an interaction with imipramine-induced antinociception in the formalin test in mice. <i>European Neuropsychopharmacology</i> , 2003, 13, 165-172.	0.3	2
426	Sulpiride injections into the medial septum reverse the influence of intra-medial septum injection of L-arginine on expression of place conditioning-induced by morphine in rats. <i>Brain Research</i> , 2003, 976, 30-40.	1.1	23
427	Adrenoceptor mechanisms underlying imipramine-induced memory deficits in rats. <i>Journal of Psychopharmacology</i> , 2003, 17, 83-88.	2.0	13
428	Involvement of Dopamine Receptors of the Dorsal Hippocampus on the Acquisition and Expression of Morphine-Induced Place Preference in Rats. <i>Journal of Psychopharmacology</i> , 2003, 17, 415-423.	2.0	99
429	Imipramine-Induced Antinociception in the Formalin Test. <i>Pharmacology</i> , 2003, 68, 154-161.	0.9	4
430	Dopamine receptor mechanism(s) and morphine tolerance in mice. <i>Journal of Psychopharmacology</i> , 2002, 16, 261-266.	2.0	45
431	Effect of Alpha-Adrenoceptor Agonists and Antagonists on Imipramine-Induced Antinociception in the Rat Formalin Test. <i>Pharmacology</i> , 2002, 64, 201-207.	0.9	12
432	The effects of simultaneous administration of α -adrenergic agents with L-NAME or L-arginine on the development and expression of morphine dependence in mice. <i>Behavioural Pharmacology</i> , 2002, 13, 117-125.	0.8	18

#	ARTICLE	IF	CITATIONS
433	The Effects of Adenosine Receptor Agonists and Antagonists on Morphine State-Dependent Memory of Passive Avoidance. <i>Neurobiology of Learning and Memory</i> , 2002, 78, 390-405.	1.0	59
434	THE ROLE OF $\hat{1}\pm$ -ADRENOCEPTORS IN THE AMNESTIC EFFECT OF INTRACEREBROVENTRICULAR DEXAMETHASONE. <i>Pharmacological Research</i> , 2002, 46, 339-344.	3.1	5
435	Effect of intracerebroventricular injection of GABA receptor agents on morphine-induced antinociception in the formalin test. <i>Journal of Psychopharmacology</i> , 2002, 16, 85-91.	2.0	25
436	Role of nitric oxide in the rat hippocampal CA1 area on morphine-induced conditioned place preference. <i>European Journal of Pharmacology</i> , 2002, 449, 113-119.	1.7	52
437	Nitric oxide mediation of morphine-induced place preference in the nucleus accumbens of rat. <i>European Journal of Pharmacology</i> , 2002, 449, 269-277.	1.7	38
438	The effects of dopamine receptor agents on naloxone-induced jumping behaviour in morphine-dependent mice. <i>European Journal of Pharmacology</i> , 2002, 451, 287-293.	1.7	25
439	Role of nitric oxide in systemic effect of theophylline on mouse body temperature. <i>European Journal of Pharmacology</i> , 2002, 451, 63-68.	1.7	2
440	Effects of histamine and opioid systems on memory retention of passive avoidance learning in rats. <i>European Journal of Pharmacology</i> , 2002, 452, 193-197.	1.7	51
441	Influence of nitric oxide on morphine-induced conditioned place preference in the rat central amygdala. <i>European Journal of Pharmacology</i> , 2002, 453, 81-89.	1.7	42
442	Effects of $\hat{1}\pm$ -adrenoceptor agonists and antagonists on histamine-induced impairment of memory retention of passive avoidance learning in rats. <i>European Journal of Pharmacology</i> , 2002, 454, 193-198.	1.7	20
443	Effects of adrenoceptor agonists and antagonists on morphine-induced Straub tail in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 203-207.	1.3	9
444	Nicotine potentiation of morphine-induced catalepsy in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 197-202.	1.3	16
445	Effect of imipramine on the expression and acquisition of morphine-induced conditioned place preference in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 941-949.	1.3	55
446	Involvement of dopamine D2 receptors of the central amygdala on the acquisition and expression of morphine-induced place preference in rat. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 74, 187-197.	1.3	73
447	Effects of Lithium Carbonate on Apomorphine-Induced Sniffing Behaviour in Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 135-139.	0.0	7
448	Effect of $\hat{1}\pm$ -adrenoceptor agents on imipramine-induced antinociception in nerve-ligated mice. <i>European Neuropsychopharmacology</i> , 2001, 11, 99-104.	0.3	6
449	The possible cross-tolerance between morphine- and nicotine-induced hypothermia in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 68, 283-289.	1.3	32
450	GABAA but not GABAB receptor stimulation induces antianxiety profile in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 69, 9-15.	1.3	58

#	ARTICLE	IF	CITATIONS
451	On the mechanism of tolerance to morphine-induced Straub tail reaction in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 69, 419-424.	1.3	22
452	Baclofen-impairment of memory retention in rats: possible interaction with adrenoceptor mechanism(s). <i>European Journal of Pharmacology</i> , 2001, 411, 283-288.	1.7	19
453	Effects of adenosine receptor agonists and antagonists on pentylentetrazole-induced amnesia. <i>European Journal of Pharmacology</i> , 2001, 430, 289-294.	1.7	19
454	GABA Mechanisms and Antinociception in Mice with Ligated Sciatic Nerve. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2001, 89, 79-84.	0.0	1
455	GABA Mechanisms and Antinociception in Mice with Ligated Sciatic Nerve. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2001, 89, 79-84.	0.0	13
456	Effects of Adrenoceptor Agents on Apomorphine-Induced Licking Behavior in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 65, 275-279.	1.3	10
457	Involvement of adrenergic and cholinergic systems in nicotine-induced angiogenesis in mice. <i>European Journal of Pharmacology</i> , 2000, 407, 145-158.	1.7	51
458	GABAB receptor mechanism and imipramine-induced antinociception in ligated and non-ligated mice. <i>European Journal of Pharmacology</i> , 2000, 407, 65-72.	1.7	25
459	Effect of nicotine on sniffing induced by dopaminergic receptor stimulation. <i>European Neuropsychopharmacology</i> , 2000, 10, 397-400.	0.3	5
460	Effect of Imipramine on Tolerance to Morphine Antinociception in the Formalin Test. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000, 87, 131-137.	0.0	8
461	Baclofen-induced Antinociception and Nicotinic Receptor Mechanism(s). <i>Basic and Clinical Pharmacology and Toxicology</i> , 1999, 85, 247-251.	0.0	5
462	Effects of adenosine receptor agents on the expression of morphine withdrawal in mice. <i>European Journal of Pharmacology</i> , 1999, 369, 17-22.	1.7	30
463	Effects of GABAergic system on naloxone-induced jumping in morphine-dependent mice. <i>European Journal of Pharmacology</i> , 1999, 381, 129-133.	1.7	54
464	Influence of Different Adrenoceptor Agonists and Antagonists on Physostigmine-Induced Yawning in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 62, 1-5.	1.3	10
465	Effects of dopaminergic agents on antinociception in formalin test. <i>General Pharmacology</i> , 1999, 32, 517-522.	0.7	33
466	Effects of CCK antagonists on GABA mechanism-induced antinociception in the formalin test. <i>European Neuropsychopharmacology</i> , 1999, 9, 9-14.	0.3	8
467	Effect of nicotine on apomorphine-induced licking behaviour in rats. <i>European Neuropsychopharmacology</i> , 1999, 9, 235-238.	0.3	5
468	The development of cross-tolerance between morphine and nicotine in mice. <i>European Neuropsychopharmacology</i> , 1999, 9, 227-233.	0.3	59

#	ARTICLE	IF	CITATIONS
469	Cholecystokinin Receptor Mechanism(s) and Morphine Tolerance in Mice. Basic and Clinical Pharmacology and Toxicology, 1999, 84, 46-50.	0.0	12
470	Effects of Lead Exposure on Licking and Yawning Behaviour in Rats. Basic and Clinical Pharmacology and Toxicology, 1998, 83, 120-124.	0.0	1
471	Effects of monoamine receptor antagonists on nicotine-induced hypophagia in the rat. European Journal of Pharmacology, 1997, 321, 157-162.	1.7	21
472	Effect of adenosine receptor agonists and antagonists on morphine-induced catalepsy in mice. European Journal of Pharmacology, 1997, 338, 11-16.	1.7	12
473	On the Mechanism(s) of Cholecystokinin (CCK): Receptor Stimulation Attenuates Morphine Dependence in Mice. Basic and Clinical Pharmacology and Toxicology, 1997, 81, 124-129.	0.0	14
474	Effects of Lead Exposure on Bromocriptine-Induced Penile Erection in Rats. Basic and Clinical Pharmacology and Toxicology, 1997, 81, 81-84.	0.0	5
475	Nicotine potentiates morphine antinociception: a possible cholinergic mechanism. European Neuropsychopharmacology, 1996, 6, 127-133.	0.3	25
476	Effects of nicotine on memory retrieval in mice. European Journal of Pharmacology, 1996, 295, 1-6.	1.7	56
477	Nicotine attenuates naloxone-induced jumping behaviour in morphine-dependent mice. European Journal of Pharmacology, 1996, 298, 1-6.	1.7	71
478	Theophylline-induced grooming: possible indirect dopaminergic mechanism. European Journal of Pharmacology, 1996, 306, 1-4.	1.7	7
479	Effects of Cholecystokinin Receptor Agonist and Antagonists on Morphine Dependence in Mice. Basic and Clinical Pharmacology and Toxicology, 1995, 77, 360-364.	0.0	17
480	Effects of 5-HT receptor antagonists on morphine-induced tolerance in mice. European Journal of Pharmacology, 1995, 273, 203-207.	1.7	18
481	Effects of adenosine receptor agonists and antagonists on physostigmine-induced yawning. European Journal of Pharmacology, 1995, 276, 3-7.	1.7	10
482	Effects of GABA-ergic drugs on penile erection induced by apomorphine in rats. Psychopharmacology, 1994, 115, 249-253.	1.5	25
483	CCK receptor activation may prevent tolerance to morphine in mice. European Journal of Pharmacology, 1994, 254, 21-26.	1.7	39
484	Effects of adenosine receptor agonists and antagonists on acquisition of passive avoidance learning. European Journal of Pharmacology, 1994, 256, 233-239.	1.7	41
485	On the mechanisms by which theophylline changes core body temperature in mice. European Journal of Pharmacology, 1994, 257, 13-20.	1.7	6
486	Potential of licking in rats by stimulation of both D-1 and D-2 dopamine receptors. Journal of Psychopharmacology, 1992, 6, 395-398.	2.0	10

#	ARTICLE	IF	CITATIONS
487	Opposite influences of dopaminergic receptor subtypes on penile erection. <i>General Pharmacology</i> , 1992, 23, 671-675.	0.7	34
488	Morphine stimulates locomotor activity by an indirect dopaminergic mechanism: Possible D-1 and D-2 receptor involvement. <i>General Pharmacology</i> , 1992, 23, 1221-1225.	0.7	38
489	Role of D-1 and D-2 receptors in apomorphine-induced pecking in chicks. <i>Psychopharmacology</i> , 1992, 106, 67-70.	1.5	19
490	Bromocriptine requires D-1 receptor stimulation for the expression of sniffing behaviour in rats. <i>Journal of Psychopharmacology</i> , 1991, 5, 160-165.	2.0	9
491	Bromocriptine induces climbing behaviour: possible D-1 or D-2 dopamine receptor involvement. <i>Psychopharmacology</i> , 1990, 100, 275-280.	1.5	9
492	SHELL Part of Nucleus Accumbens and Its Laterality Has Important Role in Response to Chronic Stress in Female Rats. <i>Brazilian Archives of Biology and Technology</i> , 0, 63, .	0.5	1