

Karen Ritchie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2724630/karen-ritchie-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

298 papers	29,136 citations	63 h-index	167 g-index
318 ext. papers	36,125 ext. citations	6 avg, IF	6.66 L-index

#	Paper	IF	Citations
298	Macrostructural brain alterations at midlife are connected to cardiovascular and not inherited risk of future dementia: the PREVENT-Dementia study.. <i>Journal of Neurology</i> , 2022 , 1	5.5	1
297	The association between adverse childhood events and later-life cognitive function and dementia risk.. <i>Journal of Affective Disorders</i> , 2022 , 304, 128-132	6.6	0
296	Late-life cynical hostility is associated with white matter alterations and the risk of Alzheimer's disease. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	0
295	Application of the ATN classification scheme in a population without dementia: Findings from the EPAD cohort. <i>Alzheimer's and Dementia</i> , 2021 , 17, 1189-1204	1.2	9
294	Proximity to dementia onset and multi-modal neuroimaging changes: The prevent-dementia study. <i>NeuroImage</i> , 2021 , 229, 117749	7.9	1
293	Steroid 21-hydroxylase gene variants and late-life depression. <i>BMC Research Notes</i> , 2021 , 14, 203	2.3	
292	Evidence of cerebral hemodynamic dysregulation in middle-aged APOE ϵ carriers: The PREVENT-Dementia study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 2844-2855	7.3	3
291	Structural brain alterations in older adults exposed to early-life adversity. <i>Psychoneuroendocrinology</i> , 2021 , 129, 105272	5	3
290	Inherited risk of dementia and the progression of cerebral small vessel disease and inflammatory markers in cognitively healthy midlife adults: the PREVENT-Dementia study. <i>Neurobiology of Aging</i> , 2021 , 98, 124-133	5.6	1
289	Higher midlife CAIDE score is associated with increased brain atrophy in a cohort of cognitively healthy middle-aged individuals. <i>Journal of Neurology</i> , 2021 , 268, 1962-1971	5.5	2
288	The emergence of cognitive COVID. <i>World Psychiatry</i> , 2021 , 20, 52-53	14.4	11
287	11 β -Hydroxylase (CYP11B1) gene variants and new-onset depression in later life. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E147-E153	4.5	1
286	A Prospective Study of Diurnal Cortisol and Incident Dementia in Community-Dwelling Older Adults. <i>Journal of Alzheimer's Disease</i> , 2021 , 82, 899-904	4.3	
285	Progression of cerebral small vessel disease in healthy middle-aged adults associated with inherited risk of Alzheimer's disease: The PREVENT-Dementia study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041508	1.2	
284	Multi-faceted brain changes associated with proximity to dementia onset: The PREVENT-Dementia study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041865	1.2	
283	Effectiveness of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042843	1.2	1
282	Is Peripheral BDNF Promoter Methylation a Preclinical Biomarker of Dementia?. <i>Journal of Alzheimer's Disease</i> , 2020 , 73, 645-655	4.3	3

281	Hippocampal Subfield Volumes in Middle-Aged Adults at Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 1211-1218	4.3	5
280	Cognitive Functions as Predictors of Alzheimer's Disease Biomarker Status in the European Prevention of Alzheimer's Dementia Cohort. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 1203-1210	4.3	4
279	The cognitive consequences of the COVID-19 epidemic: collateral damage?. <i>Brain Communications</i> , 2020 , 2, fcaa069	4.5	82
278	APOE ϵ and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1863-1873	6.4	10
277	Midlife alcohol consumption and longitudinal brain atrophy: the PREVENT-Dementia study. <i>Journal of Neurology</i> , 2020 , 267, 3282-3286	5.5	1
276	Refined carbohydrate-rich diet is associated with long-term risk of dementia and Alzheimer's disease in apolipoprotein E ϵ allele carriers. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1043-1053	1.2	11
275	Efficacy of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. <i>Ageing Research Reviews</i> , 2020 , 62, 101113	12	19
274	Structural brain changes with lifetime trauma and re-experiencing symptoms is genotype-dependent. <i>Høgre Utbildning</i> , 2020 , 11, 1733247	5	1
273	Volumetric alterations in the hippocampal subfields of subjects at increased risk of dementia. <i>Neurobiology of Aging</i> , 2020 , 91, 36-44	5.6	11
272	Aromatase (CYP19A1) gene variants, sex steroid levels, and late-life depression. <i>Depression and Anxiety</i> , 2020 , 37, 146-155	8.4	3
271	The extent to which childhood adversity and recent stress influence all-cause mortality risk in older adults. <i>Psychoneuroendocrinology</i> , 2020 , 111, 104492	5	7
270	Retinal vascular fractal dimension and cerebral blood flow, a pilot study. <i>Acta Ophthalmologica</i> , 2020 , 98, e63-e71	3.7	6
269	Association between midlife dementia risk factors and longitudinal brain atrophy: the PREVENT-Dementia study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 158-161	5.5	15
268	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104112	4	0
267	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet, The</i> , 2020 , 396, 413-446	40	1387
266	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020 , 18, 210	11.4	4
265	The long-term consequences of trauma and posttraumatic stress disorder symptoms on later life cognitive function and dementia risk. <i>Psychiatry Research</i> , 2020 , 294, 113506	9.9	5
264	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1544-1552	1.2	3

263	Cognitive Dispersion Is Not Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease: Results from the European Prevention of Alzheimer's Dementia (EPAD) v500.0 Cohort. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 185-194	4.3	1
262	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 167	9	15
261	Trauma and depressive symptomatology in middle-aged persons at high risk of dementia: the PREVENT Dementia Study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 ,	5.5	4
260	Increased Serum C-reactive Protein and Corpus Callosum Alterations in Older Adults 2019 , 10, 463-469		2
259	Commentary on "Smaller Hippocampal Volume in Current But Not in Past Depression in Comparison to Healthy Controls: Minor Evidence From an Older Adults Sample". <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019 , 32, 282-284	3.8	1
258	Lifetime major depression and grey-matter volume. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 45-53	4.5	37
257	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002853	11.6	42
256	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 291	8.6	8
255	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
254	Association between DNA methylation of the KITLG gene and cortisol levels under stress: a replication study. <i>Stress</i> , 2019 , 22, 162-168	3	7
253	Smaller hippocampal volume in current but not in past depression in comparison to healthy controls: Minor evidence from an older adults sample. <i>Journal of Psychiatric Research</i> , 2018 , 102, 159-167	5.2	3
252	Frequent attendance and the concordance between PHQ screening and GP assessment in the detection of common mental disorders. <i>Journal of Psychosomatic Research</i> , 2018 , 110, 1-10	4.1	
251	European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. <i>Alzheimer's and Dementia</i> , 2018 , 14, 837-842	1.2	15
250	Repatriation is associated with isthmus cingulate cortex reduction in community-dwelling elderly. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 421-430	3.8	5
249	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
248	Further education improves cognitive reserve and triggers improvement in selective cognitive functions in older adults: The Tasmanian Healthy Brain Project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 22-30	5.2	36
247	Developing a framework to evaluate knowledge into action interventions. <i>BMC Health Services Research</i> , 2018 , 18, 133	2.9	5
246	Allocentric and Egocentric Spatial Processing in Middle-Aged Adults at High Risk of Late-Onset Alzheimer's Disease: The PREVENT Dementia Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 885-896	4.3	20

245	Cerebral small vessel disease in middle age and genetic predisposition to late-onset Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018 , 14, 253-258	1.2	8
244	DNA methylation and genetic variation of the angiotensin converting enzyme (ACE) in depression. <i>Psychoneuroendocrinology</i> , 2018 , 88, 1-8	5	10
243	Genotype-dependent associations between serotonin transporter gene (SLC6A4) DNA methylation and late-life depression. <i>BMC Psychiatry</i> , 2018 , 18, 282	4.2	29
242	Chronic and remitting trajectories of depressive symptoms in the elderly. Characterisation and risk factors. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 146-156	5.1	14
241	Revised Framingham Stroke Risk Profile to Reflect Temporal Trends. <i>Circulation</i> , 2017 , 135, 1145-1159	16.7	77
240	Association between lifetime headache and history of suicide attempts in the elderly. <i>European Psychiatry</i> , 2017 , 41, 132-139	6	10
239	Visual Loss and Subsequent Activity Limitations in the Elderly: The French Three-City Cohort. <i>American Journal of Public Health</i> , 2017 , 107, 564-569	5.1	30
238	The effect of an adverse psychological environment on salivary cortisol levels in the elderly differs by genotype. <i>Neurobiology of Stress</i> , 2017 , 7, 38-46	7.6	8
237	Preliminary evidence for a role of the adrenergic nervous system in generalized anxiety disorder. <i>Scientific Reports</i> , 2017 , 7, 42676	4.9	10
236	Antidepressant use and cognitive decline in community-dwelling elderly people - The Three-City Cohort. <i>BMC Medicine</i> , 2017 , 15, 81	11.4	10
235	Modifiable Risk Factors for Prevention of Dementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 537-547	4.3	59
234	The midlife cognitive profiles of adults at high risk of late-onset Alzheimer's disease: The PREVENT study. <i>Alzheimer's and Dementia</i> , 2017 , 13, 1089-1097	1.2	35
233	Health Service Utilisation, Detection Rates by Family Practitioners, and Management of Patients with Common Mental Disorders in French Family Practice. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 521-530	4.8	1
232	Functional neuroimaging findings in healthy middle-aged adults at risk of Alzheimer's disease. <i>Ageing Research Reviews</i> , 2017 , 36, 88-104	12	28
231	Heterogeneity in HPA axis dysregulation and serotonergic vulnerability to depression. <i>Psychoneuroendocrinology</i> , 2017 , 77, 90-94	5	38
230	Investigating the epigenetic profile of the inflammatory gene IL-6 in late-life depression. <i>BMC Psychiatry</i> , 2017 , 17, 354	4.2	17
229	Dementia prevention, intervention, and care. <i>Lancet, The</i> , 2017 , 390, 2673-2734	40	2763
228	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508

227	Suicidal Ideation and Suicide Attempts in the Elderly Associated with Opioid Use and Pain Sensitivity. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 373-375	9.4	7
226	Structural neuroimaging in preclinical dementia: From microstructural deficits and grey matter atrophy to macroscale connectomic changes. <i>Ageing Research Reviews</i> , 2017 , 35, 250-264	12	30
225	Detecting cognitive changes in preclinical Alzheimer's disease: A review of its feasibility. <i>Alzheimer's and Dementia</i> , 2017 , 13, 468-492	1.2	84
224	Recommended cognitive outcomes in preclinical Alzheimer's disease: Consensus statement from the European Prevention of Alzheimer's Dementia project. <i>Alzheimer's and Dementia</i> , 2017 , 13, 186-195	1.2	61
223	[FTS50101]: PREVENTION: THE FIRST LINE OF CARE 2017 , 13, P1448-P1449		1
222	[FTS50105]: PANEL DISCUSSION AND Q AND A 2017 , 13, P1450		
221	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002261	11.6	79
220	Prevention of Alzheimer's Disease and Alzheimer's Dementia. <i>Mental Health and Illness Worldwide</i> , 2017 , 549-574	0.1	
219	Short STAI-Y anxiety scales: validation and normative data for elderly subjects. <i>Aging and Mental Health</i> , 2016 , 20, 987-95	3.5	17
218	Are migraine and non-migrainous headache risk factors for stroke in the elderly? Findings from a 12-year cohort follow-up. <i>European Journal of Neurology</i> , 2016 , 23, 1463-70	6	13
217	Working memory performance is related to intrinsic resting state functional connectivity changes in community-dwelling elderly cohort. <i>Neurobiology of Learning and Memory</i> , 2016 , 132, 57-66	3.1	4
216	Impact of sleep disturbances on kidney function decline in the elderly. <i>European Respiratory Journal</i> , 2016 , 47, 860-8	13.6	14
215	GWAS-identified risk variants for major depressive disorder: Preliminary support for an association with late-life depressive symptoms and brain structural alterations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 113-125	1.2	34
214	Iowa Gambling Task Performance in Elderly Persons with a Lifetime History of Suicidal Acts. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 399-406	6.5	17
213	Benzodiazepine, psychotropic medication, and dementia: A population-based cohort study. <i>Alzheimer's and Dementia</i> , 2016 , 12, 604-13	1.2	57
212	Palmomental Reflex a Relevant Sign in Early Alzheimer's Disease Diagnosis?. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 1135-41	4.3	4
211	The clinical picture of Alzheimer's disease in the decade before diagnosis: clinical and biomarker trajectories. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e305-11	4.6	36
210	Prevention of Alzheimer's Disease and Alzheimer's Dementia. <i>Mental Health and Illness Worldwide</i> , 2016 , 1-26	0.1	1

209	Sending your grandparents to university increases cognitive reserve: The Tasmanian Healthy Brain Project. <i>Neuropsychology</i> , 2016 , 30, 525-31	3.8	29
208	Excessive daytime sleepiness and antipathogen drug consumption in the elderly: a test of the immune theory of sleep. <i>Scientific Reports</i> , 2016 , 6, 23574	4.9	2
207	Biological and psychological predictors of posttraumatic stress disorder onset and chronicity. A one-year prospective study. <i>Neurobiology of Stress</i> , 2016 , 3, 61-67	7.6	16
206	Mean arterial pressure change associated with cerebral blood flow in healthy older adults. <i>Neurobiology of Aging</i> , 2016 , 46, 49-57	5.6	11
205	Shared genetic contribution to Ischaemic Stroke and Alzheimer's Disease. <i>Annals of Neurology</i> , 2016 , 79, 739-747	9.4	42
204	Elderly benzodiazepine users at increased risk of activity limitations: influence of chronicity, indications, and duration of action--the three-city cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 840-51	6.5	15
203	Sleep complaints and metabolic syndrome in an elderly population: the Three-City Study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 818-28	6.5	23
202	Longitudinal association of carotid plaque presence and intima-media thickness with depressive symptoms in the elderly: the three-city study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1279-83	9.4	10
201	BDNF promoter methylation and genetic variation in late-life depression. <i>Translational Psychiatry</i> , 2015 , 5, e619	8.6	76
200	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20-21, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1020-6	5.9	25
199	The BDNF Val66Met polymorphism moderates the relationship between cognitive reserve and executive function. <i>Translational Psychiatry</i> , 2015 , 5, e590	8.6	20
198	Working memory activation of neural networks in the elderly as a function of information processing phase and task complexity. <i>Neurobiology of Learning and Memory</i> , 2015 , 125, 211-23	3.1	9
197	Risk factors for late-onset generalized anxiety disorder: results from a 12-year prospective cohort (the ESPRIT study). <i>Translational Psychiatry</i> , 2015 , 5, e536	8.6	40
196	Target risk factors for dementia prevention: a systematic review and Delphi consensus study on the evidence from observational studies. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 234-46	3.9	256
195	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015 , 11, 658-71	1.2	146
194	Generalized anxiety in community-dwelling elderly: Prevalence and clinical characteristics. <i>Journal of Affective Disorders</i> , 2015 , 172, 24-9	6.6	43
193	Is late-onset Alzheimer's disease really a disease of midlife?. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2015 , 1, 122-130	6	59
192	Involvement of GPR50 polymorphisms in depression: independent replication in a prospective elderly cohort. <i>Brain and Behavior</i> , 2015 , 5, e00313	3.4	12

191	5-HTTLPR genotype, asthma, diabetes and late-life depression in an older French population. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1017-22	3.9	2
190	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	157
189	Operational Definition of Active and Healthy Ageing (AHA): A Conceptual Framework. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 955-60	5.2	54
188	Developmental determinants in non-communicable chronic diseases and ageing. <i>Thorax</i> , 2015 , 70, 595-7	7.3	33
187	Carotid plaque as a predictor of dementia in older adults: the Three-City Study. <i>Alzheimer's and Dementia</i> , 2015 , 11, 239-48	1.2	17
186	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	1
185	Corpus callosum size may predict late-life depression in women: a 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2014 , 165, 16-23	6.6	13
184	APOE ϵ and risk for Alzheimer's disease: do regionally distributed white matter hyperintensities play a role?. <i>Alzheimer's and Dementia</i> , 2014 , 10, 619-29	1.2	41
183	The association between caffeine and cognitive decline: examining alternative causal hypotheses. <i>International Psychogeriatrics</i> , 2014 , 26, 581-90	3.4	11
182	Malnutrition and retinal vascular caliber in the elderly: the POLA study	2014, 55, 4042-9	1
181	White matter hyperintensities as early and independent predictors of Alzheimer's disease risk. <i>Journal of Alzheimer's Disease</i> , 2014 , 42 Suppl 4, S393-400	4.3	37
180	Estrogen receptor polymorphisms and incident dementia: the prospective 3C study. <i>Alzheimer's and Dementia</i> , 2014 , 10, 27-35	1.2	23
179	Brain volumes in late life: gender, hormone treatment, and estrogen receptor variants. <i>Neurobiology of Aging</i> , 2014 , 35, 645-54	5.6	15
178	Blood pressure variability and risk of dementia in an elderly cohort, the Three-City Study. <i>Alzheimer's and Dementia</i> , 2014 , 10, S330-7	1.2	77
177	Metabolic syndrome and disability: findings from the prospective three-city study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 79-86	6.4	41
176	Impact of a premature menopause on cognitive function in later life. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1729-39	3.7	104
175	Education modulates the impact of white matter lesions on the risk of mild cognitive impairment and dementia. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1336-45	6.5	45
174	Gender-specific associations between lipids and cognitive decline in the elderly. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1056-66	1.2	34

173	Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e94661	3.7	90
172	Subjective memory impairment, objective cognitive functioning and social activity in French older people: findings from the Three Cities study. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 139-45	2.9	28
171	PL-0301: Public health and epidemiology 2013 , 9, P516-P516		
170	Extended duration of hospitalization in first episode psychosis: an evaluation of its clinical justification. <i>Psychiatry Research</i> , 2013 , 209, 160-6	9.9	3
169	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013 , 45, 1452-8	36.3	2714
168	Hypnotics and mortality in an elderly general population: a 12-year prospective study. <i>BMC Medicine</i> , 2013 , 11, 212	11.4	50
167	COSMIC (Cohort Studies of Memory in an International Consortium): an international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. <i>BMC Neurology</i> , 2013 , 13, 165	3.1	41
166	A multi-dimensional approach to insight and its evolution in first-episode psychosis: a 1-year outcome naturalistic study. <i>Psychiatry Research</i> , 2013 , 210, 835-41	9.9	9
165	Prospective analysis of the association between estrogen receptor gene variants and the risk of cognitive decline in elderly women. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1763-8	1.2	17
164	A prospective study of the bi-directional association between vision loss and depression in the elderly. <i>Journal of Affective Disorders</i> , 2013 , 151, 164-70	6.6	57
163	From genetics to dietetics: the contribution of epidemiology to understanding Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2013 , 33 Suppl 1, S457-63	4.3	17
162	Anxiety and 10-year risk of incident and recurrent depressive symptomatology in older adults. <i>Depression and Anxiety</i> , 2013 , 30, 554-63	8.4	17
161	Late-onset agoraphobia: general population incidence and evidence for a clinical subtype. <i>American Journal of Psychiatry</i> , 2013 , 170, 790-8	11.9	13
160	The PREVENT research programme--a novel research programme to identify and manage midlife risk for dementia: the conceptual framework. <i>International Review of Psychiatry</i> , 2013 , 25, 748-54	3.6	13
159	Glycemia, insulin resistance, insulin secretion, and risk of depressive symptoms in middle age. <i>Diabetes Care</i> , 2013 , 36, 928-34	14.6	22
158	History of suicidal behaviour and analgesic use in community-dwelling elderly. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 341-3	9.4	23
157	Angiotensin-converting enzyme gene variants are associated with both cortisol secretion and late-life depression. <i>Translational Psychiatry</i> , 2013 , 3, e322	8.6	46
156	Cerebral white matter hyperintensities in the prediction of cognitive decline and incident dementia. <i>International Review of Psychiatry</i> , 2013 , 25, 686-98	3.6	30

155	Caffeine and cognitive decline in elderly women at high vascular risk. <i>Journal of Alzheimer's Disease</i> , 2013 , 35, 413-21	4.3	44
154	The Tasmanian Healthy Brain Project (THBP): a prospective longitudinal examination of the effect of university-level education in older adults in preventing age-related cognitive decline and reducing the risk of dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 1145-55	3.4	22
153	Establishing the motivations of patients with dementia and cognitive impairment and their carers in joining a dementia research register (DemReg). <i>International Psychogeriatrics</i> , 2013 , 25, 963-71	3.4	13
152	Anxiety and mortality risk in community-dwelling elderly people. <i>British Journal of Psychiatry</i> , 2013 , 203, 303-9	5.4	31
151	Sex differences in the associations between lipid levels and incident dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 519-28	4.3	47
150	Spatial distribution of cerebral white matter lesions predicts progression to mild cognitive impairment and dementia. <i>PLoS ONE</i> , 2013 , 8, e56972	3.7	22
149	Retinal vascular caliber is associated with cardiovascular biomarkers of oxidative stress and inflammation: the POLA study. <i>PLoS ONE</i> , 2013 , 8, e71089	3.7	39
148	Insomnia, daytime sleepiness and cardio-cerebrovascular diseases in the elderly: a 6-year prospective study. <i>PLoS ONE</i> , 2013 , 8, e56048	3.7	42
147	Estrogen receptor alpha gene variants and major depressive episodes. <i>Journal of Affective Disorders</i> , 2012 , 136, 1222-6	6.6	25
146	Metabolic syndrome and localization of white matter hyperintensities in the elderly population. <i>Alzheimer's and Dementia</i> , 2012 , 8, S88-95.e1	1.2	26
145	Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012 , 141, 276-85	6.6	30
144	Depression in elderly persons subject to childhood maltreatment is not modulated by corpus callosum and hippocampal loss. <i>Journal of Affective Disorders</i> , 2012 , 141, 294-9	6.6	9
143	Steroid and nonsteroidal anti-inflammatory drugs, cognitive decline, and dementia. <i>Neurobiology of Aging</i> , 2012 , 33, 2082-90	5.6	17
142	Depressed mood and blood pressure: the moderating effect of situation-specific arousal levels. <i>International Journal of Psychophysiology</i> , 2012 , 85, 212-23	2.9	17
141	Frequent attendance in family practice and common mental disorders in an open access health care system. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 413-8	4.1	20
140	Is frailty a prodromal stage of vascular dementia? Results from the Three-City Study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1708-12	5.6	78
139	Measuring resilience in adult women using the 10-items Connor-Davidson Resilience Scale (CD-RISC). Role of trauma exposure and anxiety disorders. <i>PLoS ONE</i> , 2012 , 7, e39879	3.7	113
138	Engagement in leisure activities and benzodiazepine use in a French community-dwelling elderly population. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 716-21	3.9	6

137	Excessive daytime sleepiness and vascular events: the Three City Study. <i>Annals of Neurology</i> , 2012 , 71, 661-7	9.4	48
136	The PREVENT study: a prospective cohort study to identify mid-life biomarkers of late-onset Alzheimer's disease. <i>BMJ Open</i> , 2012 , 2,	3	62
135	The STAI-Y trait scale: psychometric properties and normative data from a large population-based study of elderly people. <i>International Psychogeriatrics</i> , 2012 , 24, 1163-71	3.4	38
134	Clinical usefulness of the metabolic syndrome for the risk of coronary heart disease does not exceed the sum of its individual components in older men and women. The Three-City (3C) Study. <i>Heart</i> , 2012 , 98, 650-5	5.1	37
133	Excessive sleepiness is predictive of cognitive decline in the elderly. <i>Sleep</i> , 2012 , 35, 1201-7	1.1	140
132	Lipid lowering agents, cognitive decline, and dementia: the three-city study. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 629-37	4.3	55
131	Hormone treatment, estrogen receptor polymorphisms and mortality: a prospective cohort study. <i>PLoS ONE</i> , 2012 , 7, e34112	3.7	23
130	Insomnia symptoms in older adults: associated factors and gender differences. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 88-97	6.5	171
129	Suicidal behavior is associated with reduced corpus callosum area. <i>Biological Psychiatry</i> , 2011 , 70, 320-6	7.9	65
128	Carotid intima-media thickness in plaque-free site, carotid plaques and coronary heart disease risk prediction in older adults. The Three-City Study. <i>Atherosclerosis</i> , 2011 , 219, 917-24	3.1	100
127	Association between IgM anti-herpes simplex virus and plasma amyloid-beta levels. <i>PLoS ONE</i> , 2011 , 6, e29480	3.7	20
126	Depression history, depressive symptoms, and incident dementia: the 3C Study. <i>Journal of Alzheimer's Disease</i> , 2011 , 26, 27-38	4.3	43
125	Insomnia and daytime sleepiness are risk factors for depressive symptoms in the elderly. <i>Sleep</i> , 2011 , 34, 1103-10	1.1	165
124	Estrogen receptor gene variants are associated with anxiety disorders in older women. <i>Psychoneuroendocrinology</i> , 2011 , 36, 1582-6	5	28
123	Revised criteria for Alzheimer's disease: what are the lessons for clinicians?. <i>Lancet Neurology</i> , 2011 , 10, 598-601	24.1	20
122	The mental health of doctor-shoppers: experience from a patient-led fee-for-service primary care setting. <i>Journal of Affective Disorders</i> , 2011 , 131, 428-32	6.6	15
121	Late life depression and incident activity limitations: influence of gender and symptom severity. <i>Journal of Affective Disorders</i> , 2011 , 133, 42-50	6.6	25
120	Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 503-10	3.9	60

119	War exposure, 5-HTTLPR genotype and lifetime risk of depression. <i>British Journal of Psychiatry</i> , 2011 , 199, 43-8	5.4	11
118	Oestrogen receptor polymorphisms and late-life depression. <i>British Journal of Psychiatry</i> , 2011 , 199, 126-31	5.4	26
117	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 247-53	7	122
116	Latest Advances on Interventions that May Prevent, Delay or Ameliorate Dementia. <i>Therapeutic Advances in Chronic Disease</i> , 2011 , 2, 161-73	4.9	8
115	Incidence of ischaemic stroke according to income level among older people: the 3C study. <i>Age and Ageing</i> , 2011 , 40, 116-21	3	16
114	Increased thrombin generation is associated with acute ischemic stroke but not with coronary heart disease in the elderly: the Three-City cohort study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1445-51	9.4	66
113	Metabolic syndrome and onset of depressive symptoms in the elderly: findings from the three-city study. <i>Diabetes Care</i> , 2011 , 34, 904-9	14.6	47
112	Late-life health consequences of exposure to trauma in a general elderly population: the mediating role of reexperiencing posttraumatic symptoms. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 929-35	4.6	24
111	Anesthetics and Alzheimer's disease: background and research. Preface. <i>Journal of Alzheimer's Disease</i> , 2010 , 22 Suppl 3, 1-3	4.3	7
110	Designing prevention programmes to reduce incidence of dementia: prospective cohort study of modifiable risk factors. <i>BMJ, The</i> , 2010 , 341, c3885	5.9	150
109	Metabolic syndrome, its components, and mortality in the elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E327-32	5.6	27
108	Retrospective identification and characterization of mild cognitive impairment from a prospective population cohort. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 692-700	6.5	18
107	Gender and genotype modulation of the association between lipid levels and depressive symptomatology in community-dwelling elderly (the ESPRIT study). <i>Biological Psychiatry</i> , 2010 , 68, 125-32	7.9	60
106	Resilience and mental health. <i>Clinical Psychology Review</i> , 2010 , 30, 479-95	10.8	571
105	5-HTTLPR genotype, stressful life events and late-life depression: no evidence of interaction in a French population. <i>Neurobiology of Aging</i> , 2010 , 31, 886-7	5.6	26
104	Triglycerides and risk of hemorrhagic stroke vs. ischemic vascular events: The Three-City Study. <i>Atherosclerosis</i> , 2010 , 210, 243-8	3.1	36
103	Incidence and persistence of sleep complaints in a community older population. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 37-45	3.9	32
102	Neurological signs and late-life depressive symptoms in a community population: the ESPRIT study. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 672-8	3.9	5

101	Caffeine intake is associated with a lower risk of cognitive decline: a cohort study from Portugal. <i>Journal of Alzheimer's Disease</i> , 2010 , 20 Suppl 1, S175-85	4.3	61
100	Caffeine, cognitive functioning, and white matter lesions in the elderly: establishing causality from epidemiological evidence. <i>Journal of Alzheimer's Disease</i> , 2010 , 20 Suppl 1, S161-6	4.3	31
99	Long-term post-operative cognitive decline in the elderly: the effects of anesthesia type, apolipoprotein E genotype, and clinical antecedents. <i>Journal of Alzheimer's Disease</i> , 2010 , 22 Suppl 3, 105-13	4.3	37
98	Higher level of systemic C-reactive protein is independently predictive of coronary heart disease in older community-dwelling adults: the three-city study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 129-35	5.6	15
97	Disability and incident coronary heart disease in older community-dwelling adults: the Three-City Study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 636-42	5.6	16
96	A prospective study of hormone therapy and depression in community-dwelling elderly women: the Three City Study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1673-9	4.6	10
95	Drugs with anticholinergic properties, cognitive decline, and dementia in an elderly general population: the 3-city study. <i>Archives of Internal Medicine</i> , 2009 , 169, 1317-24		257
94	Olive oil and cognition: results from the three-city study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 28, 357-64	2.6	95
93	Excessive daytime sleepiness is an independent risk indicator for cardiovascular mortality in community-dwelling elderly: the three city study. <i>Stroke</i> , 2009 , 40, 1219-24	6.7	122
92	Framingham stroke risk function in a large population-based cohort of elderly people: the 3C study. <i>Stroke</i> , 2009 , 40, 1564-70	6.7	35
91	Relationship between blood pressure and outdoor temperature in a large sample of elderly individuals: the Three-City study. <i>Archives of Internal Medicine</i> , 2009 , 169, 75-80		177
90	Leisure activities and the risk of dementia in the elderly: results from the Three-City Study. <i>Neurology</i> , 2009 , 73, 854-61	6.5	213
89	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. <i>Journal of Psychiatric Research</i> , 2009 , 43, 777-83	5.2	39
88	Life-time estrogen exposure and cognitive functioning in later life. <i>Psychoneuroendocrinology</i> , 2009 , 34, 287-298	5	64
87	A prospective study of hormonal treatment and anxiety disorders in community-dwelling elderly women (the Esprit Study). <i>Journal of Affective Disorders</i> , 2009 , 115, 274-9	6.6	4
86	Do we really know the cause of death of the very old? Comparison between official mortality statistics and cohort study classification. <i>European Journal of Epidemiology</i> , 2009 , 24, 669-75	12.1	54
85	Onset and relapse of psychiatric disorders following early breast cancer: a case-control study. <i>Psycho-Oncology</i> , 2009 , 18, 1029-37	3.9	40
84	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer's disease. <i>Nature Genetics</i> , 2009 , 41, 1094-9	36.3	1819

83	Cognitive impairment improves the predictive validity of the phenotype of frailty for adverse health outcomes: the three-city study. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 453-61	5.6	354
82	Social activity and improvement in depressive symptoms in older people: a prospective community cohort study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 688-96	6.5	63
81	Long-term association of food and nutrient intakes with cognitive and functional decline: a 13-year follow-up study of elderly French women. <i>British Journal of Nutrition</i> , 2009 , 102, 419-27	3.6	112
80	Association of adverse childhood environment and 5-HTTLPR Genotype with late-life depression. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1281-8	4.6	91
79	Abnormal reactions to environmental stress in elderly persons with anxiety disorders: evidence from a population study of diurnal cortisol changes. <i>Journal of Affective Disorders</i> , 2008 , 106, 307-13	6.6	66
78	Distension of the carotid artery and risk of coronary events: the three-city study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1392-7	9.4	67
77	Primary and secondary care consultations in elderly demented individuals in France. Results from the Three-City Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 407-15	2.6	26
76	Tea consumption is inversely associated with carotid plaques in women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 353-9	9.4	26
75	Calf circumference is inversely associated with carotid plaques. <i>Stroke</i> , 2008 , 39, 2958-65	6.7	20
74	Epidemiology of alcohol-related dementia. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2008 , 89, 845-50	3	11
73	Memory complaints in healthy young and elderly adults: reliability of memory reporting. <i>Aging and Mental Health</i> , 2008 , 12, 177-82	3.5	78
72	Hormonal treatment, mild cognitive impairment and Alzheimer's disease. <i>International Psychogeriatrics</i> , 2008 , 20, 47-56	3.4	45
71	Lifetime hormonal factors may predict late-life depression in women. <i>International Psychogeriatrics</i> , 2008 , 20, 1203-18	3.4	24
70	Late-life depression and mortality: influence of gender and antidepressant use. <i>British Journal of Psychiatry</i> , 2008 , 192, 12-8	5.4	73
69	Frailty among community-dwelling elderly people in France: the three-city study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 1089-96	6.4	224
68	Relationship between blood pressure and depression in the elderly. The Three-City Study. <i>Journal of Hypertension</i> , 2008 , 26, 1765-72	1.9	42
67	Factors associated with changes in antidepressant use in a community-dwelling elderly cohort: the Three-City Study. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 51-9	2.8	10
66	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 12-29	4.3	103

65	Factors associated with antidepressant use in depressed and non-depressed community-dwelling elderly: the three-city study. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 324-30	3.9	9
64	Determinants of excessive daytime sleepiness in a French community-dwelling elderly population. <i>Journal of Sleep Research</i> , 2007 , 16, 364-71	5.8	63
63	Use of the PRIME-MD Patient Health Questionnaire for estimating the prevalence of psychiatric disorders in French primary care: comparison with family practitioner estimates and relationship to psychotropic medication use. <i>General Hospital Psychiatry</i> , 2007 , 29, 285-93	5.6	24
62	Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. <i>British Journal of Psychiatry</i> , 2007 , 191, 393-401	5.4	179
61	The metabolic syndrome and the carotid artery structure in noninstitutionalized elderly subjects: the three-city study. <i>Stroke</i> , 2007 , 38, 893-9	6.7	52
60	Is antioxidant therapy a viable alternative for mild cognitive impairment? Examination of the evidence. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 1-19	2.6	31
59	Hormonal therapy and depression: are we overlooking an important therapeutic alternative?. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 473-85	4.1	34
58	Depressive symptoms, major depressive episode and cognition in the elderly: the three-city study. <i>Neuroepidemiology</i> , 2007 , 28, 101-8	5.4	20
57	Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. <i>BMJ, The</i> , 2006 , 332, 455-9	5.9	375
56	Functional Vitamin E deficiency in ApoE4 patients with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 21, 198-204	2.6	16
55	New insight into the association of apolipoprotein E genetic variants with carotid plaques and intima-media thickness. <i>Stroke</i> , 2006 , 37, 2917-23	6.7	23
54	Revised criteria for mild cognitive impairment: validation within a longitudinal population study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 22, 465-70	2.6	139
53	Mild Cognitive Impairment: Ethical Considerations for Nosological Flexibility in Human Kinds. <i>Philosophy, Psychiatry and Psychology</i> , 2006 , 13, 31-43	0.9	17
52	Mild cognitive impairment. <i>Lancet, The</i> , 2006 , 367, 1262-70	4.0	1703
51	Prevalence, awareness, treatment, and control of hypertension in the elderly: the Three City study. <i>Journal of Hypertension</i> , 2006 , 24, 51-8	1.9	69
50	IPA survey of brief cognitive screening instruments. <i>International Psychogeriatrics</i> , 2006 , 18, 281-94	3.4	129
49	'I think therefore I am': improving cognition. <i>Current Opinion in Psychiatry</i> , 2006 , 19, 570-4	4.9	2
48	Sleep and depression. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1254-69	4.6	644

47 A historical perspective **2005**, 333-337

46	Alcohol consumption and carotid artery structure in older French adults: the Three-City Study. <i>Stroke</i> , 2004 , 35, 2770-5	6.7	47
45	Mild cognitive impairment: an epidemiological perspective. <i>Dialogues in Clinical Neuroscience</i> , 2004 , 6, 401-8	5.7	96
44	Alcohol consumption and the risk of dementia. <i>Lancet Neurology</i> , 2003 , 2, 333	24.1	3
43	Consumption of psychotropic medication in the elderly: a re-evaluation of its effect on cognitive performance. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 874-8	3.9	46
42	Mild extrapyramidal signs and functional impairment in ageing. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 150-3	3.9	24
41	The dementias. <i>Lancet</i> , 2002 , 360, 1759-66	4.0	365
40	Exposure to anaesthetic agents, cognitive functioning and depressive symptomatology in the elderly. <i>British Journal of Psychiatry</i> , 2001 , 178, 360-6	5.4	117
39	Disability and mild cognitive impairment: a longitudinal population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1092-7	3.9	113
38	Late-Onset Depressive Episodes in the Elderly: Examination of Evidence for a Separate Nosological Entity. <i>Psychogeriatrics</i> , 2001 , 1, 194-202	1.8	3
37	Discrepancies between apolipoprotein E phenotyping and genotyping in the elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001 , 39, 405-13	5.9	4
36	Classification criteria for mild cognitive impairment: a population-based validation study. <i>Neurology</i> , 2001 , 56, 37-42	6.5	676
35	Current concepts in mild cognitive impairment. <i>Archives of Neurology</i> , 2001 , 58, 1985-92		3473
34	Community studies of psychogeriatric disorders. <i>Current Opinion in Psychiatry</i> , 2001 , 14, 383-386	4.9	1
33	Mild cognitive impairment: conceptual basis and current nosological status. <i>Lancet</i> , 2000 , 355, 225-8	4.0	295
32	Subclinical cognitive impairment: epidemiology and clinical characteristics. <i>Comprehensive Psychiatry</i> , 2000 , 41, 61-5	7.3	36
31	Mental health. Cross-European mental health indicators. A dream or a reality?. <i>European Journal of Public Health</i> , 1999 , 9, 285-289	2.1	4
30	Prodromal cognitive disorder in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 556-63	3.9	15

29	Quality-of-life assessment in the old using the WHOQOL 100: differences between patients with senile dementia and patients with cancer. <i>International Psychogeriatrics</i> , 1999 , 11, 273-9	3.4	16
28	Recent developments in neuropsychological assessment. <i>Current Opinion in Psychiatry</i> , 1999 , 12, 345-349	4.9	
27	Progressive disability in senile dementia is accelerated in the presence of depression. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 459-61	3.9	17
26	Mental health of the oldest old: the relevance of centenarian studies to psychogeriatric research. <i>International Psychogeriatrics</i> , 1998 , 10, 7-9	3.4	4
25	Impact of anesthesia on the cognitive functioning of the elderly. <i>International Psychogeriatrics</i> , 1997 , 9, 309-26	3.4	42
24	Neuropsychological assessment in Alzheimer's disease: current status and future directions. <i>International Psychogeriatrics</i> , 1997 , 9 Suppl 1, 95-104; discussion 143-50	3.4	4
23	Eugeria, longevity and normal ageing. <i>British Journal of Psychiatry</i> , 1997 , 171, 501	5.4	1
22	Does education level determine the course of cognitive decline?. <i>Age and Ageing</i> , 1996 , 25, 392-7	3	50
21	Behavioral disturbances of dementia in ambulatory care settings. <i>International Psychogeriatrics</i> , 1996 , 8 Suppl 3, 439-42	3.4	11
20	Characteristics of Alzheimer's disease patients with and without ApoE4 allele. <i>Lancet, The</i> , 1996 , 348, 960	4.0	8
19	A typology of sub-clinical senescent cognitive disorder. <i>British Journal of Psychiatry</i> , 1996 , 168, 470-6	5.4	57
18	The validation of an informant screening test for irreversible cognitive decline in the elderly: performance characteristics within a general population sample. <i>International Journal of Geriatric Psychiatry</i> , 1996 , 11, 149-156	3.9	28
17	Mental status examination of an exceptional case of longevity J. C. aged 118 years. <i>British Journal of Psychiatry</i> , 1995 , 166, 229-35	5.4	30
16	The application of disability data from epidemiological surveys to the development of indicators of service needs for dependent elderly people. <i>Age and Ageing</i> , 1995 , 24, 14-20	3	7
15	Dementia-free life expectancy in Australia. <i>Australian Journal of Public Health</i> , 1994 , 18, 149-52		16
14	The diagnosis and management of senile dementia in general practice: A study of 301 general practitioners in the montpellier region. <i>International Journal of Geriatric Psychiatry</i> , 1994 , 9, 43-46	3.9	6
13	Identification of amyloid beta protein in the brain of the small, short-lived lemurian primate <i>Microcebus murinus</i> . <i>Neurobiology of Aging</i> , 1994 , 15, 215-20	5.6	64
12	Computerized cognitive examination of the elderly (ECO): The development of a neuropsychological examination for clinic and population use. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 899-914	3.9	35

11	The eugeria study of cognitive ageing: Who are the Normal Elderly?. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 969-977	3.9	16
10	The relationship between age and the prevalence of senile dementia: a meta-analysis of recent data. <i>International Journal of Epidemiology</i> , 1992 , 21, 763-9	7.8	119
9	Heterogeneity in senile dementia of the Alzheimer type: individual differences, progressive deterioration or clinical sub-types?. <i>Journal of Clinical Epidemiology</i> , 1992 , 45, 1391-8	5.7	57
8	The families of the institutionalized dementing elderly: A preliminary study of stress in a French caregiver population. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 5-14	3.9	25
7	The measurement of incapacity in the severely demented elderly: The validation of a behavioural assessment scale. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 217-226	3.9	31
6	La mesure de l'espérance de vie sans déficence : Étude préliminaire de faisabilité <i>Cahiers Québécois De Démographie</i> , 1991 , 20, 253-268	0	
5	The screening of cognitive impairment in the elderly: a critical review of current methods. <i>Journal of Clinical Epidemiology</i> , 1988 , 41, 635-43	5.7	40
4	Research note: interaction in the families of epileptic children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1981 , 22, 65-71	7.9	47
3	The Patient's Primary Group. <i>British Journal of Psychiatry</i> , 1978 , 132, 74-86	5.4	152
2	A typology of parasuicide. <i>British Journal of Psychiatry</i> , 1977 , 131, 631-41	5.4	33
1	Neuropsychological Research in Psychiatry 181-196		