

Francisco Arts-Hernandez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2725071/francisco-artes-hernandez-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

2,883
citations

31
h-index

48
g-index

142
ext. papers

3,376
ext. citations

3.7
avg, IF

5.53
L-index

#	Paper	IF	Citations
133	Sustainable sanitation techniques for keeping quality and safety of fresh-cut plant commodities. <i>Postharvest Biology and Technology</i> , 2009 , 51, 287-296	6.2	269
132	Low UV-C illumination for keeping overall quality of fresh-cut watermelon. <i>Postharvest Biology and Technology</i> , 2010 , 55, 114-120	6.2	120
131	Alternative atmosphere treatments for keeping quality of Autumn seedless table grapes during long-term cold storage. <i>Postharvest Biology and Technology</i> , 2004 , 31, 59-67	6.2	101
130	Physical, Physiological and Microbial Deterioration of Minimally Fresh Processed Fruits and Vegetables. <i>Food Science and Technology International</i> , 2007 , 13, 177-188	2.6	97
129	Chlorine dioxide and chlorine effectiveness to prevent Escherichia coli O157:H7 and Salmonella cross-contamination on fresh-cut Red Chard. <i>Food Control</i> , 2012 , 23, 325-332	6.2	90
128	Enriched ozone atmosphere enhances bioactive phenolics in seedless table grapes after prolonged shelf life. <i>Journal of the Science of Food and Agriculture</i> , 2007 , 87, 824-831	4.3	78
127	Moderate UV-C pretreatment as a quality enhancement tool in fresh-cut Bimif broccoli. <i>Postharvest Biology and Technology</i> , 2011 , 62, 327-337	6.2	77
126	Modified atmosphere packaging preserves quality of SO ₂ -free Superior seedless table grapes. <i>Postharvest Biology and Technology</i> , 2006 , 39, 146-154	6.2	76
125	Effect of UV-C radiation on quality of minimally processed spinach leaves. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 414-421	4.3	71
124	Quality and enhancement of bioactive phenolics in cv. Napoleon table grapes exposed to different postharvest gaseous treatments. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 5290-5	5.7	63
123	Survival and distribution of Escherichia coli on diverse fresh-cut baby leafy greens under preharvest through postharvest conditions. <i>International Journal of Food Microbiology</i> , 2011 , 151, 216-22	5.8	60
122	Innovative Cooking Techniques for Improving the Overall Quality of a Kailan-Hybrid Broccoli. <i>Food and Bioprocess Technology</i> , 2013 , 6, 2135-2149	5.1	59
121	Ag-chitosan nanocomposites in edible coatings affect the quality of fresh-cut melon. <i>Postharvest Biology and Technology</i> , 2019 , 147, 174-184	6.2	56
120	Combination of electrolysed water, UV-C and superatmospheric O ₂ packaging for improving fresh-cut broccoli quality. <i>Postharvest Biology and Technology</i> , 2013 , 76, 125-134	6.2	49
119	Combined effect of heat treatment, UV-C and superatmospheric oxygen packing on phenolics and browning related enzymes of fresh-cut pomegranate arils. <i>LWT - Food Science and Technology</i> , 2013 , 54, 389-396	5.4	48
118	Quality retention and potential shelf-life of fresh-cut lemons as affected by cut type and temperature. <i>Postharvest Biology and Technology</i> , 2007 , 43, 245-254	6.2	48
117	Effects of UV-B and UV-C combination on phenolic compounds biosynthesis in fresh-cut carrots. <i>Postharvest Biology and Technology</i> , 2017 , 127, 99-104	6.2	44

116	High oxygen combined with high carbon dioxide improves microbial and sensory quality of fresh-cut peppers. <i>Postharvest Biology and Technology</i> , 2007 , 43, 230-237	6.2	43
115	Inactivation kinetics of foodborne pathogens by UV-C radiation and its subsequent growth in fresh-cut kailan-hybrid broccoli. <i>Food Microbiology</i> , 2015 , 46, 263-271	6	42
114	Induced changes in bioactive compounds of kailan-hybrid broccoli after innovative processing and storage. <i>Journal of Functional Foods</i> , 2013 , 5, 133-143	5.1	42
113	Respiration rates of fresh-cut bell peppers under superatmospheric and low oxygen with or without high carbon dioxide. <i>Postharvest Biology and Technology</i> , 2007 , 45, 81-88	6.2	42
112	Chlorine dioxide dose, water quality and temperature affect the oxidative status of tomato processing water and its ability to inactivate Salmonella. <i>Food Control</i> , 2012 , 26, 28-35	6.2	39
111	Neutral and acidic electrolyzed water as emergent sanitizers for fresh-cut mizuna baby leaves. <i>Postharvest Biology and Technology</i> , 2011 , 59, 298-306	6.2	39
110	Current Scenario of Adsorbent Materials Used in Ethylene Scavenging Systems to Extend Fruit and Vegetable Postharvest Life. <i>Food and Bioprocess Technology</i> , 2018 , 11, 511-525	5.1	37
109	Combined effect of UV-C pretreatment and high oxygen packaging for keeping the quality of fresh-cut Tatsoi baby leaves. <i>Innovative Food Science and Emerging Technologies</i> , 2012 , 14, 115-121	6.8	37
108	Combined sustainable sanitising treatments to reduce Escherichia coli and Salmonella Enteritidis growth on fresh-cut kailan-hybrid broccoli. <i>Food Control</i> , 2015 , 47, 312-317	6.2	34
107	Effect of sustained deficit irrigation on physicochemical properties, bioactive compounds and postharvest life of pomegranate fruit (cv. Mollar de Elche). <i>Postharvest Biology and Technology</i> , 2013 , 86, 171-180	6.2	34
106	Quality changes after vacuum-based and conventional industrial cooking of kailan-hybrid broccoli throughout retail cold storage. <i>LWT - Food Science and Technology</i> , 2013 , 50, 707-714	5.4	32
105	Hot water, UV-C and superatmospheric oxygen packaging as hurdle techniques for maintaining overall quality of fresh-cut pomegranate arils. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 1162-8	4.3	32
104	Innovative active modified atmosphere packaging improves overall quality of fresh-cut red chard baby leaves. <i>LWT - Food Science and Technology</i> , 2011 , 44, 1422-1428	5.4	32
103	Quality of fresh-cut baby spinach grown under a floating trays system as affected by nitrogen fertilisation and innovative packaging treatments. <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 1089-97	4.3	32
102	Red fresh vegetables smoothies with extended shelf life as an innovative source of health-promoting compounds. <i>Journal of Food Science and Technology</i> , 2016 , 53, 1475-86	3.3	31
101	Use of postharvest UV-B and UV-C radiation treatments to revalorize broccoli byproducts and edible florets. <i>Innovative Food Science and Emerging Technologies</i> , 2017 , 43, 77-83	6.8	31
100	Conventional and emergent sanitizers decreased Ectomyelois ceratoniae infestation and maintained quality of date palm after shelf-life. <i>Postharvest Biology and Technology</i> , 2014 , 87, 33-41	6.2	30
99	Nutritional and bioactive compounds of commercialized algae powders used as food supplements. <i>Food Science and Technology International</i> , 2018 , 24, 172-182	2.6	30

98	Bioactive Compounds and Enzymatic Activity of Red Vegetable Smoothies During Storage. <i>Food and Bioprocess Technology</i> , 2016 , 9, 137-146	5.1	29
97	Microwave flow and conventional heating effects on the physicochemical properties, bioactive compounds and enzymatic activity of tomato puree. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 984-990	4.3	26
96	Potassium Permanganate-Based Ethylene Scavengers for Fresh Horticultural Produce as an Active Packaging. <i>Food Engineering Reviews</i> , 2019 , 11, 159-183	6.5	26
95	Comparative behaviour between kailan-hybrid and conventional fresh-cut broccoli throughout shelf-life. <i>LWT - Food Science and Technology</i> , 2013 , 50, 298-305	5.4	24
94	Neutral and acidic electrolysed water kept microbial quality and health promoting compounds of fresh-cut broccoli throughout shelf life. <i>Innovative Food Science and Emerging Technologies</i> , 2014 , 21, 74-81	6.8	23
93	Evaluation of current operating standards for chlorine dioxide in disinfection of dump tank and flume for fresh tomatoes. <i>Journal of Food Protection</i> , 2012 , 75, 304-13	2.5	23
92	Innovative Quality Improvement by Continuous Microwave Processing of a Faba Beans Pesto Sauce. <i>Food and Bioprocess Technology</i> , 2018 , 11, 561-571	5.1	21
91	Natural vitamin B12 and fucose supplementation of green smoothies with edible algae and related quality changes during their shelf life. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 2411-2424	4.3	21
90	UV-C and hyperoxia abiotic stresses to improve healthiness of carrots: study of combined effects. <i>Journal of Food Science and Technology</i> , 2016 , 53, 3465-3476	3.3	21
89	Preservation of bioactive compounds of a green vegetable smoothie using short time-high temperature mild thermal treatment. <i>Food Science and Technology International</i> , 2017 , 23, 46-60	2.6	20
88	A Functional Smoothie from Carrots with Induced Enhanced Phenolic Content. <i>Food and Bioprocess Technology</i> , 2017 , 10, 491-502	5.1	20
87	Long-term impact of deficit irrigation on the physical quality of berries in 'Crimson Seedless' table grapes. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 2510-20	4.3	20
86	Quality changes of fresh-cut pomegranate arils during shelf life as affected by deficit irrigation and postharvest vapour treatments. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 2325-36	4.3	19
85	Effect of Microwave and High-Pressure Processing on Quality of an Innovative Broccoli Hummus. <i>Food and Bioprocess Technology</i> , 2018 , 11, 1464-1477	5.1	19
84	IMPROVED STRATEGIES FOR KEEPING OVERALL QUALITY OF FRESH-CUT PRODUCE. <i>Acta Horticulturae</i> , 2007 , 245-258	0.3	19
83	Effect of fresh-cut apples fortification with lycopene microspheres, revalorized from tomato by-products, during shelf life. <i>Postharvest Biology and Technology</i> , 2019 , 156, 110925	6.2	18
82	Postharvest LED lighting: effect of red, blue and far red on quality of minimally processed broccoli sprouts. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 44-53	4.3	18
81	Quality changes of pomegranate arils throughout shelf life affected by deficit irrigation and pre-processing storage. <i>Food Chemistry</i> , 2016 , 209, 302-11	8.5	17

80	Modified Atmosphere Packaging of Fennel. <i>Journal of Food Science</i> , 2002 , 67, 1550-1554	3.4	16
79	Postharvest quality retention of apricots by using a novel sepiolite loaded potassium permanganate ethylene scavenger. <i>Postharvest Biology and Technology</i> , 2020 , 160, 111061	6.2	16
78	Deficit irrigation strategies enhance health-promoting compounds through the intensification of specific enzymes in early peaches. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 1803-13	4.3	15
77	An Innovative Ethylene Scrubber Made of Potassium Permanganate Loaded on a Protonated Montmorillonite: a Case Study on Blueberries. <i>Food and Bioprocess Technology</i> , 2019 , 12, 524-538	5.1	15
76	Comparative study on postharvest performance of nectarines grown under regulated deficit irrigation. <i>Postharvest Biology and Technology</i> , 2015 , 110, 24-32	6.2	14
75	Quality Changes and Shelf-Life Prediction of a Fresh Fruit and Vegetable Purple Smoothie. <i>Food and Bioprocess Technology</i> , 2017 , 10, 1892-1904	5.1	14
74	Continuous microwave pasteurization of a vegetable smoothie improves its physical quality and hinders detrimental enzyme activity. <i>Food Science and Technology International</i> , 2017 , 23, 36-45	2.6	13
73	Periodical UV-B radiation hormesis in biosynthesis of kale sprouts nutraceuticals. <i>Plant Physiology and Biochemistry</i> , 2021 , 165, 274-285	5.4	13
72	Postharvest UV-B and UV-C radiation enhanced the biosynthesis of glucosinolates and isothiocyanates in Brassicaceae sprouts. <i>Postharvest Biology and Technology</i> , 2021 , 181, 111650	6.2	13
71	Water relations and quality changes throughout fruit development and shelf life of sweet cherry grown under regulated deficit irrigation. <i>Agricultural Water Management</i> , 2019 , 217, 243-254	5.9	12
70	Microwave heating modelling of a green smoothie: Effects on glucoraphanin, sulforaphane and S-methyl cysteine sulfoxide changes during storage. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 1863-1872	4.3	12
69	Quality and physiological changes of fennel under controlled atmosphere storage. <i>European Food Research and Technology</i> , 2002 , 214, 216-220	3.4	12
68	Effect of storage conditions in the response of <i>Listeria monocytogenes</i> in a fresh purple vegetable smoothie compared with an acidified TSB medium. <i>Food Microbiology</i> , 2018 , 72, 98-105	6	12
67	Nutritional quality changes throughout shelf-life of fresh-cut kailan-hybrid and 'Parthenon' broccoli as affected by temperature and atmosphere composition. <i>Food Science and Technology International</i> , 2015 , 21, 14-23	2.6	11
66	Acidified sodium chlorite optimisation assessment to improve quality of fresh-cut tatsoi baby leaves. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 877-85	4.3	11
65	Combined Effect of Salinity and LED Lights on the Yield and Quality of Purslane (<i>Portulaca oleracea</i> L.) Microgreens. <i>Horticulturae</i> , 2021 , 7, 180	2.5	11
64	Preharvest UV-C treatment improves the quality of spinach primary production and postharvest storage. <i>Postharvest Biology and Technology</i> , 2019 , 155, 130-139	6.2	10
63	Fresh-Cut Fruit and Vegetables: Emerging Eco-friendly Techniques for Sanitation and Preserving Safety 2017 ,		10

62	Postharvest UV-B and Photoperiod with Blue + Red LEDs as Strategies to Stimulate Carotenogenesis in Bell Peppers. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3736	2.6	10
61	Amelioration Effect of LED Lighting in the Bioactive Compounds Synthesis during Carrot Sprouting. <i>Agronomy</i> , 2021 , 11, 304	3.6	10
60	Deficit irrigation strategies combined with controlled atmosphere preserve quality in early peaches. <i>Food Science and Technology International</i> , 2015 , 21, 547-56	2.6	9
59	Effects of β and maltosyl- β -cyclodextrins use on the glucoraphanin-sulforaphane system of broccoli juice. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 941-946	4.3	9
58	Semi-industrial microwave treatments positively affect the quality of orange-colored smoothies. <i>Journal of Food Science and Technology</i> , 2016 , 53, 3695-3703	3.3	9
57	Browning Control Using Cyclodextrins in High Pressure-Treated Apple Juice. <i>Food and Bioprocess Technology</i> , 2019 , 12, 694-703	5.1	9
56	Real-Time Monitoring System for Shelf Life Estimation of Fruit and Vegetables. <i>Sensors</i> , 2020 , 20,	3.8	9
55	Improving quality of an innovative pea puree by high hydrostatic pressure. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 4362-4369	4.3	8
54	Nutritional and quality changes of minimally processed faba (<i>Vicia faba</i> L.) beans during storage: Effects of domestic microwaving. <i>Postharvest Biology and Technology</i> , 2019 , 151, 10-18	6.2	7
53	Postharvest treatments to control physiological and pathological disorders in lemon fruit. <i>Food Packaging and Shelf Life</i> , 2017 , 14, 34-39	8.2	7
52	HIGH HELIUM CONTROLLED ATMOSPHERE STORAGE DECREASES MICROBIAL GROWTH AND PRESERVES QUALITY ON FRESH-CUT MIZUNA BABY LEAVES. <i>Acta Horticulturae</i> , 2010 , 663-668	0.3	7
51	Phytochemical Fortification in Fruit and Vegetable Beverages with Green Technologies. <i>Foods</i> , 2021 , 10,	4.9	7
50	Spectral composition from led lighting during storage affects nutraceuticals and safety attributes of fresh-cut red chard (<i>Beta vulgaris</i>) and rocket (<i>Diplotaxis tenuifolia</i>) leaves. <i>Postharvest Biology and Technology</i> , 2021 , 175, 111500	6.2	7
49	Development of an antifungal active packaging containing thymol and an ethylene scavenger. Validation during storage of cherry tomatoes. <i>Food Packaging and Shelf Life</i> , 2021 , 29, 100734	8.2	7
48	Improved quality of a vitamin B12-fortified 'ready to blend' fresh-cut mix salad with chitosan. <i>Food Science and Technology International</i> , 2017 , 23, 513-528	2.6	6
47	EFFECTS OF UV-C ON BIOACTIVE COMPOUNDS AND QUALITY CHANGES DURING SHELF LIFE OF SWEET CHERRY GROWN UNDER CONVENTIONAL OR REGULATED DEFICIT IRRIGATION. <i>Scientia Horticulturae</i> , 2020 , 269, 109398	4.1	6
46	QUALITY CHANGES ON MINIMALLY PROCESSED PURSLANE BABY LEAVES GROWTH UNDER FLOATING TRAYS SYSTEM. <i>Acta Horticulturae</i> , 2010 , 641-648	0.3	6
45	Effect of stevia supplementation of kale juice spheres on their quality changes during refrigerated shelf life. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 2384-2392	4.3	6

44	Postharvest yellow LED lighting affects phenolics and glucosinolates biosynthesis in broccoli sprouts. <i>Journal of Food Composition and Analysis</i> , 2021 , 103, 104101	4.1	6
43	By-Products Revalorization with Non-Thermal Treatments to Enhance Phytochemical Compounds of Fruit and Vegetables Derived Products: A Review.. <i>Foods</i> , 2021 , 11,	4.9	5
42	Postharvest UV radiation enhanced biosynthesis of flavonoids and carotenes in bell peppers. <i>Postharvest Biology and Technology</i> , 2022 , 184, 111774	6.2	5
41	Human metabolic fate of glucosinolates from kailan-hybrid broccoli. Differences between raw and microwaved consumption. <i>Food Research International</i> , 2013 , 53, 403-408	7	4
40	Gas Composition and Temperature Affect Quality of Fresh-cut Fennel. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2005 , 40, 737-739	2.4	4
39	Interactions between Microbial Food Safety and Environmental Sustainability in the Fresh Produce Supply Chain. <i>Foods</i> , 2021 , 10,	4.9	4
38	Quality Changes of Fresh-Cut Watermelon During Storage as Affected by Cut Intensity and UV-C Pre-treatment. <i>Food and Bioprocess Technology</i> , 2021 , 14, 505-517	5.1	4
37	Postharvest Ultraviolet Radiation in Fruit and Vegetables: Applications and Factors Modulating Its Efficacy on Bioactive Compounds and Microbial Growth.. <i>Foods</i> , 2022 , 11,	4.9	4
36	Combined effects of deficit irrigation and fresh-cut processing on quality and bioactive compounds of nectarines. <i>Zahradnictvi (Prague, Czech Republic: 1992)</i> , 2016 , 42, 125-131	1.1	3
35	SHELF-LIFE OF ROCKET LEAVES STORED IN ARGON ENRICHED ATMOSPHERES. <i>Acta Horticulturae</i> , 2015 , 779-786	0.3	3
34	UV and Visible Spectrum LED Lighting as Abiotic Elicitors of Bioactive Compounds in Sprouts, Microgreens, and Baby Leaves-A Comprehensive Review including Their Mode of Action.. <i>Foods</i> , 2022 , 11,	4.9	3
33	UV-B Radiation as Abiotic Elicitor to Enhance Phytochemicals and Development of Red Cabbage Sprouts. <i>Horticulturae</i> , 2021 , 7, 567	2.5	3
32	Individual Phenolics and Enzymatic Changes in Response to Regulated Deficit Irrigation of Extra-early Nectarines. <i>Journal of the American Society for Horticultural Science</i> , 2016 , 141, 222-232	2.3	3
31	Overall quality of minimally processed faba bean seeds stored in MAP. <i>Acta Horticulturae</i> , 2018 , 513-518	0.3	2
30	Innovative and sustainable postharvest treatments to control physiological disorders and decay in lemon fruit during long transport and commercialization. <i>Acta Horticulturae</i> , 2018 , 235-240	0.3	2
29	EFFECT OF EDIBLE COATINGS AND ELECTROLYZED WATER SANITATION ON FRESH-CUT 'BIMI' BROCCOLI QUALITY. <i>Acta Horticulturae</i> , 2015 , 463-469	0.3	2
28	MINIMALLY FRESH PROCESSED PEPPER UNDER DIFFERENT KIND OF CUTS. <i>Acta Horticulturae</i> , 2010 , 25-30	0.3	2
27	VITAMIN C, ANTIOXIDANT ACTIVITY AND PHENOLIC COMPOUNDS OF FRESH-CUT POMEGRANATES CULTIVATED UNDER DEFICIT IRRIGATION STRATEGY. <i>Acta Horticulturae</i> , 2013 , 113-120	0.3	2

26	Reusable Plastic Crates (RPCs) for Fresh Produce (Case Study on Cauliflowers): Sustainable Packaging but Potential Survival and Risk of Cross-Contamination. <i>Foods</i> , 2021 , 10,	4.9	2
25	Changes in bioactive compounds and oxidative enzymes of fresh-cut pomegranate arils during storage as affected by deficit irrigation and postharvest vapor heat treatments. <i>Food Science and Technology International</i> , 2016 , 22, 665-676	2.6	2
24	Quality Changes in Nutritional Traits of Fresh-Cut and Then Microwaved Cowpea Seeds and Pods. <i>Food and Bioprocess Technology</i> , 2019 , 12, 338-346	5.1	2
23	Revalorized broccoli by-products and mustard improved quality during shelf life of a kale pesto sauce. <i>Food Science and Technology International</i> , 2021 , 27, 734-745	2.6	2
22	High hydrostatic pressure treatments for keeping quality of orange vegetables smoothies. <i>Acta Horticulturae</i> , 2018 , 575-580	0.3	2
21	Viability of sous vide, microwave and high pressure processing techniques on quality changes during shelf life of fresh cowpea puree. <i>Food Science and Technology International</i> , 2020 , 26, 706-714	2.6	1
20	Bioactive compounds changes of a green vegetable smoothie after thermal treatments and during shelf life. <i>Acta Horticulturae</i> , 2018 , 935-940	0.3	1
19	Immature pea seeds: effect of storage under modified atmosphere packaging and sanitation with acidified sodium chlorite. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 4370-4378	4.3	1
18	Modified Atmosphere Packaging 2012 , 543-573		1
17	CONTROLLED ATMOSPHERE FOR THE EXPORT OF 'MIRAFLORES' PEACHES. <i>Acta Horticulturae</i> , 2012 , 585-590	0.3	1
16	Sustainable Processing of Fresh-Cut Fruit and Vegetables 2013 , 219-268		1
15	COMBINING DEFICIT IRRIGATION STRATEGIES AND CONTROLLED ATMOSPHERE TO MAINTAIN BIOACTIVE COMPOUNDS IN NECTARINE. <i>Acta Horticulturae</i> , 2013 , 97-102	0.3	1
14	Bioavailability of Vitamin C and Folates in Plasma and Its Antioxidant Status after Consumption of Raw and Microwaved Broccoli. <i>ACS Food Science & Technology</i> , 2021 , 1, 1215-1221		1
13	UV-C pretreatment of fresh-cut faba beans () for shelf life extension: Effects of domestic microwaving for consumption. <i>Food Science and Technology International</i> , 2020 , 26, 140-150	2.6	1
12	Design of a Distributed Wireless Sensor Platform for Monitoring and Real-Time Communication of the Environmental Variables during the Supply Chain of Perishable Commodities. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6183	2.6	1
11	Application of High Hydrostatic Pressure in fresh purple smoothie: Microbial inactivation kinetic modelling and qualitative studies.. <i>Food Science and Technology International</i> , 2022 , 10820132221095607	2.6	1
10	Different irrigation regimes affect xylem ABA concentrations and the physical berry quality of table grapes at harvest and during postharvest life. <i>Acta Horticulturae</i> , 2017 , 449-456	0.3	
9	UV-C light preserves quality of minimally processed watermelon cylinders. <i>Acta Horticulturae</i> , 2017 , 279-286	2.6	1

- 8 COMBINING MAP, DEFICIT IRRIGATION AND ANTIBROWNING TREATMENT FOR KEEPING QUALITY OF FRESH-CUT PEACHES. *Acta Horticulturae*, **2015**, 533-539 0.3
- 7 Overall quality of minimally processed pea seeds stored in modified atmosphere packaging. *Acta Horticulturae*, **2016**, 137-144 0.3
- 6 Quality changes of green vegetable smoothies during shelf-life. *Acta Horticulturae*, **2016**, 145-152 0.3
- 5 Passive modified atmosphere packaging and chilling storage for keeping overall quality of dates. *Acta Horticulturae*, **2018**, 673-680 0.3
- 4 Influence of aeration of the nutrient solution on quality changes of two baby leaf lettuce cultivars grown in a floating system at harvest and during shelf-life as fresh-cut product. *Acta Horticulturae*, **2018**, 445-452 0.3
- 3 Effect of microwave treatments on the quality of a smoothie. *Acta Horticulturae*, **2018**, 1481-1486 0.3
- 2 Postharvest quality of whole and fresh-cut pomegranates cultivated under deficit irrigation. *Acta Horticulturae*, **2018**, 265-270 0.3
- 1 Characterization and epiphytic microbial load changes of a fresh vegetables purple smoothie during shelf life. *Acta Horticulturae*, **2018**, 569-574 0.3