

Hung-Bin Tsai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2725114/publications.pdf>

Version: 2024-02-01

47
papers

1,152
citations

448610

19
h-index

445137

33
g-index

49
all docs

49
docs citations

49
times ranked

1712
citing authors

#	ARTICLE	IF	CITATIONS
1	Muscle relaxant use and the associated risk of incident frailty in patients with diabetic kidney disease: a longitudinal cohort study. <i>Therapeutic Advances in Drug Safety</i> , 2021, 12, 2042098621110146.	1.0	2
2	SP700EXPLORING THE 10-YEAR PARADIGM SHIFT OF PALLIATIVE CARE CONSENSUS AMONG TAIWANESE NEPHROLOGISTS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
3	Impact of major illnesses and geographic regions on do-not-resuscitate rate and its potential cost savings in Taiwan. <i>PLoS ONE</i> , 2019, 14, e0222320.	1.1	8
4	Association between education level and potentially inappropriate medication among older patients. <i>Ageing Clinical and Experimental Research</i> , 2018, 30, 101-103.	1.4	1
5	Effects of perceived autonomy support and basic need satisfaction on quality of life in hemodialysis patients. <i>Quality of Life Research</i> , 2018, 27, 765-773.	1.5	18
6	Thrombocytopenia on the first day of emergency department visit predicts higher risk of acute kidney injury among elderly patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 11.	1.1	6
7	Dipstick proteinuria level is significantly associated with pre-morbid and in-hospital functional status among hospitalized older adults: a preliminary study. <i>Scientific Reports</i> , 2017, 7, 42030.	1.6	5
8	Close correlation between the ankle-brachial index and symptoms of depression in hemodialysis patients. <i>International Urology and Nephrology</i> , 2017, 49, 1463-1470.	0.6	13
9	Frail phenotype is associated with distinct quantitative electroencephalographic findings among end-stage renal disease patients: an observational study. <i>BMC Geriatrics</i> , 2017, 17, 277.	1.1	11
10	Conservative management and health-related quality of life in end-stage renal disease: a systematic review. <i>Clinical and Investigative Medicine</i> , 2017, 40, E127-E134.	0.3	19
11	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. <i>Scientific Reports</i> , 2016, 6, 38549.	1.6	1
12	Increased rate of DNR status in hospitalized end-of-life patients in Taiwan. <i>Intensive Care Medicine</i> , 2016, 42, 1816-1817.	3.9	12
13	Establishment of a renal supportive care program: Experience from a rural community hospital in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 490-500.	0.8	12
14	Patients with urothelial carcinoma have poor renal outcome regardless of whether they receive nephroureterectomy. <i>Oncotarget</i> , 2016, 7, 61679-61689.	0.8	3
15	Cumulative Cardiovascular Polypharmacy Is Associated With the Risk of Acute Kidney Injury in Elderly Patients. <i>Medicine (United States)</i> , 2015, 94, e1251.	0.4	46
16	The severity of initial acute kidney injury at admission of geriatric patients significantly correlates with subsequent in-hospital complications. <i>Scientific Reports</i> , 2015, 5, 13925.	1.6	46
17	Cross-sectional study of the association between functional status and acute kidney injury in geriatric patients. <i>BMC Nephrology</i> , 2015, 16, 186.	0.8	17
18	FP330INCREASED RISK OF END-STAGE RENAL DISEASE IN PATIENTS WITH RENAL CELL CARCINOMA: A 12-YEAR NATIONWIDE FOLLOW-UP STUDY. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii178-iii178.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Peginterferon alfa-2a with or without low-dose ribavirin for treatment-naive patients with hepatitis C virus genotype 2 receiving haemodialysis: a randomised trial. <i>Gut</i> , 2015, 64, 303-311.	6.1	39
20	Mortality, disability, and intensive care in patients with mitochondrial 3243A>G mutation. <i>Intensive Care Medicine</i> , 2015, 41, 1493-1495.	3.9	1
21	Increased Risk of End-Stage Renal Disease in Patients with Renal Cell Carcinoma. <i>Medicine (United States)</i> 2014; 93(14):e44675. <small>Tj ETQq1 1 0.784314 rgBT /Overlo</small>	0.4	21
22	After-hours physician care for patients with do-not-resuscitate orders: An observational cohort study. <i>Palliative Medicine</i> , 2014, 28, 281-287.	1.3	2
23	Impact of Body Mass on Outcomes of Geriatric Postoperative Acute Kidney Injury Patients. <i>Shock</i> , 2014, 41, 400-405.	1.0	21
24	Acute kidney injury in the elderly: Only the tip of the iceberg. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2014, 5, 7-12.	0.7	21
25	Acute Kidney Injury Network Staging in Geriatric Postoperative Acute Kidney Injury Patients: Shortcomings and Improvements. <i>Journal of the American College of Surgeons</i> , 2013, 217, 240-250.	0.2	38
26	Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 589-599.	0.8	39
27	Pegylated Interferon- α 2a With or Without Low-Dose Ribavirin for Treatment-Naive Patients With Hepatitis C Virus Genotype 1 Receiving Hemodialysis. <i>Annals of Internal Medicine</i> , 2013, 159, 729.	2.0	91
28	In Nonagenarians, Acute Kidney Injury Predicts In-Hospital Mortality, while Heart Failure Predicts Hospital Length of Stay. <i>PLoS ONE</i> , 2013, 8, e77929.	1.1	13
29	Demand and Predictors for Post-Discharge Medical Counseling in Home Care Patients: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e64274.	1.1	3
30	Abdominal Obesity is Associated with Peripheral Artery Disease in Hemodialysis Patients. <i>PLoS ONE</i> , 2013, 8, e67555.	1.1	11
31	Association of hepatitis C virus infection and malnutrition-inflammation complex syndrome in maintenance hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1176-1183.	0.4	12
32	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927.	2.6	59
33	Successful Resumption of Peritoneal Dialysis After <i>Aspergillus fumigatus</i> Peritonitis. <i>American Journal of Kidney Diseases</i> , 2012, 60, 1049-1050.	2.1	3
34	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952.	1.1	40
35	Sex Differences in the Development of Malignancies among End-Stage Renal Disease Patients: A Nationwide Population-Based Follow-Up Study in Taiwan. <i>PLoS ONE</i> , 2012, 7, e44675.	1.1	18
36	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134.	2.5	87

#	ARTICLE	IF	CITATIONS
37	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230.	2.6	163
38	Urothelial Carcinoma in Patients With Advanced Kidney Disease: A 12-Year Retrospective Cohort Survey. <i>American Journal of the Medical Sciences</i> , 2011, 342, 148-152.	0.4	5
39	Hemoperitoneum Due to Tenckhoff Catheterâ€‘Caused Luteal Cyst Rupture. <i>American Journal of Kidney Diseases</i> , 2011, 58, 861.	2.1	5
40	Gender effect on renal outcome in patients with urothelial carcinoma. <i>World Journal of Urology</i> , 2011, 29, 511-516.	1.2	8
41	Transient Elastography to Assess Hepatic Fibrosis in Hemodialysis Chronic Hepatitis C Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1057-1065.	2.2	77
42	Patients Supported by Extracorporeal Membrane Oxygenation and Acute Dialysis: Acute Physiology and Chronic Health Evaluation Score in Predicting Hospital Mortality. <i>Artificial Organs</i> , 2010, 34, 828-835.	1.0	19
43	Pegylated Interferon Alfaâ€‘2a Monotherapy for Hemodialysis Patients with Acute Hepatitis C. <i>Clinical Infectious Diseases</i> , 2010, 51, 541-549.	2.9	36
44	The ratio of aminotransferase to platelets is a useful index for predicting hepatic fibrosis in hemodialysis patients with chronic hepatitis C. <i>Kidney International</i> , 2010, 78, 103-109.	2.6	32
45	Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Critical Care</i> , 2009, 18, 446-455.	0.8	6
46	Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome. <i>American Journal of Kidney Diseases</i> , 2005, 45, 88-95.	2.1	34
47	Acute renal failure in SARS patients: more than rhabdomyolysis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3180-3182.	0.4	26