

Xiaohai Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2727306/publications.pdf>

Version: 2024-02-01

34
papers

2,140
citations

257450

24
h-index

377865

34
g-index

34
all docs

34
docs citations

34
times ranked

2327
citing authors

#	ARTICLE	IF	CITATIONS
1	Catalytic Conversion of 5-Hydroxymethylfurfural to High-Value Derivatives by Selective Activation of C=O, C=C, and C-C Bonds. <i>ChemSusChem</i> , 2022, 15, .	6.8	16
2	Regulation of Brønsted acid sites to enhance the decarburization of hexoses to furfural. <i>Catalysis Science and Technology</i> , 2022, 12, 3506-3515.	4.1	6
3	Continuous production of 1,4-pentanediol from ethyl levulinate and industrialized furfuryl alcohol over Cu-based catalysts. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2449-2461.	4.9	6
4	Conversion of furfuryl alcohol to 1,5-pentanediol over CuCoAl nanocatalyst: The synergetic catalysis between Cu, CoOx and the basicity of metal oxides. <i>Molecular Catalysis</i> , 2022, 526, 112391.	2.0	4
5	Conversion of glucose to levulinic acid and upgradation to γ -valerolactone on Ru/TiO ₂ catalysts. <i>New Journal of Chemistry</i> , 2021, 45, 14406-14413.	2.8	5
6	Sustainable production of γ -valerolactone and δ -valerolactone through the coupling of hydrogenation and dehydrogenation. <i>Sustainable Energy and Fuels</i> , 2021, 5, 930-934.	4.9	13
7	Highly selective glucose isomerization by HY zeolite in gamma-butyrolactone/H ₂ O system over fixed bed reactor. <i>Catalysis Communications</i> , 2021, 156, 106324.	3.3	8
8	Highly effective production of levulinic acid and γ -valerolactone through self-circulation of solvent in a continuous process. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 1811-1818.	3.7	4
9	Efficient Cu catalyst for 5-hydroxymethylfurfural hydrogenolysis by forming Cu-O-Si bonds. <i>Catalysis Science and Technology</i> , 2020, 10, 7323-7330.	4.1	14
10	Synergistic effect between copper and different metal oxides in the selective hydrogenolysis of glucose. <i>New Journal of Chemistry</i> , 2019, 43, 3733-3742.	2.8	15
11	Complete Aqueous Hydrogenation of 5-Hydroxymethylfurfural at Room Temperature over Bimetallic RuPd/Graphene Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10670-10678.	6.7	57
12	Aqueous Hydrogenation of Levulinic Acid to 1,4-Pentanediol over Mo-Modified Ru/Activated Carbon Catalyst. <i>ChemSusChem</i> , 2018, 11, 1316-1320.	6.8	73
13	Construction of novel Cu/ZnO-Al ₂ O ₃ composites for furfural hydrogenation: The role of Al components. <i>Applied Catalysis A: General</i> , 2018, 561, 78-86.	4.3	43
14	The role of water on the selective decarbonylation of 5-hydroxymethylfurfural over Pd/Al ₂ O ₃ catalyst: Experimental and DFT studies. <i>Applied Catalysis B: Environmental</i> , 2017, 212, 15-22.	20.2	29
15	Efficient Synthesis of Furfuryl Alcohol and 2-Methylfuran from Furfural over Mineral-Derived Cu/ZnO Catalysts. <i>ChemCatChem</i> , 2017, 9, 3023-3030.	3.7	64
16	Inclusion of Zn into Metallic Ni Enables Selective and Effective Synthesis of 2,5-Dimethylfuran from Bioderived 5-Hydroxymethylfurfural. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 11280-11289.	6.7	73
17	Insights into influence of nanoparticle size and metal-support interactions of Cu/ZnO catalysts on activity for furfural hydrogenation. <i>Catalysis Science and Technology</i> , 2017, 7, 5625-5634.	4.1	57
18	One-Step Continuous Conversion of Fructose to 2,5-Dihydroxymethylfuran and 2,5-Dimethylfuran. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4506-4510.	6.7	52

#	ARTICLE	IF	CITATIONS
19	Efficient aqueous hydrogenation of levulinic acid to Î³-valerolactone over a highly active and stable ruthenium catalyst. <i>Catalysis Science and Technology</i> , 2016, 6, 1469-1475.	4.1	66
20	Conversion of carbohydrates to furfural via selective cleavage of the carbon-carbon bond: the cooperative effects of zeolite and solvent. <i>Green Chemistry</i> , 2016, 18, 1619-1624.	9.0	88
21	WO modified Cu/Al ₂ O ₃ as a high-performance catalyst for the hydrogenolysis of glucose to 1,2-propanediol. <i>Catalysis Today</i> , 2016, 261, 116-127.	4.4	54
22	Effect of WO _x on Bifunctional Pd-WO _x /Al ₂ O ₃ Catalysts for the Selective Hydrogenolysis of Glucose to 1,2-Propanediol. <i>ACS Catalysis</i> , 2015, 5, 4612-4623.	11.2	82
23	Efficient synthesis of 2,5-dihydroxymethylfuran and 2,5-dimethylfuran from 5-hydroxymethylfurfural using mineral-derived Cu catalysts as versatile catalysts. <i>Catalysis Science and Technology</i> , 2015, 5, 4208-4217.	4.1	132
24	One-Step Conversion of Furfural into 2-Methyltetrahydrofuran under Mild Conditions. <i>ChemSusChem</i> , 2015, 8, 1534-1537.	6.8	87
25	Direct conversion of carbohydrates to Î³-valerolactone facilitated by a solvent effect. <i>Green Chemistry</i> , 2015, 17, 3084-3089.	9.0	49
26	Graphene-Modified Ru Nanocatalyst for Low-Temperature Hydrogenation of Carbonyl Groups. <i>ACS Catalysis</i> , 2015, 5, 7379-7384.	11.2	113
27	Ni Nanoparticles Inlaid Nickel Phyllosilicate as a Metal-Acid Bifunctional Catalyst for Low-Temperature Hydrogenolysis Reactions. <i>ACS Catalysis</i> , 2015, 5, 5914-5920.	11.2	157
28	Aqueous-phase hydrogenolysis of glucose to value-added chemicals and biofuels: A comparative study of active metals. <i>Biomass and Bioenergy</i> , 2015, 72, 189-199.	5.7	39
29	Water-Promoted Hydrogenation of Levulinic Acid to Î³-Valerolactone on Supported Ruthenium Catalyst. <i>ChemCatChem</i> , 2015, 7, 508-512.	3.7	117
30	Cu Nanoparticles Inlaid Mesoporous Al ₂ O ₃ As a High-Performance Bifunctional Catalyst for Ethanol Synthesis via Dimethyl Oxalate Hydrogenation. <i>ACS Catalysis</i> , 2014, 4, 3612-3620.	11.2	151
31	The Rise of Calcination Temperature Enhances the Performance of Cu Catalysts: Contributions of Support. <i>ACS Catalysis</i> , 2014, 4, 3675-3681.	11.2	79
32	Promoting effect of boron oxide on Cu/SiO ₂ catalyst for glycerol hydrogenolysis to 1,2-propanediol. <i>Journal of Catalysis</i> , 2013, 303, 70-79.	6.2	215
33	Modification of the supported Cu/SiO ₂ catalyst by alkaline earth metals in the selective conversion of 1,4-butanediol to Î³-butyrolactone. <i>Applied Catalysis A: General</i> , 2012, 443-444, 191-201.	4.3	66
34	One-step hydrogenolysis of glycerol to biopropanols over Pt-H ₄ SiW ₁₂ O ₄₀ /ZrO ₂ catalysts. <i>Green Chemistry</i> , 2012, 14, 2607.	9.0	106