

Michael P Schn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2729245/michael-p-schon-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

212
papers

8,485
citations

42
h-index

86
g-index

235
ext. papers

9,882
ext. citations

5.1
avg. IF

6.52
L-index

#	Paper	IF	Citations
212	Melanocytic nevi in sentinel lymph nodes: association with cutaneous nevi and clinical relevance in patients with cutaneous melanomas.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1	4.9	2
211	Schnell wachsende Knoten an Arm und Penis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1076-1079	1.2	
210	Animal models of psoriasis-highlights and drawbacks. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 439-455	11.5	11
209	NCSTN Deficiency and Depigmentation: All About Tyrosinase?. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1331-1334	4.3	1
208	Sensitization rates to common inhaled allergens in Germany - increase and change patterns over the last 20 years. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 37-44	1.2	4
207	Primary cutaneous follicle centre lymphoma, spindle cell type, presenting with multicentre figurated erythema and complete remission after intralesional injections of ultra-low-dose Interferon alpha-2a. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e223-e225	4.6	
206	Protein Signatures of NK Cell-Mediated Melanoma Killing Predict Response to Immunotherapies. <i>Cancer Research</i> , 2021 , 81, 5540-5554	10.1	0
205	Modulating Tumor Cell Functions by Tunable Nanopatterned Ligand Presentation. <i>Nanomaterials</i> , 2020 , 10,	5.4	1
204	WIF1 Suppresses the Generation of Suprabasal Cells in Acanthotic Skin and Growth of Basal Cell Carcinomas upon Forced Overexpression. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1556-1565.e143	4.3	0
203	Cytokines of the IL-17 family in psoriasis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 675-681	1.2	8
202	Sex- and Age-Dependent Changes in Polysensitization to Common Aeroallergens Over 20 Years. <i>Journal of Asthma and Allergy</i> , 2020 , 13, 725-730	3.1	1
201	Filaggrin Expression and Processing Deficiencies Impair Corneocyte Surface Texture and Stiffness in Mice. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 615-623.e5	4.3	15
200	Allergic Rhinitis to Weed Pollen in Germany: Dominance by Plantain, Rising Prevalence, and Polysensitization Rates over 20 Years. <i>International Archives of Allergy and Immunology</i> , 2020 , 181, 128-135	3.7	8
199	Assessment of occupational exposure and spectrum of contact sensitization in metalworkers with occupational dermatitis: results of a cohort study within the OCCUDERM project. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1536-1544	4.6	7
198	COVID-19 and immunological regulations - from basic and translational aspects to clinical implications. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 795-807	1.2	25
197	COVID-19 and implications for dermatological and allergological diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 815-824	1.2	9
196	Effective treatment of atopic dermatitis with dupilumab in an HIV-positive patient. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 1488-1490	1.2	1

195	Integration of Scientific Competence into Gross Anatomy Teaching Using Poster Presentations: Feasibility and Perception among Medical Students. <i>Anatomical Sciences Education</i> , 2020 ,	6.8	1
194	Axillary sentinel node biopsy in prone position for melanomas on the upper back or nape. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2019 , 53, 221-226	1.5	1
193	Transient epidermal barrier deficiency and lowered allergic threshold in filaggrin-hornerin (FlgHrnr) double-deficient mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1327-1339	8.3	14
192	Serum and Serum Albumin Inhibit Formation of Neutrophil Extracellular Traps (NETs). <i>Frontiers in Immunology</i> , 2019 , 10, 12	8.4	36
191	Adaptive and Innate Immunity in Psoriasis and Other Inflammatory Disorders. <i>Frontiers in Immunology</i> , 2019 , 10, 1764	8.4	67
190	Redox signals at the ER-mitochondria interface control melanoma progression. <i>EMBO Journal</i> , 2019 , 38, e100871	13	31
189	Two cases of acrodermatitis continua suppurativa (Hallopeau's disease) treated with IL-17A inhibitors. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 643-645	1.2	2
188	Blue and Long-Wave Ultraviolet Light Induce Neutrophil Extracellular Trap (NET) Formation. <i>Frontiers in Immunology</i> , 2019 , 10, 2428	8.4	11
187	Effect of Adhesion and Substrate Elasticity on Neutrophil Extracellular Trap Formation. <i>Frontiers in Immunology</i> , 2019 , 10, 2320	8.4	20
186	Treatment of Atopic Dermatitis Using a Full-Body Blue Light Device (AD-Blue): Protocol of a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e11911	2	4
185	S2k Guidelines for Cutaneous Basal Cell Carcinoma - Part 2: Treatment, Prevention and Follow-up. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 214-230	1.2	26
184	Profile Shift in Latex Sensitization over the Last 20 Years. <i>International Archives of Allergy and Immunology</i> , 2019 , 178, 83-88	3.7	9
183	Morphological Plasticity of Human Melanoma Cells Is Determined by Nanoscopic Patterns of E- and N-Cadherin Interactions. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 562-572	4.3	7
182	S2k Guidelines for Cutaneous Basal Cell Carcinoma - Part 1: Epidemiology, Genetics and Diagnosis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 94-103	1.2	18
181	c-Rel is a cell cycle modulator in human melanoma cells. <i>Experimental Dermatology</i> , 2019 , 28, 121-128	4	2
180	A Yin and Yang in Epithelial Immunology: The Roles of the (CD103) Integrin in T Cells. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 23-31	4.3	18
179	The Interleukin-23/Interleukin-17 Axis Links Adaptive and Innate Immunity in Psoriasis. <i>Frontiers in Immunology</i> , 2018 , 9, 1323	8.4	103
178	Nanoscale Tuning of VCAM-1 Determines VLA-4-Dependent Melanoma Cell Plasticity on RGD Motifs. <i>Molecular Cancer Research</i> , 2018 , 16, 528-542	6.6	11

177	Chromatin swelling drives neutrophil extracellular trap release. <i>Nature Communications</i> , 2018 , 9, 3767	17.4	92
176	Treatment with diphenyl-pyrazole compound anle138b/c reveals that E5ynuclein protects melanoma cells from autophagic cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E4971-E4977	11.5	13
175	Sexy again: the renaissance of neutrophils in psoriasis. <i>Experimental Dermatology</i> , 2017 , 26, 305-311	4	40
174	The effect of epidermal levels of urocanic acid on 25-hydroxyvitamin D synthesis and inflammatory mediators upon narrowband UVB irradiation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016 , 32, 214-23	2.4	16
173	The IKK β -dependent non-canonical pathway of NF- κ B activation is constitutively active and modulates progression-related functions in a subset of human melanomas. <i>Archives of Dermatological Research</i> , 2016 , 308, 733-742	3.3	3
172	Library synthesis of cardiomyogenesis inducing compounds using an efficient two-step-one-flow process. <i>Monatshefte Für Chemie</i> , 2016 , 147, 523-532	1.4	1
171	Ruxolitinib Induces Interleukin 17 and Ameliorates Chronic Mucocutaneous Candidiasis Caused by STAT1 Gain-of-Function Mutation. <i>Clinical Infectious Diseases</i> , 2016 , 62, 951-3	11.6	55
170	Tumor-Preferential Induction of Immune Responses and Epidermal Cell Death in Actinic Keratoses by Ingenol Mebutate. <i>PLoS ONE</i> , 2016 , 11, e0160096	3.7	16
169	Photosensitive form of trichothiodystrophy associated with a novel mutation in the XPD gene. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016 , 32, 110-2	2.4	4
168	Mutually enhancing anti-inflammatory activities of dimethyl fumarate and NF- κ B inhibitors--implications for dose-sparing combination therapies. <i>Experimental Dermatology</i> , 2016 , 25, 124-30	4	8
167	c-Rel in Epidermal Homeostasis: A Spotlight on c-Rel in Cell Cycle Regulation. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1090-1096	4.3	3
166	Integrin β (CD103) Is Involved in Regulatory T-Cell Function in Allergic Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 2982-2991	4.3	27
165	The c-Rel subunit of NF- κ B is a crucial regulator of phenotype and motility of HaCaT keratinocytes. <i>Archives of Dermatological Research</i> , 2015 , 307, 523-30	3.3	2
164	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , 2015 , 194, 3656-63	5.3	34
163	Melanoma thickness: the role of patients' characteristics, risk indicators and patterns of diagnosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 102-8	4.6	16
162	Psoriasis. <i>Lancet, The</i> , 2015 , 386, 983-94	40	1181
161	Internalization routes of cell-penetrating melanoma antigen peptides into human dendritic cells. <i>Experimental Dermatology</i> , 2014 , 23, 20-6	4	5
160	Inositol-C2-PAF down-regulates components of the antigen presentation machinery in a 2D-model of epidermal inflammation. <i>Biochemical Pharmacology</i> , 2014 , 87, 477-88	6	9

159	Nanoscale integrin ligand patterns determine melanoma cell behavior. <i>ACS Nano</i> , 2014 , 8, 9113-25	16.7	42
158	The novel PI3 kinase inhibitor, BAY 80-6946, impairs melanoma growth in vivo and in vitro. <i>Experimental Dermatology</i> , 2014 , 23, 579-84	4	9
157	Die Kombinationstherapie infantiler Hämangiome mit gepulstem Farbstofflaser und Nd:YAG-Laser ist wirksam und sicher. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014 , 12, 473-479	1.2	6
156	Grouped vesicles with brown background pigmentation on the abdomen of a 9-year-old girl. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014 , 12, 362-364	1.2	
155	Combination therapy of infantile hemangiomas with pulsed dye laser and Nd:YAG laser is effective and safe. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014 , 12, 473-8	1.2	4
154	c-Rel downregulation affects cell cycle progression of human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 415-422	4.3	13
153	Inositolated platelet-activating factor (Ino-C2-PAF) modulates dynamic lymphocyte-endothelial cell interactions and alleviates psoriasis-like skin inflammation in two complementary mouse models. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2510-2520	4.3	5
152	Solid variant of angiomatoid fibrous histiocytoma masked by interstitial granuloma annulare in a 13-year-old child: no evidence for translocation breakpoints. <i>Acta Dermato-Venereologica</i> , 2014 , 94, 353-4 ²		
151	TNF β induced leukocyte-endothelial cell interactions show marked interindividual differences independent of the clinical response to adalimumab. <i>Experimental Dermatology</i> , 2014 , 23, 133-4	4	6
150	Comparative study of human-induced pluripotent stem cells derived from bone marrow cells, hair keratinocytes, and skin fibroblasts. <i>European Heart Journal</i> , 2013 , 34, 2618-29	9.5	106
149	VUT-MK142 : a new cardiomyogenic small molecule promoting the differentiation of pre-cardiac mesoderm into cardiomyocytes. <i>MedChemComm</i> , 2013 , 4, 1189-1195	5	8
148	Recommendations for detection of individual risk for comorbidities in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2013 , 305, 91-8	3.3	30
147	Phenotypic and functional traits of peripheral blood mononuclear cells retained by controlled cryopreservation: implications for reliable sequential studies of dynamic interactions with endothelial cells. <i>Experimental Dermatology</i> , 2013 , 22, 358-9	4	4
146	Adhesion maturation of neutrophils on nanoscopically presented platelet glycoprotein Ib α ACS <i>Nano</i> , 2013 , 7, 9984-96	16.7	42
145	Atypical location of lymphocytoma cutis in a child. <i>Pediatric Dermatology</i> , 2013 , 30, 628-9	1.9	2
144	Single Operation Stereoselective Synthesis of Aerangis Lactones: Combining Continuous Flow Hydrogenation and Biocatalysts in a Chemoenzymatic Sequence. <i>ChemCatChem</i> , 2013 , 5, 724-727	5.2	47
143	Molecular genetic analysis of 16 XP-C patients from Germany: environmental factors predominately contribute to phenotype variations. <i>Experimental Dermatology</i> , 2013 , 22, 24-9	4	19
142	Monocytes/macrophages prevent healing defects and left ventricular thrombus formation after myocardial infarction. <i>FASEB Journal</i> , 2013 , 27, 871-81	0.9	121

141	Immunostimulatory activity of murine keratinocyte-derived exosomes. <i>Experimental Dermatology</i> , 2013 , 22, 650-5	4	23
140	Arylation of Pyridines via Suzuki-Miyaura Cross-Coupling and Pyridine-Directed C-H Activation Using a Continuous-Flow Approach. <i>Synlett</i> , 2013 , 24, 2411-2418	2.2	15
139	Characterization of three XPG-defective patients identifies three missense mutations that impair repair and transcription. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1841-9	4.3	25
138	Multiple slowly growing nodular lesions on the lower legs in a 78-year-old obese woman. Nodular obesity-associated lymphedematous mucinosis. <i>JAMA Dermatology</i> , 2013 , 149, 867-8	5.1	4
137	Functional and molecular genetic analyses of nine newly identified XPD-deficient patients reveal a novel mutation resulting in TTD as well as in XP/CS complex phenotypes. <i>Experimental Dermatology</i> , 2013 , 22, 486-9	4	13
136	Damage-induced DNA replication stalling relies on MAPK-activated protein kinase 2 activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 16856-61	11.5	55
135	Multiple large flaccid purulent blisters in a patient with metastatic breast cancer. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 267-9	1.2	
134	Nd:YAG laser epilation to prevent recurrences after pilonidal sinus surgery. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 1203-5	1.2	2
133	Papulopustular eruption after holiday in a 44-year-old man. Whirlpool dermatitis (pseudomonas folliculitis). <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 763-4	1.2	1
132	Nd:YAG-Laserepilation zur Rezidivprophylaxe nach Sinus-pilonidalis-Operation. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 1203-1205	1.2	1
131	Successful Nd:YAG laser therapy for hair removal in the oral cavity after plastic reconstruction using hairy donor sites. <i>Dermatology</i> , 2013 , 226, 324-8	4.4	14
130	Limited diagnostic value of Wells-score and D-dimer testing in hospitalized dermatologic patients with symptoms of deep vein thrombosis. <i>European Journal of Dermatology</i> , 2013 , 23, 830-6	0.8	6
129	Involvement of IL-9 in Th17-associated inflammation and angiogenesis of psoriasis. <i>PLoS ONE</i> , 2013 , 8, e51752	3.7	105
128	Diffuse melanosis in a patient with multifocal liver and thyroid metastases of a malignant melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 764-5	1.2	2
127	Circular, nanostructured and biofunctionalized hydrogel microchannels for dynamic cell adhesion studies. <i>Lab on A Chip</i> , 2012 , 12, 3285-9	7.2	28
126	Controlled-rate freezer cryopreservation of highly concentrated peripheral blood mononuclear cells results in higher cell yields and superior autologous T-cell stimulation for dendritic cell-based immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 2021-31	7.4	19
125	Integrating static and dynamic features of melanoma: the DynaMel algorithm. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 27-36	4.5	17
124	LICC: L-BLP25 in patients with colorectal carcinoma after curative resection of hepatic metastases: a randomized, placebo-controlled, multicenter, multinational, double-blinded phase II trial. <i>BMC Cancer</i> , 2012 , 12, 144	4.8	13

123	Sunlight-induced papulovesicular eruption in an 8-year-old girl. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 923-4	1.2	
122	No association of vitamin D metabolism-related polymorphisms and melanoma risk as well as melanoma prognosis: a case-control study. <i>Archives of Dermatological Research</i> , 2012 , 304, 353-61	3.3	22
121	Stimulation of pulmonary immune responses by the TLR2/6 agonist MALP-2 and effect on melanoma metastasis to the lung. <i>Experimental Dermatology</i> , 2012 , 21, 91-8	4	9
120	Skin cancer in organ transplant recipients: effects of immunosuppressive medications on DNA repair. <i>Experimental Dermatology</i> , 2012 , 21, 2-6	4	51
119	8-Methoxypsoralen plus UVA treatment increases the proportion of CLA+ CD25+ CD4+ T cells in lymph nodes of K5.hTGF β transgenic mice. <i>Experimental Dermatology</i> , 2012 , 21, 228-30	4	16
118	Doxorubicin-induced activation of NF- κ B in melanoma cells is abrogated by inhibition of IKK β but not by a novel IKK β inhibitor. <i>Experimental Dermatology</i> , 2012 , 21, 301-4	4	10
117	Multifocal capillary malformations due to RASA1 mutation misdiagnosed as cutaneous mastocytosis. <i>Archives of Dermatology</i> , 2012 , 148, 1334-5		5
116	The dark side of beauty: acne fulminans induced by anabolic steroids in a male bodybuilder. <i>Archives of Dermatology</i> , 2012 , 148, 1210-2		26
115	Photo quiz. A 32-year-old man with ulcerative mucositis, skin lesions, and nail dystrophy. Chronic mucocutaneous candidiasis by multidrug-resistant <i>Candida albicans</i> . <i>Clinical Infectious Diseases</i> , 2012 , 54, 972, 1035-6	11.6	10
114	Squamomelanocytic tumor of the nail unit metastasizing to a sentinel lymph node: a dermoscopic and histologic investigation. <i>Dermatology</i> , 2012 , 225, 127-30	4.4	7
113	Long-term follow-up of patients with hypersensitivity to nonsteroidal anti-inflammatory drugs reveals shortcomings in compliance and care. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 284-5	11.5	10
112	Platelet-activating factor blockade inhibits the T-helper type 17 cell pathway and suppresses psoriasis-like skin disease in K5.hTGF β transgenic mice. <i>American Journal of Pathology</i> , 2011 , 178, 699-708	5.8	45
111	Response of recalcitrant lichen planus to alitretinoin in 3 patients. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, e58-e60	4.5	13
110	Lymph node ultrasound during melanoma follow-up significantly improves metastasis detection compared with clinical examination alone: a study on 433 patients. <i>Melanoma Research</i> , 2011 , 21, 457-63	3.3	23
109	Temozolomide chemoresistance heterogeneity in melanoma with different treatment regimens: DNA damage accumulation contribution. <i>Melanoma Research</i> , 2011 , 21, 206-16	3.3	9
108	595nm pulsed dye laser combined with intralesional corticosteroids in hypertrophic symptomatic scars following breast reduction surgery. <i>European Journal of Dermatology</i> , 2011 , 21, 262-3	0.8	2
107	Intralesional steroid injection alleviates nail lichen planus. <i>International Journal of Dermatology</i> , 2011 , 50, 626-7	1.7	10
106	Increased Lipoprotein (a) concentrations in patients with chronic venous leg ulcers: a study on patients with or without postthrombotic syndrome. <i>Wound Repair and Regeneration</i> , 2011 , 19, 168-72	3.6	4

105	Thrombophilia in patients with chronic venous leg ulcers-a study on patients with or without post-thrombotic syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 1432-9	4.6	7
104	Cyclosporin A, but not everolimus, inhibits DNA repair mediated by calcineurin: implications for tumorigenesis under immunosuppression. <i>Experimental Dermatology</i> , 2011 , 20, 232-6	4	35
103	Simultaneous aberrations of single CDKN2A network components and a high Rb phosphorylation status can differentiate subgroups of primary cutaneous B-cell lymphomas. <i>Experimental Dermatology</i> , 2011 , 20, 331-5	4	10
102	Cyclosporin A inhibits nucleotide excision repair via downregulation of the xeroderma pigmentosum group A and G proteins, which is mediated by calcineurin inhibition. <i>Experimental Dermatology</i> , 2011 , 20, 795-9	4	20
101	Downregulation of endothelial adhesion molecules by dimethylfumarate, but not monomethylfumarate, and impairment of dynamic lymphocyte-endothelial cell interactions. <i>Experimental Dermatology</i> , 2011 , 20, 980-5	4	39
100	Perioral dermatitis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9, 422-7	1.2	5
99	Application of continuous flow and alternative energy devices for 5-hydroxymethylfurfural production. <i>Molecular Diversity</i> , 2011 , 15, 639-43	3.1	16
98	Endonasal phototherapy significantly alleviates symptoms of allergic rhinitis, but has a limited impact on the nasal mucosal immune cells. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 393-9 ³ ·5		4
97	Pigmented basal cell carcinomas 15 years after orbital radiation therapy for Graves ophthalmopathy. <i>Archives of Dermatology</i> , 2011 , 147, 511-2		4
96	Halting angiogenesis by non-viral somatic gene therapy alleviates psoriasis and murine psoriasiform skin lesions. <i>Journal of Clinical Investigation</i> , 2011 , 121, 410-21	15.9	23
95	Ulcerative necrobiosis lipoidica successfully treated by vacuum-assisted closure therapy. <i>European Journal of Dermatology</i> , 2011 , 21, 791-2	0.8	2
94	Erfolgreiche Therapie mit Propranolol bei ausgedehntem Suglings-Hangiom. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 184-186	1.2	12
93	Unerwunschte dermatologische Wirkungen bei therapeutischer Inhibition des VEGF-Signalweges. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 243-249	1.2	19
92	Intracellular delivery of major histocompatibility complex class I-binding epitopes: dendritic cells loaded and matured with cationic peptide/poly(I:C) complexes efficiently activate T cells. <i>Experimental Dermatology</i> , 2010 , 19, 19-28	4	8
91	Enhanced T-cell activation by immature dendritic cells loaded with HSP70-expressing heat-killed melanoma cells. <i>Experimental Dermatology</i> , 2010 , 19, 108-16	4	10
90	Modulating T cell functions does not alleviate chronic inflammatory skin lesions in K5.TGF beta 1 transgenic mice. <i>Experimental Dermatology</i> , 2010 , 19, 406-15	4	13
89	Constitutive and functionally relevant expression of JAM-C on platelets. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 857-9	7	7
88	Multiple basal cell carcinomas arising in radiotherapy-treated nevus flammeus: early detection facilitated by 595-nm pulsed dye laser. <i>European Journal of Dermatology</i> , 2010 , 20, 510-1	0.8	2

87	Development of segmental superficial actinic porokeratosis during immunosuppressive therapy for pemphigus vulgaris. <i>Acta Dermato-Venereologica</i> , 2010 , 90, 212-3	2.2	15
86	NF-kappaB inhibition through proteasome inhibition or IKKbeta blockade increases the susceptibility of melanoma cells to cytostatic treatment through distinct pathways. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1073-86	4.3	30
85	Inhibition of platelet GPIb alpha and promotion of melanoma metastasis. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 576-86	4.3	58
84	Managing comorbid disease in patients with psoriasis. <i>BMJ, The</i> , 2010 , 340, b5666	5.9	88
83	Selection of patients for long-term surveillance with digital dermoscopy by assessment of melanoma risk factors. <i>Archives of Dermatology</i> , 2010 , 146, 257-64		65
82	Seven-point checklist for dermatoscopy: performance during 10 years of prospective surveillance of patients at increased melanoma risk. <i>Journal of the American Academy of Dermatology</i> , 2010 , 62, 785-93	4.5	41
81	8-methoxypsoralen plus ultraviolet A therapy acts via inhibition of the IL-23/Th17 axis and induction of Foxp3+ regulatory T cells involving CTLA4 signaling in a psoriasis-like skin disorder. <i>Journal of Immunology</i> , 2010 , 184, 7257-67	5.3	98
80	Deadly allies: the fatal interplay between platelets and metastasizing cancer cells. <i>Blood</i> , 2010 , 115, 3427-36	7.3	245
79	Fulminant polyarteritis nodosa associated with acute myeloid leukaemia resulted in bilateral lower leg amputation. <i>Rheumatology</i> , 2009 , 48, 1170-2	3.9	4
78	Junctional adhesion molecule (JAM)-B supports lymphocyte rolling and adhesion through interaction with alpha4beta1 integrin. <i>Immunology</i> , 2009 , 128, 196-205	7.8	34
77	PS3, a semisynthetic beta-1,3-glucan sulfate, diminishes contact hypersensitivity responses through inhibition of L- and P-selectin functions. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1192-202	4.3	23
76	Computer-aided analysis of cell interactions under dynamic flow conditions. <i>Experimental Dermatology</i> , 2009 , 18, 238-45	4	4
75	Successful treatment of severe keratosis pilaris rubra with a 595-nm pulsed dye laser. <i>Dermatologic Surgery</i> , 2009 , 35, 1592-5	1.7	22
74	Adult-onset Still's disease: an uncommon differential diagnosis of urticaria and treatment with anakinra. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 104-106	4.6	6
73	Melanoma arising in segmental nevus spilus: detection by sequential digital dermatoscopy. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 337-41	4.5	19
72	Low-dose gemcitabine efficacious in three patients with tumor-stage mycosis fungoides. <i>Clinical Lymphoma and Myeloma</i> , 2009 , 9, E21-4		5
71	Neue Systemtherapien in der Dermatologie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , 2009 , 237-244		
70	Efalizumab in the treatment of psoriasis: mode of action, clinical indications, efficacy, and safety. <i>Clinics in Dermatology</i> , 2008 , 26, 509-14	3	20

69	Tumor necrosis factor antagonists in the therapy of psoriasis. <i>Clinics in Dermatology</i> , 2008 , 26, 486-502	3	43
68	Targeting leukocyte recruitment in the treatment of psoriasis. <i>Clinics in Dermatology</i> , 2008 , 26, 527-38	3	9
67	Treatment of psoriasis: a journey from empiricism to evidence. <i>Clinics in Dermatology</i> , 2008 , 26, 417-8	3	1
66	KINK-1, a novel small-molecule inhibitor of IKKbeta, and the susceptibility of melanoma cells to antitumoral treatment. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 862-75	9.7	51
65	Integrin alpha E(CD103)beta 7 influences cellular shape and motility in a ligand-dependent fashion. <i>Blood</i> , 2008 , 112, 619-25	2.2	56
64	PECAM-1 polymorphism affects monocyte adhesion to endothelial cells. <i>Transplantation</i> , 2008 , 85, 471-7	1.8	17
63	Introduction of functional chimeric E/L-selectin by RNA electroporation to target dendritic cells from blood to lymph nodes. <i>Cancer Immunology, Immunotherapy</i> , 2008 , 57, 467-77	7.4	31
62	Animal models of psoriasis: a critical appraisal. <i>Experimental Dermatology</i> , 2008 , 17, 703-12	4	67
61	Diminished lymphocyte adhesion and alleviation of allergic responses by small-molecule- or antibody-mediated inhibition of L-selectin functions. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 90-7	4.3	21
60	Impaired induction of adhesion molecule expression in immortalized endothelial cells leads to functional defects in dynamic interactions with lymphocytes. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2253-8	4.3	17
59	Proteinase-activated receptor-2 (PAR2): a tumor suppressor in skin carcinogenesis. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2245-52	4.3	39
58	Recalcitrant lithium-induced psoriasis in a suicidal patient alleviated by tumour necrosis factor-alpha inhibition. <i>British Journal of Dermatology</i> , 2007 , 157, 627-9	4	7
57	Imiquimod: mode of action. <i>British Journal of Dermatology</i> , 2007 , 157 Suppl 2, 8-13	4	232
56	Lupus erythematosus profundus in an 8-year-old child. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 132-3	4.6	7
55	Targeting leukocyte trafficking to inflamed skin: still an attractive therapeutic approach?. <i>Experimental Dermatology</i> , 2007 , 16, 1-12	4	23
54	P-selectin: a common therapeutic target for cardiovascular disorders, inflammation and tumour metastasis. <i>Expert Opinion on Therapeutic Targets</i> , 2007 , 11, 1103-17	6.4	66
53	The antitumoral mode of action of imiquimod and other imidazoquinolines. <i>Current Medicinal Chemistry</i> , 2007 , 14, 681-7	4.3	55
52	A role for caspase-1 in heart failure. <i>Circulation Research</i> , 2007 , 100, 645-53	15.7	81

51	Diminished thrombus formation and alleviation of myocardial infarction and reperfusion injury through antibody- or small-molecule-mediated inhibition of selectin-dependent platelet functions. <i>Haematologica</i> , 2007 , 92, 502-12	6.6	25
50	Psoriasis in the limelight: the remarkable career of an old skin disease. <i>Clinics in Dermatology</i> , 2007 , 25, 501-3	3	2
49	Animal models of psoriasis. <i>Clinics in Dermatology</i> , 2007 , 25, 596-605	3	40
48	The small-molecule immune response modifier imiquimod--its mode of action and clinical use in the treatment of skin cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2006 , 10, 69-76	6.4	22
47	Eosinophilic folliculitis in a Caucasian patient: association with toxocarasis?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 1317-21	4.6	5
46	Commentary 2. <i>Experimental Dermatology</i> , 2006 , 15, 929-929	4	1
45	Schü et al. reply to Efomycine M: an inhibitor of selectins? <i>Nature Medicine</i> , 2006 , 12, 873-874	50.5	5
44	Structure-function relation of efomycines, a family of small-molecule inhibitors of selectin functions. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 882-9	4.3	17
43	The small antitumoral immune response modifier imiquimod interacts with adenosine receptor signaling in a TLR7- and TLR8-independent fashion. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 1338-47	4.2	114
42	Advances in psoriasis treatment. <i>Lancet, The</i> , 2005 , 366, 1333-5	40	21
41	Psoriasis. <i>New England Journal of Medicine</i> , 2005 , 352, 1899-912	59.2	866
40	Migration matters: regulatory T-cell compartmentalization determines suppressive activity in vivo. <i>Blood</i> , 2005 , 106, 3097-104	2.2	212
39	Expression of gp130 in tumors and inflammatory disorders of the skin: formal proof of its identity as CD146 (MUC18, Mel-CAM). <i>Journal of Investigative Dermatology</i> , 2005 , 125, 353-63	4.3	10
38	Junctional adhesion molecules (JAM)-B and -C contribute to leukocyte extravasation to the skin and mediate cutaneous inflammation. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 969-76	4.3	73
37	Leukocyte extravasation as a target for anti-inflammatory therapy - Which molecule to choose?. <i>Experimental Dermatology</i> , 2005 , 14, 70-80	4	16
36	Viewpoint 3. <i>Experimental Dermatology</i> , 2005 , 14, 74-76	4	
35	Lymphocyte trafficking to inflamed skin--molecular mechanisms and implications for therapeutic target molecules. <i>Expert Opinion on Therapeutic Targets</i> , 2005 , 9, 225-43	6.4	40
34	Inhibitors of selectin functions in the treatment of inflammatory skin disorders. <i>Therapeutics and Clinical Risk Management</i> , 2005 , 1, 201-8	2.9	12

33	Psoriasis: Clinical manifestations, pathogenesis and therapeutic perspectives. <i>Discovery Medicine</i> , 2005 , 5, 253-8	2.5	9
32	Basal cell adhesion molecule is inversely associated with apoptosis, but plays a limited role for protection against apoptotic stimuli. <i>Skin Pharmacology and Physiology</i> , 2004 , 17, 304-9	3	
31	Treatment of vitiligo with topical imiquimod. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 741-2	4.6	4
30	Death receptor-independent apoptosis in malignant melanoma induced by the small-molecule immune response modifier imiquimod. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 1266-76	4.3	101
29	Molecular interactions of B-CAM (basal-cell adhesion molecule) and laminin in epithelial skin cancer. <i>Archives of Dermatological Research</i> , 2004 , 296, 59-66	3.3	20
28	Prognostic significance of detecting micrometastases by tyrosinase RT/PCR in sentinel lymph node biopsies: lessons from 322 consecutive melanoma patients. <i>European Journal of Cancer</i> , 2004 , 40, 2812-9	7.5	31
27	Imiquimod, a Toll-like receptor-7 agonist, induces perforin in cytotoxic T lymphocytes in vitro. <i>Molecular Immunology</i> , 2004 , 40, 1307-14	4.3	33
26	Targeting selectin functions in the therapy of psoriasis. <i>Inflammation and Allergy: Drug Targets</i> , 2004 , 3, 163-8		14
25	The Role of T Lymphocytes in Skin Biology 2004 , 1-28		
24	The molecular basis of lymphocyte recruitment to the skin: clues for pathogenesis and selective therapies of inflammatory disorders. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 951-62	4.3	103
23	Interfering with leukocyte rolling--a promising therapeutic approach in inflammatory skin disorders?. <i>Trends in Pharmacological Sciences</i> , 2003 , 24, 49-52	13.2	39
22	Tumor-selective induction of apoptosis and the small-molecule immune response modifier imiquimod. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1138-49	9.7	222
21	Dendritic epidermal T cells (DETC) are diminished in integrin alphaE(CD103)-deficient mice. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 190-3	4.3	37
20	Efomycine M, a new specific inhibitor of selectin, impairs leukocyte adhesion and alleviates cutaneous inflammation. <i>Nature Medicine</i> , 2002 , 8, 366-72	50.5	124
19	Imiquimod, a topical immune response modifier, in the treatment of cutaneous metastases of malignant melanoma. <i>Dermatology</i> , 2002 , 205, 135-8	4.4	133
18	Reliability of diagnosis of melanoma in situ. <i>Lancet, The</i> , 2002 , 359, 1921-2	40	78
17	Role of integrin alphaE(CD103)beta7 for tissue-specific epidermal localization of CD8+ T lymphocytes. <i>Journal of Investigative Dermatology</i> , 2001 , 117, 569-75	4.3	103
16	Psoriasis: the plot thickens. <i>Nature Immunology</i> , 2001 , 2, 91	19.1	45

15	Basal-cell adhesion molecule (B-CAM) is induced in epithelial skin tumors and inflammatory epidermis, and is expressed at cell-cell and cell-substrate contact sites. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 1047-53	4-3	35
14	Critical role of neutrophils for the generation of psoriasiform skin lesions in flaky skin mice. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 976-83	4-3	83
13	Cutaneous inflammatory disorder in integrin alphaE (CD103)-deficient mice. <i>Journal of Immunology</i> , 2000 , 165, 6583-9	5-3	59
12	Antiphlogistics (Dermocorticoids and topical immunomodulators) 2000 , 179-190		2
11	Animal models of psoriasis - what can we learn from them?. <i>Journal of Investigative Dermatology</i> , 1999 , 112, 405-10	4-3	95
10	Increased microvascular density and enhanced leukocyte rolling and adhesion in the skin of VEGF transgenic mice. <i>Journal of Investigative Dermatology</i> , 1998 , 111, 1-6	4-3	435
9	Murine psoriasis-like disorder induced by naive CD4+ T cells. <i>Nature Medicine</i> , 1997 , 3, 183-8	50.5	139
8	Cultured dermal papilla cells of the rat vibrissa follicle. Proliferative activity, adhesion properties and reorganization of the extracellular matrix in vitro. <i>Archives of Dermatological Research</i> , 1997 , 289, 698-704	3-3	22
7	Cell-matrix interactions of normal and transformed human keratinocytes in vitro are modulated by the synthetic phospholipid analogue hexadecylphosphocholine. <i>British Journal of Dermatology</i> , 1996 , 135, 696-703	4	1
6	Properties of the carcinoma-associated antigen MH 99/KS 1/4 in normal and transformed human keratinocytes: regulation of synthesis, molecular cross-linking and ultrastructural localization. <i>British Journal of Dermatology</i> , 1995 , 133, 176-85	4	7
5	Characterization of an 80-kD membrane glycoprotein (gp80) of human keratinocytes: a marker for commitment to terminal differentiation in vivo and in vitro. <i>Journal of Investigative Dermatology</i> , 1995 , 105, 418-25	4-3	5
4	Transformation of human keratinocytes is characterized by quantitative and qualitative alterations of the T-16 antigen (Trop-2, MOv-16). <i>International Journal of Cancer</i> , 1995 , 60, 88-92	7-5	7
3	Biochemical and immunological characterization of the human carcinoma-associated antigen MH 99/KS 1/4. <i>International Journal of Cancer</i> , 1993 , 55, 988-95	7-5	34
2	Expression of 38-kD cell-surface glycoprotein in transformed human keratinocyte cell lines, basal cell carcinomas, and epithelial germs. <i>Journal of Investigative Dermatology</i> , 1990 , 95, 74-82	4-3	35
1	Effect of Adhesion and Substrate Elasticity on Neutrophil Extracellular Trap Formation		2