

Sindre Rolstad

List of Publications by Citations

Source: <https://exaly.com/author-pdf/273037/sindre-rolstad-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,728
citations

23
h-index

41
g-index

45
ext. papers

1,941
ext. citations

3.6
avg, IF

4.31
L-index

#	Paper	IF	Citations
45	Response burden and questionnaire length: is shorter better? A review and meta-analysis. <i>Value in Health</i> , 2011 , 14, 1101-8	3.3	354
44	Prediction and longitudinal study of CSF biomarkers in mild cognitive impairment. <i>Neurobiology of Aging</i> , 2009 , 30, 682-90	5.6	146
43	The Goteborg MCI study: mild cognitive impairment is a heterogeneous condition. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 1485-90	5.5	117
42	Intra-individual stability of CSF biomarkers for Alzheimer's disease over two years. <i>Journal of Alzheimer's Disease</i> , 2007 , 12, 255-60	4.3	105
41	Two-year outcome of MCI subtypes and aetiologies in the Gøteborg MCI study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 541-6	5.5	85
40	Small baseline volume of left hippocampus is associated with subsequent conversion of MCI into dementia: the Gøteborg MCI study. <i>Journal of the Neurological Sciences</i> , 2008 , 272, 48-59	3.2	70
39	Amyloid-βs associated with cognitive impairment in healthy elderly and subjective cognitive impairment. <i>Journal of Alzheimer's Disease</i> , 2011 , 26, 135-42	4.3	67
38	Cognitive profiles of mild cognitive impairment with and without vascular disease. <i>Neuropsychology</i> , 2007 , 21, 706-12	3.8	64
37	Longitudinal cerebrospinal fluid biomarkers over four years in mild cognitive impairment. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 767-78	4.3	62
36	The Gothenburg MCI study: Design and distribution of Alzheimer's disease and subcortical vascular disease diagnoses from baseline to 6-year follow-up. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 114-31	7.3	54
35	CSF neuroinflammatory biomarkers in bipolar disorder are associated with cognitive impairment. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1091-8	1.2	40
34	Apathy is a prominent neuropsychiatric feature of radiological white-matter changes in patients with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 588-95	3.9	38
33	Cognitive profiles of incipient dementia in the Goteborg MCI study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 403-10	2.6	36
32	Subcortical vascular dementia biomarker pattern in mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 28, 348-56	2.6	36
31	Alzheimer's disease--subcortical vascular disease spectrum in a hospital-based setting: Overview of results from the Gothenburg MCI and dementia studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 95-113	7.3	31
30	Cerebrospinal fluid biomarkers mirror rate of cognitive decline. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 949-56	4.3	30
29	High white matter lesion load is associated with hippocampal atrophy in mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 132-8	2.6	28

28	Episodic memory and speed/attention deficits are associated with Alzheimer-typical CSF abnormalities in MCI. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 582-90	3.1	28
27	The Swedish National Adult Reading Test (NART-SWE): a test of premorbid IQ. <i>Scandinavian Journal of Psychology</i> , 2008 , 49, 577-82	2.2	25
26	Biomarkers in relation to cognitive reserve in patients with mild cognitive impairment--proof of concept. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 194-200	2.6	24
25	Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 96-107	5.2	23
24	Bipolar disorder type I and II show distinct relationships between cortical thickness and executive function. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 325-335	6.5	23
23	Combination of hippocampal volume and cerebrospinal fluid biomarkers improves predictive value in mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 294-300	2.6	23
22	High education may offer protection against tauopathy in patients with mild cognitive impairment. <i>Journal of Alzheimers Disease</i> , 2010 , 21, 221-8	4.3	22
21	Cognitive performance and cerebrospinal fluid biomarkers of neurodegeneration: a study of patients with bipolar disorder and healthy controls. <i>PLoS ONE</i> , 2015 , 10, e0127100	3.7	21
20	Sahlgrenska Academy Self-reported Cognitive Impairment Questionnaire (SASCI-Q)--a research tool discriminating between subjectively cognitively impaired patients and healthy controls. <i>International Psychogeriatrics</i> , 2013 , 25, 420-30	3.4	18
19	Prognostic Accuracy of Mild Cognitive Impairment Subtypes at Different Cut-Off Levels. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017 , 43, 330-341	2.6	17
18	Low cerebrospinal fluid sulfatide predicts progression of white matter lesions: The LADIS study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012 , 34, 61-7	2.6	17
17	High Prevalence of Stress and Low Prevalence of Alzheimer Disease CSF Biomarkers in a Clinical Sample with Subjective Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 42, 93-105	2.6	16
16	Polymorphisms of dopamine pathway genes NRG1 and LMX1A are associated with cognitive performance in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 859-68	3.8	15
15	Similar pattern of atrophy in early- and late-onset Alzheimer's disease. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 253-259	5.2	12
14	Cognitive Impairment Questionnaire (CIMP-QUEST): reported topographic symptoms in MCI and dementia. <i>Acta Neurologica Scandinavica</i> , 2010 , 121, 384-91	3.8	12
13	Cognitive reserve in relation to abeta42 in patients converting from MCI to dementia - a follow-up report. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 28, 110-5	2.6	11
12	Monte Carlo feature selection and rule-based models to predict Alzheimer's disease in mild cognitive impairment. <i>Journal of Neural Transmission</i> , 2012 , 119, 821-31	4.3	10
11	Progression from mild to pronounced MCI is not associated with cerebrospinal fluid biomarker deviations. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 32, 193-7	2.6	10

10	Polymorphisms of BDNF and CACNA1C are not associated with cognitive functioning in bipolar disorder or healthy controls. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 271-8	2	10
9	Differential Impact of Neurofilament Light Subunit on Cognition and Functional Outcome in Memory Clinic Patients with and without Vascular Burden. <i>Journal of Alzheimers Disease</i> , 2015 , 45, 873-81	4.3	8
8	Cognitive reserve lessens the burden of white matter lesions on executive functions in bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 3095-3104	6.9	7
7	Better prognostic accuracy in younger mild cognitive impairment patients with more years of education. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 402-412	5.2	5
6	Characteristic Biomarker and Cognitive Profile in Incipient Mixed Dementia. <i>Journal of Alzheimers Disease</i> , 2020 , 73, 597-607	4.3	4
5	Regional lithium prescription rates and recurrence in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 18	5.4	3
4	All cognitive systems but speed and visuospatial functions reduce the effect of CSF pathology on other systems. <i>Current Alzheimer Research</i> , 2012 , 9, 1043-9	3	1
3	Latent Cognitive Profiles Differ Between Incipient Alzheimer's Disease and Dementia with Subcortical Vascular Lesions in a Memory Clinic Population. <i>Journal of Alzheimers Disease</i> , 2020 , 73, 955-966	4.3	0
2	Capability in Research on Cognition and Well-being in Ageing and Retirement. <i>International Perspectives on Aging</i> , 2022 , 65-80	0.5	
1	The five-items memory screen-extended variant: A tool for assessing memory. <i>Acta Neurologica Scandinavica</i> , 2020 , 141, 162-167	3.8	