

Jitendra Kumar Kanaujiya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2730548/publications.pdf>

Version: 2024-02-01

20
papers

417
citations

777949

13
h-index

843174

20
g-index

20
all docs

20
docs citations

20
times ranked

746
citing authors

#	ARTICLE	IF	CITATIONS
1	Generation of Keratinocytes from Human Induced Pluripotent Stem Cells Under Defined Culture Conditions. <i>Cellular Reprogramming</i> , 2021, 23, 1-13.	0.5	10
2	BMP signaling-driven osteogenesis is critically dependent on Prdx-1 expression-mediated maintenance of chondrocyte prehypertrophy. <i>Free Radical Biology and Medicine</i> , 2018, 118, 1-12.	1.3	15
3	Rapid degradation of progressive ankylosis protein (ANKH) in craniometaphyseal dysplasia. <i>Scientific Reports</i> , 2018, 8, 15710.	1.6	11
4	Genome-editing technologies and patent landscape overview. <i>Pharmaceutical Patent Analyst</i> , 2017, 6, 115-134.	0.4	4
5	Craniometaphyseal Dysplasia Mutations in ANKH Negatively Affect Human Induced Pluripotent Stem Cell Differentiation into Osteoclasts. <i>Stem Cell Reports</i> , 2017, 9, 1369-1376.	2.3	15
6	Identification of ASAH1 as a susceptibility gene for familial keloids. <i>European Journal of Human Genetics</i> , 2017, 25, 1155-1161.	1.4	19
7	Skp2 inhibits osteogenesis by promoting ubiquitin-mediated proteasome degradation of Runx2. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 510-519.	1.9	32
8	Proteomic discovery of MNT as a novel interacting partner of E3 ubiquitin ligase E6AP and a key mediator of myeloid differentiation. <i>Oncotarget</i> , 2016, 7, 7640-7656.	0.8	18
9	E3 Ubiquitin Ligase Fbw7 Negatively Regulates Osteoblast Differentiation by Targeting Runx2 for Degradation. <i>Journal of Biological Chemistry</i> , 2015, 290, 30975-30987.	1.6	29
10	Proteomic analysis of rosiglitazone and guggulsterone treated 3T3-L1 preadipocytes. <i>Molecular and Cellular Biochemistry</i> , 2013, 376, 81-93.	1.4	24
11	E3 ubiquitin ligase Fbw7 negatively regulates granulocytic differentiation by targeting G-CSFR for degradation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2639-2652.	1.9	25
12	E6AP, an E3 ubiquitin ligase negatively regulates granulopoiesis by targeting transcription factor C/EBP α for ubiquitin-mediated proteasome degradation. <i>Cell Death and Disease</i> , 2013, 4, e590-e590.	2.7	27
13	Proteomic identification of Profilin1 as a corepressor of estrogen receptor alpha in MCF7 breast cancer cells. <i>Proteomics</i> , 2013, 13, 2100-2112.	1.3	16
14	E3 Ubiquitin Ligase E6AP Negatively Regulates Adipogenesis by Downregulating Preadipogenic Factor C/EBP α . <i>PLoS ONE</i> , 2013, 8, e65330.	1.1	20
15	Proteomics approaches for myeloid leukemia drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2012, 7, 1165-1175.	2.5	8
16	Proteomic identification of E6AP as a molecular target of tamoxifen in MCF7 cells. <i>Proteomics</i> , 2012, 12, 1363-1377.	1.3	21
17	2D gel electrophoresis-based proteomic analysis reveals that ormeloxifen induces G0/G1 growth arrest and ERK-mediated apoptosis in chronic myeloid leukemia cells K562. <i>Proteomics</i> , 2011, 11, 1517-1529.	1.3	38
18	Proteomic approaches in myeloid leukemia. <i>Electrophoresis</i> , 2011, 32, 357-367.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Ectopic expression of hC/EBPs in breast tumor cells induces apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2010, 337, 111-118.	1.4	9
20	Synthesis and cytotoxicity evaluation of (tetrahydro- β -carboline)-1,3,5-triazine hybrids as anticancer agents. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 2265-2276.	2.6	67