
Alessandra Bertoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2730676/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Lavender aromatherapy: A systematic review from essential oil quality and administration methods to cognitive enhancing effects. Applied Psychology: Health and Well-Being, 2022, 14, 663-690.	3.0	13
2	Comparison between thin-layer chromatography and overpressured layer chromatography fingerprints of commercial essential oils and accelerated solvent extraction plant extracts. Journal of Planar Chromatography - Modern TLC, 2021, 34, 113-120.	1.2	1
3	Hypericum spp. volatile profiling and the potential significance in the quality control of new valuable raw material. Microchemical Journal, 2018, 136, 94-100.	4.5	9
4	Biological Effects of Saponin Fractions from <i>Astragalus verrucosus</i> in Tumor and Non-tumor Human cells. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	4
5	New insights into the anticancer activity of carnosol: p53 reactivation in the U87MG human glioblastoma cell line. International Journal of Biochemistry and Cell Biology, 2016, 74, 95-108.	2.8	29
6	Micropropagation of Salvia wagneriana Polak and hairy root cultures with rosmarinic acid production. Natural Product Research, 2016, 30, 2538-2544.	1.8	11
7	Volatile constituents as complementary tools to characterize seven sardinian Genista species. Biochemical Systematics and Ecology, 2015, 62, 82-90.	1.3	2
8	Hypericum origanifolium Willd.: The essential oil composition of a new valuable species. Industrial Crops and Products, 2015, 77, 676-679.	5.2	9
9	Aromatic profiling of wild and rare species growing in Turkey: <i>Hypericum aviculariifolium</i> Jaub. and Spach subsp <i>. depilatum</i> (Freyn and Bornm.) Robson var. <i>depilatum</i> and <i>Hypericum pruinatum</i> Boiss. and Bal Natural Product Research, 2013, 27, 100-107.	1.8	8
10	Physico-chemical properties and nanoscale morphology in N-alkyl-N-methylmorpholinium dicyanamide room temperature ionic liquids. Journal of Molecular Liquids, 2013, 187, 252-259.	4.9	18
11	Morphogenetic changes in essential oil composition ofHypericum perforatumduring the course of ontogenesis. Pharmaceutical Biology, 2011, 49, 741-751.	2.9	20
12	Volatile chemical composition and bioactivity of six essential oils against the stored food insectSitophilus zeamaisMotsch. (Coleoptera Dryophthoridae). Natural Product Research, 2011, 26, 1-9.	1.8	28
13	Integrated plant biotechnologies applied to safer and healthier food production: The Nutra-Snack manufacturing chain. Trends in Food Science and Technology, 2011, 22, 353-366.	15.1	18
14	Pollen Aroma Fingerprint of two Sunflower (<i>Helianthus annuus</i> L.) Genotypes Characterized by Different Pollen Colors. Chemistry and Biodiversity, 2011, 8, 1766-1775.	2.1	10
15	Cytisus aeolicus Guss. ex Lindl. in vitro cultures and genistin production. Open Life Sciences, 2010, 5, 111-120.	1.4	7
16	Essential oil composition and variability of <i>Hypericum perforatum</i> from wild populations of northern Turkey. Pharmaceutical Biology, 2010, 48, 906-914.	2.9	34
17	Essential oil composition and larvicidal activity of six Mediterranean aromatic plants against the mosquito Aedes albopictus (Diptera: Culicidae). Parasitology Research, 2010, 107, 1455-1461.	1.6	139
18	Fibre hemp inflorescences: From crop-residues to essential oil production. Industrial Crops and Products 2010 32 329-337	5.2	118

Alessandra Bertoli

#	Article	IF	CITATIONS
19	Laccase-Nafion Based Biosensor for the Determination of Polyphenolic Secondary Metabolites. Analytical Letters, 2010, 43, 1089-1099.	1.8	25
20	Hairy Root Cultures for Secondary Metabolites Production. Advances in Experimental Medicine and Biology, 2010, 698, 167-184.	1.6	82
21	Plant Cell Cultures: Bioreactors for Industrial Production. Advances in Experimental Medicine and Biology, 2010, 698, 203-221.	1.6	63
22	Analytical Methods for the Extraction and Identification of Secondary Metabolite Production in †In Vitro' Plant Cell Cultures. Advances in Experimental Medicine and Biology, 2010, 698, 250-266.	1.6	17
23	Antimicrobial Activity of <i>Inga fendleriana</i> Extracts and Isolated Flavonoids. Natural Product Communications, 2009, 4, 1934578X0900401.	0.5	13
24	Synthesis and properties of glycerylimidazolium based ionic liquids: a promising class of task-specific ionic liquids. Green Chemistry, 2009, 11, 622.	9.0	36
25	A straightforward procedure to biosynthesise melatonin using freshly chopped Achillea millefolium L. as reagent. Phytochemistry Letters, 2008, 1, 107-110.	1.2	11
26	Licoflavone C attenuates the genotoxicity of cancer drugs in human peripheral lymphocytes. Phytotherapy Research, 2008, 22, 1650-1654.	5.8	17
27	Bioactive Constituent Production in St. John's Wort in Vitro Hairy Roots. Regenerated Plant Lines. Journal of Agricultural and Food Chemistry, 2008, 56, 5078-5082.	5.2	46
28	<i>In Vitro</i> Apoptotic Bioactivity of Flavonoids from <i>Astragalus Verrucosus</i> Moris. Natural Product Communications, 2008, 3, 1934578X0800301.	0.5	3
29	Chemical composition and volatile constituents ofAnthyllis barba-jovis. Natural Product Research, 2007, 21, 418-425.	1.8	11
30	Chemical and antibacterial evaluation ofHypericum triquetrifolium Turra. Phytotherapy Research, 2005, 19, 787-791.	5.8	13
31	Volatile constituents of different organs ofPsoralea bituminosa L Flavour and Fragrance Journal, 2004, 19, 166-171.	2.6	22
32	Volatile constituents of different parts (roots, stems and leaves) ofSmyrnium olusatrum L Flavour and Fragrance Journal, 2004, 19, 522-525.	2.6	33
33	Volatile constituents of micropropagated plants of Bupleurum fruticosum L. Plant Science, 2004, 167, 807-810.	3.6	23
34	Agronomic potential of Reseda luteola L. as new crop for natural dyes in textiles production. Industrial Crops and Products, 2003, 17, 199-207.	5.2	45
35	Volatile constituents of the leaves and flowers ofHypericum triquetrifoliumTurra. Flavour and Fragrance Journal, 2003, 18, 91-94.	2.6	42
36	Further Saponins and Flavonoids fromAstragalus verrucosusMoris. Pharmaceutical Biology, 2003, 41, 568-572.	2.9	18

Alessandra Bertoli

#	Article	IF	CITATIONS
37	Antimicrobial and antifungal activity of crude extracts and isolated saponins from Astragalus verrucosus. Fìtoterapìâ, 2002, 73, 336-339.	2.2	45
38	Quinolizidine alkaloids from Genista ephedroides. Biochemical Systematics and Ecology, 2001, 29, 137-141.	1.3	13
39	Constituents of Hypericum hircinum Oils. Journal of Essential Oil Research, 2000, 12, 617-620.	2.7	16
40	Composition of the Essential Oil ofSantolina ligustica. Journal of Essential Oil Research, 1999, 11, 6-8.	2.7	11
41	Constituents of the Essential Oil of <i>Solidago litoralis</i> , an Endemic Plant from Northern Tuscany (Italy). Journal of Essential Oil Research, 1999, 11, 215-216.	2.7	6
42	Cicloastragenol glycosides from astragalus verrucosus. Phytochemistry, 1998, 49, 2467-2471.	2.9	15
43	Composition of the Essential Oil ofThymus alpigenus. Journal of Essential Oil Research, 1998, 10, 667-669.	2.7	2
44	Flavonoids fromGenista ephedroides. Journal of Natural Products, 1998, 61, 1404-1406.	3.0	46
45	Constituents of Cachrys ferulacea Oils. Journal of Essential Oil Research, 1998, 10, 533-536.	2.7	13
46	Rubia tinctorum a source of natural dyes: agronomic evaluation, quantitative analysis of alizarin and industrial assays. Industrial Crops and Products, 1997, 6, 303-311.	5.2	109
47	Three cycloastragenol glucosides from Astragalus verrucosus. Phytochemistry, 1997, 45, 585-587.	2.9	16
48	Minor constituents from Bupleurum fruticosum roots. Phytochemistry, 1996, 41, 1579-1582.	2.9	44
49	Phenylpropanoids from Bupleurum fruticosum. Journal of Natural Products, 1995, 58, 112-116.	3.0	15