

# Jean-Philippe Jais

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2734202/jean-philippe-jais-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108  
papers

7,842  
citations

47  
h-index

88  
g-index

109  
ext. papers

9,069  
ext. citations

6.2  
avg, IF

4.95  
L-index

#	Paper	IF	Citations
108	The use of biofeedback for children with fecal incontinence secondary to retentive constipation: Experience of a French Pediatric Center. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 45, 101550	2.4	0
107	Outcome after hematopoietic stem cell transplantation in patients with extranodal natural killer/T-Cell lymphoma, nasal type: A French study from the Société Francophone de Greffe de Moelle et de Thérapie Cellulaire (SFGM-TC). <i>American Journal of Hematology</i> , <b>2021</b> , 96, 834-845	7.1	0
106	Continuous positive airway pressure improves work of breathing in pediatric chronic heart failure. <i>Sleep Medicine</i> , <b>2021</b> , 83, 99-105	4.6	2
105	Obinutuzumab vs rituximab for advanced DLBCL: a PET-guided and randomized phase 3 study by LYSA. <i>Blood</i> , <b>2021</b> , 137, 2307-2320	2.2	16
104	The alternative RelB NF- $\kappa$ B subunit is a novel critical player in diffuse large B-cell lymphoma. <i>Blood</i> , <b>2021</b> ,	2.2	4
103	The Surface Microbiome of Clinically Unaffected Skinfolks in Hidradenitis Suppurativa: A Cross-Sectional Culture-Based and 16S rRNA Gene Amplicon Sequencing Study in 60 Patients. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 1847-1855.e6	4.3	18
102	TEDIS, a Comprehensive Data Model for In-Depth Clinical Assessment of Patients Affected with Neuro-Developmental Disorders Including Autism. <i>Studies in Health Technology and Informatics</i> , <b>2020</b> , 270, 1401-1402	0.5	
101	Idiopathic, heritable and veno-occlusive pulmonary arterial hypertension in childhood: computed tomography angiography features in the initial assessment of the disease. <i>Pediatric Radiology</i> , <b>2019</b> , 49, 575-585	2.8	5
100	Mycobacterium bolletii Lung Disease in Cystic Fibrosis. <i>Chest</i> , <b>2019</b> , 156, 247-254	5.3	4
99	Long-term fatigue in survivors of non-Hodgkin lymphoma: The Lymphoma Study Association SIMONAL cross-sectional study. <i>Cancer</i> , <b>2019</b> , 125, 2291-2299	6.4	10
98	Categorical state sequence analysis and regression tree to identify determinants of care trajectory in chronic disease: Example of end-stage renal disease. <i>Statistical Methods in Medical Research</i> , <b>2019</b> , 28, 1731-1740	2.3	5
97	Genetic diagnosis of primary immunodeficiencies: A survey of the French national registry. <i>Journal of Allergy and Clinical Immunology</i> , <b>2019</b> , 143, 1646-1649.e10	11.5	9
96	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , <b>2019</b> , 124, 849-861	5.6	16
95	Regional Professionals Network to Support the Renal Epidemiology and Information Registry in Ile-de-France. <i>Studies in Health Technology and Informatics</i> , <b>2019</b> , 264, 1425-1426	0.5	
94	A gene-expression profiling score for prediction of outcome in patients with follicular lymphoma: a retrospective training and validation analysis in three international cohorts. <i>Lancet Oncology</i> , <b>2018</b> , 19, 549-561	21.7	112
93	Interim PET Response-adapted Strategy in Untreated Advanced Stage Hodgkin Lymphoma: Results of GOELAMS LH 2007 Phase 2 Multicentric Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2018</b> , 18, 191-198	2	7
92	Cardiac function and exercise adaptation in 8 children with LPIN1 mutations. <i>Molecular Genetics and Metabolism</i> , <b>2018</b> , 123, 375-381	3.7	11

91	The impact of three discharge coding methods on the accuracy of diagnostic coding and hospital reimbursement for inpatient medical care. <i>International Journal of Medical Informatics</i> , <b>2018</b> , 115, 35-42	5.3	14
90	AuthorsSReply. <i>Journal of Molecular Diagnostics</i> , <b>2018</b> , 20, 266	5.1	
89	Effect of Cell-Free DNA Screening vs Direct Invasive Diagnosis on Miscarriage Rates in Women With Pregnancies at High Risk of Trisomy 21: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 320, 557-565	27.4	36
88	Diagnosis-to-Treatment Interval Is an Important Clinical Factor in Newly Diagnosed Diffuse Large B-Cell Lymphoma and Has Implication for Bias in Clinical Trials. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 1603-1610	2.2	63
87	Total metabolic tumor volume, circulating tumor cells, cell-free DNA: distinct prognostic value in follicular lymphoma. <i>Blood Advances</i> , <b>2018</b> , 2, 807-816	7.8	56
86	Integrative clinicopathological and molecular analyses of angioimmunoblastic T-cell lymphoma and other nodal lymphomas of follicular helper T-cell origin. <i>Haematologica</i> , <b>2017</b> , 102, e148-e151	6.6	89
85	Outcome and Treatment of Nocardiosis After Solid Organ Transplantation: New Insights From a European Study. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 64, 1396-1405	11.6	54
84	The Microbiological Landscape of Anaerobic Infections in Hidradenitis Suppurativa: A Prospective Metagenomic Study. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 282-291	11.6	76
83	Biological and Clinical Relevance of Associated Genomic Alterations in MYD88 L265P and non-L265P-Mutated Diffuse Large B-Cell Lymphoma: Analysis of 361 Cases. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 2232-2244	12.9	53
82	Determination of Molecular Subtypes of Diffuse Large B-Cell Lymphoma Using a Reverse Transcriptase Multiplex Ligation-Dependent Probe Amplification Classifier: A CALYM Study. <i>Journal of Molecular Diagnostics</i> , <b>2017</b> , 19, 892-904	5.1	27
81	Prevalence of primary immunodeficiencies in France is underestimated. <i>Journal of Allergy and Clinical Immunology</i> , <b>2017</b> , 140, 1731-1733	11.5	17
80	Lifetime risk of renal replacement therapy in Europe: a population-based study using data from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 348-355	4.3	7
79	Next-Generation Sequencing in Diffuse Large B-Cell Lymphoma Highlights Molecular Divergence and Therapeutic Opportunities: a LYSA Study. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 2919-28	12.9	143
78	Efficacy of ertapenem in severe hidradenitis suppurativa: a pilot study in a cohort of 30 consecutive patients. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 513-20	5.1	52
77	Facilitating access to the renal transplant waiting list does not increase the number of transplantations: comparative study of two French regions. <i>CKJ: Clinical Kidney Journal</i> , <b>2016</b> , 9, 849-857	4.5	4
76	Whole exome sequencing of relapsed/refractory patients expands the repertoire of somatic mutations in diffuse large B-cell lymphoma. <i>Genes Chromosomes and Cancer</i> , <b>2016</b> , 55, 251-67	5	62
75	Recurrent mutations of the exportin 1 gene (XPO1) and their impact on selective inhibitor of nuclear export compounds sensitivity in primary mediastinal B-cell lymphoma. <i>American Journal of Hematology</i> , <b>2016</b> , 91, 923-30	7.1	61
74	Personalized risk prediction for event-free survival at 24 months in patients with diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , <b>2016</b> , 91, 179-84	7.1	30

73	Usefulness of maximal oxygen pulse in timing of pulmonary valve replacement in patients with isolated pulmonary regurgitation. <i>Cardiology in the Young</i> , <b>2016</b> , 26, 1310-8	1	8
72	Accurate Classification of Germinal Center B-Cell-Like/Activated B-Cell-Like Diffuse Large B-Cell Lymphoma Using a Simple and Rapid Reverse Transcriptase-Multiplex Ligation-Dependent Probe Amplification Assay: A CALYM Study. <i>Journal of Molecular Diagnostics</i> , <b>2015</b> ,	5.1	40
71	Incidence, presentation, and prognosis of malignancies in ataxia-telangiectasia: a report from the French national registry of primary immune deficiencies. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 202-8	2.2	138
70	Angioimmunoblastic T-cell lymphoma is the most common T-cell lymphoma in two distinct French information data sets. <i>Haematologica</i> , <b>2015</b> , 100, e361-4	6.6	60
69	Dramatic reduction of clindamycin plasma concentration in hidradenitis suppurativa patients treated with the rifampin-clindamycin combination. <i>European Journal of Dermatology</i> , <b>2014</b> , 24, 94-5	0.8	23
68	Event-free survival at 24 months is a robust end point for disease-related outcome in diffuse large B-cell lymphoma treated with immunochemotherapy. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 1066-73	2.2	220
67	Peripheral B-cell phenotype and BAFF levels are associated with HLA immunization in patients awaiting kidney transplantation. <i>Transplantation</i> , <b>2014</b> , 97, 917-24	1.8	27
66	Bacterial pathogens associated with hidradenitis suppurativa, France. <i>Emerging Infectious Diseases</i> , <b>2014</b> , 20, 1990-8	10.2	83
65	Impact of spinal dysraphism on urinary and faecal prognosis in 25 cases of cloacal malformation. <i>Journal of Pediatric Urology</i> , <b>2014</b> , 10, 1199-205	1.5	9
64	Comparison of two kinds of interface, based on guided navigation or usability principles, for improving the adoption of computerized decision support systems: application to the prescription of antibiotics. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2014</b> , 21, e107-16	8.6	33
63	Young patients with non-germinal center B-cell-like diffuse large B-cell lymphoma benefit from intensified chemotherapy with ACVBP plus rituximab compared with CHOP plus rituximab: analysis of data from the Groupe d'Etudes des Lymphomes de l'Adulte/lymphoma study association phase III trial LNH 03-2B. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 3996-4003	2.2	64
62	Male and Female Placentas Have Divergent Transcriptomic and Epigenomic Responses to Maternal Diets: Not Just Hormones. <i>Research and Perspectives in Endocrine Interactions</i> , <b>2014</b> , 71-91		2
61	Intermediate stage Hodgkin lymphoma in partial remission after three or four courses of doxorubicin, bleomycin, vinblastine dacarbazine: no benefit of one course of intensive chemotherapy before irradiation. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 76-82	1.9	
60	Description of a large family with autosomal dominant hypercholesterolemia associated with the APOE p.Leu167del mutation. <i>Human Mutation</i> , <b>2013</b> , 34, 83-7	4.7	84
59	Identification of a major locus, TNF1, that controls BCG-triggered tumor necrosis factor production by leukocytes in an area hyperendemic for tuberculosis. <i>Clinical Infectious Diseases</i> , <b>2013</b> , 57, 963-70	11.6	24
58	Characteristics and outcome of early-onset, severe forms of Wiskott-Aldrich syndrome. <i>Blood</i> , <b>2013</b> , 121, 1510-6	2.2	65
57	Dietary alleviation of maternal obesity and diabetes: increased resistance to diet-induced obesity transcriptional and epigenetic signatures. <i>PLoS ONE</i> , <b>2013</b> , 8, e66816	3.7	37
56	IDH2 mutations are frequent in angioimmunoblastic T-cell lymphoma. <i>Blood</i> , <b>2012</b> , 119, 1901-3	2.2	364

55	Circulating trophoblastic cells provide genetic diagnosis in 63 fetuses at risk for cystic fibrosis or spinal muscular atrophy. <i>Reproductive BioMedicine Online</i> , <b>2012</b> , 25, 508-20	4	65
54	Maternal diets trigger sex-specific divergent trajectories of gene expression and epigenetic systems in mouse placenta. <i>PLoS ONE</i> , <b>2012</b> , 7, e47986	3.7	134
53	Nicastrin mutations in French families with hidradenitis suppurativa. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 1728-30	4.3	47
52	Intensified chemotherapy with ACVBP plus rituximab versus standard CHOP plus rituximab for the treatment of diffuse large B-cell lymphoma (LNH03-2B): an open-label randomised phase 3 trial. <i>Lancet, The</i> , <b>2011</b> , 378, 1858-67	4.0	251
51	Preoperative circulating tumor cell detection using the isolation by size of epithelial tumor cell method for patients with lung cancer is a new prognostic biomarker. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 827-35	12.9	234
50	SUVmax reduction improves early prognosis value of interim positron emission tomography scans in diffuse large B-cell lymphoma. <i>Blood</i> , <b>2011</b> , 118, 37-43	2.2	235
49	A novel antiangiogenic and vascular normalization therapy targeted against human CD160 receptor. <i>Journal of Experimental Medicine</i> , <b>2011</b> , 208, 973-86	16.6	28
48	Efficacy of rifampin-moxifloxacin-metronidazole combination therapy in hidradenitis suppurativa. <i>Dermatology</i> , <b>2011</b> , 222, 49-58	4.4	91
47	A fourth locus for autosomal dominant hypercholesterolemia maps at 16q22.1. <i>European Journal of Human Genetics</i> , <b>2010</b> , 18, 1236-42	5.3	32
46	Sex- and diet-specific changes of imprinted gene expression and DNA methylation in mouse placenta under a high-fat diet. <i>PLoS ONE</i> , <b>2010</b> , 5, e14398	3.7	174
45	Delayed bone age due to a dual effect of FGFR3 mutation in Achondroplasia. <i>Bone</i> , <b>2010</b> , 47, 905-15	4.7	22
44	Tuberculin skin test and in vitro assays provide complementary measures of antimycobacterial immunity in children and adolescents. <i>Chest</i> , <b>2010</b> , 137, 1071-7	5.3	30
43	Human CD14dim monocytes patrol and sense nucleic acids and viruses via TLR7 and TLR8 receptors. <i>Immunity</i> , <b>2010</b> , 33, 375-86	32.3	862
42	A novel lipidomic strategy reveals plasma phospholipid signatures associated with respiratory disease severity in cystic fibrosis patients. <i>PLoS ONE</i> , <b>2009</b> , 4, e7735	3.7	44
41	Mutations of the FHL1 gene cause Emery-Dreifuss muscular dystrophy. <i>American Journal of Human Genetics</i> , <b>2009</b> , 85, 338-53	11	170
40	Two loci control tuberculin skin test reactivity in an area hyperendemic for tuberculosis. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 2583-91	16.6	126
39	The expression of 16 genes related to the cell of origin and immune response predicts survival in elderly patients with diffuse large B-cell lymphoma treated with CHOP and rituximab. <i>Leukemia</i> , <b>2008</b> , 22, 1917-24	10.7	87
38	Risk-adapted salvage treatment with single or tandem autologous stem-cell transplantation for first relapse/refractory Hodgkin's lymphoma: results of the prospective multicenter H96 trial by the GELA/SFGM study group. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 5980-7	2.2	108

37	Twenty-year disease and treatment-associated mortality rates of patients with Hodgkin lymphoma of clinical stages IIIB and IV prospectively treated with 3-month anthracycline-based chemotherapy followed by extended high-dose radiation. <i>Cancer</i> , <b>2008</b> , 112, 846-55	6.4	2
36	Early versus late intensification for patients with high-risk Hodgkin lymphoma-3 cycles of intensive chemotherapy plus low-dose lymph node radiation therapy versus 4 cycles of combined doxorubicin, bleomycin, vinblastine, and dacarbazine plus myeloablative chemotherapy with autologous stem cell transplantation: five-year results of a randomized trial on behalf of the	6.4	28
35	Gene modulation associated with inhibition of liver regeneration in hepatitis B virus X transgenic mice. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 574-81	5.6	7
34	Gene Expression Profile Analysis According to Recurrent Gene Copy Number Abnormalities Defines a Diffuse Large B-Cell Lymphoma Subgroup Characterized by 9p21 Locus Deletion, Ribosome Machinery Deregulation and Poor Prognosis. A GELA Study. <i>Blood</i> , <b>2008</b> , 112, 803-803	2.2	
33	Mutation of RRM2B, encoding p53-controlled ribonucleotide reductase (p53R2), causes severe mitochondrial DNA depletion. <i>Nature Genetics</i> , <b>2007</b> , 39, 776-80	36.3	433
32	C57BL/6J and A/J mice fed a high-fat diet delineate components of metabolic syndrome. <i>Obesity</i> , <b>2007</b> , 15, 1996-2005	8	169
31	Comparison of cefoxitin and moxalactam 30 microg disc diffusion methods for detection of methicillin resistance in coagulase-negative staphylococci. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2007</b> , 59, 763-6	5.1	13
30	Resistance to high-fat diet in the female progeny of obese mice fed a control diet during the periconceptual, gestation, and lactation periods. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E1095-100	6	56
29	Rituximab, gemcitabine and oxaliplatin: an effective salvage regimen for patients with relapsed or refractory B-cell lymphoma not candidates for high-dose therapy. <i>Annals of Oncology</i> , <b>2007</b> , 18, 1363-8	10.3	118
28	Peripheral blood natural killer cell count is associated with clinical outcome in patients with aIPI 2-3 diffuse large B-cell lymphoma. <i>Annals of Oncology</i> , <b>2007</b> , 18, 1209-15	10.3	69
27	Novel mouse model of monocular amaurosis fugax. <i>Stroke</i> , <b>2007</b> , 38, 3237-44	6.7	19
26	Rituximab Combined to ACVBP (R-ACVBP) Supported by Pegfilgrastim as a New Inductive Treatment Followed by High-Dose Consolidative Autotransplantation (HDC) for Poor Risk Diffuse Large B-Cell Lymphoma (DLBCL) in First-Line. Results of LNH 03B9B. A GELA Study.. <i>Blood</i> , <b>2007</b> , 110, 3487-3497	2.2	1
25	Germinal Center Phenotype Determined by Immunohistochemistry on Tissue Microarray Does Not Correlate with Outcome in Diffuse Large B-Cell Lymphoma Patients Treated with Immunochemotherapy in the Randomized Trial LNH98-5. A GELA Study.. <i>Blood</i> , <b>2007</b> , 110, 51-51	2.2	4
24	Distinct Expression Patterns of microRNAs in Activated B Cell (ABC) and Germinal Center B (GC) Subtypes of Diffuse Large B Cell Lymphoma (DLBCL).. <i>Blood</i> , <b>2007</b> , 110, 562-562	2.2	
23	Association of the PTPN22*R620W polymorphism with autoimmune myasthenia gravis. <i>Annals of Neurology</i> , <b>2006</b> , 59, 404-7	9.4	96
22	Long term effects of azithromycin in patients with cystic fibrosis: A double blind, placebo controlled trial. <i>Thorax</i> , <b>2006</b> , 61, 895-902	7.3	186
21	How emergency departments might alert for prehospital heat-related excess mortality?. <i>Critical Care</i> , <b>2006</b> , 10, R156	10.8	26
20	Outcome and long-term growth after extensive small bowel resection in the neonatal period: a survey of 87 children. <i>European Journal of Pediatric Surgery</i> , <b>2005</b> , 15, 95-101	1.9	163

19	The case for strategic international alliances to harness nutritional genomics for public and personal health. <i>British Journal of Nutrition</i> , <b>2005</b> , 94, 623-32	3.6	112
18	X-linked Alport syndrome: natural history and genotype-phenotype correlations in girls and women belonging to 195 families: a "European Community Alport Syndrome Concerted Action" study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2003</b> , 14, 2603-10	12.7	298
17	Peritoneal closure reduces port site metastases: results of an experiment in a rat ovarian cancer model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2002</b> , 16, 289-91	5.2	22
16	Impact of pneumoperitoneum on tumor growth. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2002</b> , 16, 1170-4	5.2	30
15	Fifteen-year secondary leukaemia risk observed in 761 patients with Hodgkin's disease prospectively treated by MOPP or ABVD chemotherapy plus high-dose irradiation. <i>British Journal of Haematology</i> , <b>2002</b> , 118, 189-94	4.5	47
14	Impact of pneumoperitoneum on visceral metastasis rate and survival. Results in two ovarian cancer models in rats. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 108, 733-7	3.7	5
13	Influence of peritoneal factors on port-site metastases in a xenograft ovarian cancer model. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 108, 809-12	3.7	7
12	X-linked Alport syndrome: natural history in 195 families and genotype- phenotype correlations in males. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2000</b> , 11, 649-657	12.7	332
11	Gibbs sampler for the logistic model in the analysis of longitudinal binary data. <i>Statistics in Medicine</i> , <b>1998</b> , 17, 2905-21	2.3	7
10	Elevated circulating E-selectin, intercellular adhesion molecule 1, and von Willebrand factor in patients with severe infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>1998</b> , 157, 776-84	10.2	175
9	Mediastinal tumor size and response to chemotherapy are the only prognostic factors in supradiaphragmatic Hodgkin's disease treated by ABVD plus radiotherapy: ten-year results of the Paris-Ouest-France 81/12 trial, including 262 patients. <i>Journal of Clinical Oncology</i> , <b>1996</b> , 14, 1928-35	2.2	38
8	Infradiaphragmatic Hodgkin's disease: long term results of combined modality therapy. <i>Leukemia and Lymphoma</i> , <b>1996</b> , 21, 79-84	1.9	10
7	Long-term follow-up of HIV positive asymptomatic patients having received cyclosporin A. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 374, 229-34	3.6	32
6	Improvement of diabetic control and acceptability of a three-injection insulin regimen in diabetic adolescents. A multicenter controlled study. <i>Diabetes Care</i> , <b>1993</b> , 16, 94-102	14.6	33
5	Exploratory analysis of population pharmacokinetic data from clinical trials with application to isradipine. <i>Clinical Pharmacology and Therapeutics</i> , <b>1991</b> , 50, 39-54	6.1	18
4	Factors predicting mortality in idiopathic dilated cardiomyopathy. <i>European Heart Journal</i> , <b>1990</b> , 11, 824-31	3.1	104
3	Acral erythema and systemic toxicity related to CHA induction therapy in acute myeloid leukemia. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1989</b> , 25, 1181-5		5
2	Treatment of the childhood haemolytic uraemic syndrome with plasma. A multicentre randomized controlled trial. The French Society of Paediatric Nephrology. <i>Pediatric Nephrology</i> , <b>1988</b> , 2, 279-85	3.2	91

1 A transient state model for analysing ventilatory status in a randomized clinical trial. *Statistics in Medicine*, **1987**, 6, 795-803

2.3 2