

# Michael S Lloyd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2734235/publications.pdf>

Version: 2024-02-01

91  
papers

3,010  
citations

218592

26  
h-index

175177

52  
g-index

93  
all docs

93  
docs citations

93  
times ranked

3195  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Leadless Intracardiac Transcatheter Pacing System. <i>New England Journal of Medicine</i> , 2016, 374, 533-541.	13.9	650
2	Updated performance of the Micra transcatheter pacemaker in the real-world setting: A comparison to the investigational study and a transvenous historical control. <i>Heart Rhythm</i> , 2018, 15, 1800-1807.	0.3	239
3	Early performance of a miniaturized leadless cardiac pacemaker: the Micra Transcatheter Pacing Study. <i>European Heart Journal</i> , 2015, 36, 2510-2519.	1.0	169
4	Hands-On Defibrillation. <i>Circulation</i> , 2008, 117, 2510-2514.	1.6	99
5	Clinical experience of stereotactic body radiation for refractory ventricular tachycardia in advanced heart failure patients. <i>Heart Rhythm</i> , 2020, 17, 415-422.	0.3	91
6	The tragic aorist. <i>Classical Quarterly</i> , 1999, 49, 24-45.	0.1	83
7	The Politeness of Achilles: Off-Record Conversation Strategies in Homer and the Meaning of <i>Kertomia</i> . <i>Journal of Hellenic Studies</i> , 2004, 124, 75-89.	0.0	78
8	Long-term survival after successful inhospital cardiac arrest resuscitation. <i>American Heart Journal</i> , 2007, 153, 831-836.	1.2	74
9	Emerging Applications for Transseptal Left Heart Catheterization. <i>Journal of the American College of Cardiology</i> , 2008, 51, 2116-2122.	1.2	74
10	Long-Term Outcomes After Ablation for Paroxysmal Atrial Fibrillation Using the Second-Generation Cryoballoon. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 306-314.	1.3	72
11	Clinical Experience With the Subcutaneous Implantable Cardioverter-Defibrillator in Adults With Congenital Heart Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	69
12	Techniques for successful early retrieval of the Micra transcatheter pacing system: A worldwide experience. <i>Heart Rhythm</i> , 2018, 15, 841-846.	0.3	66
13	Next-generation museum genomics: Phylogenetic relationships among palpimanoid spiders using sequence capture techniques (Araneae: Palpimanoidea). <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 907-918.	1.2	65
14	Cardiorespiratory fitness and atrial fibrillation: A population-based follow-up study. <i>Heart Rhythm</i> , 2015, 12, 1424-1430.	0.3	61
15	Development of a Risk Score to Predict New Pacemaker Implantation After Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2133-2142.	1.1	60
16	Spider-specific probe set for ultraconserved elements offers new perspectives on the evolutionary history of spiders (Arachnida, Araneae). <i>Molecular Ecology Resources</i> , 2020, 20, 185-203.	2.2	54
17	Outcome of Subcutaneous Implantable Cardioverter Defibrillator Implantation in Patients with End-Stage Renal Disease on Dialysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 900-904.	0.8	53
18	Preliminary psychometric validation of a brief screening tool for athlete mental health among male elite athletes: the Athlete Psychological Strain Questionnaire. <i>International Journal of Sport and Exercise Psychology</i> , 2020, 18, 850-865.	1.1	50

#	ARTICLE	IF	CITATIONS
19	New-Onset Atrial Fibrillation After Acute Myocardial Infarction and Its Relation to Admission Biomarkers (from the TRIUMPH Registry). <i>American Journal of Cardiology</i> , 2013, 112, 1390-1395.	0.7	46
20	Incidence of Defibrillator Shocks After Elective Generator Exchange Following Uneventful First Battery Life. <i>Journal of the American Heart Association</i> , 2014, 3, e001289.	1.6	44
21	Magnetic resonance imaging safety in nonconditional pacemaker and defibrillator recipients: A meta-analysis and systematic review. <i>Heart Rhythm</i> , 2018, 15, 1001-1008.	0.3	42
22	Pacing Features That Mimic Malfunction: A Review of Current Programmable and Automated Device Functions That Cause Confusion in the Clinical Setting. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 453-460.	0.8	39
23	Coping With Physical Exertion and Negative Feedback Under Competitive and Self-Standard Conditions. <i>Journal of Applied Social Psychology</i> , 2001, 31, 1582-1626.	1.3	33
24	Histopathologic and Ultrastructural Findings in Human Myocardium After Stereotactic Body Radiation Therapy for Recalcitrant Ventricular Tachycardia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008753.	2.1	31
25	Targeted Left Ventricular Lead Implantation Strategy for Non-Left Bundle Branch Block Patients. <i>JACC: Clinical Electrophysiology</i> , 2020, 6, 1171-1181.	1.3	29
26	Outcomes of Sprint Fidelis and Riata lead extraction: Data from 2 high-volume centers. <i>Heart Rhythm</i> , 2015, 12, 1216-1220.	0.3	28
27	Safety and Quality of 1.5-T MRI in Patients With Conventional and MRI-Conditional Cardiac Implantable Electronic Devices After Implementation of a Standardized Protocol. <i>American Journal of Roentgenology</i> , 2016, 207, 599-604.	1.0	27
28	Generator exchange is associated with an increased rate of Sprint Fidelis lead failure. <i>Heart Rhythm</i> , 2012, 9, 1615-1618.	0.3	26
29	Reverse Polarity Pacing: The Hemodynamic Benefit of Anodal Currents at Lead Tips for Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 1167-1171.	0.8	25
30	Predictors of Long-Term Survival Following Transvenous Extraction of Defibrillator Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1297-1303.	0.5	25
31	Cardiac Resynchronization Therapy in Adult Patients with Repaired Tetralogy of Fallot and Left Ventricular Systolic Dysfunction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 321-328.	0.5	23
32	Long-term performance of a pacing lead family: A single-center experience. <i>Heart Rhythm</i> , 2019, 16, 572-578.	0.3	23
33	Lesion-Specific Differences for Implantable Cardioverter Defibrillator Therapies in Adults with Congenital Heart Disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1492-1498.	0.5	22
34	Cardiac electrophysiology of patients with spinal cord injury. <i>Heart Rhythm</i> , 2017, 14, 920-927.	0.3	21
35	Rate adaptive pacing in an intracardiac pacemaker. <i>Heart Rhythm</i> , 2017, 14, 200-205.	0.3	21
36	The Relationship of Bipolar Left Ventricular Pacing Stimulus Intensity to Cardiac Depolarization and Repolarization in Humans with Cardiac Resynchronization Devices. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 645-649.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Prediction of response to cardiac resynchronization therapy using left ventricular pacing lead position and cardiovascular magnetic resonance derived wall motion patterns: a prospective cohort study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 57.	1.6	19
38	Leadless pacemaker implantation and concurrent atrioventricular junction ablation in patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 504-510.	0.5	17
39	Relationship between device-detected burden and duration of atrial fibrillation and risk of ischemic stroke. <i>Heart Rhythm</i> , 2021, 18, 338-346.	0.3	17
40	Clinical Performance of Magnetic Resonance Imaging Conditional and Nonconditional Cardiac Implantable Electronic Devices. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 467-475.	0.5	16
41	More Late Perforations with the Riata <sup>®</sup> , <sup>®</sup> Defibrillator Lead from a High-Volume Center: An Update on the Numbers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 784-785.	0.5	15
42	Generator replacement is associated with an increased rate of ICD lead alerts. <i>Heart Rhythm</i> , 2014, 11, 1785-1789.	0.3	15
43	The Safety and Feasibility of Same-Day Discharge After Implantation of MICRA Transcatheter Leadless Pacemaker System. <i>Journal of Atrial Fibrillation</i> , 2019, 12, 2153.	0.5	15
44	Clinical predictors of discordance between screening tests and psychiatric assessment for depressive and anxiety disorders among patients being evaluated for seizure disorders. <i>Epilepsia</i> , 2021, 62, 1170-1183.	2.6	14
45	Outcomes of convergent atrial fibrillation ablation with continuous rhythm monitoring. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1270-1276.	0.8	13
46	The Helen Scene in Euripides' <i>Troades</i> . <i>Classical Quarterly</i> , 1984, 34, 303-313.	0.1	12
47	Realism and Character in Euripides' "Electra". <i>Phoenix</i> , 1986, 40, 1.	0.1	12
48	Electrogram Characteristics of Ablated and Non-Ablated Myocardium in Humans: A Comparison of Miniaturized Embedded Electrodes and Conventional Ablation Electrodes. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 820-824.	0.8	12
49	Transcatheter/leadless pacing. <i>Heart Rhythm</i> , 2018, 15, 624-628.	0.3	12
50	Outcomes of Micra leadless pacemaker implantation with uninterrupted anticoagulation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1313-1318.	0.8	12
51	Sex-based differences in procedural complications associated with atrial fibrillation catheter ablation: A systematic review and meta-analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3176-3186.	0.8	12
52	Life cycle management of Micra transcatheter pacing system: Data from a high-volume center. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 484-490.	0.8	12
53	A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 502-512.	1.3	12
54	Method to create regional mechanical dyssynchrony maps from short-axis cine steady-state free-precession images. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 958-965.	1.9	11

#	ARTICLE	IF	CITATIONS
55	Outcomes of percutaneous vacuum-assisted debulking of large vegetations as an adjunct to lead extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1032-1037.	0.5	9
56	Development and validation of a screening questionnaire for psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2020, 112, 107482.	0.9	9
57	Stellate ganglion blockade for treating refractory electrical storm: a historical cohort study. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1683-1689.	0.7	9
58	Rationale and design for ENHANCE CRT: QLV implant strategy for non-left bundle branch block patients. <i>ESC Heart Failure</i> , 2018, 5, 1184-1190.	1.4	8
59	Long Term Follow-Up of Stereotactic Body Radiation Therapy for Refractory Ventricular Tachycardia in Advanced Heart Failure Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 849113.	1.1	8
60	Successfully Treated Mitral Valve <i>Proteus mirabilis</i> Endocarditis. <i>American Journal of the Medical Sciences</i> , 2005, 329, 267-269.	0.4	7
61	Palpitations after a pacemaker generator exchange: A new algorithm-induced cause of endless loop tachycardia. <i>Heart Rhythm</i> , 2009, 6, 1380-1382.	0.3	7
62	Hands-on defibrillation with a safety barrier: An analysis of potential risk to rescuers. <i>Resuscitation</i> , 2019, 138, 110-113.	1.3	7
63	Coronary Artery Disease Potentiates Response to Dofetilide for Rhythm Control of Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 170-173.	0.5	6
64	Cardiac implantable electronic devices in patients with persistent left superior vena cava—a single center experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1175-1181.	0.8	6
65	Divine and Human Action in Euripides's <i>Ion</i> . <i>Antike Und Abendland</i> , 1986, 32, 33-45.	0.1	6
66	Life's Simple 7 Approach to Atrial Fibrillation Prevention. <i>Journal of Atrial Fibrillation</i> , 2018, 11, 2051.	0.5	6
67	Multicenter Experience of Feasibility and Safety of Leadless Pacemakers Across Bioprosthetic and Repaired Tricuspid Valves. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1093-1094.	1.3	4
68	Implantation of leadless pacemakers via inferior vena cava filters is feasible and safe: Insights from a multicenter experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3277-3285.	0.8	4
69	Valve-sparing transvenous defibrillator systems after tricuspid valve intervention. <i>Heart Rhythm</i> , 2021, 18, 2212-2214.	0.3	3
70	Efficacy and Tolerability of Quinidine as Salvage Therapy for Monomorphic Ventricular Tachycardia in patients with Structural Heart Disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 3173-3178.	0.8	3
71	Pulse Generator Exchange Does Not Accelerate the Rate of Electrical Failure in a Recalled Small Caliber ICD Lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1434-1438.	0.5	2
72	THE HORTATIVE AORIST. <i>Classical Quarterly</i> , 2018, 68, 415-424.	0.1	2

#	ARTICLE	IF	CITATIONS
73	A review of specialized and automated features in implantable cardiac devices. Journal of Cardiovascular Electrophysiology, 2020, 31, 271-285.	0.8	2
74	Ablation of manifest septal accessory pathways: a single-center experience. Journal of Interventional Cardiac Electrophysiology, 2021, 61, 349-355.	0.6	2
75	Pacemakers after valve replacement: Just because we can, should we?. Journal of Cardiovascular Electrophysiology, 2022, 33, 586-588.	0.8	2
76	Euripides' <i>Alcestis</i> . Greece and Rome, 1985, 32, 119-131.	0.1	1
77	Specialized Functions of Cardiac Implantable Devices and How They Can Mimic Malfunction. Cardiac Electrophysiology Clinics, 2014, 6, 227-241.	0.7	1
78	59-06: AV node ablation and pacemaker implantation using a single femoral puncture site: The initial clinical experience with the MICRA pacemaker. Europace, 2016, 18, i171-i171.	0.7	1
79	Hands-on defibrillation with safety drapes: Analysis of compressions and an alternate current pathway. American Journal of Emergency Medicine, 2022, 52, 132-136.	0.7	1
80	A Multisite Retrospective Review of Direct Oral Anticoagulants Compared to Warfarin in Adult Fontan Patients. Cardiovascular Drugs and Therapy, 2023, 37, 519-527.	1.3	1
81	Sometimes, it is OK to be coarse: Quantifying ventricular fibrillation in the cardiac arrest victim. Heart Rhythm, 2014, 11, 237-238.	0.3	0
82	Letter to the Editor—Concern regarding adult congenital heart disease arrhythmia guidelines. Heart Rhythm, 2015, 12, e33.	0.3	0
83	Failure of an Implantable Defibrillator to detect transition from sinus tachycardia to slow ventricular tachycardia with “Onset”™ discrimination algorithm activated. Europace, 2017, 19, euw175.	0.7	0
84	Combined Angiography and Late Gadolinium Enhancement Acquisition to Improve Assessment of Pulmonary Vein Isolation for Atrial Fibrillation. Journal of Magnetic Resonance Imaging, 2018, 47, 477-486.	1.9	0
85	Early coronary computed tomographic angiography for out-of-hospital cardiac arrest victims: One step closer to the tricorder. Resuscitation, 2020, 153, 264-265.	1.3	0
86	Experience using multielectrode cardiac catheters for detection of electrophysiologic activity of the human urinary bladder. Neurourology and Urodynamics, 2021, 40, 80-84.	0.8	0
87	Accessing the inaccessible: Stereotactic radioablation of premature ventricular complexes originating in the right ventricle in a patient with a mechanical tricuspid valve. HeartRhythm Case Reports, 2021, 7, 229-231.	0.2	0
88	Enhanced detection of atrial arrhythmias by implantable monitors: Have we found what we are looking for?. Journal of Cardiovascular Electrophysiology, 2021, 32, 2544-2545.	0.8	0
89	Polysomnography and Implantable Cardiac Devices: Identifying Normal and Abnormal Paced Beats. Journal of Clinical Sleep Medicine, 2012, 08, 340-342.	1.4	0
90	Same-Day Versus Next-Day Discharge Strategies for Left Atrial Ablation Procedures: A Parallel, Intra-Institutional Comparison of Safety and Feasibility. Journal of Atrial Fibrillation, 2021, 13, 2466.	0.5	0

#	ARTICLE	IF	CITATIONS
91	Diagnostic Pacing Maneuvers for Supraventricular Tachycardia Discrimination: a Taxonomic Approach. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2022, 24, 13-26.	0.4	0