

Hendrik Terheyden

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2734331/hendrik-terheyden-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 papers	3,129 citations	33 h-index	55 g-index
77 ext. papers	3,470 ext. citations	3.9 avg, IF	4.81 L-index

#	Paper	IF	Citations
71	Technology-enhanced learning: a role for video animation. <i>British Dental Journal</i> , 2021 , 230, 93-96	1.2	2
70	Vertical bone augmentation and regular implants versus short implants in the vertically deficient posterior mandible: a systematic review and meta-analysis of randomized studies. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021 , 50, 1249-1258	2.9	1
69	Interpositional Bone Grafts 2020 , 453-469		1
68	Sandwich osteotomy in atrophic mandibles: A retrospective study with a 2- to 144-month follow-up. <i>Clinical Oral Implants Research</i> , 2019 , 30, 1027-1037	4.8	3
67	Peri-implantitis and its prevention. <i>Clinical Oral Implants Research</i> , 2019 , 30, 150-155	4.8	42
66	Current concepts in cleft care: A multicenter analysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 705-708	3.6	12
65	Particulate Coral Hydroxyapatite Sheltered by Titanium Mesh for Localized Alveolar Rehabilitation After Onlay Graft Failure: A Case Report. <i>Journal of Oral Implantology</i> , 2018 , 44, 147-152	1.2	4
64	Pre-augmentation soft tissue expansion improves scaffold-based vertical bone regeneration - a randomized study in dogs. <i>Clinical Oral Implants Research</i> , 2017 , 28, 640-647	4.8	9
63	Facilitators and barriers influencing the readiness to receive dental implants in a geriatric institutionalised population-A randomized non-invasive interventional study. <i>Gerodontology</i> , 2017 , 34, 306-312	2.8	4
62	Cell-to-cell communication in guided bone regeneration: molecular and cellular mechanisms. <i>Clinical Oral Implants Research</i> , 2017 , 28, 1139-1146	4.8	21
61	Correlation between resonance frequency, insertion torque and bone-implant contact in self-cutting threaded implants. <i>Odontology / the Society of the Nippon Dental University</i> , 2017 , 105, 347-353	3.6	19
60	Moving the mandible in orthognathic surgery - A multicenter analysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 579-83	3.6	14
59	Oral health-related quality of life and implant therapy: A prospective multicenter study of preoperative, intermediate, and posttreatment assessment. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 753-7	3.6	19
58	The current state of facial prosthetics A multicenter analysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015 , 43, 1038-41	3.6	14
57	Improvement of microcirculation and wound healing in vertical ridge augmentation after pre-treatment with self-inflating soft tissue expanders - a randomized study in dogs. <i>Clinical Oral Implants Research</i> , 2015 , 26, 720-4	4.8	14
56	Cell-to-cell communication--periodontal regeneration. <i>Clinical Oral Implants Research</i> , 2015 , 26, 229-39	4.8	41
55	Prevention of the surface resorption of bone grafts by topical application of bisphosphonate on different carrier materials. <i>Clinical Oral Investigations</i> , 2014 , 18, 2203-11	4.2	14

54	Tissue engineering of a vascularized bone graft of critical size with an osteogenic and angiogenic factor-based in vivo bioreactor. <i>Tissue Engineering - Part A</i> , 2014 , 20, 3189-97	3.9	32
53	Highly porous hydroxyapatite with and without local harvested bone in sinus floor augmentation: a histometric study in pigs. <i>Clinical Oral Implants Research</i> , 2014 , 25, 871-8	4.8	4
52	Inflammatory reaction - communication of cells. <i>Clinical Oral Implants Research</i> , 2014 , 25, 399-407	4.8	23
51	Submucosal implantation of soft tissue expanders does not affect microcirculation. <i>Clinical Oral Implants Research</i> , 2014 , 25, 867-70	4.8	3
50	Bone-to-implant contact after maxillary sinus floor augmentation with Bio-Oss and autogenous bone in different ratios in mini pigs. <i>Clinical Oral Implants Research</i> , 2013 , 24, 635-44	4.8	37
49	Antimicrobial peptide coating of dental implants: biocompatibility assessment of recombinant human beta defensin-2 for human cells. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 982-8	2.8	20
48	Maxillary sinus floor augmentation with Bio-Oss or Bio-Oss mixed with autogenous bone as graft: a systematic review. <i>Clinical Oral Implants Research</i> , 2012 , 23, 263-73	4.8	100
47	Volumetric changes of the graft after maxillary sinus floor augmentation with Bio-Oss and autogenous bone in different ratios: a radiographic study in minipigs. <i>Clinical Oral Implants Research</i> , 2012 , 23, 902-10	4.8	65
46	Osseointegration--communication of cells. <i>Clinical Oral Implants Research</i> , 2012 , 23, 1127-35	4.8	139
45	Histological evaluation of maxillary sinus floor augmentation with recombinant human growth and differentiation factor-5-coated β -tricalcium phosphate: results of a multicenter randomized clinical trial. <i>Journal of Clinical Periodontology</i> , 2011 , 38, 966-74	7.7	42
44	Survival of transplanted rat bone marrow-derived osteogenic stem cells in vivo. <i>Tissue Engineering - Part A</i> , 2011 , 17, 1147-56	3.9	72
43	A prospective, randomized pilot study on the safety and efficacy of recombinant human growth and differentiation factor-5 coated onto β -tricalcium phosphate for sinus lift augmentation. <i>Clinical Oral Implants Research</i> , 2010 , 21, 1301-8	4.8	45
42	Comparison of collagen membranes and polydioxanone for reconstruction of the orbital floor after fractures. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1066-8	1.2	26
41	Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. <i>Clinical Oral Investigations</i> , 2010 , 14, 427-32	4.2	87
40	Use of a new cross-linked collagen membrane for the treatment of dehiscence-type defects at titanium implants: a prospective, randomized-controlled double-blinded clinical multicenter study. <i>Clinical Oral Implants Research</i> , 2009 , 20, 742-9	4.8	62
39	Bone augmentation procedures in localized defects in the alveolar ridge: clinical results with different bone grafts and bone-substitute materials. <i>International Journal of Oral and Maxillofacial Implants</i> , 2009 , 24 Suppl, 218-36	2.8	88
38	Open reduction and internal fixation versus closed treatment and mandibulomaxillary fixation of fractures of the mandibular condylar process: a randomized, prospective, multicenter study with special evaluation of fracture level. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008 , 66, 2537-44	1.8	145
37	Gender and nasal shape: measures for rhinoplasty. <i>Plastic and Reconstructive Surgery</i> , 2008 , 121, 629-637	7.7	59

36	Single-stage sinus augmentation with cancellous iliac bone and anorganic bovine bone in the presence of platelet-rich plasma in the miniature pig. <i>Clinical Oral Implants Research</i> , 2008 , 19, 373-8	4.8	26
35	Missing osteogenic effect of expanded autogenous osteoblast-like cells in a minipig model of sinus augmentation with simultaneous dental implant installation. <i>Clinical Oral Implants Research</i> , 2008 , 19, 497-504	4.8	15
34	Prospective observation of 41 perforations of the Schneiderian membrane during sinus floor elevation. <i>Clinical Oral Implants Research</i> , 2008 , 19, 1285-9	4.8	133
33	Craniectomy and noggin application in an infant model. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2007 , 35, 177-84	3.6	9
32	Facial attractiveness: visual impact of symmetry increases significantly towards the midline. <i>Annals of Plastic Surgery</i> , 2007 , 59, 156-62	1.7	82
31	Reconstruction of the lower lip: rationale to preserve the aesthetic units of the face. <i>Plastic and Reconstructive Surgery</i> , 2007 , 120, 1231-1239	2.7	27
30	Vascularized iliac crest bone graft for talar defects: case reports. <i>Foot and Ankle International</i> , 2007 , 28, 633-7	3.3	9
29	Two techniques for the preparation of cell-scaffold constructs suitable for sinus augmentation: steps into clinical application. <i>Tissue Engineering</i> , 2006 , 12, 2649-56		59
28	Open versus closed treatment of fractures of the mandibular condylar process-a prospective randomized multi-centre study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2006 , 34, 306-14	3.6	208
27	The mechanical integrity of in vivo engineered heterotopic bone. <i>Biomaterials</i> , 2006 , 27, 1081-7	15.6	58
26	Man as living bioreactor: fate of an exogenously prepared customized tissue-engineered mandible. <i>Biomaterials</i> , 2006 , 27, 3163-7	15.6	198
25	Two Techniques for the Preparation of Cell-Scaffold Constructs Suitable for Sinus Augmentation: Steps into Clinical Application. <i>Tissue Engineering</i> , 2006 , 060810082309001		
24	Two Techniques for the Preparation of Cell-Scaffold Constructs Suitable for Sinus Augmentation: Steps into Clinical Application. <i>Tissue Engineering</i> , 2006 , 060913044658006		2
23	Linear intraoral lesions in the sebaceous nevus syndrome. <i>Journal of the American Academy of Dermatology</i> , 2005 , 52, 62-4	4.5	14
22	RhBMP-7 improves survival and eruption in a growing tooth avulsion trauma model. <i>Bone</i> , 2005 , 37, 570-7	4.7	14
21	Bone graft versus BMP-7 in a critical size defect--cranioplasty in a growing infant model. <i>Bone</i> , 2005 , 37, 563-9	4.7	49
20	Detection of mature collagen in human dental enamel. <i>Calcified Tissue International</i> , 2005 , 76, 121-6	3.9	40
19	Particulated bone grafts--effectiveness of bone cell supply. <i>Clinical Oral Implants Research</i> , 2004 , 15, 205-12	4.8	61

18	Sinus floor augmentation with simultaneous placement of dental implants in the presence of platelet-rich plasma or recombinant human bone morphogenetic protein-7. <i>Clinical Oral Implants Research</i> , 2004 , 15, 716-23	4.8	65
17	Tumor smell reduction with antibacterial essential oils. <i>Cancer</i> , 2004 , 100, 879-80	6.4	13
16	Carboxymethylcellulose-stabilized collagenous rhOP-1 device-a novel carrier biomaterial for the repair of mandibular continuity defects. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 68, 219-26		33
15	Bone formation in the presence of platelet-rich plasma vs. bone morphogenetic protein-7. <i>Bone</i> , 2004 , 34, 80-90	4.7	152
14	Wedge excision: treatment of choice in minimal median clefts of the upper lip. <i>Plastic and Reconstructive Surgery</i> , 2004 , 114, 812-4	2.7	4
13	Craniofacial reconstruction with bone morphogenetic proteins 2004 , 133-155		
12	Effects of bone morphogenetic protein-7 stimulation on osteoblasts cultured on different biomaterials. <i>Journal of Cellular Biochemistry</i> , 2002 , 86, 90-8	4.7	39
11	Maxillofacial reconstruction 2002 , 157-181		
10	Analysis of the osseous/metal interface of drill free screws and self-tapping screws. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2001 , 29, 69-74	3.6	46
9	Mandibular reconstruction with prefabricated vascularized bone grafts using recombinant human osteogenic protein-1: an experimental study in miniature pigs. Part II: transplantation. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2001 , 30, 469-78	2.9	77
8	Mandibular reconstruction with a prefabricated vascularized bone graft using recombinant human osteogenic protein-1: an experimental study in miniature pigs. Part I: Prefabrication. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2001 , 30, 373-9	2.9	79
7	Three-dimensional cultivation of human osteoblast-like cells on highly porous natural bone mineral. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 51, 703-10		61
6	Sinus floor augmentation with simultaneous placement of dental implants using a combination of deproteinized bone xenografts and recombinant human osteogenic protein-1. A histometric study in miniature pigs. <i>Clinical Oral Implants Research</i> , 1999 , 10, 510-21	4.8	120
5	Experimental computer-assisted alloplastic sandwich augmentation of the atrophic mandible. <i>Journal of Oral and Maxillofacial Surgery</i> , 1999 , 57, 1436-40; discussion 1440-1	1.8	8
4	Mandibular reconstruction in miniature pigs with prefabricated vascularized bone grafts using recombinant human osteogenic protein-1: a preliminary study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 1999 , 28, 461-463	2.9	44
3	Mandibular reconstruction in miniature pigs with prefabricated vascularized bone grafts using recombinant human osteogenic protein-1: A preliminary study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 1999 , 28, 461-463	2.9	59
2	The self adapting washer for lag screw fixation of mandibular fractures: finite element analysis and preclinical evaluation. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 1999 , 27, 58-67	3.6	8
1	Self-adapting washer system for lag screw fixation of mandibular fractures. Part II: In vitro mechanical characterization of 2.3 and 2.7 mm lag screw prototypes and in vivo removal torque after healing. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 1999 , 27, 243-51	3.6	7

