

# Kyger C Lohmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2734724/publications.pdf>

Version: 2024-02-01

110  
papers

9,641  
citations

50244

46  
h-index

53190

85  
g-index

111  
all docs

111  
docs citations

111  
times ranked

7156  
citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonally Variable Aquifer Discharge and Cooler Climate in Bermuda During the Last Interglacial Revealed by Subannual Clumped Isotope Analysis. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA004145.	1.3	3
2	Groundwater sources in the Island of Maui, Hawaii – A combined noble gas, stable isotope, and tritium approach. <i>Applied Geochemistry</i> , 2020, 117, 104587.	1.4	4
3	Effects of Improved <sup>17</sup> O Correction on Interlaboratory Agreement in Clumped Isotope Calibrations, Estimates of Mineral-Specific Offsets, and Temperature Dependence of Acid Digestion Fractionation. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 3495-3519.	1.0	134
4	Biogenic carbonate mercury and marine temperature records reveal global influence of Late Cretaceous Deccan Traps. <i>Nature Communications</i> , 2019, 10, 5356.	5.8	21
5	Climate of the Late Cretaceous North American Gulf and Atlantic Coasts. <i>Cretaceous Research</i> , 2018, 89, 160-173.	0.6	16
6	Meltwater pulse recorded in Last Interglacial mollusk shells from Bermuda. <i>Paleoceanography</i> , 2017, 32, 132-145.	3.0	9
7	Constraining groundwater flow in the glacial drift and saginaw aquifers in the Michigan Basin through helium concentrations and isotopic ratios. <i>Geofluids</i> , 2016, 16, 3-25.	0.3	12
8	The effects of Porapak <sup>®</sup> trap temperature on <sup>18</sup> O, <sup>13</sup> C, and <sup>47</sup> values in preparing samples for clumped isotope analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 199-208.	0.7	25
9	Shallow burial alteration of dolomite and limestone clumped isotope geochemistry. <i>Geology</i> , 2016, 44, 467-470.	2.0	60
10	Calibration of dolomite clumped isotope thermometry. <i>Chemical Geology</i> , 2016, 443, 32-38.	1.4	29
11	End-Cretaceous extinction in Antarctica linked to both Deccan volcanism and meteorite impact via climate change. <i>Nature Communications</i> , 2016, 7, 12079.	5.8	167
12	Temperature and salinity of the Late Cretaceous Western Interior Seaway. <i>Geology</i> , 2016, 44, 903-906.	2.0	62
13	Evaluation of meteoric calcite cements as a proxy material for mass-47 clumped isotope thermometry. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 173, 126-141.	1.6	25
14	Diagenetic incorporation of Sr into aragonitic bivalve shells: implications for chronostratigraphic and palaeoenvironmental interpretations. <i>Depositional Record</i> , 2015, 1, 38-52.	0.8	18
15	Non-linear mixing effects on mass <sup>47</sup> CO <sub>2</sub> clumped isotope thermometry: Patterns and implications. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 901-909.	0.7	67
16	Compositional and temperature effects of phosphoric acid fractionation on <sup>47</sup> analysis and implications for discrepant calibrations. <i>Chemical Geology</i> , 2015, 396, 51-60.	1.4	161
17	Assessing compositional variability and migration of natural gas in the Antrim Shale in the Michigan Basin using noble gas geochemistry. <i>Chemical Geology</i> , 2015, 417, 356-370.	1.4	33
18	Isotopic and Elemental Evidence For Meteoric Alteration of A Pennsylvanian Phylloid-Algal Mound, Holder Formation, New Mexico, U.S.A. <i>Journal of Sedimentary Research</i> , 2014, 85, 21-37.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Large atmospheric noble gas excesses in a shallow aquifer in the Michigan Basin as indicators of a past mantle thermal event. <i>Earth and Planetary Science Letters</i> , 2013, 375, 372-382.	1.8	7
20	Terrestrial cooling in Northern Europe during the Eocene–Oligocene transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7562-7567.	3.3	102
21	Comparative Paleoclimatic Interpretations from Nonmarine Ostracodes Using Faunal Assemblages, Trace Elements Shell Chemistry and Stable Isotope Data. <i>Geophysical Monograph Series</i> , 2013, , 179-190.	0.1	15
22	Noble gas composition in rainwater and associated weather patterns. <i>Geophysical Research Letters</i> , 2013, 40, 3248-3252.	1.5	8
23	Paleoelevation estimates for the northern and central proto–Basin and Range from carbonate clumped isotope thermometry. <i>Tectonics</i> , 2013, 32, 295-316.	1.3	49
24	Testing the noble gas paleothermometer with a yearlong study of groundwater noble gases in an instrumented monitoring well. <i>Water Resources Research</i> , 2012, 48, .	1.7	21
25	End-Cretaceous marine mass extinction not caused by productivity collapse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 728-732.	3.3	133
26	A late Pleistocene–Mid–Holocene noble gas and stable isotope climate and subglacial record in southern Michigan. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	11
27	RECONSTRUCTING PALEOCATCHMENTS BY INTEGRATING STABLE ISOTOPE RECORDS, SEDIMENTOLOGY, AND TAPHONOMY: A LATE CRETACEOUS CASE STUDY (MONTANA, UNITED STATES). <i>Palaios</i> , 2011, 26, 545-554.	0.6	12
28	Continental warming preceding the Palaeocene–Eocene thermal maximum. <i>Nature</i> , 2010, 467, 955-958.	13.7	78
29	Application of calcite Mg partitioning functions to the reconstruction of paleocean Mg/Ca. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 6751-6763.	1.6	68
30	Mississippian Paleocean Chemistry from Biotic and Abiotic Carbonate, Muleshoe Mound, Lake Valley Formation, New Mexico, U.S.A.–Reply. <i>Journal of Sedimentary Research</i> , 2009, 79, 42-43.	0.8	1
31	Chronostratigraphic and paleoenvironmental constraints derived from the $^{87}\text{Sr}/^{86}\text{Sr}$ and $\delta^{18}\text{O}$ signal of Miocene bivalves, Southern McMurdo Sound, Antarctica. <i>Global and Planetary Change</i> , 2009, 69, 124-132.	1.6	14
32	Mississippian Paleocean Chemistry from Biotic and Abiotic Carbonate, Muleshoe Mound, Lake Valley Formation, New Mexico, U.S.A.. <i>Journal of Sedimentary Research</i> , 2008, 78, 147-164.	0.8	16
33	Evaluating Mg/Ca ratios as a temperature proxy in the estuarine oyster, <i>Crassostrea virginica</i> . <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	38
34	Excess air in the noble gas groundwater paleothermometer: A new model based on diffusion in the gas phase. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	13
35	Eocene climate record of a high southern latitude continental shelf: Seymour Island, Antarctica. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 659-678.	1.6	141
36	HIGH-RESOLUTION STABLE ISOTOPE PROFILES OF A DIMITOBELED BELEMNITE: IMPLICATIONS FOR PALEODEPTH HABITAT AND LATE MAASTRICHTIAN CLIMATE SEASONALITY. <i>Palaios</i> , 2007, 22, 642-650.	0.6	66

#	ARTICLE	IF	CITATIONS
37	Reply to comment by Klump et al. on "Noble gases and stable isotopes in a shallow aquifer in southern Michigan: Implications for noble gas paleotemperature reconstructions for cool climates". <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	5
38	Micro-Sized Dolomite Inclusions in Ferroan Calcite Cements Developed During Burial Diagenesis of Kimmeridgian Reefs, Northern Iberian Basin, Spain. <i>Journal of Sedimentary Research</i> , 2006, 76, 472-482.	0.8	8
39	Spatial distribution and seasonal variation in $^{18}\text{O}/^{16}\text{O}$ of modern precipitation and river water across the conterminous USA. <i>Hydrological Processes</i> , 2005, 19, 4121-4146.	1.1	273
40	Late Jurassic Paleogeography and Paleoclimate in the Northern Iberian Basin of Spain: Constraints from Diagenetic Records in Reefal and Continental Carbonates. <i>Journal of Sedimentary Research</i> , 2005, 75, 82-96.	0.8	14
41	Insights from the Paleogene tropical Pacific: Foraminiferal stable isotope and elemental results from Site 1209, Shatsky Rise. <i>Paleoceanography</i> , 2005, 20, n/a-n/a.	3.0	36
42	Noble gases and stable isotopes in a shallow aquifer in southern Michigan: Implications for noble gas paleotemperature reconstructions for cool climates. <i>Geophysical Research Letters</i> , 2005, 32, n/a-n/a.	1.5	42
43	Composition of the early Oligocene ocean from coral stable isotope and elemental chemistry. <i>Geobiology</i> , 2004, 2, 97-106.	1.1	13
44	Intra-Annual Isotopic Variation in <i>Venericardia</i> Bivalves: Implications for Early Eocene Temperature, Seasonality, and Salinity on the U.S. Gulf Coast. <i>Journal of Sedimentary Research</i> , 2004, 74, 7-19.	0.8	49
45	Reconstructing estuarine conditions: oyster shells as recorders of environmental change, Southwest Florida. <i>Estuarine, Coastal and Shelf Science</i> , 2003, 57, 737-756.	0.9	78
46	Stable isotope and minor element proxies for Eocene climate of Seymour Island, Antarctica. <i>Paleoceanography</i> , 2002, 17, 6-1-6-13.	3.0	95
47	Temporal and spatial differences in salinity and water chemistry in SW Florida estuaries: Effects of human-impacted watersheds. <i>Estuaries and Coasts</i> , 2002, 25, 393-408.	1.7	76
48	Sr/Mg variation during rock-water interaction: implications for secular changes in the elemental chemistry of ancient seawater. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 741-761.	1.6	31
49	Controls on isotopic chemistry of the American oyster, <i>Crassostrea virginica</i> : implications for growth patterns. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001, 172, 283-296.	1.0	151
50	Discrimination of Multiple Episodes of Meteoric Diagenesis in a Kimmeridgian Reefal Complex, North Iberian Range, Spain. <i>Journal of Sedimentary Research</i> , 2001, 71, 380-393.	0.8	18
51	Earliest Carboniferous cooling step triggered by the Antler orogeny?. <i>Geology</i> , 2000, 28, 347.	2.0	57
52	Cooler winters as a possible cause of mass extinctions at the Eocene/Oligocene boundary. <i>Nature</i> , 2000, 407, 887-890.	13.7	249
53	Benthic foraminifera associated with cold methane seeps on the northern California margin: Ecology and stable isotopic composition. <i>Marine Micropaleontology</i> , 2000, 38, 247-266.	0.5	157
54	Oxygen isotope evidence for high-altitude snow in the Laramide Rocky Mountains of North America during the Late Cretaceous and Paleogene. <i>Geology</i> , 2000, 28, 243.	2.0	119

#	ARTICLE	IF	CITATIONS
55	A global carbon isotope excursion (SPICE) during the Late Cambrian: relation to trilobite extinctions, organic-matter burial and sea level. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 162, 211-223.	1.0	232
56	High southern latitude paleotemperatures recorded by Paleogene bivalves. <i>Gff</i> , 2000, 122, 43-43.	0.4	0
57	Incorporation and preservation of Mg in <i>Globigerinoides sacculifer</i> : implications for reconstructing the temperature and $^{18}\text{O}/^{16}\text{O}$ of seawater. <i>Paleoceanography</i> , 2000, 15, 135-145.	3.0	206
58	Oxygen isotope evidence for high-altitude snow in the Laramide Rocky Mountains of North America during the Late Cretaceous and Paleogene. <i>Geology</i> , 2000, 28, 243-246.	2.0	6
59	Earliest Carboniferous cooling step triggered by the Antler orogeny?. <i>Geology</i> , 2000, 28, 347-350.	2.0	8
60	TWO MILLENNIA OF EL NINO EVENTS POTENTIALLY ARCHIVED IN SCLEROSPONGES. <i>Environmental Geosciences</i> , 1999, 6, 152-153.	0.6	0
61	Controls on the stable isotope composition of seasonal growth bands in aragonitic fresh-water bivalves (unionidae). <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 1049-1057.	1.6	294
62	Reply to the comment by S. T. Petsch on carbon isotope ratios of Phanerozoic marine cements: re-evaluating global carbon and sulfur systems. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 761-766.	1.6	11
63	Carbon isotope stratigraphy of Upper Cambrian (Steptoean Stage) sequences of the eastern Great Basin: Record of a global oceanographic event. <i>Bulletin of the Geological Society of America</i> , 1998, 110, 285-297.	1.6	159
64	Carbon isotopic evidence for photosynthesis in Early Cambrian oceans: Comment and Reply. <i>Geology</i> , 1998, 26, 191.	2.0	2
65	Elemental and isotopic proxies of paleotemperature and paleosalinity: Climate reconstruction of the marginal northeast Pacific ca. 80 ka. <i>Geology</i> , 1997, 25, 363.	2.0	31
66	Carbon isotopic evidence for photosynthesis in Early Cambrian oceans. <i>Geology</i> , 1997, 25, 503.	2.0	29
67	Carbon isotope ratios of Phanerozoic marine cements: Re-evaluating the global carbon and sulfur systems. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 4831-4846.	1.6	55
68	Isotopic evidence for the paleoenvironmental evolution of the Mesoproterozoic Helena Formation, Belt Supergroup, Montana, USA. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 5023-5041.	1.6	65
69	Diagenesis of fibrous magnesian calcite marine cement: Implications for the interpretation of $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ values of ancient equivalents. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 2427-2436.	1.6	40
70	and ratios in skeletal calcite of <i>Mytilus trossulus</i> : Covariation with metabolic rate, salinity, and carbon isotopic composition of seawater. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 4207-4221.	1.6	255
71	Comparisons of the ecology and stable isotopic compositions of living (stained) benthic foraminifera from the Sulu and South China Seas. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1996, 43, 1617-1646.	0.6	115
72	Isotopic homogeneity among nonequivalent sectors of calcite: Comment and Reply. <i>Geology</i> , 1996, 24, 95.	2.0	4

#	ARTICLE	IF	CITATIONS
73	Title is missing!. Journal of Paleolimnology, 1996, 17, 421-435.	0.8	24
74	Chronostratigraphic significance of cathodoluminescence zoning in syntaxial cement: Mississippian Lake Valley Formation, New Mexico. Sedimentary Geology, 1996, 105, 29-50.	1.0	22
75	Climatic control of fluvial-lacustrine cyclicity in the Cretaceous Cordilleran Foreland Basin, western United States. Sedimentology, 1996, 43, 677-689.	1.6	27
76	Bivalve skeletons record sea-surface temperature and $\delta^{18}O$ via Mg/Ca and $^{18}O/^{16}O$ ratios. Geology, 1996, 24, 415.	2.0	216
77	Isotopic homogeneity among nonequivalent sectors of calcite. Geology, 1995, 23, 633.	2.0	7
78	Vendian glaciations and their relation to the dispersal of Rodinia: Paleomagnetic constraints. Geology, 1995, 23, 727.	2.0	40
79	Microsampling carbonates for stable isotope and minor element analysis; physical separation of samples on a 20 micrometer scale. Journal of Sedimentary Research, 1995, 65, 566-569.	0.8	101
80	Glacial Meltwater in Lake Huron during Early Postglacial Time as Inferred from Single-Valve Analysis of Oxygen Isotopes in Ostracodes. Quaternary Research, 1995, 43, 297-310.	1.0	63
81	Sea-level-driven changes in ocean chemistry at an Upper Cambrian extinction horizon. Geology, 1995, 23, 893.	2.0	55
82	The impact of diagenesis on high-precision UPb dating of ancient carbonates: An example from the Late Permian of New Mexico. Earth and Planetary Science Letters, 1995, 134, 409-423.	1.8	47
83	$\delta^{18}O$ and $\delta^{13}C$ values of modern brachiopod shells. Geochimica Et Cosmochimica Acta, 1995, 59, 3749-3764.	1.6	215
84	Lower Ordovician reversal asymmetry: An artifact of remagnetization or nondipole field disturbance?. Journal of Geophysical Research, 1995, 100, 17885-17898.	3.3	20
85	Late Paleocene to Eocene paleoceanography of the equatorial Pacific Ocean: Stable isotopes recorded at Ocean Drilling Program Site 865, Allison Guyot. Paleoceanography, 1995, 10, 841-865.	3.0	205
86	The role of early lithification in development of chalky porosity in calcitic micrites: Upper Cretaceous chalks, Egypt. Sedimentary Geology, 1994, 88, 193-200.	1.0	8
87	Evolution of Early Cenozoic marine temperatures. Paleoceanography, 1994, 9, 353-387.	3.0	652
88	Rock-dominated diagenesis of lacustrine magnesian calcite micrite. Carbonates and Evaporites, 1993, 8, 213-223.	0.4	6
89	Effect of regional topography and hydrology on the lacustrine isotopic record of Miocene paleoclimate in the Rocky Mountains. Palaeogeography, Palaeoclimatology, Palaeoecology, 1993, 101, 67-79.	1.0	43
90	Abrupt Climate Change and Transient Climates during the Paleogene: A Marine Perspective. Journal of Geology, 1993, 101, 191-213.	0.7	437

#	ARTICLE	IF	CITATIONS
91	Late Paleozoic Remagnetization and Its Carrier in the Trenton and Black River Carbonates from the Michigan Basin. <i>Journal of Geology</i> , 1993, 101, 795-808.	0.7	14
92	Stable oxygen isotopic composition: Use in determining ages of Bahama escarpment deep-marine calcite spars and implications for timing of erosion. <i>Geology</i> , 1992, 20, 323.	2.0	1
93	ratios of modern marine calcite: Empirical indicators of ocean chemistry and precipitation rate. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 1837-1849.	1.6	217
94	Pliocene and Pleistocene geologic and climatic evolution in the San Luis Valley of south-central Colorado. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1992, 94, 55-86.	1.0	35
95	Sr Isotopic Variation in Shallow Water Carbonate Sequences: Stratigraphic, Chronostratigraphic, and Eustatic Implications of the Record at Enewetak Atoll. <i>Paleoceanography</i> , 1991, 6, 371-385.	3.0	37
96	Stable isotopes of carbon dioxide in soil gas over massive sulfide mineralization at Crandon, Wisconsin. <i>Journal of Geochemical Exploration</i> , 1990, 38, 69-86.	1.5	14
97	The $\delta^{18}\text{O}$ record of Phanerozoic abiotic marine calcite cements. <i>Geophysical Research Letters</i> , 1989, 16, 319-322.	1.5	137
98	Why the oxygen isotopic composition of sea water changes with time. <i>Geophysical Research Letters</i> , 1989, 16, 323-326.	1.5	65
99	$\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ variations in Late Devonian marine cements from the Golden Spike and Nevis reefs, Alberta, Canada. <i>Journal of Sedimentary Research</i> , 1989, 59, 792-814.	0.8	53
100	Geochemical Patterns of Meteoric Diagenetic Systems and Their Application to Studies of Paleokarst. , 1988, , 58-80.		301
101	Controls on Mineralogy and Composition of Spelean Carbonates: Carlsbad Caverns, New Mexico. , 1988, , 81-101.		34
102	Ground preparation and zinc mineralization in bedded and breccia ores of the Monte Cristo Mine, North Arkansas. <i>Economic Geology</i> , 1986, 81, 809-830.	1.8	17
103	Carbon and oxygen isotopic composition of Holocene reefal carbonates. <i>Geology</i> , 1985, 13, 811.	2.0	87
104	ISOTOPE GEOCHEMISTRY OF REGIONALLY EXTENSIVE CALCITE CEMENT ZONES AND MARINE COMPONENTS IN MISSISSIPPIAN LIMESTONES, NEW MEXICO. , 1985, , 223-239.		92
105	Closed-system marine burial diagenesis: isotopic data from the Austin Chalk and its components. <i>Sedimentology</i> , 1984, 31, 863-877.	1.6	70
106	Late Miocene palaeo-oceanography of the Atlantic: oxygen isotope data on planktonic and benthic Foraminifera. <i>Nature</i> , 1980, 283, 555-557.	13.7	21
107	Stable Carbon and Oxygen Isotopes in Soil Carbonates. <i>Geophysical Monograph Series</i> , 0, , 217-231.	0.1	234
108	Isotopic Patterns in Modern Global Precipitation. <i>Geophysical Monograph Series</i> , 0, , 1-36.	0.1	1,208

#	ARTICLE	IF	CITATIONS
109	Continental Paleothermometry and Seasonality Using the Isotopic Composition of Aragonitic Otoliths of Freshwater Fishes. Geophysical Monograph Series, 0, , 191-202.	0.1	112
110	Principles and Applications of the Noble Gas Paleothermometer. Geophysical Monograph Series, 0, , 89-100.	0.1	74