

# Tatsuo Yanagawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2736172/publications.pdf>

Version: 2024-02-01

20  
papers

271  
citations

1163117

8  
h-index

996975

15  
g-index

20  
all docs

20  
docs citations

20  
times ranked

349  
citing authors

#	ARTICLE	IF	CITATIONS
1	Retrospective study of factors associated with progression and remission/regression of diabetic kidney disease-hypomagnesemia was associated with progression and elevated serum alanine aminotransferase levels were associated with remission or regression-. Diabetology International, 2021, 12, 268-276.	1.4	4
2	Suppression of Blue Light at Night Ameliorates Metabolic Abnormalities by Controlling Circadian Rhythms. , 2019, 60, 3786.		30
3	Strong Association Between Weight Reduction and Suppression of Cardiovascular Events in Recent Clinical Trials of DPP4 Inhibitors, GLP-1 Receptor Agonists, and SGLT2 Inhibitors. Journal of Clinical Medicine Research, 2018, 10, 796-797.	1.2	1
4	Is an Increase in Serum Magnesium One of the Causes of Cardiovascular Events Reduction in the EMPA-REG OUTCOME Study?. Journal of Clinical Medicine Research, 2017, 9, 449-450.	1.2	5
5	Mechanism Underlying Increase of the Serum Magnesium Concentration Observed Following Treatment with Sodium-Glucose Cotransporter 2 Inhibitors. Journal of Diabetes Mellitus, 2017, 07, 241-248.	0.3	2
6	A case of asymptomatic idiopathic mesenteric phlebosclerosis associated with long-term administration of Kamishoyosan that initially manifested as a positive fecal test for occult blood. Progress of Digestive Endoscopy, 2015, 86, 186-187.	0.0	2
7	A case of Klippel-Trenaunay-Weber syndrome with severe varices from the descending colon to the rectum. Progress of Digestive Endoscopy, 2015, 86, 190-191.	0.0	0
8	Albuminuria and left ventricular mass index are associated with left ventricular diastolic dysfunction in type 2 diabetes mellitus patients. Diabetology International, 2014, 5, 129-133.	1.4	3
9	A patient who experienced thyroid storm complicated by rhabdomyolysis, deep vein thrombosis, and a silent pulmonary embolism: a case report. BMC Research Notes, 2013, 6, 198.	1.4	9
10	A Case of Pneumatosis Cystoides Intestinalis Probably caused by Excessive Milk Consumption.. The Journal of the Japanese Society of Internal Medicine, 2010, 99, 3077-3079.	0.0	0
11	A patient with Graves' disease who survived despite developing thyroid storm and lactic acidosis. Upsala Journal of Medical Sciences, 2010, 115, 282-286.	0.9	6
12	Effect of antidiabetic medications on microalbuminuria in patients with type 2 diabetes. Metabolism: Clinical and Experimental, 2004, 53, 353-357.	3.4	34
13	CTLA-4 Gene in the Pathogenesis of Gravesâ€™ Disease. , 2002, , 103-107.		0
14	Vitamin D receptor initiation codon polymorphism influences genetic susceptibility to type 1 diabetes mellitus in the Japanese population. BMC Medical Genetics, 2001, 2, 7.	2.1	71
15	Cytotoxic T lymphocyte antigen 4 gene polymorphism confers susceptibility to Type 1 diabetes in Japanese children: analysis of association with HLA genotypes and autoantibodies. Clinical Endocrinology, 2001, 55, 597-603.	2.4	25
16	SEL1L Microsatellite Polymorphism in Japanese Patients with Autoimmune Thyroid Diseases. Thyroid, 2001, 11, 335-338.	4.5	12
17	Spontaneously regressed Kaposi's sarcoma and human herpesvirus 8 infection in a human immunodeficiency virus-negative patient. Pathology International, 2000, 50, 340-346.	1.3	17
18	Lack of Association between CTLA-4 Gene Polymorphism and IDDM in Japanese Subjects. Autoimmunity, 1999, 29, 53-56.	2.6	35

#	ARTICLE	IF	CITATIONS
19	T-Cell Recognition of Residue 158-176 in Thyrotropin Receptor Confers Risk for Development of Thyroid Autoimmunity in Siblings in a Family with Graves' Disease. <i>Thyroid</i> , 1996, 6, 545-551.	4.5	15
20	A case of polyarteritis nodosa initiated by serous otitis media and scleritis.. <i>Japanese Journal of Clinical Immunology</i> , 1990, 13, 292-298.	0.0	0