

# Mary F Brunette

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2736628/publications.pdf>

Version: 2024-02-01

91  
papers

4,146  
citations

147801

31  
h-index

128289

60  
g-index

99  
all docs

99  
docs citations

99  
times ranked

5136  
citing authors

#	ARTICLE	IF	CITATIONS
1	Relapse prevention through health technology program reduces hospitalization in schizophrenia. <i>Psychological Medicine</i> , 2023, 53, 4114-4120.	4.5	3
2	Integrated vs nonintegrated treatment for perinatal opioid use disorder: retrospective cohort study. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2022, 4, 100489.	2.6	18
3	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. <i>Academic Pediatrics</i> , 2022, 22, 1006-1016.	2.0	8
4	Treatment Interruptions and Telemedicine Utilization in Serious Mental Illness: Retrospective Longitudinal Claims Analysis. <i>JMIR Mental Health</i> , 2022, 9, e33092.	3.3	13
5	E-Cigarette Provision to Promote Switching in Cigarette Smokers With Serious Mental Illness—A Randomized Trial. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1405-1412.	2.6	5
6	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014–2016. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1607-1618.	2.6	13
7	Usability and Acceptability of Two Smartphone Apps for Smoking Cessation Among Young Adults With Serious Mental Illness: Mixed Methods Study. <i>JMIR Mental Health</i> , 2021, 8, e26873.	3.3	10
8	Workshop on Implementation Science and Digital Therapeutics for Behavioral Health. <i>JMIR Mental Health</i> , 2021, 8, e17662.	3.3	15
9	Evidence for Use of Cannabinoids in Mood Disorders, Anxiety Disorders, and PTSD: A Systematic Review. <i>Psychiatric Services</i> , 2021, 72, 429-436.	2.0	45
10	In Memory of Alan I. Green. <i>Journal of Dual Diagnosis</i> , 2021, 17, 99-100.	1.2	1
11	Acceptability and Usability of Mobile Apps for Smoking Cessation Among Young Adults With Psychotic Disorders and Other Serious Mental Illness. <i>Frontiers in Psychiatry</i> , 2021, 12, 656538.	2.6	7
12	Implementation of collaborative care for depressive disorder treatment among accountable care organizations. <i>Medicine (United States)</i> , 2021, 100, e26539.	1.0	4
13	The Impact of THC and CBD in Schizophrenia: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 694394.	2.6	34
14	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014–2016. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9688.	2.6	6
15	Schizophrenia Spectrum and Other Psychotic Disorders. , 2021, , .		0
16	Telehealth and the Community SMI Population. <i>Journal of Nervous and Mental Disease</i> , 2021, 209, 49-53.	1.0	18
17	Brief, Web-Based Interventions to Motivate Smokers With Schizophrenia: Randomized Trial. <i>JMIR Mental Health</i> , 2020, 7, e16524.	3.3	22
18	Workshop on the Development and Evaluation of Digital Therapeutics for Health Behavior Change: Science, Methods, and Projects. <i>JMIR Mental Health</i> , 2020, 7, e16751.	3.3	8

#	ARTICLE	IF	CITATIONS
19	Perceptions of Mobile Apps for Smoking Cessation Among Young People in Community Mental Health Care: Qualitative Study. <i>JMIR Formative Research</i> , 2020, 4, e19860.	1.4	12
20	Olanzapine Plus Samidorphan (ALKS 3831) in Schizophrenia and Comorbid Alcohol Use Disorder. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	17
21	Gabapentin Enacarbil Extendedâ€Release for Alcohol Use Disorder: A Randomized, Doubleâ€Blind, Placeboâ€Controlled, Multisite Trial Assessing Efficacy and Safety. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 158-169.	2.4	60
22	Implementation and fidelity assessment of the NAVIGATE treatment program for first episode psychosis in a multi-site study. <i>Schizophrenia Research</i> , 2019, 204, 271-281.	2.0	31
23	Pilot study of a mobile smoking cessation intervention for low-income smokers with serious mental illness. <i>Journal of Smoking Cessation</i> , 2019, 14, 203-210.	1.0	7
24	Adolescents' Use of Digital Technologies and Preferences for Mobile Health Coaching in Public Mental Health Settings. <i>Frontiers in Public Health</i> , 2019, 7, 178.	2.7	53
25	Sequential and simultaneous treatment approaches to cannabis use disorder and tobacco use. <i>Journal of Substance Abuse Treatment</i> , 2019, 98, 39-46.	2.8	11
26	Potent Dopamine D2 Antagonists Block the Reward-Enhancing Effects of Nicotine in Smokers With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 1300-1308.	4.3	12
27	Use of Smartphones, Computers and Social Media Among People with SMI: Opportunity for Intervention. <i>Community Mental Health Journal</i> , 2019, 55, 973-978.	2.0	53
28	Electronic Cigarette Use During a Randomized Trial of Interventions for Smoking Cessation Among Medicaid Beneficiaries with Mental Illness. <i>Journal of Dual Diagnosis</i> , 2019, 15, 184-191.	1.2	11
29	Incentivizing healthy lifestyle behaviors to reduce cardiovascular risk in people with serious mental illness: An equipoise randomized controlled trial of the wellness incentives program. <i>Contemporary Clinical Trials</i> , 2019, 81, 1-10.	1.8	4
30	Off-hours use of a smartphone intervention to extend support for individuals with schizophrenia spectrum disorders recently discharged from a psychiatric hospital. <i>Schizophrenia Research</i> , 2019, 206, 200-208.	2.0	24
31	Attitudes about smoking cessation treatment, intention to quit, and cessation treatment utilization among young adult smokers with severe mental illnesses. <i>Addictive Behaviors</i> , 2019, 89, 248-255.	3.0	16
32	Menthol cigarette use in young adult smokers with severe mental illnesses. <i>Nicotine and Tobacco Research</i> , 2019, 21, 691-694.	2.6	7
33	Alcohol Use Disorder and Schizophrenia and Schizoaffective½ Disorders. <i>Alcohol Research: Current Reviews</i> , 2019, 40, .	3.6	42
34	Flavour capsule cigarette use among US adult cigarette smokers. <i>Tobacco Control</i> , 2018, 27, 650-655.	3.2	33
35	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 555.	11.0	516
36	Demographic and clinical correlates of substance use disorders in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 194, 4-12.	2.0	65

#	ARTICLE	IF	CITATIONS
37	Brief Web-Based Interventions for Young Adult Smokers With Severe Mental Illnesses: A Randomized, Controlled Pilot Study. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1206-1214.	2.6	25
38	Randomized Trial of Interventions for Smoking Cessation Among Medicaid Beneficiaries With Mental Illness. <i>Psychiatric Services</i> , 2018, 69, 274-280.	2.0	28
39	Mental Health Problems and Onset of Tobacco Use Among 12- to 24-Year-Olds in the PATH Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 944-954.e4.	0.5	51
40	Important Questions About the Impact of Medical Marijuana on People With Serious Mental Illness. <i>Psychiatric Services</i> , 2018, 69, 1181-1183.	2.0	0
41	Use of Academic Detailing With Audit and Feedback to Improve Antipsychotic Pharmacotherapy. <i>Psychiatric Services</i> , 2018, 69, 1021-1028.	2.0	6
42	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>Drug and Alcohol Dependence</i> , 2018, 191, 25-36.	3.2	45
43	Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial. <i>Psychiatry Research</i> , 2018, 268, 303-311.	3.3	44
44	Monitoring of Patients on Second-Generation Antipsychotics: A National Survey of Child Psychiatrists. <i>Psychiatric Services</i> , 2017, 68, 958-961.	2.0	17
45	Systematic review of social media interventions for smoking cessation. <i>Addictive Behaviors</i> , 2017, 73, 81-93.	3.0	144
46	An Online Survey of Family Members' Beliefs and Attitudes About Smoking and Mental Illness. <i>Journal of Dual Diagnosis</i> , 2017, 13, 179-183.	1.2	5
47	Improving Cardiometabolic Monitoring of Children on Antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 916-919.	1.3	15
48	Preferences for Smoking Cessation Support from Family and Friends Among Adults with Serious Mental Illness. <i>Psychiatric Quarterly</i> , 2017, 88, 701-710.	2.1	17
49	Mobile Phone Apps for Smoking Cessation: Quality and Usability Among Smokers With Psychosis. <i>JMIR Human Factors</i> , 2017, 4, e7.	2.0	36
50	Harnessing Facebook for Smoking Reduction and Cessation Interventions: Facebook User Engagement and Social Support Predict Smoking Reduction. <i>Journal of Medical Internet Research</i> , 2017, 19, e168.	4.3	65
51	Mobile Mindfulness Intervention on an Acute Psychiatric Unit: Feasibility and Acceptability Study. <i>JMIR Mental Health</i> , 2017, 4, e34.	3.3	45
52	Characteristics and Predictors of Intention to use Cessation Treatment among Smokers with Schizophrenia: Young Adults Compared to Older Adults. <i>Journal of Substance Abuse and Alcoholism</i> , 2017, 5, .	2.0	6
53	Appeal of electronic cigarettes in smokers with serious mental illness. <i>Addictive Behaviors</i> , 2016, 59, 30-34.	3.0	58
54	Health Technology Intervention After Hospitalization for Schizophrenia: Service Utilization and User Satisfaction. <i>Psychiatric Services</i> , 2016, 67, 1035-1038.	2.0	23

#	ARTICLE	IF	CITATIONS
55	Abstinence and Use of Community-Based Cessation Treatment After a Motivational Intervention Among smokers with Severe Mental Illness. <i>Community Mental Health Journal</i> , 2016, 52, 446-456.	2.0	10
56	Development and usability testing of a web-based smoking cessation treatment for smokers with schizophrenia. <i>Internet Interventions</i> , 2016, 4, 113-119.	2.7	22
57	An open-label pilot study of quetiapine plus mirtazapine for heavy drinkers with alcohol use disorder. <i>Alcohol</i> , 2016, 53, 45-50.	1.7	12
58	Coordinated Technology-Delivered Treatment to Prevent Rehospitalization in Schizophrenia: A Novel Model of Care. <i>Psychiatric Services</i> , 2016, 67, 444-447.	2.0	22
59	Comprehensive Versus Usual Community Care for First-Episode Psychosis: 2-Year Outcomes From the NIMH RAISE Early Treatment Program. <i>American Journal of Psychiatry</i> , 2016, 173, 362-372.	7.2	601
60	mHealth for Schizophrenia: Patient Engagement With a Mobile Phone Intervention Following Hospital Discharge. <i>JMIR Mental Health</i> , 2016, 3, e34.	3.3	117
61	A pre-post pilot study of a brief, web-based intervention to engage disadvantaged smokers into cessation treatment. <i>Addiction Science &amp; Clinical Practice</i> , 2015, 10, 3.	2.6	22
62	Expanding Cessation Pharmacotherapy Via Videoconference Educational Outreach to Prescribers. <i>Nicotine and Tobacco Research</i> , 2015, 17, 960-967.	2.6	12
63	Treating Tobacco Use Disorder in Pregnant Women in Medication-Assisted Treatment for an Opioid Use Disorder: A Systematic Review. <i>Journal of Substance Abuse Treatment</i> , 2015, 52, 40-47.	2.8	48
64	Duration of Untreated Psychosis in Community Treatment Settings in the United States. <i>Psychiatric Services</i> , 2015, 66, 753-756.	2.0	100
65	Cardiometabolic Risk in Patients With First-Episode Schizophrenia Spectrum Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 1350.	11.0	318
66	Impaired functional connectivity of brain reward circuitry in patients with schizophrenia and cannabis use disorder: Effects of cannabis and THC. <i>Schizophrenia Research</i> , 2014, 158, 176-182.	2.0	55
67	Carbon monoxide feedback in a motivational decision support system for nicotine dependence among smokers with severe mental illnesses. <i>Journal of Substance Abuse Treatment</i> , 2013, 45, 319-324.	2.8	16
68	Do smoking cessation websites meet the needs of smokers with severe mental illnesses?. <i>Health Education Research</i> , 2012, 27, 183-190.	1.9	42
69	Smoking and Quitting Beliefs, Attitudes, and Behaviors Among Smokers With Severe Mental Illness From Three Race/Ethnicity Groups. <i>Journal of Dual Diagnosis</i> , 2012, 8, 180-187.	1.2	15
70	Do Symptoms and Cognitive Problems Affect the Use and Efficacy of a Web-Based Decision Support System for Smokers With Serious Mental Illness?. <i>Journal of Dual Diagnosis</i> , 2012, 8, 315-325.	1.2	16
71	An Electronic Decision Support System to Motivate People With Severe Mental Illnesses to Quit Smoking. <i>Psychiatric Services</i> , 2011, 62, 360-366.	2.0	52
72	Developing a quit smoking website that is usable by people with severe mental illnesses.. <i>Psychiatric Rehabilitation Journal</i> , 2011, 35, 111-116.	1.1	44

#	ARTICLE	IF	CITATIONS
73	A Randomized Trial of Clozapine Versus Other Antipsychotics for Cannabis Use Disorder in Patients With Schizophrenia. <i>Journal of Dual Diagnosis</i> , 2011, 7, 50-63.	1.2	41
74	Public-Academic Partnerships: A Program to Improve the Quality of Antipsychotic Prescribing in a Community Mental Health System. <i>Psychiatric Services</i> , 2011, 62, 1004-6.	2.0	4
75	Dextromethorphan Abuse and Dependence in Adolescents. <i>Journal of Dual Diagnosis</i> , 2010, 6, 266-278.	1.2	8
76	A qualitative study of how individuals with severe mental illness assess smoking risks. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2010, 3, 110-123.	0.5	13
77	An open label study of quetiapine in patients with schizophrenia and alcohol disorders. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2009, 2, 203-211.	0.5	7
78	Clozapine, Olanzapine, or Typical Antipsychotics for Alcohol Use Disorder in Patients With Schizophrenia. <i>Journal of Dual Diagnosis</i> , 2008, 4, 344-354.	1.2	6
79	Implementation of Integrated Dual Disorders Treatment: A Qualitative Analysis of Facilitators and Barriers. <i>Psychiatric Services</i> , 2008, 59, 989-995.	2.0	97
80	Psychosocial interventions for the long-term management of patients with severe mental illness and co-occurring substance use disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67 Suppl 7, 10-7.	2.2	12
81	Clozapine Use and Relapses of Substance Use Disorder Among Patients With Co-occurring Schizophrenia and Substance Use Disorders. <i>Schizophrenia Bulletin</i> , 2005, 32, 637-643.	4.3	98
82	Psychosocial Interventions for Adults with Severe Mental Illnesses and Co-Occurring Substance Use Disorders. <i>Journal of Dual Diagnosis</i> , 2005, 1, 57-82.	1.2	56
83	Pharmacologic Treatments for Co-Occurring Substance Use Disorders in Patients with Schizophrenia. <i>Journal of Dual Diagnosis</i> , 2005, 1, 41-55.	1.2	9
84	A review of research on residential programs for people with severe mental illness and co-occurring substance use disorders. <i>Drug and Alcohol Review</i> , 2004, 23, 471-481.	2.1	167
85	Integrated Family Treatment for Parents with Severe Psychiatric Disabilities.. <i>Psychiatric Rehabilitation Journal</i> , 2004, 28, 177-180.	1.1	13
86	Benzodiazepine Use and Abuse Among Patients With Severe Mental Illness and Co-occurring Substance Use Disorders. <i>Psychiatric Services</i> , 2003, 54, 1395-1401.	2.0	110
87	Community mental health care for women with severe mental illness who are parents. <i>Community Mental Health Journal</i> , 2002, 38, 153-165.	2.0	40
88	A Comparison of Long-Term and Short-Term Residential Treatment Programs for Dual Diagnosis Patients. <i>Psychiatric Services</i> , 2001, 52, 526-528.	2.0	68
89	HIV-related services for persons with severe mental illness: Policy and practice in new hampshire community mental health. <i>Journal of Behavioral Health Services and Research</i> , 2000, 27, 347-353.	1.4	13
90	HIV Risk Factors Among People With Severe Mental Illness in Urban and Rural Areas. <i>Psychiatric Services</i> , 1999, 50, 556-558.	2.0	20

#	ARTICLE	IF	CITATIONS
91	Health status of young adults with serious mental illness enrolled in integrated care. Microbial Biotechnology, 0, , .	1.7	1