

Ozlem Nuriye Kucuk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2738516/publications.pdf>

Version: 2024-02-01

111
papers

1,416
citations

361413

20
h-index

414414

32
g-index

113
all docs

113
docs citations

113
times ranked

2082
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevated Angiogenic Factor Levels After Transarterial Radioembolization for Colorectal Cancer Liver Metastases May Predict a Poor Prognosis. <i>Molecular Imaging and Radionuclide Therapy</i> , 2022, 31, 114-122.	0.7	1
2	Gallbladder Uptake Mimicking Liver Metastasis on ¹⁷⁷ Lu-DOTATATE Posttherapy Scan Gallbladder Uptake on ¹⁷⁷ Lu-DOTATATE Scan. <i>Clinical Nuclear Medicine</i> , 2021, 46, e154-e155.	1.3	1
3	Should the Place of Radioactive Iodine Whole Body Scintigraphy in Follow-up of Differentiated Thyroid Cancer Reevaluated in the Era of SPECT/CT?. , 2021, 7, 70-79.		1
4	Ga-68 DOTATATE PET/CT in the Evaluation of Therapy Response in Neuroendocrine Tumors. , 2021, 7, 236-240.		0
5	Analysis of prognostic factors in patients receiving transarterial radioembolization for unresectable hepatocellular carcinoma. <i>Nuclear Medicine Communications</i> , 2020, 41, 73-77.	1.1	3
6	Photocatalytically Active Graphitic Carbon Nitride as an Effective and Safe 2D Material for In Vitro and In Vivo Photodynamic Therapy. <i>Small</i> , 2020, 16, e1904619.	10.0	53
7	Lymph Node Mapping in Gastric Cancer Surgery: Current Status and New Horizons. <i>Turkish Journal of Surgery</i> , 2020, 36, 393-398.	0.5	0
8	⁶⁸ Ga-DOTATATE Uptake in Pancreatic Metastasis of Renal Cell Carcinoma Mimicking Pancreatic Neuroendocrine Tumor. <i>Clinical Nuclear Medicine</i> , 2019, 44, 795-796.	1.3	4
9	Comparison of bone scintigraphy and Ga-68 prostate-specific membrane antigen positron emission tomography/computed tomography in the detection of bone metastases of prostate carcinoma. <i>Nuclear Medicine Communications</i> , 2019, 40, 1243-1249.	1.1	7
10	Comparison of linear and volumetric measurements obtained from periodontal defects by using cone beam-CT and micro-CT: an in vitro study. <i>Clinical Oral Investigations</i> , 2019, 23, 2235-2244.	3.0	22
11	¹⁸ F-Fluorodeoxy glucose PET-CT-computed tomography in testicular carcinoma: diagnostic and prognostic value. <i>Nuclear Medicine Communications</i> , 2019, 40, 1268-1274.	1.1	5
12	Risk Factors for Predicting Osteoporosis in Patients Who Receive Thyrotropin Suppressive Levothyroxine Treatment for Differentiated Thyroid Carcinoma. <i>Molecular Imaging and Radionuclide Therapy</i> , 2019, 28, 69-75.	0.7	4
13	Intense Pituitary ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography Uptake in a Patient with Diabetes Insipidus. <i>Balkan Medical Journal</i> , 2019, 36, 253-254.	0.8	0
14	Radioembolization in the Treatment of Metastatic Liver Cancer. , 2019, 5, 146-151.		0
15	The efficacy of fluorine-18-choline PET/CT in comparison with ^{99m} Tc-MIBI SPECT/CT in the localization of a hyperfunctioning parathyroid gland in primary hyperparathyroidism. <i>Nuclear Medicine Communications</i> , 2018, 39, 989-994.	1.1	38
16	Relationship between baseline metabolic ¹⁸ F-FDG parameters and survival in malignant pleural mesothelioma: A single centre experience. , 2018, , .		0
17	Dynamic risk stratification for predicting the recurrence in differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2017, 38, 1055-1059.	1.1	12
18	Gastroenteropancreatic neuroendocrine tumors: recommendations of Turkish multidisciplinary neuroendocrine tumor study group on diagnosis, treatment and follow-up. <i>Archives of Medical Science</i> , 2017, 2, 271-282.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Threat Analysis and Proposed Solutions for Elekdag Wildlife Development Area. Indian Journal of Pharmaceutical Education and Research, 2017, 51, s398-s402.	0.6	1
20	The role of baseline Ga-68 DOTATATE positron emission tomography/computed tomography in the prediction of response to fixed-dose peptide receptor radionuclide therapy with Lu-177 DOTATATE*. Turkish Journal of Medical Sciences, 2016, 46, 409-413.	0.9	22
21	Effect of the application of prophylactic central compartment lymph node dissection on radioiodine ablation doses in patients with papillary thyroid carcinoma. Turkish Journal of Medical Sciences, 2016, 46, 1078-1082.	0.9	1
22	Bone mineral density and growth in children with coeliac disease on a gluten free-diet. Turkish Journal of Medical Sciences, 2016, 46, 1816-1821.	0.9	10
23	Comparison of survival, safety, and efficacy after transarterial chemoembolization and radioembolization of Barcelona Clinic Liver Cancer stage B-C hepatocellular cancer patients. Nuclear Medicine Communications, 2016, 37, 646-649.	1.1	26
24	Marked Response to 177Lu Prostate-Specific Membrane Antigen Treatment in Patient With Metastatic Prostate Cancer. Clinical Nuclear Medicine, 2016, 41, 159-160.	1.3	10
25	Widespread Metastatic Prostate Carcinoma Shown by 68Ga-PSMA PET/CT. Clinical Nuclear Medicine, 2016, 41, e294-e295.	1.3	6
26	Prognostic Importance of Bone Marrow Uptake on Baseline 18F-FDG Positron Emission Tomography in Diffuse Large B Cell Lymphoma. Cancer Biotherapy and Radiopharmaceuticals, 2016, 31, 361-365.	1.0	5
27	Prognostic Importance of the Presence of Early Metabolic Response and Absence of Extrahepatic Metastasis After Selective Internal Radiation Therapy in Colorectal Cancer Liver Metastasis. Cancer Biotherapy and Radiopharmaceuticals, 2016, 31, 342-346.	1.0	3
28	Demonstration of Response to Androgen Deprivation Therapy by 68Ga-PSMA PET/CT. Clinical Nuclear Medicine, 2016, 41, 794-796.	1.3	3
29	Radioembolization with 90Y resin microspheres for intrahepatic cholangiocellular carcinoma: prognostic factors. Annals of Nuclear Medicine, 2016, 30, 29-34.	2.2	36
30	Can Fluorine-18-Fluorodeoxyglucose PET Be Used As a Useful Method to Evaluate the Treatment Response to Neoadjuvant Therapy Combined With Sorafenib and Antivegf in Children Diagnosed With Metastatic Bone Sarcoma?. Iranian Journal of Pediatrics, 2016, In Press, e4008.	0.3	0
31	The role of 18Fâ€“NaF PET/CT in metastatic bone disease. Journal of Bone Oncology, 2015, 4, 92-97.	2.4	64
32	Radioembolization with yttrium-90 resin microspheres for neuroendocrine tumor liver metastases. Diagnostic and Interventional Radiology, 2015, 21, 54-59.	1.5	42
33	The Role of 18F-FDG PET/CT in the Primary Staging of Gastric Cancer. Molecular Imaging and Radionuclide Therapy, 2015, 24, 15-20.	0.7	28
34	Assessment of recurrence rates in papillary thyroid microcarcinoma patients with and without histopathological risk factors after radioiodine ablation treatment. Nuclear Medicine Communications, 2015, 36, 109-113.	1.1	6
35	Prognostic factors for prediction of survival of hepatocellular cancer patients after selective internal radiation therapy. Annals of Nuclear Medicine, 2015, 29, 426-430.	2.2	9
36	Selective internal radiotherapy for hepatic epithelioid hemangioendothelioma. Turkish Journal of Gastroenterology, 2015, 25, 252-253.	1.1	2

#	ARTICLE	IF	CITATIONS
37	The role of tissue harmonic imaging ultrasound combined with power Doppler ultrasound in the diagnosis of childhood febrile urinary tract infections. Turk Pediatri Arsivi, 2015, 50, 90-95.	0.9	1
38	18F-NaF Positive Bone Metastases of Non 18F-FDG Avid Mucinous Gastric Cancer. Molecular Imaging and Radionuclide Therapy, 2015, 24, 132-134.	0.7	0
39	Prognostic Value of Metabolic Tumor Volume Measured by 18F-FDG PET/CT in Esophageal Cancer Patients. Molecular Imaging and Radionuclide Therapy, 2014, 23, 12-15.	0.7	14
40	The role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in the primary staging of rectal cancer. World Journal of Surgical Oncology, 2014, 12, 26.	1.9	36
41	Impact of PET-CT Response on Survival Parameters Following Autologous Stem Cell Transplantation Among Patients with Multiple Myeloma: Comparison of Two Cut-Off Values. Blood, 2014, 124, 3983-3983.	1.4	15
42	Correlation of tumor marker levels with intensity of FDG uptake on PET imaging in epithelial cancers.. Journal of Clinical Oncology, 2014, 32, e14625-e14625.	1.6	0
43	Prognostic Importance of 18F-FDG Uptake Pattern of Hepatocellular Cancer Patients Who Received SIRT. Clinical Nuclear Medicine, 2013, 38, e283-e289.	1.3	18
44	Evaluation of the Response to Selective Internal Radiation Therapy in Patients With Hepatocellular Cancer According to Pretreatment 99mTc-MAA Uptake. Clinical Nuclear Medicine, 2013, 38, 252-255.	1.3	8
45	The prognostic value of quantitative parameters of 18F-FDG PET/CT in the evaluation of response to internal radiation therapy with yttrium-90 in patients with liver metastases of colorectal cancer. Nuclear Medicine Communications, 2013, 34, 501-506.	1.1	24
46	Correlation of 18F-FDG PET/CT Findings With Histopathological Results in Differentiated Thyroid Cancer Patients Who Have Increased Thyroglobulin or Antithyroglobulin Antibody Levels and Negative 131I Whole-Body Scan Results. Clinical Nuclear Medicine, 2013, 38, 326-331.	1.3	42
47	Correlation of minimum apparent diffusion coefficient with maximum standardized uptake on fluorodeoxyglucose PET-CT in patients with rectal adenocarcinoma. Diagnostic and Interventional Radiology, 2013, 20, 105-9.	1.5	14
48	The Role of Intraoperative Gamma Probe and Parathyroid Hormone Measurement in the Localization of Intrathyroidal Parathyroid Adenoma. World Journal of Endocrine Surgery, 2012, 4, 77-78.	0.0	0
49	Intense Ga-68 Dotatate Uptake in Recurrent MTC Patient. World Journal of Endocrine Surgery, 2012, 4, 118-119.	0.0	0
50	Potential genotoxic effect of 186Re-HEDP on human lymphocyte cells. Nuclear Medicine Communications, 2012, 33, 415-421.	1.1	1
51	Detection of Intraluminal Tracheal Metastasis of Thyroid Papillary Carcinoma by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2012, 37, e160-e161.	1.3	5
52	Can injection of pentagastrin stimulate the identification of metastases of medullary thyroid carcinoma by (18)F-FDG PET/CT?. Hellenic Journal of Nuclear Medicine, 2012, 15, 155-6.	0.3	0
53	Assessment of immature teratoma by 18F-FDG PET/CT. European Journal of Radiology Extra, 2011, 78, e143-e146.	0.1	0
54	Impact of 18F-FDG PET/CT for detecting recurrence of medullary thyroid carcinoma. Nuclear Medicine Communications, 2011, 32, 1162-1168.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Efficacy of adding high-dose In-111 octreotide therapy during Sandostatin treatment in patients with disseminated neuroendocrine tumors: clinical results of 14 patients. <i>Annals of Nuclear Medicine</i> , 2011, 25, 425-431.	2.2	8
56	The role of 18F-FDG-PET/CT in the preoperative staging and posttherapy follow up of gastric cancer: Comparison with spiral CT. <i>World Journal of Surgical Oncology</i> , 2011, 9, 75.	1.9	22
57	Selective intraarterial radionuclide therapy with Yttrium-90 (Y-90) microspheres for unresectable primary and metastatic liver tumors. <i>World Journal of Surgical Oncology</i> , 2011, 9, 86.	1.9	34
58	Intra-Arterial Treatment with 90Yttrium Microspheres in Treatment-Refractory and Unresectable Liver Metastases of Neuroendocrine Tumors and the Use of 111In-Octreotide Scintigraphy in the Evaluation of Treatment Response. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2011, 26, 631-637.	1.0	16
59	Differentiated thyroid carcinomas in childhood: clinicopathologic results of 26 patients. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 739-42.	0.9	1
60	Ocular Involvement in Mantle Cell Lymphoma Detected by F 18 FDG PET/CT. <i>Molecular Imaging and Radionuclide Therapy</i> , 2011, 20, 36-37.	0.7	3
61	Selective intra-arterial Y-90 microspher. <i>Turkish Journal of Gastroenterology</i> , 2011, 22, 89-92.	1.1	6
62	Effect of selenium supplementantation on anthracycline-induced cardiac toxicity in children treated for cancer: Correlation with pro-brain natriuretic peptide levels.. <i>Journal of Clinical Oncology</i> , 2011, 29, 9570-9570.	1.6	0
63	Assessment of bone mineral density in the jaws and its relationship to radiomorphometric indices. <i>Dentomaxillofacial Radiology</i> , 2010, 39, 284-289.	2.7	50
64	Decreased Bone Density in Chronic Obstructive Pulmonary Disease Patients. <i>Turkiye Klinikleri Journal of Medical Sciences</i> , 2010, 30, 520-527.	0.1	0
65	Five-year follow-up after transepicaldial implantation of autologous bone marrow mononuclear cells to ungraftable coronary territories for patients with ischaemic cardiomyopathy. <i>European Journal of Cardio-thoracic Surgery</i> , 2009, 36, 633-643.	1.4	22
66	The relationship between panoramic radiomorphometric indices and the femoral bone mineral density of edentulous patients. <i>Oral Radiology</i> , 2009, 25, 47-52.	1.9	16
67	Intraoperative gamma probe guidance with 99mTc-pertechnetate in the completion thyroidectomy. <i>Annals of Nuclear Medicine</i> , 2009, 23, 421-426.	2.2	7
68	A rapid lateral flow stool antigen immunoassay and 14C-urea breath test for the diagnosis and eradication of <i>Helicobacter pylori</i> infection in children. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 62, 351-356.	1.8	27
69	Effect of Docetaxel on the Surgical Tumor Microenvironment of Head and Neck Cancer in Murine Models. <i>JAMA Otolaryngology</i> , 2008, 134, 735.	1.2	12
70	The additive clinical value of combined thyroglobulin and antithyroglobulin antibody measurements to define persistent and recurrent disease in patients with differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2008, 29, 880-884.	1.1	15
71	Evaluation of a Traumatic Spleen Laceration With Spontaneous Regression by Selective Spleen Scintigraphy. <i>Clinical Nuclear Medicine</i> , 2007, 32, 141-144.	1.3	3
72	Is thyroglobulin the stronger indicator for progressive disease than the other conventional factors in same age patient groups with differentiated thyroid cancer?. <i>Nuclear Medicine Communications</i> , 2007, 28, 907-913.	1.1	7

#	ARTICLE	IF	CITATIONS
73	Treatment for Microcarcinoma of the Thyroidâ€”Clinical Experience. <i>Clinical Nuclear Medicine</i> , 2007, 32, 279-281.	1.3	60
74	Assessment of bone density differences between conventional and bone-condensing techniques using dual energy x-ray absorptiometry and radiography. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 104, 692-698.	1.4	21
75	Uncommon extent involvement of sarcoidosis in 18F-FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 2151-2151.	6.4	3
76	Lymphoscintigraphy in Detection of the Regional Lymph Node Involvement in Gastric Cancer. <i>Annals of the Royal College of Surgeons of England</i> , 2006, 88, 632-638.	0.6	8
77	Clinical importance of anti-thyroglobulin auto-antibodies in patients with differentiated thyroid carcinoma: Comparison with 99mTc-MIBI scans. <i>Nuclear Medicine Communications</i> , 2006, 27, 873-876.	1.1	14
78	Clinical importance of technetium-99m-methoxyisobutylisonitrile (MIBI) scintigraphy in differentiated thyroid carcinoma patients with elevated thyroglobulin levels and negative I-131 scanning results. <i>Annals of Nuclear Medicine</i> , 2006, 20, 393-397.	2.2	12
79	Identification of Sentinel Lymph Node in Stage I???II Breast Cancer With Lymphoscintigraphy and Surgical Gamma Probe: Comparison of Tc-99m MIBI and Tc-99m Sulfur Colloid. <i>Clinical Nuclear Medicine</i> , 2005, 30, 317-321.	1.3	7
80	Mediastinal intraoperative radioisotope sentinel lymph node mapping in non-small-cell lung cancer. <i>Nuclear Medicine Communications</i> , 2005, 26, 717-720.	1.1	17
81	Regional cerebral blood flow in children with ADHD: changes with age. <i>Brain and Development</i> , 2005, 27, 279-285.	1.1	19
82	Intraoperative lymphatic mapping and sentinel lymph node biopsy using radioactive tracer in gastric cancer. <i>Surgery</i> , 2005, 138, 899-904.	1.9	35
83	I-131 therapy for thyroglobulin positive patients without anatomical evidence of persistent disease. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 949-953.	3.3	7
84	The effects of local and sustained release of fibroblast growth factor on testicular blood flow and morphology in spermatic arteryâ€” and vein-ligated rats. <i>Journal of Pediatric Surgery</i> , 2004, 39, 709-716.	1.6	13
85	Effect of radioiodine therapy on thyroid nodule size and function in patients with toxic adenomas. <i>Nuclear Medicine Communications</i> , 2004, 25, 1083-1087.	1.1	24
86	Quantitative Lacrimal Scintigraphy After Dacryocystorhinostomy. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2004, 35, 37-40.	0.7	8
87	Comparison of Tc-99m HIG and Three-Phase Tc-99m MDP Bone Scintigraphy for Evaluating the Efficacy of Yttrium-90 Silicate Radionuclide Synovectomy. <i>Clinical Nuclear Medicine</i> , 2003, 28, 277-285.	1.3	6
88	Title is missing!. <i>Clinical Nuclear Medicine</i> , 2003, 28, 254-255.	1.3	0
89	Title is missing!. <i>Clinical Nuclear Medicine</i> , 2003, 28, 277-285.	1.3	3
90	Utility of Tc-99m Human Polyclonal Immunoglobulin G Scintigraphy for Assessing the Efficacy of Yttrium-90 Silicate Therapy in Rheumatoid Knee Synovitis. <i>Clinical Nuclear Medicine</i> , 2002, 27, 395-400.	1.3	8

#	ARTICLE	IF	CITATIONS
91	Radioguided surgery in primary hyperparathyroidism. <i>Annals of Nuclear Medicine</i> , 2002, 16, 359-362.	2.2	4
92	Identification of sentinel lymph node in breast cancer by lymphoscintigraphy and surgical gamma probe with peritumoral injection of scintimammographic agent ^{99m}Tc MIBI. <i>Annals of Nuclear Medicine</i> , 2002, 16, 121-126.	2.2	7
93	A Hypophyseal Metastasis of Follicular Thyroid Carcinoma. <i>Clinical Nuclear Medicine</i> , 2002, 27, 309-310.	1.3	3
94	Evaluation of Persistent Edema with Lymphoscintigraphy After Femoral Artery Injury. <i>Clinical Nuclear Medicine</i> , 2002, 27, 227-228.	1.3	1
95	Value of combined ^{67}Ga and $^{99\text{Tcm}}$ -human immunoglobulin G whole-body scanning in malignant lymphoma. <i>Nuclear Medicine Communications</i> , 2001, 22, 325-329.	1.1	0
96	Bone Mineral Density and Importance of a Gluten-Free Diet in Patients With Celiac Disease in Childhood. <i>Pediatrics</i> , 2001, 108, e89-e89.	2.1	102
97	Brain SPECT findings in long-term inhalant abuse. <i>Nuclear Medicine Communications</i> , 2000, 21, 769-773.	1.1	37
98	Palliative analgesic effect of Re-186 HEDP in various cancer patients with bone metastases. <i>Annals of Nuclear Medicine</i> , 2000, 14, 239-245.	2.2	34
99	In-111 platelets used in evaluation of emboli and thrombi in patients with cerebrovascular accident. <i>Annals of Nuclear Medicine</i> , 2000, 14, 319-322.	2.2	2
100	False-Positive Results Obtained with Stress Myocardial SPECT in Patients with Right Bundle Branch Block. <i>Clinical Nuclear Medicine</i> , 2000, 25, 585-587.	1.3	6
101	Uptake of Tc-99m Human Immunoglobulin in Malignant Abdominal Lymphoma. <i>Clinical Nuclear Medicine</i> , 2000, 25, 227-228.	1.3	0
102	Evaluation of cardiac functions in patients with thalassemia major. <i>Annals of Nuclear Medicine</i> , 1999, 13, 175-179.	2.2	13
103	Functional imaging in reading epilepsy: A case report. <i>Annals of Nuclear Medicine</i> , 1999, 13, 355-356.	2.2	2
104	Incidental Localization of Baker's Cyst With Tc-99m Human Immunoglobulin. <i>Clinical Nuclear Medicine</i> , 1998, 23, 392-393.	1.3	0
105	Flow cytometric analysis of T and Tn epitopes on chronic lymphocytic leukemia cells. , 1996, 52, 29-38.		15
106	Reproducibility of erythrocyte polyamine measurements and correlation with plasma micronutrients in an antioxidant vitamin intervention study. , 1996, 62, 19-26.		11
107	Phase II Trial of Etoposide, Doxorubicin, and Cisplatin Combination in Advanced Measurable Gastric Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1995, 18, 318-324.	1.3	5
108	Flow cytometric measurement of proliferation-associated nuclear antigen p105 and DNA content in immuno-proliferative small intestinal disease (IPSID). <i>Journal of Surgical Oncology</i> , 1995, 58, 25-30.	1.7	7

#	ARTICLE	IF	CITATIONS
109	Real-time X-ray diffraction study at different scan rates of phase transitions for dipalmitoylphosphatidylcholine in KSCN. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1995, 1233, 68-74.	2.6	10
110	Sterols stabilize the ripple phase structure in dihexadecylphosphatidylcholine. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1995, 1233, 75-83.	2.6	14
111	Effects of fibrinogens on phase transitions in lipid model membrane systems. <i>Chemistry and Physics of Lipids</i> , 1994, 72, 1-6.	3.2	1