# Yong Fan

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/2738551/yong-fan-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206 1,983 36 22 g-index h-index citations papers 266 2,601 5.46 2.1 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
206	Millimeter-Wave Substrate Integrated Waveguide Long Slot Leaky-Wave Antennas and Two-Dimensional Multibeam Applications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2011</b> , 59, 40-	- <b>47</b> 9	153
205	Eight-Way Substrate Integrated Waveguide Power Divider With Low Insertion Loss. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2008</b> , 56, 1473-1477	4.1	101
204	Broadband Radial Waveguide Spatial Combiner. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2008</b> , 18, 73-75	2.6	72
203	Millimeter-Wave Shaped-Beam Substrate Integrated Conformal Array Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2013</b> , 61, 4558-4566	4.9	71
202	A Novel 220-GHz GaN Diode On-Chip Tripler With High Driven Power. <i>IEEE Electron Device Letters</i> , <b>2019</b> , 40, 780-783	4.4	67
201	The research on 220GHz multicarrier high-speed communication system. <i>China Communications</i> , <b>2020</b> , 17, 131-139	3	66
200	Compact Diplexer With High Isolation Using the Dual-Mode Substrate Integrated Waveguide Resonator. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2013</b> , 23, 459-461	2.6	59
199	Compact Ultra-Wideband Bandpass Filter Using Dual-Line Coupling Structure. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2009</b> , 19, 30-32	2.6	55
198	Development of 340-GHz Transceiver Front End Based on GaAs Monolithic Integration Technology for THz Active Imaging Array. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 7924	2.6	55
197	Four-hundred gigahertz broadband multi-branch waveguide coupler. <i>IET Microwaves, Antennas and Propagation</i> , <b>2020</b> , 14, 1175-1179	1.6	44
196	A Wideband Dual Circularly Polarized Full-Corporate Waveguide Array Antenna Fed by Triple-Resonant Cavities. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 2135-2139	4.9	43
195	Development of a Resistor-Loaded Ultrawideband Absorber With Antenna Reciprocity. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2016</b> , 64, 4910-4913	4.9	42
194	Miniaturized Triple-Band Bandpass Filter Using Coupled Lines and Grounded Stepped Impedance Resonators. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2014</b> , 24, 333-335	2.6	38
193	Compact in-phase power divider integrated filtering response using spiral resonator. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 228-234	1.6	34
192	Dual-band in-phase filtering power dividers integrated with stub-loaded resonators. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 695-699	1.6	33
191	Millimeter-Wave Power Amplifier Based on Coaxial-Waveguide Power-Combining Circuits. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 46-48	2.6	31
190	A Dual-Mode Substrate Integrated Waveguide Filter With Controllable Transmission Zeros. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2015</b> , 25, 576-578	2.6	27

## (2016-2016)

1	.89	Wideband Dual-Polarization Patch Antenna Array With Parallel Strip Line Balun Feeding. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2016</b> , 15, 1499-1501	3.8	25	
1	.88	Compact wide-stopband diplexer using dual mode resonators. <i>Electronics Letters</i> , <b>2015</b> , 51, 1085-1087	1.1	24	
1	.87	A mechanical reliability study of 3-dB waveguide hybrid couplers in submillimeter and terahertz bands. <i>Frontiers of Information Technology and Electronic Engineering</i> , <b>2021</b> , 22, 1104-1113	2.2	24	
1	.86	Wideband Four-Way Filtering Power Divider With Isolation Performance Using Three Parallel-Coupled Lines. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 800-802	2.6	22	
1	.85	Miniaturized Rat-Race Coupler With Harmonic Suppression. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2014</b> , 24, 754-756	2.6	22	
1	.84	A 200 <b>2</b> 25-GHz Manifold-Coupled Multiplexer Utilizing Metal Waveguides. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 1-1	4.1	22	
1	.83	Miniaturised dual-band bandpass filter using modified SIR. <i>Electronics Letters</i> , <b>2013</b> , 49, 888-890	1.1	19	
1	.82	Planar Ultra-Wideband and Wide-Scanning Dual-Polarized Phased Array with Integrated Coupled-Marchand Balun for High Polarization Isolation and Low Cross-Polarization. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	18	
1	.81	High-Isolation Diplexer With High Frequency Selectivity Using Substrate Integrate Waveguide Dual-Mode Resonator. <i>IEEE Access</i> , <b>2019</b> , 7, 116676-116683	3.5	17	
1	.80	Compact Wide-Frequency Tunable Filter With Switchable Bandpass and Bandstop Frequency Response. <i>IEEE Access</i> , <b>2019</b> , 7, 47503-47508	3.5	17	
1	79	V-Band Wideband Circularly Polarized Endfire Multibeam Antenna With Wide Beam Coverage. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2019</b> , 18, 1616-1620	3.8	16	
1	.78	Compact dual-band bandpass filter using simply hybrid structures. <i>Electronics Letters</i> , <b>2015</b> , 51, 1265-12	2661	16	
1	77	Microstrip/Slotline-Coupling Substrate Integrated Waveguide Power Divider With High Output Isolation. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2019</b> , 29, 95-97	2.6	15	
1	.76	Compact Bandpass-to-Bandstop Reconfigurable Filter With Wide Tuning Range. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2019</b> , 29, 198-200	2.6	15	
1	75	220 GHz outdoor wireless communication system based on a Schottky-diode transceiver. <i>IEICE Electronics Express</i> , <b>2016</b> , 13, 20160282-20160282	0.5	15	
1	74	Design of Low-Profile Millimeter-Wave Substrate Integrated Waveguide Power Divider/Combiner. Journal of Infrared, Millimeter and Terahertz Waves, <b>2007</b> , 28, 473-478		15	
1	73	A Hybrid Guided-Wave Structure of Half Mode Substrate Integrated Waveguide and Conductor-Backed SlotLine and its Application in Directional Couplers. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2011</b> , 21, 65-67	2.6	14	
1	.72	Tri-band filter with multiple transmission zeros and controllable bandwidths. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2016</b> , 8, 9-13	0.8	14	

171	Dual-Band Coaperture Antenna Based on a Single-Layer Mode Composite Transmission Line. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 4825-4829	4.9	13
170	D-Band Wideband Air-Filled Plate Array Antenna With Multistage Impedance Matching Based on MEMS Micromachining Technology. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 4502-451	1 <sup>4.9</sup>	13
169	Broad-band power divider based on radial waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 595-597	1.2	13
168	Novel bandpass-response power divider with high frequency selectivity using centrally stub-lOaded resonators. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 1560-1562	1.2	12
167	A wideband 8-element omnidirectional array for wireless system. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 2944-2946	1.2	12
166	. IEEE Transactions on Microwave Theory and Techniques, <b>2020</b> , 1-1	4.1	12
165	Compact High-Isolation Multiplexer With Wide Stopband Using Spiral Defected Ground Resonator. <i>IEEE Access</i> , <b>2019</b> , 7, 31702-31710	3.5	11
164	Compact bandpass filter with improved upper stopband. <i>Electronics Letters</i> , <b>2014</b> , 50, 1065-1067	1.1	11
163	Compact dual-band bandpass filter using spiral resonators and short-circuited stub-loaded resonator. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 1393-1398	1.2	11
162	Wideband Balanced Bandpass Filter With Common-Mode Noise Absorption Using Double-Sided Parallel-Strip Line. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2020</b> , 30, 359-362	2.6	10
161	Design of a low noise 190\(\mathbb{Q}\)40 GHz subharmonic mixer based on 3D geometric modeling of Schottky diodes and CAD load-pull techniques. <i>IEICE Electronics Express</i> , <b>2016</b> , 13, 20160604-20160604	0.5	10
160	A switched-beam microstrip antenna array with miniaturized butler matrix network. <i>Microwave and Optical Technology Letters</i> , <b>2015</b> , 57, 841-845	1.2	10
159	Extremely compact ultra-wideband power divider using hybrid slotline/microstrip-line transition. <i>Electronics Letters</i> , <b>2015</b> , 51, 2014-2015	1.1	10
158	Ultra-wideband (UWB) power divider based on signal interference techniques. <i>Microwave and Optical Technology Letters</i> , <b>2012</b> , 54, 1028-1030	1.2	10
157	2.45-GHz wideband harmonic rejection rectenna for wireless power transfer. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 977-983	0.8	9
156	Mode Composite Sandwich Slot Line and its Applications in Antenna Development. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 4250-4258	4.9	9
155	Novel wide-stopband bandpass filter with good frequency selectivity based on composite right/left handed transmission line. <i>Microwave and Optical Technology Letters</i> , <b>2012</b> , 54, 2494-2497	1.2	9
154	Vertical Transition and Power Divider Using Substrate Integrated Circular Cavity. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2009</b> , 19, 371-373	2.6	9

## (2015-2016)

153	190 GHz high power input frequency doubler based on Schottky diodes and AlN substrate. <i>IEICE Electronics Express</i> , <b>2016</b> , 13, 20160981-20160981	0.5	9	
152	Four-Way Chained Quasi-Planar Slotted-HMSIW Power Divider. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2018</b> , 28, 117-119	2.6	8	
151	Millileter-Wave Power-Combining Amplifier Using A Broadband Waveguide Combiner. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , <b>2012</b> , 33, 1211-1220	2.2	8	
150	A MICROSTRIP PROBE COAXIAL WAVEGUIDE POWER DIVIDER/COMBINER. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2007</b> , 27, 1269-1279		8	
149	Investigation of broadband power amplifier with high power-combining efficiency. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 2178-2181	1.2	8	
148	Reconfigurable Bandpass Filter With Wide-Range Bandwidth and Frequency Control. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 1758-1762	3.5	8	
147	A Novel 3-dB Waveguide Hybrid Coupler for Terahertz Operation. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2019</b> , 29, 273-275	2.6	7	
146	Design of dual-bandpass filter using zeroth-order resonance and Bragg frequency. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 431-435	1.6	7	
145	Tunable balanced bandpass filter with constant absolute bandwidth and high common mode suppression. <i>IET Microwaves, Antennas and Propagation</i> , <b>2020</b> , 14, 147-152	1.6	7	
144	A microstrip bandpass filter based on inductive coupled quarter-wavelength resonators. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 1031-1033	1.2	7	
143	Frequency-agile Butler matrix with good interference suppression for multiple radio wireless platforms. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 563-568	1.6	7	
142	Bandpass Filter with Wide Stopband Using Composite Right/Left Handed Transmission Line. <i>Wireless Personal Communications</i> , <b>2013</b> , 72, 811-822	1.9	7	
141	A decoupling technique for increasing the port isolation between two closely packed antennas <b>2012</b> ,		7	
140	Ku-band multiway rectangular waveguide power divider. <i>Microwave and Optical Technology Letters</i> , <b>2010</b> , 52, 2560-2563	1.2	7	
139	Development of High Power 220 GHz Frequency Triplers Based on Schottky Diodes. <i>IEEE Access</i> , <b>2020</b> , 8, 74401-74412	3.5	7	
138	Millimeter-Wave Near-Field-Focused Full 2-D Frequency Scanning Antenna Array With Height-Modulated-Ridge Waveguide. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 2595-20	504 <sup>9</sup>	7	
137	Wideband Half-Mode SIW Power Divider With Improved Output Isolation Using Slotline Isolation Technology. <i>IEEE Access</i> , <b>2018</b> , 6, 62029-62036	3.5	7	
136	Ultra-wideband (UWB) eight-way ring-cavity power divider. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2015</b> , 7, 115-120	0.8	6	

		Yoni	g Fan
135	Reconfigurable Low-Pass Filter With Sharp Roll-Off and Wide Tuning Range. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2020</b> , 30, 649-652	2.6	6
134	Single-Layer Mode Composite Coplanar Waveguide Dual-Band Filter With Large Frequency Ratio.  IEEE Transactions on Microwave Theory and Techniques, 2020, 68, 2320-2330	4.1	6
133	Mode Composite Coplanar Waveguide. <i>IEEE Access</i> , <b>2019</b> , 7, 109278-109288	3.5	6
132	Wideband out-of-phase SIW power divider with enhanced stopband <b>2013</b> ,		6
131	Wideband millimetre-wave four-way spatial power combiner based on multilayer SIW. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2013</b> , 27, 1715-1719	1.3	6
130	Wide stopband bandpass filters based on quarter-wavelength resonators. <i>IET Microwaves, Antennas and Propagation</i> , <b>2017</b> , 11, 1379-1388	1.6	6
129	A Ka band low loss wideband E-plane waveguide filter <b>2011</b> ,		6
128	SAR target feature extraction based on sparse constraint nonnegative matrix factorization 2012,		6
127	A W-band Low Loss E-plane Type Waveguide Bandpass Filter <b>2007</b> ,		6
126	Wide-band dual-polarized planar array antenna for K/Ka-band wireless communication. <i>Microwave and Optical Technology Letters</i> , <b>2016</b> , 58, 2377-2381	1.2	6
125	Mode Analyzing Method for Fast Design of Branch Waveguide Coupler. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 4733-4740	4.1	6
124	Ka-Band Rectangular-Waveguide Gysel Power Divider with Low Insertion Loss and High Output Isolation. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , <b>2018</b> , 39, 996-1004	2.2	6
123	Compact half-mode SIW bandpass filter with high-frequency selectivity. <i>Electromagnetics</i> , <b>2018</b> , 38, 96-	1628	5
122	Compact quasi-planar broadband rectangular ring-cavity power divider using inserted ground waveguide probe. <i>Electronics Letters</i> , <b>2016</b> , 52, 628-630	1.1	5
121	Compact dual-band bandpass filter based on mixed electric and magnetic coupling. <i>Microwave and Optical Technology Letters</i> , <b>2014</b> , 56, 1903-1907	1.2	5
120	Diffraction Field Reconstruction in Millimeter-Wave SIW Ten-Way Power Divider by Shape Optimization Technology. <i>IEEE Transactions on Plasma Science</i> , <b>2017</b> , 45, 3177-3181	1.3	5
119	A W-band wideband E-plane type waveguide bandpass filter <b>2015</b> ,		5

Compact dual-bandstop filter based on composite right/left handed transmission line. *Microwave and Optical Technology Letters*, **2013**, 55, 958-962

1.2

118

117	Electromagnetically induced transparencies in a closed waveguide with high efficiency and wide frequency band. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 093502	3.4	5	
116	Modeling and application of stepped impedance resonators with double coaxial structure. <i>Microwave and Optical Technology Letters</i> , <b>2006</b> , 48, 2314-2317	1.2	5	
115	A K-Band High Interference-Rejection GaAs Low-Noise Amplifier Using Multizero Control Method for Satellite Communication. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2020</b> , 30, 1069-1072	2.6	5	
114	Dual-Polarized Wideband Plate Array Antenna With High Polarization Isolation and Low Cross Polarization for D-Band High-Capacity Wireless Application. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2020</b> , 19, 2023-2027	3.8	5	
113	Direct extraction method of HEMT switch small-signal model with multiparasitic capacitive current path. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21690	1.5	5	
112	Miniaturized bandpass filter using dual-mode hexagonal loop resonator. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 1003-1008	0.8	4	
111	Three-state SIW diplexer with independently controllable centre frequencies. <i>Electronics Letters</i> , <b>2019</b> , 55, 548-550	1.1	4	
110	Compact multimode-resonator diplexer with wide upper-stopband and high isolation. <i>Electromagnetics</i> , <b>2019</b> , 39, 262-270	0.8	4	
109	Broadband Eight-Way Substrate Integrated Waveguide Radial Power Divider/Combiner With High-Isolation. <i>IEEE Access</i> , <b>2020</b> , 8, 69268-69272	3.5	4	
108	Compact Quasi-Planar Four-Way Power Divider With Wide Isolation Bandwidth. <i>IEEE Access</i> , <b>2019</b> , 7, 77915-77922	3.5	4	
107	Miniaturized tri-band filtering-response power divider with short- and open-stub-loaded resonators. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 1637-1643	0.8	4	
106	Wide-stopband bandpass-filtering power divider with high-frequency selectivity. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 1931-1936	0.8	4	
105	A W band low-loss waveguide-to-microstrip probe transition for millimeter-wave applications <b>2012</b> ,		4	
104	A W-band Frequency Source with Low Spurs and Low Phase Noise. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2007</b> , 27, 1087-1093		4	
103	Phase Noise in Millimeter Wave Phase-Locked Loop with Mixer. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2007</b> , 28, 299-304		4	
102	Bandpass Filter Prototype Inspired Filtering Patch Antenna/Array. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	4	
101	Planar Circularly Polarized Antenna With Bandpass Filtering Response Based on Dual-Mode SIW Cavity. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 3155-3164	4.9	4	
100	Four-way hybrid SIW/microstrip-line power divider with improved output isolation. <i>Electronics Letters</i> , <b>2019</b> , 55, 36-38	1.1	4	

99	Common-Mode Noise Absorption Circuit Using Double-Sided Parallel-Strip Line. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 25-28	2.6	4
98	Height Reduced Concave Sector-Cut Spherical Conformal Phased Array Antenna Based on Distributed Aperture Synthesis. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	4
97	Compact Bandpass-Filtering Response Power Dividers with High Isolation and High Frequency Selectivity. <i>Electromagnetics</i> , <b>2017</b> , 37, 73-79	0.8	3
96	Compact Broadband Bandstop Filter Based on Composite Right/Left Handed Transmission Line. <i>Electromagnetics</i> , <b>2017</b> , 37, 196-202	0.8	3
95	Miniaturized rat-race coupler with harmonic suppression. <i>Microwave and Optical Technology Letters</i> , <b>2015</b> , 57, 190-193	1.2	3
94	Wideband Single-Ended-to-Balanced Power Divider With Intrinsic Common-Mode Suppression. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2020</b> , 30, 379-382	2.6	3
93	Ku band 2 watt TR chip for phased array based on GaAs technology. <i>IEICE Electronics Express</i> , <b>2016</b> , 13, 20160086-20160086	0.5	3
92	Broadband six-way out-of-phase SIW power divider. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2016</b> , 8, 165-170	0.8	3
91	All-Metal-Waveguide Power Divider with High Power-Combining Efficiency. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , <b>2016</b> , 37, 258-266	2.2	3
90	Miniaturized Bagley Polygon power divider by using composite right-/left-handed transmission lines. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 1833-1837	0.8	3
89	New 2D diffraction model and its applications to terahertz parallel-plate waveguide power splitters. <i>Scientific Reports</i> , <b>2017</b> , 7, 41726	4.9	3
88	Dual-band bandpass filter based on mixed electric and magnetic coupling of the hybrid quasi-lumped resonator. <i>International Journal of Electronics</i> , <b>2014</b> , 101, 1096-1105	1.2	3
87	Ultra-wideband power divider with a notched band using embedded dual-mode resonators. <i>Microwave and Optical Technology Letters</i> , <b>2014</b> , 56, 2758-2762	1.2	3
86	A four-way half-mode SIW power divider with improved impedance match <b>2011</b> ,		3
85	Ku-band substrate integrated waveguide transitions between layers. <i>Microwave and Optical Technology Letters</i> , <b>2009</b> , 51, 2585-2588	1.2	3
84	The W-Band High Order Avalanche Diode Frequency Multiplier. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2007</b> , 28, 663-669		3
83	A wideband power divider with bandpass response. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2016</b> , 8, 583-590	0.8	3
82	Compact Multiple-Way Power-Dividing Network with Bandpass-Filtering Response Using Spiral Resonators. <i>Electromagnetics</i> , <b>2016</b> , 36, 546-557	0.8	3

## (2012-2016)

81	A dual-band unequal power divider with flexible choice of implementation. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2016</b> , 8, 171-178	0.8	3
80	A High-Efficiency 28/39 GHz Dual-Band Power Amplifier MMIC for 5G Communication. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 1-1	2.6	3
79	A C-Band High-Efficiency Power Amplifier MMIC with Second-Harmonic Control in 0.25	2.6	3
78	Novel Four-Way Slotted-Substrate Integrated Waveguide Power Divider Using Identical Coupling Circuits. <i>Electromagnetics</i> , <b>2017</b> , 37, 233-239	0.8	2
77	Four-way wideband power divider using a hybrid HMSIW/microstrip line. <i>Electromagnetics</i> , <b>2017</b> , 37, 462-470	0.8	2
76	Multi-Way Quasi-Optical Waveguide Power Divider with 2D Diffraction Approximation and Experimental Verification at Millimeter Wave. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , <b>2019</b> , 40, 435-446	2.2	2
75	220 GHz wideband integrated receiver front end based on planar Schottky diodes. <i>Microwave and Optical Technology Letters</i> , <b>2020</b> , 62, 2737-2746	1.2	2
74	Compact four-way suspended-stripline power divider with low loss and high isolation. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2020</b> , 12, 749-753	0.8	2
73	High isolation and miniaturized quad-channel diplexer using short stub-loaded resonators and distributed coupling feeding line. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2018</b> , 32, 1069-10	)7 <sup>4.3</sup>	2
72	A High-Efficiency 220 GHz Doubler Based on the Planar Schottky Varactor Diode. <i>Journal of Electronic Materials</i> , <b>2019</b> , 48, 3603-3611	1.9	2
71	Ka-Band Four-Way Power Combiner Based on Multi-layer Substrate Integrated Waveguide. <i>Wireless Personal Communications</i> , <b>2014</b> , 79, 1703-1711	1.9	2
70	High Selective Bandpass Filter Using Inductive-Coupled Quarter-Wavelength Stepped-Impedance Resonators. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 3010-3014	1.2	2
69	Compact multi-layer N-way power divider with closed-ring-shaped isolation network. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2017</b> , 9, 1945-1949	0.8	2
68	Multilayer four-way power divider with improved isolation performance. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2017</b> , 31, 1676-1684	1.3	2
67	A terahertz spatial power combiner based on 2D periodic hole-shaped grating using nongradient optimization method. <i>Electromagnetics</i> , <b>2017</b> , 37, 538-549	0.8	2
66	Miniaturized rat race coupler with harmonic suppression <b>2014</b> ,		2
65	SAR automatic target recognition using a hierarchical multi-feature fusion strategy 2012,		2
64	Tunable bandpass filter using varactor-loaded quarter-wavelength resonator <b>2012</b> ,		2

63	Ultra-wideband (UWB) bandpass filter with inductance-loaded Y-shaped multiple-mode resonator <b>2012</b> ,		2
62	Design of W-band passive millimeter wave imaging system <b>2012</b> ,		2
61	Design of up/down converters with subharmonic pump for wireless communication at 220 GHz <b>2012</b> ,		2
60	A low-loss SICC filter using LTCC technology, for X-Band application <b>2009</b> ,		2
59	A new kind of millimeter wave dual-circular polarized array 2008,		2
58	A HEMT large-signal model for use in the design of microwave switching circuits. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2020</b> , 30, e22078	1.5	2
57	Design of Filtering Crossover and Diplexer on SIW Quadruple-Mode Resonators in a Single Cavity. <i>IEEE Access</i> , <b>2020</b> , 8, 176789-176796	3.5	2
56	Isolation Enhancement for W-Band Coplanar Array Antennas Based on Silicon Micromachining Technology. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2020</b> , 19, 1744-1748	3.8	2
55	325-400 GHz 2-D Beam Steering Antenna Based on MEMS Micromachining Technology <b>2020</b> ,		2
54	Dual-Band Shared-Aperture High-Efficiency Reflectarray Antenna Based on Structure-Reuse Technique. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 20, 366-370	3.8	2
53	MIMO Borehole Radar Imaging Based on High Degree of Freedom for Efficient Subsurface Sensing. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2019</b> , 57, 3380-3391	8.1	2
52	Low-Profile Dual-Band Filtering Antenna With a Shared SIW Cavity. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	2
51	C/X- Dual Band Circularly Polarized Shared-Aperture Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	2
50	Compact ultra-wideband bandpass-response power divider with high-frequency selectivity. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2018</b> , 10, 1107-1112	0.8	2
49	Synthesis of Fully Canonical Wideband Bandpass Filters With Complex Reflection Zeros. <i>IEEE Access</i> , <b>2019</b> , 7, 117219-117226	3.5	1
48	Analysis of Welding Pad for Terahertz Hybrid Integrated Mixer. <i>IEEE Access</i> , <b>2020</b> , 8, 22506-22514	3.5	1
47	420 GHz subharmonic mixer based on heterogeneous integrated Schottky diode. <i>IEICE Electronics Express</i> , <b>2017</b> , 14, 20170459-20170459	0.5	1
46	Wideband filtering power divider with deep and wide stopband. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2018</b> , 10, 1011-1018	0.8	1

45	Wide-frequency tunable bandpass filter with high-frequency selectivity. <i>Electromagnetics</i> , <b>2019</b> , 39, 43	0-4.\$2	1
44	Ultrawideband notch-band power divider with bandpass response using defect microstrip structure. <i>Microwave and Optical Technology Letters</i> , <b>2014</b> , 56, 711-715	1.2	1
43	Quasi-planar high-isolation four-way power divider based on capacitance compensation technology. <i>Electromagnetics</i> , <b>2017</b> , 37, 355-368	0.8	1
42	A compact substrate integrated spiral resonator for wireless power transfer 2015,		1
41	A frequency reconfigurable microwave reaction cavity based on a quarter-wave coaxial cavity resonator <b>2012</b> ,		1
40	Wideband CRLH-transmission line bandstop filter <b>2012</b> ,		1
39	Extraction of parasitic parameter and design of sub-harmonic mixer at 94 GHz. <i>International Journal of Applied Electromagnetics and Mechanics</i> , <b>2012</b> , 38, 211-215	0.4	1
38	Broadband multi-way substrate integrated waveguide radial power divider using novel probe transition. <i>HKIE Transactions</i> , <b>2013</b> , 20, 92-95	2.9	1
37	IMPROVED GENERALIZED ADMITTANCE MATRIX TECHNIQUE AND ITS APPLICATIONS TO RIGOROUS ANALYSIS OF MILLIMETER-WAVE DEVICES IN RECTANGULAR WAVEGUIDE. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2007</b> , 27, 1391-1402		1
36	Frequency Sources in W-band Radar Front-end with Low Phase Noise. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2008</b> , 29, 142-147		1
35	W-band Communication System with Direct Frequency Shift Keying Modulation to Phase-locked Oscillator. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2008</b> , 29, 527-533		1
34	Algebraic Extraction of the Coupling Matrix of Cross-Coupled Filter of Given Topology 2006,		1
33	Performance and Design of Double Coaxial Stepped Impedance Resonators for Mobile Communication <b>2006</b> ,		1
32	Low-Sidelobe-Level Circularly-Polarized Short Leaky-Wave Antenna with A-Shaped Element Based on Substrate Integrated Image Guide. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	1
31	A Ka-band power amplifier with filtering characteristic for satellite communication. <i>Microwave and Optical Technology Letters</i> , <b>2020</b> , 62, 576-580	1.2	1
30	Compact different-/same-frequency power combining circuit with high isolation and high frequency selectivity. <i>Microwave and Optical Technology Letters</i> , <b>2020</b> , 62, 3804-3810	1.2	1
29	A Modeling Method for Small Packing Particles in Electromagnetic Simulation. <i>International Journal of Antennas and Propagation</i> , <b>2016</b> , 2016, 1-7	1.2	1
28	Ku-band pre-matched broadband GaN power amplifier with over 30 W power. <i>Electronics Letters</i> , <b>2016</b> , 52, 872-874	1.1	1

27	Multiple-mode-based four-way filtering-response power divider with wide stopband and high fabrication tolerance. <i>Microwave and Optical Technology Letters</i> , <b>2016</b> , 58, 2993-2996	1.2	1
26	1.1 THz tenth harmonic mixer based on planar GaAs Schottky diode. <i>IET Microwaves, Antennas and Propagation</i> , <b>2019</b> , 13, 1799-1803	1.6	1
25	HEMT Small-Signal Modelling for Voltage-Controlled Attenuator Applications 2019,		1
24	W-Band Low-SLL Size-Reduction Micro-Waveguide Array Antenna Using TE120-Mode-Cavity Dual-Layer Power Divider. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	1
23	A W-band Low-Profile Dual-Polarized Reflectarray with Integrated Feed for In-Band Full-Duplex Application. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	1
22	Filtering dual-patch antenna with flat gain response using F-shaped feeding structure. <i>Microwave and Optical Technology Letters</i> , <b>2020</b> , 62, 3342-3350	1.2	1
21	Proactive Conformal Waveguide Slot Array Antenna to Synthesize Cosecant Squared Pattern Based on 3-D Printing Manufacturing Process. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	1
20	A Novel Waveguide-to-Coaxial Transition With Embedded Magnetic Closed Loop. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2022</b> , 1-4	2.6	1
19	Complete parasitic-capacitance-shell extraction of high-frequency switch-HEMT equivalent-circuit model. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2020</b> , 30, e22212	1.5	O
18	Development of a Wideband 220-GHz Subharmonic Mixer Based on GaAs Monolithic Integration Technology. <i>IEEE Access</i> , <b>2020</b> , 8, 31214-31226	3.5	O
17	Compact UWB BPF with a notched band using a single perturbed HMSIW cavity. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2020</b> , 12, 809-814	0.8	0
16	Analysis of Different Loop Resonators and Their Application in Band-Stop Filter Design. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 2241-2244	1.2	O
15	Algorithm for the retrieval of soil moisture from the radar backscattering coefficient. <i>HKIE Transactions</i> , <b>2013</b> , 20, 124-132	2.9	O
14	A Novel W-band Microstrip Integrated Avalanche Diode High Order Frequency Multiplier. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , <b>2008</b> , 29, 741-747		O
13	Generation of Ka-Band Accelerating and Self-Bending Beam by Series-Fed Patch Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 20, 239-243	3.8	O
12	Fusion Before Imaging Method for Heterogeneous Borehole Radar Subsurface Surveys. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2021</b> , 1-14	8.1	O
11	Synthesis of Difference Patterns for 3-D Conformal Beam-Scanning Arrays with Asymmetric Radiation Aperture. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	О
10	Wideband Gysel HMSIW power divider with high power-handling capability. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2018</b> , 10, 308-312	0.8	

#### LIST OF PUBLICATIONS

9	Novel high-isolation power divider integrated filtering response. <i>Electromagnetics</i> , <b>2018</b> , 38, 291-302	0.8
8	Parameters extraction for MIS structure with protective layer by double-image Green function method. <i>International Journal of Electronics</i> , <b>2005</b> , 92, 553-559	1.2
7	The research on 220-GHz signal detecting system. <i>International Journal of Numerical Modelling:</i> Electronic Networks, Devices and Fields, <b>2020</b> , 33, e2655	1
6	Low-insertion-loss Gysel power combiner with high power density and high isolation. <i>International Journal of Microwave and Wireless Technologies</i> ,1-6	0.8
5	Millimeter-wave wide-band high-efficiency single-layer reflectarray antenna with ability of phase-response restructuration. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2021</b> , 31, e22754	1.5
4	Tunable dual-mode filtering power divider with harmonic suppression. <i>IEICE Electronics Express</i> , <b>2018</b> , 15, 20180321-20180321	0.5
3	A High-Performance 330-GHz Subharmonic Mixer Using Schottky Diodes. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2022</b> , 1-4	2.6
2	Three-Dimensional Interconnection With Magnetically Coupled Transition for W-Band Integration Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2022</b> , 1-1	4.1
1	N-Way Reconfigurable Power Divider With Parallel Reconfigurable-Characteristic-Impedance Transformation Lines. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2022</b> , 1-1	4.1