

Frank Bungartz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2738569/publications.pdf>

Version: 2024-02-01

13
papers

416
citations

1163117

8
h-index

1199594

12
g-index

13
all docs

13
docs citations

13
times ranked

627
citing authors

#	ARTICLE	IF	CITATIONS
1	A single macrolichen constitutes hundreds of unrecognized species. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11091-11096.	7.1	153
2	High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7	2.5	68
3	Turbo-taxonomy to assemble a megadiverse lichen genus: seventy new species of Cora (Basidiomycota): Tj ETQq1 1 0.784314 rgBT /C Diversity, 2017, 84, 139-207.	12.3	54
4	Anatomy of the endolithic Sonoran Desert lichen <i>Verrucaria rubrocincta</i> Breuss: implications for biodeterioration and biomineralization. Lichenologist, 2004, 36, 55-73.	0.8	47
5	The lichen genus <i>Usnea</i> (Parmeliaceae) in the tropical Andes and the Galapagos: species with a red-orange cortical or subcortical pigmentation. Bryologist, 2011, 114, 477-503.	0.6	31
6	High levels of endemism among Galapagos basidiolichens. Fungal Diversity, 2017, 85, 45-73.	12.3	26
7	Phylogenetic diversity of two geographically overlapping lichens: isolation by distance, environment, or fragmentation?. Journal of Biogeography, 2021, 48, 676-689.	3.0	11
8	Teloschistaceae (lichenized Ascomycota) from the Galapagos Islands: a phylogenetic revision based on morphological, anatomical, chemical, and molecular data. Plant and Fungal Systematics, 2020, 65, 515-576.	0.5	10
9	The new genus <i>Pulvinora</i> (Lecanoraceae) for species of the "Lecanora pringlei"™ group, including the new species <i>Pulvinora stereothallina</i> . Bryologist, 2021, 124, .	0.6	6
10	<p class="HeadingRunIn">Lecanoroid lichens in the Galapagos Islands: the genera Lecanora, Protoparmeliopsis, and Vainionora (Lecanoraceae, Lecanoromycetes)</p>
. Phytotaxa, 2020, 431, 1-85.	0.3	6
11	DNA Barcoding of Fresh and Historical Collections of Lichen-Forming Basidiomycetes in the Genera <i>Cora</i> and <i>Corella</i> (Agaricales: Hygrophoraceae): A Success Story?. Diversity, 2022, 14, 284.	1.7	3
12	(2872) Proposal to conserve the name <i>Huea</i> (<i>Ascomycota</i>: <i>Teloschistales</i>) with a conserved type. Taxon, 2022, 71, 465-466.	0.7	1
13	Obscuropalca gen. nov. " a replacement name for <i>Phaeopalca</i> ; Teloschistaceae (lichenized) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7	0.5	0